




P A R T S L I S T
B F K 7 0 9



目次 CONTENTS

FIG 1	ENGINE (ROBIN EY28 ~NO.6531435)	1~2
FIG 1'	ENGINE (ROBIN EH25 NO.6531436~)	2-1~2-2
FIG 2	ENGINE (DIESEL)	3~4
FIG 3	ELECTRIC EQUIPMENT 01	5
FIG 4	ELECTRIC EQUIPMENT 02 (CE spec)	6
FIG 4-1	ELECTRIC EQUIPMENT 02 (HUTTER spec)	6-1
FIG 5	FRAME & ENGINE COVER (EY28 ~NO.6531435 ・ EH25 NO.6531436~)	7~8
FIG 6	FRAME & ENGINE COVER (DIESEL)	9~10
FIG 7	TRANSMISSION & CRAWLER	11
FIG 8	POWER LINE	12
FIG 9	ROLLER & IDLER	13~14
FIG 10	SIDE CLUTCH LEVER	15
FIG 11	BRAKE & CLUTCH LEVER	16
FIG 12	GEAR SHIFT LEVER	17~18
FIG 13	SEAT	19
FIG 14	BUCKET TYPE DECK	20
FIG 15	HYDRAULIC LINE	21~22
FIG 16	DEADMAN'S CONTROL BRAKE	23
FIG 17	ACCESSORIES	24
FIG 18	MARK (HUTTER/CE)	25~26
FIG 19	HYDRAULIC PUMP NO.6530736~NO.6531761	27
FIG 20	HYDRAULIC PUMP ~NO.6530735	28
FIG 21	MARK (ASIA specs)	29
3649 610D	MARK (KUHN specs)	30
3428 5001	HYDRAULIC PUMP NO.6531762~	31~32

FIG 1 ENGINE (ROBIN EY28 ~NO.6531435)




A	Parts for CE Marking	
A	HUTTER specs	NO.6531154~
B	HUTTER specs	~NO.6531153

見出	部品番号	部品名称		個数Q'ty		型 寸	適用号機	備 考
NO.	PART NO.	PART NAME		A	B	DESCRIPTION	FROM~UP TO SERIAL NO.	REMARKS
1	3649 0001 000	エンジン	ENGINE		1	EY280B 71941		
1	3649 0002 000	エンジン	ENGINE	1		EY280B 71950		
2	K700 0106 020	ボルト	BOLT	2		M6×20		
3	K814 0110 040	ボルト	BOLT	4	4	M10×40		
4	0350 0141 022	PW	WASHER,PLAIN	4	4	10×22×1.6		
5	F301 0110 000	ナット	NUT	4	4	M10		
6	3641 0012 000	エンジンプーリ	PULLEY	1	1			
7	3610 0101 000	ベルトストッパー	STOPPER	1	1			
8	3205 0011 000	ベルトストッパー	STOPPER	1	1	B		
9	K110 0108 016	ボルト	BOLT	2	2	M8×16		
10	0350 0140 822	PW	WASHER,PLAIN	2	2	8×22×1.6		
11	3649 0011 000	ダクト	DUCT	1	1			
12	3649 0012 000	ABAバンド	CLIP	1	1			
13	3649 0201 000	エンジンベース	BASE	1	1			
14	3632 0106 000	ホウシゴム	INSULATOR	4	4	EA1004		
15	0350 0140 822	PW	WASHER,PLAIN	6	6	8×22×1.6		
16	F301 0108 000	ナット	NUT	8	8	M8		
17	0050 2108 083	クランプ	CLAMP	1	1			
18	3649 0211 000	サポート	SUPPORT	1	1			
19	K710 0108 020	ボルト	BOLT	2	2	M8×20		
20	0350 0140 822	PW	WASHER,PLAIN	4	4	8×22×1.6		
21	F301 0108 000	ナット	NUT	2	2	M8		
22	3632 0106 000	ホウシゴム	INSULATOR	1	1	EA1004		
23	0350 0140 822	PW	WASHER,PLAIN	1	1	8×22×1.6		

[illegible]

FIG 1' ENGINE (ROBIN EH25 NO.6531436~)



見出 NO.	部品番号 PART NO.	部品名称	PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	3649 0003 000	エンジン	ENGINE	1	EH252B72140		
2	K814 0110 040	Fボルト	BOLT	4	M10 × 40		
3	F301 0110 000	Fナット	NUT	4	M10		
4	3641 0012 000	エンジンプーリ	PULLEY	1			
5	3610 0101 000	ベルトストッパー	STOPPER	1			
6	3205 0011 000	ベルトストッパー	STOPPER	1	B		
7	K110 0108 016	Fボルト	BOLT	2	M8 × 16		
8	0350 0140 820	PW	WASHER,PLAIN	2	8 × 22 × 1.6		
9	3649 0013 000	テールパイプ	PIPE	1			
10	3649 0205 000	エンジンベース	BASE	1			
11	3632 0106 000	ホウシシゴム	INSULATOR	5	EA1004		
12	0350 0140 820	PW	WASHER,PLAIN	6	8 × 22 × 1.6		
13	F301 0108 000	Fナット	NUT	8	M8		
14	0050 2108 083	クランプ	CLAMP	1			
15	3649 0211 000	サポート	SUPPORT	1			
16	K710 0108 020	Fボルト	BOLT	2	M8 × 20		
17	3649 0216 000	ダクト	DUCT	1			
18	3649 0217 000	インシュレータ	INSULATOR	1			
19	3649 0218 000	インシュレータ	INSULATOR	1			
20	3649 0219 000	カバー	COVER	1			
21	3649 0221 000	カバー	COVER	1			
22	3649 0224 000	カバー	COVER	1			
23	K700 0106 014	Fボルト	BOLT	9	M6 × 14		
24	0350 0140 618	PW	WASHER,PLAIN	2	6 × 18 × 1.6		
25	A301 0108 003	ナット	NUT	2	M8		

FIG 1' ENGINE (ROBIN EH25 NO.6531436~)



[illegible]

FIG 2 ENGINE (DIESEL)



A	AC60 with recoil starter
B	OC60 with electric starter

見出 NO.	部品番号 PART NO.	部品名称		個数Qty A B	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	3632 0051 000	エンジン	ENGINE	1	AC60-G		
1	3649 0061 000	エンジン	ENGINE		1	OC60-G-CHI-2-E	
2	K814 0110 040	Fボルト	BOLT	4	4	M10×40	
3	0350 0141 022	PW	WASHER,PLAIN	4	4	10×22×1.6	
4	F301 0110 000	Fナット	NUT	4	4	M10	
5	3641 0012 000	エンジンプーリ	PULLEY	1	1		
6	3205 0011 000	ベルトストッパー	STOPPER	2	2	B	
7	K110 0108 016	Fボルト	BOLT	2	2	M8×16	
8	0350 0140 822	PW	WASHER,PLAIN	2	2	8×22×1.6	
9	3649 0055 000	エキゾーストパイプ	EX-PIPE	1	1		
10	3649 0058 000	テールパイプ	TAIL PIPE	1	1		
11	3308 2114 000	ホースバンド	CLIP	1	1	ABA19-28	
12	3649 0071 000	タンクブラケット	BRACKET		1		NO.6530473~
13	K110 0108 016	Fボルト	BOLT		5	M8×16	NO.6530473~
14	0350 0140 822	PW	WASHER,PLAIN		2	8×22×1.6	NO.6530473~
15	3649 0081 000	カバー	COVER		1		NO.6530473~
16	K710 0110 016	Fボルト	BOLT		3	M10×16	NO.6530473~
17	0350 0141 022	PW	WASHER,PLAIN		1	10×22×1.6	NO.6530473~
18	K814 0108 060	Fボルト	BOLT		1	M8×60	NO.6530473~
19	0050 2108 083	クランプ	CLAMP		1		NO.6530473~
20	K110 0108 016	Fボルト	BOLT		1	M8×16	NO.6530473~
21	3649 0085 000	コルゲートチューブ	TUBE		1		NO.6530473~
22	3649 0301 000	エンジンベース	BASE	1	1		
23	3705 0019 000	ハウジングゴム	INSULATOR	4	4	KQ-0139-A00	
24	0350 0140 822	PW	WASHER,PLAIN	8	8	8×22×1.6	


This exploded view diagram illustrates the assembly of a mechanical device, likely a pump or motor. The central component is a motor unit (1) mounted on a base plate (2). Various parts are shown in their relative positions for assembly, including a control box (15), a mounting bracket (12), and a support structure (27). The diagram includes 39 numbered callouts for the following parts:

- 1: Motor unit
- 2: Base plate
- 3: Nut
- 4: Bolt
- 5: Flange
- 6: L-shaped bracket
- 7: Washer
- 8: Nut
- 9: Elbow fitting
- 10: Pipe
- 11: Seal/O-ring
- 12: Mounting bracket
- 13: Bolt
- 14: Nut
- 15: Control box
- 16: Bolt
- 17: Bolt
- 18: Valve assembly
- 19: Bolt
- 20: Bolt
- 21: Hose
- 22: Nut
- 23: Bolt
- 24: Washer
- 25: Nut
- 26: Pin
- 27: Support structure
- 28: Bolt
- 29: Washer
- 30: Nut
- 31: Bolt
- 32: Nut
- 33: Bolt
- 34: Washer
- 35: Hose
- 36: Fitting
- 37: Hose
- 38: Bolt
- 39: Elbow fitting

A	AC60 with recoil starter
B	OC60 with electric starter

BFK709

FIG 3 ELECTRIC EQUIPMENT




A	DIESEL
B	PETROL

見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数Q'ty A B	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	3649 0502 000	ハーネス	1			
2	3415 0522 001	ヒューズ・フルリンク	1			
3	F301 0108 000	Fナット	1	M8		
4	5210 0099 100	SKハインダー	1	SKB-3M		
5	3649 0504 000	キートリツケ	1			
6	K710 0108 016	Fボルト	2	M8 × 16		
7	F301 0108 000	ナット	2	M8		
8	3649 0505 001	ウケダイ	1		NO.6530128~	
8	3649 0505 000	ウケダイ	1		~NO.6530127	
9	0210 0100 825	ヒラコネジ	2	8 × 25		
10	F301 0108 000	ナット	2	M8		
11	3705 3901 000	バッテリー	2	40B19R		
12	3420 0307 000	プレート	1			
13	5201 9901 000	バッテリートリツケボルトセ	2	φ 6 × (210)	NO.6530128~	
13	3705 9903 000	バッテリートリツケボルトセ	2	φ 6 × 170	~NO.6530127	
16	3643 0217 000	マイナスコード	1			
17	3522 0231 000	マイナスコード	1			
18	0980 7201 204	プラスコード	1	l=1200		
19	3522 0238 100	タフタイト	2	M8 × 25		
20	3649 0602 000	ハーネス		1		
21	3524 0301 000	バッテリー		1	BX4A-3B	
22	3524 0301 100	フリーザーパイプ		1		
23	3524 0302 001	プレート		1		
24	3524 0303 000	ゴム		1		
25	K100 0106 014	Fボルト		2	M6 × 14	
26	ZK3741059110	キー Assy	1		37410-59110	
27	ZK3741055150	キー	1		37410-55150	


INTERCHANGEABLE AS A SET ON NO.8 AND NO.13.

FIG 4 ELECTRIC EQUIPMENT 02 (CE spec)




見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適用号機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
1	3654 0165 000	ワーキングランプ	1			
2	0980 8121 844	バルブ	1	12V18.4W		
3	K814 0108 030	Fボルト	1	M8×30		
4	0350 0160 828	PW	1	8×28×3.2		
5	0350 0140 818	PW	1	8×18×1.6		
6	A360 0100 802	SW	1	8		
7	A301 0108 001	ナット	2	M8		
8	3649 0521 000	ブラケット	1			
9	K110 0108 016	Fボルト	3	M8×16		
10	3654 0171 000	ホーン	1			
11	3649 0523 000	ブラケット	1			
12	K700 0106 014	Fボルト	2	M6×14(7T)		
13	F300 0106 000	Fナット	2	M6		
14	K110 0108 016	Fボルト	1	M8×16		
15	F301 0108 000	Fナット	1	M8		
16	4201 0302 000	ホーンスイッチ	1			
17	3649 0525 000	ハーネス	1			
18	0050 2108 083	クランプ	1			
19	3508 1057 000	ホコゴム	1	P-1		

FIG 4-1 ELECTRIC EQUIPMENT 02 (HUTTER spec)




見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適用号機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
1	3654 0165 000	ワーキングランプ	1			
2	0980 8121 844	バルブ	1	12V18.4W		
3	3659 0735 000	シャフト	1			
4	5310 1243 000	ボルト	1			
5	0350 0160 828	PW	1	8×28×3.2		
6	A300 0106 000	ナット	1	M6		
7	3649 0522 000	ブラケット	1			
8	K110 0108 016	Fボルト	4	M8×16		
9	3659 0737 000	ブラケット	1			
10	3513 3131 000	プラスチックバンド	2			
11	3654 0171 000	ホーン	1			
12	3649 0523 000	ブラケット	1			
13	K700 0106 014	Fボルト	2	M6×14(7T)		
14	F300 0106 000	Fナット	2	M6		
15	K110 0108 016	Fボルト	1	M8×16		
16	F301 0108 000	Fナット	3	M8		
17	K110 0108 020	Fボルト	2	M8×20		
18	4201 0302 000	ホーンスイッチ	1			
19	3649 0525 000	ハーネス	1			
20	0050 2108 083	クランプ	1			
21	3508 1057 000	ホコゴム	1	P-1		

FIG 5 FRAME & ENGINE COVER
(EY28 ~NO.6531435 ・ EH25 NO.6531436~)




見出	部品番号	部品名称		個数	型 寸	適用号機	備 考
NO.	PART NO.		PART NAME	Q'ty	DESCRIPTION	FROM ~ UP TO SERIAL NO.	REMARKS
1	3649 1001 001	フレーム	FRAME	1		NO.6530188~	Parts stock is not available
1	3649 1001 000	フレーム	FRAME	1		~NO.6530187	Parts stock is not available
2	A650 0100 600	グリスニップル	NIPPLE	3	M6		
4	3628 4031 010	ホウシゴム	INSULATOR	2	B-17		
5	3649 1099 000	リフレクター	REFLECTOR	2	RR390-BZR	NO.6530188~	
6	3649 1101 001	ウンテンセキカバー	COVER	1		NO.6530188~	
6	3649 1101 000	ウンテンセキカバー	COVER	1		~NO.6530187	
7	3649 1161 000	カバー	COVER	1		NO.6531436~	
7	3649 1124 000	カバー	COVER	1		NO.6530188~NO.6531435	
8	3649 1125 000	サポート	SUPPORT	1			
9	3649 1134 000	ガイドパン	PLATE	1		NO.6530104~	
9	3627 3201 011	ガイドパン	PLATE	1		~NO.6530103	
10	K110 0108 016	Fボルト	BOLT	7	M8×16		
11	K100 0106 014	Fボルト	BOLT	11	M6×14		
12	3606 4024 000	ホウオンゴム	RUBBER	3	BSIE φ8.5		
13	0040 1162 001	グロメット	GROMMET	2	C-30-SG-20A		
14	3611 1807 000	ホゴゴム	RUBBER	4	C-6		
15	3649 1311 002	エンジンカバー	COVER	1		NO.6531336~	
15	3649 1311 001	エンジンカバー	COVER	1		NO.6530188~NO.6531335	
15	3649 1311 000	エンジンカバー	COVER	1		~NO.6530187	
16	3659 1577 000	プレート	PLATE	1		NO.6531336~	
17	3669 1531 000	パチンジョウ	LOCK	1		NO.6531336~	
17	3654 1651 000	パチンジョウ	LOCK	1	C-1142-2	NO.6530188~NO.6531335	
18	A222 0105 016	サラコネジ	SCREW	5	M5×16	NO.6531336~	
18	A222 0104 014	サラコネジ	SCREW	4	M4×14	NO.6530188~NO.6531335	

FIG 5 FRAME & ENGINE COVER
(EY28 ~NO.6531435 ・ EH25 NO.6531436~)



見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適用号機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
19	F300 0105 001	Fナット	5	M5	NO.6531336~	
19	F300 0104 001	Fナット	4	M4	NO.6530188~ NO.6531335	
20	0040 1151 500	グロメット	1	C-30-NG-79-G		
21	3649 1323 000	ストッパ	1			
22	F300 0106 000	Fナット	4	M6		
23	0350 0140 818	PW	2	8×18×1.6		
24	A351 0108 002	Uナット	2	M8		
25	3649 1324 000	ブラケット	1		NO.6531336~	
25	3649 1322 000	ブラケット	1		NO.6530188~ NO.6531335	
26	3649 1325 001	ベルトカバー	1		NO.6530188~	
26	3649 1325 000	ベルトカバー	1		~ NO.6530187	
27	K700 0106 014	Fボルト	9	M6×14		
28	0350 0140 618	PW	5	6×18×1.6		
29	3649 1335 000	カバー	1		NO.6531436~	
29	3649 1329 001	カバー	1		NO.6530188~ NO.6531435	
29	3649 1329 000	カバー	1		~ NO.6530187	
30	3649 1351 100	カバーシタ	1		NO.6531436~	
30	3649 1343 000	カバーシタ	1		NO.6530031~ NO.6531435	
30	3649 1301 000	カバーシタ	1		~ NO.6530030	
31	K110 0108 016	Fボルト	14	M8×16		
32	0350 0140 822	PW	4	8×22×1.6		
33	F301 0108 000	Fナット	1	M8		
34	3649 1351 400	プレート	1		NO.6531436~	
35	MA90 5743 010	ノブ	1		~ NO.6530187	
36	MA90 5744 000	ワッシャ	1		~ NO.6530187	
37	3649 1334 000	トリム	1		NO.6530188~ NO.6531435	


FIG 6 FRAME & ENGINE COVER (DIESEL)



A	AC60 with recoil starter
B	OC62 with electric starter

見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数Qty A B	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	3649 1001 001	フレーム	1	1	NO.6530188~	Parts stook is not available
1	3649 1001 000	フレーム	1	1	~NO.6530187	Parts stook is not available
2	A650 0100 600	グリスニップル	3	3 M6		
3	0350 0130 613	PW	3	3 6×13×1.0		
4	3628 4031 010	ボウシゴム	2	2 B-17		
5	3649 1099 000	リフレクター	2	2 RR390-BZR	NO.6530188~	
6	3649 1145 000	ウンテンセキカバー		1	NO.6530473~	
6	3649 1101 001	ウンテンセキカバー		1	NO.6530188~NO.6530472	
6	3649 1101 000	ウンテンセキカバー	1		~NO.6530187	
6	3649 1141 000	ウンテンセキカバー		1	~NO.6530187	
7	3649 1124 000	カバー		1	NO.6530188~	
8	K100 0106 014	Fボルト		6 M6×14	NO.6530188~	
9	3606 4024 000	ボウオンゴム	3	BSIE φ8.5		
9	3606 4024 000	ボウオンゴム		2 BSIE φ8.5	NO.6530473~	
9	3606 4024 000	ボウオンゴム		3 BSIE φ8.5	~NO.6530472	
10	K110 0108 016	Fボルト		6 M8×16	~NO.6530472	
11	0040 1160 200	グロメット	2	2 C-30-SG-20A		
12	3649 1125 000	サポート	1	1		
13	K100 0106 014	Fボルト	1	1 M6×14		
14	K110 0108 016	Fボルト	2	2 M8×16		
15	3649 1134 000	ガイドパン	1	1	NO.6530104~	
15	3627 3201 011	ガイドパン	1	1	~NO.6530103	
16	3611 1807 000	ホゴゴム	4	4 C-6		
17	K100 0106 014	Fボルト	4	4 M6×14		
18	3649 1343 000	カバーシタ	1	1	NO.6530031~	

FIG 6 FRAME & ENGINE COVER (DIESEL)




A	AC60 with recoil starter
B	OC62 with electric starter

見出	部品番号	部品名称		個数Q'ty		型 寸	適用号機	備 考
NO.	PART NO.	PART NAME		A	B	DESCRIPTION	FROM~UP TO SERIAL NO.	REMARKS
18	3649 1301 000	カバーシタ	COVER	1	1		~NO.6530030	
19	K110 0108 016	Fボルト	BOLT	5	5	M8×16		
20	3649 1352 000	エンジンカバー	COVER		1		NO.6530473~	
20	3649 1311 001	エンジンカバー	COVER		1		NO.6530188~NO.6530472	
20	3649 1336 000	エンジンカバー	COVER	1	1		~NO.6530187	
21	3659 1361 000	パチンショウ	LOCK		1		NO.6530473~	
21	3654 1651 000	パチンショウ	LOCK		1	C-1142-2	NO.6530188~NO.6530472	
22	A222 0103 010	サラコネジ	SCREW		4	M3×10	NO.6530473~	
22	A222 0104 014	サラコネジ	SCREW		4	M4×14	NO.6530188~NO.6530472	
23	F300 0103 001	Fナット	NUT		4	M3	NO.6530473~	
23	F300 0104 001	Fナット	NUT		4	M4	NO.6530188~NO.6530472	
24	3649 1322 000	ブラケット	BRACKET		1		NO.6530188~	
25	K110 0108 016	Fボルト	BOLT		2	M8×16		
26	0040 1151 500	グロメット	GROMMET	1	1	C-30-NG-79-		
27	A100 0106 016	ボルト	BOLT	4	4	M6×16		
28	F300 0106 000	Fナット	NUT	4	4	M6		
29	MA90 5743 010	ノブ	KNOB	1	1		~NO.6530187	
30	MA90 5744 000	ワッシャ	WASHER,PLAIN	1	1		~NO.6530187	
31	3649 1323 000	ストッパ	STOPPER	1	1			
32	0350 0140 818	PW	WASHER,PLAIN	2	2	8×18×1.6		
33	A351 0108 002	Uナット	U-NUT	2	2	M8		
34	3649 1325 001	ヘルトカバー	COVER		1		NO.6530188~	
34	3649 1325 000	ヘルトカバー	COVER	1	1		~NO.6530187	
35	K110 0108 016	Fボルト	BOLT	4	4	M8×16		
36	K100 0106 014	Fボルト	BOLT	2	2	M6×14		
37	0350 0140 618	PW	WASHER,PLAIN	2	2	6×18×1.6		
38	3649 1341 001	カバー	COVER	1	1		NO.6530188~	
38	3649 1341 000	カバー	COVER	1	1		~NO.6530187	

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor. The parts are numbered 1 through 17. The main assembly consists of a central housing (1) with a shaft (2) passing through it. A gear (3) is mounted on the shaft, and a pulley (4) is attached to the end of the shaft. A cover (5) is shown being attached to the side of the housing. Various bolts (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16) and washers (17) are used to secure the components. A U-bolts (10) are used to secure the cover. A separate component (17) is shown being attached to the side of the housing. The diagram is a technical drawing with clear lines and numbers for identification.


10/09/10

FIG 8 POWER LINE




見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数Q'ty A B	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	0852 1300 045	Vベルト	2	SB45	NO.6531436~	
1	0852 1300 044	Vベルト	2	SB44	~NO.6531435	
1	0852 1300 044	Vベルト		2 SB44		
2	3649 2101 000	テンションアーム	1 1			
3	0350 0161 630	PW	1 1	16 × 30 × 3.2		
4	0520 0132 032	ワリピン	1 1	3.2 × 32		
5	3611 3211 000	テンションプーリ	1 1	ナット付き		
6	3633 3232 000	スプリング	1 1	#58		
7	3606 2006 000	チュウカンプーリ	1 1	150/115-52B4-01		
8	0750 0562 054	ベアリング	2 2	6205DDU		
9	K710 0610 020	Fボルト	1 1	M10 × 20		
10	0350 0161 040	PW	1 1	10 × 40 × 3.2		
11	0852 0000 062	Vベルト	2 2	B62		
12	3649 2112 000	テンションアーム	1 1			
13	0350 0161 630	PW	1 1	16 × 30 × 3.2		
14	0520 0132 032	ワリピン	1 1	3.2 × 32		
15	3606 2015 000	テンションハリロッド	1 1	φ8 × 90		
16	3509 3216 000	スプリング	1 1	#81		
17	0350 0140 818	PW	2 2	8 × 18 × 1.6		
18	F301 0108 000	ナット	2 2	M8		
19	3611 3211 000	テンションプーリ	1 1	ナット付き		
20	3649 2118 000	ベルトストッパ	1 1	A		
21	K110 0108 016	Fボルト	1 1	M8 × 16		
22	0350 0140 822	PW	1 1	8 × 22 × 1.6		
23	3649 2121 000	ベルトカバー	1 1		NO.6530188~	
24	K110 0108 016	Fボルト	3 3	M8 × 16	NO.6530188~	
25	3649 2125 000	カバー	1 1		NO.6530188~	
26	K110 0108 016	Fボルト	2 2	M8 × 16	NO.6530188~	

FIG 9 ROLLER & IDLER




見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適 用 号 機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
1	3510 2100 999	テンリンアッセン	ROLLER ASSY	6		
2	3510 2101 000	テンリン	ROLLER	6	φ130	
3	3510 2104 000	テンリンジク	SHAFT	6	φ17×180	
4	0750 0562 023	ベアリング	BEARING	12	6202DU	
5	0741 0103 500	Cリング	RING	12	H35	
6	0840 0015 357	オイルシール	SEAL	12	KEY15357	
7	3611 2203 000	キャップ	CAP	12		
8	0350 0151 226	PW	WASHER,PLAIN	12	12×26×2.3	
9	H301 0112 001	Sナット	NUT	6	M12	
10	A360 0101 202	SW	S-WASHER	6	12	
11	3611 2204 000	ナット	NUT	6	22×25	
12	A650 0100 600	グリスニップル	NIPPLE	6	M6	
13	3632 2301 000	ユウドウリン	IDLER	2		
14	3516 2302 000	オイルシール	SEAL	2	MUD35-57-15.5	
15	0750 0560 064	ベアリング	BEARING	4	6006DDU	
16	3516 2303 000	オイルシール	SEAL	2	MUD30-55-15	
17	0740 0003 000	Cリング	RING	2	S30	
18	0740 0003 500	Cリング	RING	2	S35	
19	3632 2306 000	ユウドウリンジク R	SHAFT	1		
20	3632 2307 000	ユウドウリンジク L	SHAFT	1		
21	3632 2316 000	サポート	SUPPORT	2		
22	K710 0110 025	Fボルト	BOLT	2	M10×25	
23	A110 0112 020	ボルト	BOLT	4	M12×20	
24	A360 0101 202	SW	S-WASHER	4	12	
25	0350 0151 226	PW	WASHER,PLAIN	4	12×26×2.3	

FIG 9 ROLLER & IDLER



見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適 用 号 機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
26	3628 2421 000	クローラハリボルト	BOLT	2		
27	3510 2318 000	クローラハリシカクナット	NUT	2		
28	A300 0116 001	ナット	NUT	2	M16	
29	0350 0161 630	PW	WASHER,PLAIN	2	16×30×3.2	
30	A360 0101 602	SW	S-WASHER	2	16	
31	3632 2321 000	ダツリンボウシパイプ	PIPE	2		
32	5401 2301 000	シジテンリン	ROLLER	2		
33	3519 2304 000	パイプ	PIPE	2		
34	A114 0112 055	ボルト	BOLT	2	M12×55	
35	0350 0161 240	PW	WASHER,PLAIN	2	12×40×3.2	
36	0350 0161 222	PW	WASHER,PLAIN	2	12×22×3.2	
37	F301 0112 000	Fナット	NUT	2	M12	
38	3632 2011 000	クローラーガイド	GUIDE	2		
39	K710 0110 025	Fボルト	BOLT	4	M10×25	
40	0350 0151 026	PW	WASHER,PLAIN	4	10×26×2.3	
41	3632 8001 000	ガード	GUARD	2		OPTION
42	3632 2015 000	ガード R	GUARD	1		
43	3632 2016 000	ガード L	GUARD	1		
44	K110 0108 016	Fボルト	BOLT	6	M8×16	

FIG 10 SIDE CLUTCH LEVER




A	Parts for CE Marking
B	HUTTER specs

見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数Q'ty A B	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	3632 3001 010	サイドクラッチレバー	1	2		
2	3649 3003 000	レバー-RA	1		NO.6530473~	
2	3649 3001 000	サイドクラッチレバー-R	1		~NO.6530472	
3	3649 3004 000	レバー-LA	1		NO.6530473~	
3	3649 3002 000	サイドクラッチレバー-L	1		~NO.6530472	
4	3649 3006 000	レバー-RB	1		NO.6530473~	
5	3649 3007 000	レバー-LB	1		NO.6530473~	
6	A304 0114 003	ナット	1	M14 細目 3種	NO.6530473~	
7	A304 2114 003	ナット	1	M14 細目 3種L	NO.6530473~	
8	A110 0108 025	ボルト	2	2 M8×25		
9	A301 0108 003	ナット	2	2 M8 3種		
10	0692 0015 350	グリップ	2	2		
11	3632 3007 000	サイドクラッチレバー-R	1	1		
12	3632 3008 000	サイドクラッチレバー-L	1	1		
13	A030 0108 025	ボルト	4	4 M8×25		
14	A301 0108 003	ナット	4	4 M8 3種		
15	3632 3016 000	ロッドA	2	2		
16	0562 0108 022	ヒラアタマピン	2	2 φ8×22		
17	0350 0140 818	PW	2	2 8×18×1.6		
18	0520 0125 016	ワリピン	2	2 2.5×16		
19	3410 5228 000	ターンバックル	2	2 M10×70		
20	A301 0110 003	ナット	2	2 M10 3種		
21	A301 2110 003	ナット	2	2 M10L3種		
22	3632 3024 000	ロッドB	2	2		
23	3611 3124 000	スプリング	2	2 #73		

INTERCHANGEABLE AS A SET ON NO.2 ~NO.7.


FIG 11 BRAKE & CLUTCH LEVER



A	HUTTER specs
B	Parts for CE Marking

見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数Q'ty A B	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	3649 3101 000	クラッチレバー	1			
1	3649 3104 000	クラッチレバー	1			
2	3205 3007 000	ゴム	1	φ8×φ11×35		
3	0691 0012 250	グリップ	1	黒		
4	3649 3106 000	ブレーキレバー	1			
5	0691 0012 251	グリップ	1	赤		
6	3606 3221 000	レバートリツケピン	1			
7	K100 0106 014	Fボルト	1	M6×14		
8	3611 3209 000	レバーアーム	2			
9	0562 0106 016	ヒラアタマピン	2	φ6×16		
10	0350 0130 613	PW	2	6×13×1.0		
11	0520 0120 012	ワリピン	2	2.0×12		
12	3632 3111 000	ワイヤー	1	WG033146		Clutch
13	0562 0108 020	ヒラアタマピン	2	φ8×20		
14	0350 0140 818	PW	2	8×18×2.3		
15	0520 0125 016	ワリピン	2	2.5×16		
16	3205 3018 000	ワイヤー	1	WG033173		Brake
17	0562 0108 020	ヒラアタマピン	1	φ8×20		
18	0350 0140 818	PW	1	8×18×1.6		
19	0520 0125 016	ワリピン	1	2.5×16		
20	3611 3124 000	スプリング	1	#73		
21	3632 3121 010	ブレーキヒキカナゲ	1			
22	0350 0141 022	PW	1	10×22×1.6		
23	0520 0125 020	ワリピン	1	2.5×20		
24	3654 1555 000	ロックプレート	1			
25	K700 0106 010	Fボルト	2	M6×10		
26	F300 0106 000	Fナット	2	M6		


FIG 12 GEAR SHIFT LEVER



見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適用号機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
1	3632 3201 000	チェンジレバー	1	LEVER		
2	0693 0012 460	グリップ	1	φ12用		
3	3544 3203 000	ビニールパイプ	1	12×15×70		
4	3632 3205 000	ピン	1			
5	K110 0108 016	Fボルト	1	M8×16		
6	F301 0108 000	Fナット	1	M8		
7	3632 3208 001	チェンジアーム	1	ARM		
8	0350 0151 222	PW	1	WASHER,PLAIN	12×22×2.3	
9	3632 3216 001	サポート	1	SUPPORT		
10	K110 0108 016	Fボルト	2	M8×16		
11	F301 0108 000	Fナット	2	M8		
12	3632 3217 000	ガイドパン	1	PLATE		
13	K100 0106 014	Fボルト	2	M6×14		
14	0350 0140 618	PW	2	WASHER,PLAIN	6×18×1.6	
15	F300 0106 000	Fナット	2	M6		
16	3627 3318 100	リンクボール	1	LINK BALL	RBL10BD	
17	F301 0110 000	Fナット	1	NUT	M10	
18	A301 0110 003	ナット	1	NUT	M10 3種	
19	3632 3219 000	ロッド	1	ROD		
20	0350 0141 022	PW	1	WASHER,PLAIN	10×22×1.6	
21	0520 0125 020	ワリピン	1	PIN split	2.5×20	
22	3632 3223 000	ロッド	1	ROD		
23	3208 3410 000	ターンバックル	1	BUCKLE	M8×50	
24	A301 0108 003	ナット	1	NUT	M8 3種	
25	A301 2108 003	ナット	1	NUT	M8L3種	


REGARDING NO. 22,24,25, 26, SOMETIMES ASSEMBLY ORDER DIFFERS FROM THE INDICATION IN THIS FIG.

FIG 12 GEAR SHIFT LEVER

[illegible]

REGARDING NO. 22,24,25, 26, SOMETIMES ASSEMBLY ORDER DIFFERS FROM THE INDICATION IN THIS FIG.

FIG 13 SEAT


[illegible]

This diagram illustrates the exploded view of a storage box assembly. The components are labeled as follows:

- 1**: The main body of the storage box, shown in an open position.
- 2**: A long metal rod or pin used for securing the lid.
- 3**: A small metal pin or washer that fits onto the rod (2).
- 4**: A metal bracket or support piece located at the bottom of the box.
- 5**: A small metal pin or washer that fits into the bracket (4).
- 6**: A small metal pin or washer that fits into the bracket (4).
- 7**: A metal rod or pin that runs along the top edge of the box.
- 8**: A small metal pin or washer that fits into the rod (7).
- 9**: A small metal pin or washer that fits into the side of the box.

[illegible]


FIG 15 HYDRAULIC LINE



A	EH252	NO.6531436～
A	EY28	～NO.6531435
B	OC62	

見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数Q'ty A B	型 寸 DESCRIPTION	適用号機 FROM～UP TO SERIAL NO.	備 考 REMARKS
1	3428 5001 000	パッケージ HYD.PUMP	1 1	PPL5AC1R-166Q	NO.6531762～	
1	3649 5001 100	パッケージ HYD.PUMP	1 1	NKPU-50-R-02	NO.6530736～NO.6531761	27ページ詳細
1	3649 5001 000	パッケージ HYD.PUMP	1 1	KPU-50-R	～NO.6530735	28ページ詳細
2	K110 0108 016	Fボルト BOLT	4 4	M8×16		
3	3615 6001 000	プーリ PULLEY	1 1	110-20B1-01		
4	A110 0610 016	ボルト BOLT	1 1	M10×16		
5	0350 0151 026	PW WASHER,PLAIN	1 1	10×26×2.3		
6	A360 0101 002	SW S-WASHER	1 1	10		
7	0857 1300 027	コグベルト BELT	1	RCLB27	NO.6531436～	
7	0857 1300 026	コグベルト BELT	1	RCLB26	～NO.6531435	
7	0857 1300 024	コグベルト BELT		1 RCLB24		
8	3649 5003 000	パッケージベース BASE	1 1			
9	K110 0108 016	Fボルト BOLT	4 4	M8×16		
10	0350 0140 822	PW WASHER,PLAIN	4 4	8×22×1.6		
11	3649 5007 000	テンションアーム ARM	1 1			
12	0740 0001 600	リング RING	1 1	S16		
13	3513 3121 000	テンションプーリ PULLEY	1 1	ナット付き		
14	5201 2319 100	テンションハリボルト ROD	1 1			
15	3611 3124 000	スプリング SPRING	1 1	#73		
16	F301 0108 000	ナット NUT	2 2	M8		
17	3649 5011 000	ブラケット BRACKET	1 1			
18	K110 0108 016	Fボルト BOLT	2 2	M8×16		
19	3649 5017 000	ダンプレバー LEVER	1 1			
20	0691 0012 250	グリップ GRIP	1 1	黒		
21	0350 0161 630	PW WASHER,PLAIN	1 1	16×30×3.2		
22	0520 0132 032	ワリピン PIN split	1 1	3.2×32		

FIG 15 HYDRAULIC LINE




A	EH252	NO.6531436～
A	EY28	～NO.6531435
B	OC62	

見出	部品番号	部品名称		個数Qty		型 寸	適用号機	備 考
NO.	PART NO.	PART NAME		A	B	DESCRIPTION	FROM～UP TO SERIAL NO.	REMARKS
23	3635 5011 000	ダンプレバーツキ	LINK	1	1			
24	A301 0110 003	ナット	NUT	1	1	M10 3種		
25	3632 6125 000	グロメット	GROMMET	1	1	B10-1		
26	3611 7302 000	エルボ	ADAPTER	3	3	302204		
27	3611 7303 000	アダプタ	ADAPTER	1	1	3002F04		
28	3649 5021 000	ユアツホース	HOSE	1	1			
29	3649 5022 000	ユアツホース	HOSE	1	1			
30	7801 000B 000	シリンダ	CYLINDER	1	1	CC5520	NO.6530658～	
30	7801 000A 000	シリンダ	CYLINDER	1	1	CC5520	～NO.6530657	
31	5210 6007 000	クランプ	CLAMP	2	2			
32	K110 0108 016	Fボルト	BOLT	2	2	M8×16		
33	3649 5025 001	サポート	SUPPORT	1	1			
34	K710 0110 025	Fボルト	BOLT	4	4	M10×25		
35	3649 5027 000	リンクA	LINK	1	1			
36	3649 5035 000	リンクB	LINK	1	1			
37	3649 5051 000	ピンA	PIN	2	2			
38	3649 5055 000	ピンB	PIN	1	1			
39	3649 5061 000	ピンC	PIN	1	1			
40	K710 0108 020	Fボルト	BOLT	4	4	M8×20		
41	3649 5064 000	ホースガード	GUARD,HOSE	1	1		NO.6530031～	
42	K110 0108 016	Fボルト	BOLT	2	2	M8×16		
43	A650 0100 600	グリスニップル	NIPPLE	1	1	M6		
44	0350 0130 613	PW	WASHER,PLAIN	1	1	6×13×1.0		
45	A652 3100 300	グリスニップル	NIPPLE	1	1	C-PT1/8	NO.6530658～	
46	A650 0100 600	グリスニップル	NIPPLE	1	1	M6		

FIG 16 DEADMAN 'S CONTROL BRAKE

P-BFK708-FIG16-P



見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適 用 号 機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
1	3632 7001 000	ペダル	1			
2	0350 0161 630	PW	1	16×30×3.2		
3	0520 0132 032	ワリピン	1	3.0×32		
4	3649 7306 000	ブラケット	1			
5	K110 0108 016	Fボルト	2	M8×16		
6	3616 3018 000	クラッチロッドB	1		NO.6530353~	
6	3649 7308 000	ロッド	1		~NO.6530352	
7	0562 0108 022	ヒラアタマピン	2	φ8×22		
8	0350 0140 818	PW	2	8×18×1.6		
9	0520 0125 016	ワリピン	2	2.5×16		
10	A301 0108 003	ナット	1	M8 3種		
11	3208 3410 000	ターンバックル	1	M8×50		
12	A301 2108 003	ナット	1	M8L3種		
13	3616 3016 000	クラッチロッドA	1		NO.6530353~	
13	3649 7308 500	ロッド	1		~NO.6530352	
14	A110 0108 055	ボルト	1	M8×55		
15	F301 0108 000	Fナット	1	M8		
16	3649 7309 000	ペダルステッカー	1			
17	3649 7311 000	ストッパー	1		NO.6530104~	
18	K100 0106 014	Fボルト	1	M6×14	NO.6530104~	
19	F300 0106 000	Fナット	1	M6	NO.6530104~	

INTERCHANGEABLE AS A SET ON NO.6 AND NO.13.

REGARDING NO. 6, 10, 11, 12, 13, SOMETIMES ASSEMBLY ORDER DIFFERS FROM THE INDICATION IN THIS FIG.

FIG 17 ACCESSORIES



[illegible]


FIG 18 MARK (HUTTER/CE)



A	EY28 for HUTTER specs
B	OC62 for HUTTER specs
C	EY28 for CE Marking
D	OC62 for CE Marking

見出	部品番号	部品名称		個数Q'ty				型 寸	適用号機	備 考
NO.	PART NO.	PART NAME		A	B	C	D	DESCRIPTION	FROM~UP TO SERIAL NO.	REMARKS
S01	3649 600A 000	マークミタ	MARK set	1						
S01	3649 600C 000	マークミタ	MARK set		1					
S01	3649 610A 000	マークミタ	MARK set			1				
S01	3649 610B 000	マークミタ	MARK set				1			
2	3632 5003 000	ソウコウヘンソクイ	MARK	1	1	1	1			
3	3649 6001 200	サイドイサキヨウノウリョク	MARK	1	1	1	1			
4	3649 6005 100	HUKI60 R	MARK	1	1					
4	3683 5051 000	マーク	MARK			2	2			
5	3649 6006 100	HUKI60 L	MARK	1	1					
6	3649 6007 000	ライン R	MARK	1	1					
8	3649 6009 000	ライン	MARK	1	1					
9	3649 6013 000	アンセンカバーハツネニ	MARK	1	1	1	1			
10	3649 6014 000	ソウコウクラッチ	MARK	1	1	1	1			
11	3649 6016 000	チュウシャブレーキ	MARK	1	1	1	1			
12	3649 6017 000	ミキセンカイ	MARK	1	1	1	1			
13	3649 6018 000	ヒタリセンカイ	MARK	1	1	1	1			
14	3649 6019 000	オイルテンケン	MARK	1	1	1	1			
15	3649 6021 000	グリスアップチュウイ	MARK	1	1	1	1			
16	3649 6022 000	カンレイジノチュウイ	MARK	1	1	1	1			
17	3649 6023 000	ミッションオイル	MARK	1	1	1	1			
18	3639 6152 000	マーク	MARK	2	2					
19	3635 6137 000	ライン130A	MARK	1	1					
20	3527 6011 000	オイル	MARK	3	3	3	3			
21	3649 6025 000	パッケージジョウゲ	MARK	1	1	1	1			
22	3649 6026 000	ダンソウサチュウイ	MARK	1	1	1	1			


FIG 18 MARK (HUTTER/CE)



A	EY28 for HUTTER specs
B	OC62 for HUTTER specs
C	EY28 for CE Marking
D	OC62 for CE Marking


[illegible]

FIG 19 HYDRAULIC PUMP NO.6530736~NO.6531761




見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適 用 号 機 FROM ~ UP TO SERIAL NO.	備 考 REMARKS
1	9K8538200814	ユアツタンク	1	8538200814		
4	A544 0706 020	ロッカクアナツキホルト	4	0131110620		
5	9K8525410311	サ`カ`ネ(タンク)	4	8525410311		
6	0830 0201 400	○リング`	1	0481151400		
7	9K8525400711	オイルキャップ`	1	8525400711		
8	0830 1100 180	○リング`	1	0481000180		
9	9K8525400921	フィルタ`	1	8525400921		
10	9K9571940151	フ`ラゲ`	1	9571940151		
11	0830 1100 120	○リング`	1	0481000120		
12	9K9514500563	コントロールレバ`ー	1	9514500563		
13	A544 0706 025	ロッカクアナツキホルト	1	0131110625		
14	0350 0151 628	ヒラサ`カ`ネ	1	0401150160		
15	0830 1100 160	○リング`	1	0481100160		
16	9K8525400131	クト`ウジク`	1	8525400131		
17	0570 0005 018	フェサ`ーキー`	1	0571200518		
18	0750 0560 044	ヘ`アリング`	1	0814106004		
19	0740 0002 000	トメワ`	1	0461200200		
20	0840 1020 358	オイルシール`	1	8525410511		
21	0796 0202 320	ＤＵフ`ツシュ`	1	0851102020		
22	0741 0004 200	トメワ`	1	0461100420		
23	9K8525400203	ユアツホ`ンフ`アツシ`	1	8525400203		
25	0830 1100 080	○リング`	1	0481000080		
26	A050 0108 065	ホルト`	2	0112350860		
27	9K8585000821	ラヘル(ユメン)	1	8585000821		


注記) パッケージ構成部品は、供給可能 (供給不可部品を除く) ですが、組立に際して熟練した技術が必要です。パッケージASSY供給が望ましい。

[illegible]


注記) パッケージ構成部品は、供給可能(供給不可部品を除く)ですが、組立に際して熟練した技術が必要です。パッケージASSY供給が望ましい。



見出 NO.	部品番号 PART NO.	部品名称 PART NAME	個数 Q'ty	型 寸 DESCRIPTION	適用号機 FROM~UP TO SERIAL NO.	備 考 REMARKS
1	3649 6001 000	セイゾウバンコウ	MARK	1		部品供給不可
2	3632 5003 000	ソウコウヘンソウイ	MARK	1		
3	3649 6002 000	サイドイサキョウノウリョク	MARK	1		
4	3649 6013 000	アンセンカパーハツネニ	MARK	1		
5	3649 6014 000	ソウコウクラッチ	MARK	1		
6	3649 6016 000	チュウシャブレーキ	MARK	1		
7	3649 6017 000	ミキセンカイ	MARK	1		
8	3649 6018 000	ヒタリセンカイ	MARK	1		
9	3649 6019 000	オイルテンケン	MARK	1		
10	3649 6021 000	グリスアップチュウイ	MARK	1		
11	3649 6022 000	カンレイシノチュウイ	MARK	1		
12	3649 6023 000	ミッションオイル	MARK	1		
13	3527 6011 000	オイル	MARK	3		
14	3649 6025 000	パッケーシヨウケ	MARK	1		
15	3649 6026 000	ダンブソウサチュウイ	MARK	1		
16	3649 6027 000	ニタイラッカボウシボウ	MARK	1		
17	3527 6012 000	グリース	MARK	4		
18	3649 6029 001	パッケーシチュウユ	MARK	1	NO.6531762~	PPL5
18	3649 6029 000	パッケーシチュウユ	MARK	1	~NO.6531761	NKPU,KPU
19	3649 6031 000	スタータイリキリ	MARK	1		
20	3654 6019 000	チュウイ	MARK	1		
21	3654 6023 000	CEマーク	MARK	1		
22	3654 6025 000	ジュウシヨ	MARK	1		
23	3649 6035 000	CEシヨウ	MARK	1		
24	3649 6036 000	ラッカボウシボウ	MARK	1		
25	3654 6028 000	イヤーマフ	MARK	1		
26	3569 6014 000	マーク	MARK	4		




見出	部品番号	部品名称		個数	型 寸	互換性	適 用 号 機	備 考
NO.	PART NO.		PART NAME	Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
S01	3649 610D 000	マークセット	MARK set	1				
2	3632 5003 000	ソウコウヘンソクイチ	MARK	1				
3	3649 6001 200	サイダイサキョウノウリョク	MARK	1				
5	3649 6013 000	アンゼンカバーハツネニ	MARK	1				
6	3649 6014 000	ソウコウクラッチ	MARK	1				
7	3649 6016 000	チュウシャブレーキ	MARK	1				
8	3649 6017 000	ミキセンカイ	MARK	1				
9	3649 6018 000	ヒダリセンカイ	MARK	1				
10	3649 6019 000	オイルテンケン	MARK	1				
11	3649 6021 000	グリースアツプチュウイ	MARK	1				
12	3649 6022 000	カンレイジノチュウイ	MARK	1				
13	3649 6023 000	ミッションオイル	MARK	1				
14	3527 6011 000	オイル	MARK	3				
15	3649 6025 000	パッケージジョウケ	MARK	1				
16	3649 6026 000	ダンブソウサチュウイ	MARK	1				
17	3683 5051 000	マーク	MARK	2				
18	3649 6027 000	ニダイラッカボウシホウ	MARK	1				
19	3527 6012 000	グリース	MARK	4				
20	3649 6029 000	パッケージチュウユ	MARK	1			～NO.6531761	NKPU,KPU
20	3649 6029 001	パッケージチュウユ	MARK	1		D	NO.6531762～	PPL5
21	3649 6031 000	スタータイリキリ	MARK	1				
22	3647 6145 000	チュウイ	MARK	1				
23	3654 6023 000	CEマーク	MARK	1				
24	3654 6025 000	ジョウショ	MARK	1				
25	3649 6035 001	マーク	MARK	1				
26	3649 6036 000	ラッカボウシホウ	MARK	1				
27	3654 6028 000	イヤーマフ	MARK	1				
28	3569 6014 000	マーク	MARK	4				
30	3550 6519 000	マーク	MARK	1				
32	3649 6039 000	マーク	MARK	1				



見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME	Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS	
1	-	アダプタプレート	Adapter Plate	1	402-11909-01			部品供給不可
2	Z9S4021154619	ポンプASSY	Pump Assy	1	402-11546-19			
8	-	シャフト	Shaft	1	402-10891-07			部品供給不可
9	-	スリーブ	Sleeve	1	402-10892-01			部品供給不可
10	-	スプール	Spool 1	1	402-10893-06			部品供給不可
11	Z9S4021089411	レバー	Lever	1	402-10894-11			
12	Z9S4021089503	スプリングリテーナ	Spring Retainer	1	402-10895-03			
13	Z9S4021089604	スプリング(レバー)	Spring (Lever)	1	402-10896-04			
14	Z9S4021181701	タンク	Tank	1	402-11817-01			
15	-	シートバルブ	Valve Seat	1	402-10079-07			部品供給不可
16	-	ポペット	Poppet	1	402-10080-07			部品供給不可
17	Z9S4021069707	アジャスタingscrew	Adjusting Screw	1	402-10697-07			
18	Z9S4021100300	リテーナ	Retainer	1	402-11003-00			
20	Z9S0222507300	アナツキボルトM5×12	M5x12 Bolt	1	022-25073-00			
21	Z9S0361020400	Oリング (P6)	O-ring	1	036-10204-00			
22	Z9S4021135500	カム	Cam	1	402-11355-00			
24	-	バッフルカバー	Baffle Cover	1	402-11043-01			部品供給不可
25	-	リテーナ	Retainer	1	402-11722-00			部品供給不可
33	Z9S4020023978	ヘイコウキ 5×5×18	Key	1	402-00239-78			
36	Z9S4020040243	スプリング(リリーフ)	Spring (Relief)	1	402-00402-43			
37	Z9S4020064002	Oリング(タンク)	O-ring(Tank)	1	402-00640-02			
45	Z9S4021159503	スライムチューブ	Tube	1	402-11595-03			
51	-	オイルシール	Oil Seal	1	036-50073-00			部品供給不可
52	Z9S4021121310	クランプ	Clamp	2	402-11213-10			
54	-	ドライバリンク	Bushing	1	031-40133-00			部品供給不可

注記) パッケージ構成部品は、供給可能 (供給不可部品を除く) ですが、組立に際して熟練した技術が必要です。パッケージASSY供給が望ましい。

[illegible]

注記) パッケージ構成部品は、供給可能(供給不可部品を除く)ですが、組立に際して熟練した技術が必要です。パッケージASSY供給が望ましい。