


*P A R T S L I S T*  
*G C 6 4 0*




# 目 次

## CONTENTS

|        |                                          |       |
|--------|------------------------------------------|-------|
| FIG 1  | エンジン ENGINE (ROBIN EY40B) .....          | 1     |
| FIG 2  | エンジン ENGINE (KUBOTA EA8-N) .....         | 2     |
| FIG 3  | デンソウ ELECTRIC EQUIPMENT .....            | 3~4   |
| FIG 4  | フレーム FRAME 一方ダンプ .....                   | 5     |
| FIG 5  | フレーム FRAME 三転ダンプ .....                   | 6     |
| FIG 6  | カバー COVER .....                          | 7~8   |
| FIG 7  | ミッション TRANSMISSION .....                 | 9~10  |
| FIG 8  | テンリン ROLLER .....                        | 11~12 |
| FIG 9  | レバー LEVER .....                          | 13~15 |
| FIG 10 | シート SEAT .....                           | 16    |
| FIG 11 | ニダイフレーム WAGON (一方ダンプ) NO. 6251341~ ..... | 17    |
| FIG 12 | ニダイフレーム WAGON (一方ダンプ) ~NO. 6251340 ..... | 18    |
| FIG 13 | ドアロックソウチ DOOR LOCK (一方ダンプ) .....         | 19    |
| FIG 14 | ニダイフレーム WAGON (三転ダンプ) .....              | 20~21 |
| FIG 15 | ドアロックソウチ DOOR LOCK (三転ダンプ) .....         | 22~24 |
| FIG 16 | アンゼンソウチ DEADMAN'S CONTROL BRAKE .....    | 25    |
| FIG 17 | ユアツ HYDRAULIC EQUIPMENT .....            | 26~27 |
| FIG 18 | サイドボード BOAD (オプション・三転ダンプ) .....          | 28    |
| FIG 19 | マーク (国内用) MARK (DOMESTIC) .....          | 29    |
| FIG 20 | フゾクヒン ACCESSORIES .....                  | 30    |
| FIG 21 | パッケージ HYDRAULIC PUMP NO.6250662~ .....   | 31~32 |
| FIG 22 | パッケージ HYDRAULIC PUMP ~NO.6250661 .....   | 33~34 |

FIG 1 エンジン ENGINE (ROBIN EY40B)




P-6C640-F1G01-P

|   |         |
|---|---------|
| A | 国内・セルナシ |
| B | 輸出・セルナシ |
| C | 国内・セルツキ |
| D | 輸出・セルツキ |

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数 <sup>Q'ty</sup> | A | B | C | D | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|--------------------|---|---|---|---|--------------------|------------------------------------|----------------|
| 1         | 3611 0001 000    | エンジン              | ENGINE             | 1 |   |   |   | EY400BB7742        |                                    |                |
| 1         | 3611 0003 000    | エンジン              | ENGINE             |   | 1 |   |   | EY400BB7810        |                                    |                |
| 1         | 3611 0031 000    | エンジン              | ENGINE             |   |   | 1 |   | EY400BS7330        |                                    |                |
| 1         | 3611 0033 000    | エンジン              | ENGINE             |   |   |   | 1 | EY400BS7310        |                                    |                |
| 2         | A110 0110 050    | ボルト               | BOLT               | 4 | 4 | 4 | 4 | M10×50             |                                    |                |
| 3         | 0350 0141 022    | PW                | WASHER             | 4 | 4 | 4 | 4 | 10×22×1.6          |                                    |                |
| 4         | H301 0110 001    | Sナット              | NUT                | 4 | 4 | 4 | 4 | M10                |                                    |                |
| 5         | 3611 0006 011    | エンジンプーリ           | PULLEY             | 1 | 1 | 1 | 1 | φ110               | NO.6250662~                        |                |
| 5         | 3611 0006 000    | エンジンプーリ           | PULLEY             | 1 | 1 | 1 | 1 |                    | ~NO.6250661                        |                |
| 6         | 3611 0008 000    | ベルトストッパー          | STOPPER            | 2 | 2 | 2 | 2 | A                  |                                    |                |
| 7         | H174 0108 016    | セムスC              | BOLT               | 2 | 2 | 2 | 2 | M8×16              |                                    |                |
| 8         | 0852 1300 037    | Vベルト              | V-BELT             | 2 | 2 | 2 | 2 | SB37               |                                    |                |
| 9         | 3611 0050 500    | スロットルレバーASSY      | LEVER              | 1 | 1 | 1 | 1 |                    |                                    |                |
| 10        | 3611 0051 000    | スロットルレバー          | LEVER              | 1 | 1 | 1 | 1 | E321186            |                                    |                |
| 11        | 3609 0101 000    | スロットルワイヤー         | WIRE               | 1 | 1 | 1 | 1 | WG014003           |                                    |                |
| 12        | A100 0106 016    | ボルト               | BOLT               | 2 | 2 | 2 | 2 | M6×16              |                                    |                |
| 13        | 0350 0130 613    | PW                | WASHER             | 2 | 2 | 2 | 2 | 6×13×1.0           |                                    |                |
| 14        | H300 0106 001    | Sナット              | NUT                | 2 | 2 | 2 | 2 | M6                 |                                    |                |
| 15        | 3205 0109 000    | チョークワイヤー          | WIRE               | 1 | 1 | 1 | 1 | WG053023-02        |                                    |                |
| 16        | 3611 0101 000    | エンジンベース           | BASE               | 1 | 1 | 1 | 1 |                    |                                    |                |
| 17        | 3611 0103 000    | ポウシゴム             | INSULATOR          | 4 | 4 | 4 | 4 | B-20               |                                    |                |
| 18        | 0350 0140 822    | PW                | WASHER             | 8 | 8 | 8 | 8 | 8×22×1.6           |                                    |                |
| 19        | H301 0108 001    | Sナット              | NUT                | 8 | 8 | 8 | 8 | M8                 |                                    |                |
|           |                  |                   |                    |   |   |   |   |                    |                                    |                |
|           |                  |                   |                    |   |   |   |   |                    |                                    |                |

FIG 2 エンジン ENGINE (KUBOTA EA8-N)




P-GC640-F1G02-P

|   |         |
|---|---------|
| A | 国内・セルナシ |
| B | 輸出・セルナシ |
| C | 国内・セルツキ |
| D | 輸出・セルツキ |

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称         | PART NAME | 個数0'tv |   |   |   | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|--------------|-----------|--------|---|---|---|--------------------|------------------------------------|----------------|
| 1         | 3611 0004 000    | エンジン         | ENGINE    | 1      |   |   |   | EA8-N-チクスイ-2-E     |                                    |                |
| 1         | 3611 0005 000    | エンジン         | ENGINE    |        | 1 |   |   | EA8-N-チクスイ-2-E     |                                    |                |
| 1         | 3611 0034 001    | エンジン         | ENGINE    |        |   | 1 |   | EA8-NB-チクスイ-1-E    | NO.6252238~                        |                |
| 1         | 3611 0034 000    | エンジン         | ENGINE    |        |   | 1 |   | EA8-NB-チクスイ-1-E    | ~NO.6252237                        |                |
| 1         | 3611 0035 001    | エンジン         | ENGINE    |        |   |   | 1 | EA8-NB-チクスイ-1-E    | NO.6252238~                        |                |
| 1         | 3611 0035 000    | エンジン         | ENGINE    |        |   |   | 1 | EA8-NB-チクスイ-1-E    | ~NO.6252237                        |                |
| 2         | A110 0110 040    | ボルト          | BOLT      | 4      | 4 | 4 | 4 | M10×40             |                                    |                |
| 3         | 0350 0141 022    | PW           | WASHER    | 4      | 4 | 4 | 4 | 10×22×1.6          |                                    |                |
| 4         | H301 0110 001    | Sナット         | NUT       | 4      | 4 | 4 | 4 | M10                |                                    |                |
| 5         | 3611 0007 021    | エンジンプーリ      | PULLEY    | 1      | 1 | 1 | 1 |                    | NO.6250662~                        |                |
| 5         | 3611 0007 010    | エンジンプーリ      | PULLEY    | 1      | 1 | 1 | 1 |                    | ~NO.6250661                        |                |
| 6         | K814 0110 035    | Fボルト         | BOLT      | 3      | 3 | 3 | 3 | M10×35             |                                    |                |
| 7         | 3611 0008 000    | ベルトストッパー     | STOPPER   | 1      | 1 | 1 | 1 | A                  |                                    |                |
| 8         | 3611 0009 000    | ベルトストッパー     | STOPPER   | 1      | 1 | 1 | 1 |                    |                                    |                |
| 9         | H174 0108 016    | セムスC         | BOLT      | 2      | 2 | 2 | 2 | M8×16              |                                    |                |
| 10        | 0852 1300 040    | Vベルト         | V-BELT    | 2      | 2 | 2 | 2 | SB40               |                                    |                |
| 11        | 3611 0023 000    | テールパイプ       | PIPE      | 1      | 1 | 1 | 1 |                    | NO.6250662~                        |                |
| 11        | 3611 0015 010    | エキゾーストパイプ    | EX-PIPE   | 1      | 1 | 1 | 1 |                    | ~NO.6250661                        |                |
| 12        | 3639 0009 000    | マフラバンド       | CLAMP     | 1      | 1 | 1 | 1 |                    | NO.6250662~                        |                |
| 13        | A100 0106 050    | ボルト          | BOLT      | 2      | 2 | 2 | 2 | M6×50              | NO.6250662~                        |                |
| 14        | 0350 0130 613    | PW           | WASHER    | 2      | 2 | 2 | 2 | 6×13×1.0           | NO.6250662~                        |                |
| 15        | H300 0106 001    | Sナット         | NUT       | 2      | 2 | 2 | 2 | M6                 |                                    |                |
| 16        | 3611 0051 500    | スロットルレバーASSY | LEVER     | 1      | 1 | 1 | 1 |                    |                                    |                |
| 17        | 3609 0101 000    | スロットルワイヤー    | WIRE      | 1      | 1 | 1 | 1 | WG014003           |                                    |                |
| 18        | 3611 0052 000    | スロットルレバー     | LEVER     | 1      | 1 | 1 | 1 | E331-A             |                                    |                |
| 19        | A100 0106 016    | ボルト          | BOLT      | 2      | 2 | 2 | 2 | M6×16              |                                    |                |
| 20        | 0350 0130 613    | PW           | WASHER    | 2      | 2 | 2 | 2 | 6×13×1.0           |                                    |                |
| 21        | H300 0106 001    | Sナット         | NUT       | 2      | 2 | 2 | 2 | M6                 |                                    |                |
| 22        | 3611 0102 000    | エンジンベース      | BASE      | 1      | 1 | 1 | 1 |                    |                                    |                |
| 23        | A110 0110 030    | ボルト          | BOLT      | 4      | 4 | 4 | 4 | M10×30             |                                    |                |
| 24        | 0350 0141 022    | PW           | WASHER    | 8      | 8 | 8 | 8 | 10×22×1.6          |                                    |                |
| 25        | H301 0110 001    | Sナット         | NUT       | 4      | 4 | 4 | 4 | M10                |                                    |                |

FIG 3 デンソウ ELECTRIC EQUIPMENT




| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数Q' ty   |   |   |   |   |  | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|-----------|---|---|---|---|--|--------------------|------------------------------------|----------------|
| 1         | 3407 0501 000    | バッテリー             | BATTERY   | 1 |   | 1 |   |  | 12N24-4            |                                    |                |
| 1         | 3706 0501 000    | バッテリー             | BATTERY   |   | 1 |   | 1 |  | 46B24R(NS60)       |                                    |                |
| 2         | 3611 0201 000    | ウケダイA             | BRACKET   | 1 |   | 1 |   |  |                    |                                    |                |
| 2         | 3611 0215 000    | ウケダイB             | BRACKET   |   | 1 |   | 1 |  |                    |                                    |                |
| 3         | 0210 0100 820    | ヒラコネジ             | SCREW     | 3 | 3 | 3 | 3 |  | 8×20               |                                    |                |
| 4         | 0350 0140 818    | PW                | WASHER    | 3 | 3 | 3 | 3 |  | 8×18×1.6           |                                    |                |
| 5         | H301 0108 001    | Sナット              | NUT       | 3 | 3 | 3 | 3 |  | M8                 |                                    |                |
| 6         | 3407 0505 000    | トメ板               | PLATE     | 1 |   | 1 |   |  |                    |                                    |                |
| 6         | 3621 4004 000    | バッテリーカバー          | COVER     |   | 1 |   | 1 |  |                    |                                    |                |
| 7         | 3705 9903 000    | バッテリーリツケホルセット     | BOLT set  | 2 |   | 2 |   |  | φ6×170             |                                    |                |
| 7         | 5201 9901 000    | バッテリーリツケホルセット     | BOLT set  |   | 2 |   | 2 |  | φ6×210             |                                    |                |
| 10        | 0980 7151 403    | プラスコード            | WIRE      | 1 |   | 1 |   |  | l=1400             |                                    |                |
| 10        | 0980 7201 504    | プラスコード            | WIRE      |   | 1 |   | 1 |  | l=1500             |                                    |                |
| 11        | 3415 0055 000    | リードセン             | WIRE      | 2 |   | 2 |   |  | l=350              | NO.6251921～                        |                |
| 11        | 3611 0212 000    | リードセン             | WIRE      | 1 |   | 1 |   |  | l=900              | ～NO.6251920                        |                |
| 11        | 3522 0231 000    | マイナスコード           | WIRE      |   | 1 |   | 1 |  |                    | NO.6251921～                        |                |
| 11        | 3635 0861 000    | マイナスコード           | WIRE      |   | 1 |   | 1 |  | l=850              | ～NO.6251920                        |                |
| 12        | 3522 0238 100    | タップタイト            | BOLT,TAP  | 2 | 2 | 2 | 2 |  | M8×25              | NO.6251921～                        |                |
| 13        | 3643 0217 000    | マイナスコード           | WIRE      |   | 1 |   | 1 |  |                    | NO.6251921～                        |                |
| 14        | 3611 1171 000    | ホゴゴム              | GROMMET   | 1 | 1 | 1 | 1 |  | P-2                |                                    |                |
| 15        | 3654 0202 000    | レギュレーター           | REGULATOR |   | 1 |   | 1 |  |                    | NO.6252238～                        | エンジン付属         |
| 15        | ZK5491141520     | レクチファイヤ           | REGULATOR |   | 1 |   | 1 |  |                    | ～NO.6252237                        | エンジン付属         |
| 16        | H242 0106 025    | ナベセムSB            | SCREW     |   | 2 |   | 2 |  | M6×25              | NO.6252238～                        |                |

注1) Robin エンジンは、Robin 純正キーを使用。

KUBOTA エンジンは、NO.6252238～ KUBOTA 純正キーより、チカイ純正キーに変更。

FIG 3 デンソウ ELECTRIC EQUIPMENT




| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数Q'ty       |  |   |   |   |   | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|--------------|--|---|---|---|---|--------------------|------------------------------------|----------------|
| 17        | 3643 0211 000    | メインスイッチASSY       | SWITCH Assy  |  | 1 |   | 1 |   |                    | NO.6252238~                        | 注 1)           |
| 17        | ZK6341345160     | スタースイッチカギ         | SWITCH Assy  |  | 1 |   | 1 |   |                    | ~NO.6252237                        | 注 1)           |
| 18        | 3643 0214 000    | ボウスイキー            | KEY          |  | 1 |   | 1 |   |                    | NO.6252238~                        | 注 1)           |
| 18        | ZK6341355760     | キースイッチアッシ         | KEY          |  | 1 |   | 1 |   |                    | ~NO.6252237                        | 注 1)           |
| 19        | 3611 0259 001    | ハーネスAssy          | HARNESS Assy |  | 1 |   | 1 |   |                    | NO.6252238~                        |                |
| 19        | 3611 0228 011    | ハーネス              | HARNESS      |  | 1 |   |   |   |                    | NO.6250662~NO.6252237              |                |
| 19        | 3611 0228 000    | ハーネス              | HARNESS      |  | 1 |   |   |   |                    | ~NO.6250661                        |                |
| 19        | 3611 0259 000    | ハーネス              | HARNESS      |  |   |   | 1 |   |                    | ~NO.6252237                        |                |
| 20        | 3611 0259 100    | ハーネス              | HARNESS      |  | 1 |   | 1 |   |                    | NO.6252238~                        |                |
| 21        | 0980 1000 502    | ヒューズ              | FUSE, BLADE  |  | 1 |   | 1 |   | 5A                 | NO.6252238~                        |                |
| 22        | 0980 1001 502    | ヒューズ              | FUSE, BLADE  |  | 1 |   | 1 |   | 15A                | NO.6252238~                        |                |
| 23        | 0050 2108 103    | クランプ              | CLAMP        |  | 2 |   | 2 |   |                    |                                    |                |
| 24        | 3611 0257 000    | ホーンハーネス           | HARNESS      |  |   | 1 |   | 1 | 1                  |                                    |                |
| 25        | 3523 0232 000    | リードセン             | WIRE         |  |   | 1 |   |   |                    |                                    |                |
| 26        | 3611 0258 000    | アースセン             | WIRE         |  |   | 1 |   |   |                    |                                    |                |
| 27        | 3705 3922 000    | ホーン               | HORN         |  |   | 1 | 1 |   | YM175              |                                    |                |
| 27        | 3643 0231 000    | ホーン               | HORN         |  |   |   |   | 1 | 1                  |                                    |                |
| 28        | A100 0106 016    | ボルト               | BOLT         |  |   | 2 | 2 | 2 | 2                  | M6×16                              |                |
| 29        | 0350 0140 618    | PW                | WASHER       |  |   | 2 | 2 | 2 | 2                  | 6×18×1.6                           |                |
| 30        | H300 0106 001    | Sナット              | NUT          |  |   | 2 | 2 | 2 | 2                  | M6                                 |                |
| 31        | 4201 0302 000    | ホーンスイッチ           | SWICH        |  |   | 1 | 1 | 1 | 1                  |                                    |                |
| 32        | 3640 3731 000    | バックミラー R          | MIRROR       |  |   | 1 | 1 | 1 | 1                  |                                    |                |

注 1) Robin エンジンには、Robin 純正キーを使用。

KUBOTA エンジンには、NO.6252238~ KUBOTA 純正キーより、チカスイ純正キーに変更。

FIG 4 フレーム FRAME 一方ダンブ



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|------------|--------------------|------------------------------------|----------------|
| 1         | 3611 1001 010    | シタフレーム            | 1          |                    |                                    | 部品供給不可         |
| 2         | 3611 1101 003    | ウエフレーム            | 1          |                    | NO.6251341~                        | 部品供給不可         |
| 2         | 3611 1101 002    | ウエフレーム            | 1          |                    | NO.6250662~1340                    | 部品供給不可         |
| 2         | 3611 1101 001    | ウエフレーム            | 1          |                    | ~NO.6250661                        | 部品供給不可         |
| 3         | 3611 1171 000    | ホゴゴム              | 2          | P-2                |                                    |                |
| 4         | 3611 1172 000    | シタフレームトリツケホキョウ    | 4          |                    |                                    |                |
| 5         | A110 0112 030    | ボルト               | 8          | M12×30             |                                    |                |
| 6         | A360 0101 202    | SW                | 8          | 12                 |                                    |                |
| 7         | 0350 0151 226    | PW                | 8          | 12×26×2.3          |                                    |                |
| 8         | 3611 1174 000    | ラッカボウシボウ          | 1          |                    |                                    |                |
| 9         | 0350 0151 226    | PW                | 1          | 12×26×2.3          |                                    |                |
| 10        | A351 0112 001    | Uナット              | 1          | M12                |                                    |                |
| 11        | 3611 4051 000    | ニダイトリツケピン         | 1          |                    |                                    |                |
| 12        | 0350 0172 545    | PW                | 2          | 25×45×4.5          |                                    |                |
| 13        | 0740 0002 500    | Cリング              | 2          | S25                |                                    |                |
| 14        | A110 0108 025    | ボルト               | 2          | M8×25              |                                    |                |
| 15        | A301 0108 003    | ナット               | 2          | M8 3種              |                                    |                |
| 16        | 3611 8001 000    | バランスウエイト          | 3          | 24kg               |                                    | オプション          |
| 17        | A114 0112 130    | ボルト               | 2          | M12×130            |                                    | オプション          |
| 18        | A114 0112 080    | ボルト               | 2          | M12×80             |                                    | オプション          |
| 19        | 0350 0151 226    | PW                | 4          | 12×26×2.3          |                                    | オプション          |
| 20        | H301 0112 001    | Sナット              | 4          | M12                |                                    | オプション          |
| 21        | 3205 0021 000    | プラスチックバンド         | 1          |                    |                                    | オプション          |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |

FIG 5 フレーム FRAME 三転ダンプ



[illegible]

FIG 6 カバー COVER



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数Q'ty<br>A B C | 型 寸<br>DESCRIPTION | 適用号機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS          |
|-----------|------------------|-------------------|-----------------|--------------------|---------------------------------|-------------------------|
| 1         | 3611 1501 101    | ウンテンセキカバー         | COVER           | 1 1 1              | NO.6250662~                     |                         |
| 1         | 3611 1501 100    | ウンテンセキカバー         | COVER           | 1 1 1              | ~NO.6250661                     |                         |
| 2         | H174 0108 020    | セムスC              | BOLT            | 4 4 4              | M8×20                           |                         |
| 3         | A110 0108 020    | ボルト               | BOLT            | 2 2 2              | M8×20                           |                         |
| 4         | 0350 0140 822    | PW                | WASHER          | 4 4 4              | 8×22×1.6                        |                         |
| 5         | H301 0108 001    | Sナット              | NUT             | 2 2 2              | M8                              |                         |
| 6         | 3611 1521 000    | グロメット             | GROMMET         | 1 1 1              | C-30-NG-79-G                    |                         |
| 7         | 3611 1406 000    | アンゼンカバー           | COVER           |                    | 1                               | NO.8811063~             |
| 8         | A100 0106 016    | ボルト               | BOLT            |                    | 1                               | M6×16<br>NO.8811063~    |
| 9         | 0350 0140 618    | PW                | WASHER          |                    | 2                               | 6×18×1.6<br>NO.8811063~ |
| 10        | H300 0106 001    | Sナット              | NUT             |                    | 1                               | M6<br>NO.8811063~       |
| 11        | H164 0106 016    | セムスC              | BOLT            |                    | 3                               | M6×16<br>NO.8811063~    |
| 12        | 3611 1601 000    | エンジンカバー           | COVER           | 1 1                |                                 |                         |
| 12        | 3611 1611 000    | エンジンカバー           | COVER           |                    | 1                               |                         |
| 13        | A110 0108 020    | ボルト               | BOLT            | 4 4 4              | M8×20                           |                         |
| 14        | 0350 0140 818    | PW                | WASHER          | 2 2 2              | 8×18×1.6                        |                         |
| 15        | 0350 0140 822    | PW                | WASHER          | 6 6 6              | 8×22×1.6                        |                         |
| 16        | H301 0108 001    | Sナット              | NUT             | 4 4 4              | M8                              |                         |
| 17        | 3611 1621 000    | エンジンガード           | GUARD engine    |                    | 1                               |                         |
| 18        | 3611 8201 000    | ガード               | GUARD           | 1 1                |                                 |                         |
| 19        | 3705 5311 000    | ストッパー             | STOPPER         |                    | 1                               |                         |
| 20        | A110 0108 020    | ボルト               | BOLT            |                    | 1                               | M8×20                   |
| 21        | H174 0108 020    | セムスC              | BOLT            | 1 1                | M8×20                           |                         |
| 22        | A110 0108 030    | ボルト               | BOLT            |                    | 1                               | M8×30                   |
| 23        | A110 0108 020    | ボルト               | BOLT            | 1 1                | M8×20                           |                         |

FIG 6 カバー COVER



[illegible]

FIG 7 ミッション TRANSMISSION



|   |        |
|---|--------|
| A | Robin  |
| B | KUBOTA |

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称      |              | 個数Q'ty |   | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-----------|--------------|--------|---|--------------------|------------------------------------|----------------|
| 1         | 7305 000B 002    | ミッションAssy | TRANSMISSION | 1      | 1 | CT15B              | NO.6251988~                        |                |
| 1         | 7305 000B 001    | ミッションAssy | TRANSMISSION | 1      | 1 | CT15B              | NO.6251613~NO.6251987              |                |
| 1         | 7305 000B 000    | ミッションAssy | TRANSMISSION | 1      | 1 | CT15B              | ~NO.6251612 (注1)                   |                |
| 2         | 3628 2001 000    | Uボルト      | U-BOLT       | 2      | 2 | U-012              |                                    |                |
| 3         | A114 0110 200    | ボルト       | BOLT         | 1      | 1 | M10×200            |                                    |                |
| 4         | 0350 0141 022    | PW        | WASHER       | 2      | 2 | 10×22×1.6          |                                    |                |
| 5         | H301 0110 001    | Sナット      | NUT          | 1      | 1 | M10                |                                    |                |
| 6         | A301 0112 001    | ナット       | NUT          | 4      | 4 | M12                |                                    |                |
| 7         | A301 0112 003    | ナット       | NUT          | 4      | 4 | M12 3種             |                                    |                |
| 8         | 0350 0151 226    | PW        | WASHER       | 4      | 4 | 12×26×2.3          |                                    |                |
| S01       | Z639 2008 010    | スプロケットset | SPROCKET set | 2      | 2 | 8T-18山             | NO.6251613~                        | NO.9~12を含む(注2) |
| S01       | Z611 2011 010    | スプロケットset | SPROCKET set | 2      | 2 | 8T-15山             | ~NO.6251612 (注1)                   | NO.9~12を含む(注2) |
| 9         | 3639 2008 000    | スプロケット    | SPROCKET     | 2      | 2 | 8T-18山             | NO.6251613~                        | (注2)           |
| 9         | 3611 2011 000    | スプロケット    | SPROCKET     | 2      | 2 | 8T-15山             | ~NO.6251612 (注1)                   | (注2)           |
| 10        | A310 0101 600    | キャスルナット   | NUT          | 2      | 2 | M16                |                                    |                |
| 11        | 0350 0171 645    | PW        | WASHER       | 2      | 2 | 16×45×4.5          |                                    |                |
| 12        | 0520 0140 030    | ワリピン      | PIN split    | 2      | 2 | 4.0×30             |                                    |                |
| 13        | 3654 2013 000    | プーリー      | PULLEY       | 1      |   |                    | NO.6251988~                        |                |
| 13        | 3611 2013 001    | プーリー      | PULLEY       | 1      |   | 150-18B2-01        | NO.6250430~NO.6251987              |                |
| 13        | 3611 2013 000    | プーリー      | PULLEY       | 1      |   | 150-18B2-01        | ~NO.6250429 (注1)                   |                |
| 13        | 3654 2014 000    | プーリー      | PULLEY       |        | 1 |                    | NO.6251988~                        |                |
| 13        | 3611 2014 001    | プーリー      | PULLEY       |        | 1 | 180-18B2-01        | NO.6250430~NO.6251987              |                |
| 13        | 3611 2014 000    | プーリー      | PULLEY       |        | 1 | 180-18B2-01        | ~NO.6250429 (注1)                   |                |
| 14        | 0571 0005 035    | キー        | KEY          | 1      | 1 | 5×5×35             |                                    |                |
| 15        | 0350 0170 932    | PW        | WASHER       | 1      | 1 | 9×32×4.5           |                                    |                |

注1) 1988年から号機表示を西暦表示より、NO.6250001~で表示。87\*\*\*\*,86\*\*\*\*は、旧型にて選択願います。


注2) ミッションの修理時及びミッションA s s y交換時に新型スプロケットに交換されている場合がありますので、スプロケットの新・旧をご確認願います。

This diagram shows an exploded view of a mechanical assembly. The central component is a complex block with various ports and mounting points. Surrounding it are numerous smaller parts, including bolts, nuts, washers, and specialized components like a valve (1) and a gear (9). The parts are numbered as follows:

- 1: Main central block
- 2: Flexible hose
- 3: Bolt
- 4: Washer
- 5: Nut
- 6: Bolt
- 7: Washer
- 8: Nut
- 9: Gear
- 10: Bolt
- 11: Washer
- 12: Nut
- 13: Bolt
- 14: Washer
- 15: Nut
- 16: Bolt
- 17: Washer
- 18: Bolt
- 19: Nut
- 20: Bolt
- 21: Washer
- 22: Bolt
- 23: Washer
- 24: Nut
- 25: Bolt
- 26: Washer
- 27: Bolt
- 28: Nut
- 29: Washer
- 30: Bolt

[illegible]


FIG 8 テンリン ROLLER



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適用号機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|------------|--------------------|---------------------------------|----------------|
| S01       | Z3639 2101 005   | テンリンAssy セット5     | 2          | ROLLER ASSY 5      |                                 |                |
| 1         | 3639 2101 000    | テンリンASSY          | 10         | ROLLER             | NO.6251821~                     |                |
| 1         | 3611 2152 000    | テンリンASSY          | 6          | ROLLER             | ~NO.6251820                     |                |
| 3         | 3643 2107 000    | テンリンジク            | 10         | SHAFT              | NO.6251821~                     |                |
| 3         | 3611 2155 000    | テンリンジク            | 10         | SHAFT              | ~NO.6251820                     |                |
| 4         | 0750 0062 040    | ベアリング             | 20         | 6204               | NO.6251821~                     |                |
| 4         | 0750 0062 031    | ベアリング             | 20         | 6203Z              | ~NO.6251820                     |                |
| 5         | 3611 2113 011    | オイルシール            | 20         | DP 20 24 41        | NO.6251821~                     |                |
| 5         | 3611 2104 100    | オイルシール            | 20         | DP 17 21 34        | ~NO.6251820                     |                |
| 6         | 0741 0004 700    | Cリング              | 20         | H47                | NO.6251821~                     |                |
| 7         | 3611 2114 011    | テンリンキャップB         | 20         | CAP B              | NO.6251821~                     |                |
| 7         | 3611 2105 011    | テンリンキャップ          | 20         | CAP                | ~NO.6251820                     |                |
| 8         | 0350 0161 430    | PW                | 20         | 14×30×3.2          |                                 |                |
| 9         | A360 0101 402    | SW                | 20         | 14                 |                                 |                |
| 10        | A340 0131 402    | フクロナット            | 10         | M14                |                                 |                |
| 11        | 3611 2106 000    | テンリンシメツケナット       | 10         | 22×25              |                                 |                |
| 12        | A650 0100 600    | グリスニップル           | 10         | M6                 |                                 |                |
| 13        | 3611 2163 000    | テンリンB ASSY        | 4          | ROLLER             | ~NO.6251820                     |                |
| 15        | 3611 2201 100    | シジテンリンASSY        | 2          | ROLLER             |                                 |                |
| 17        | 3611 2202 000    | シジテンリンジク          | 2          | SHAFT              |                                 |                |
| 18        | 0750 0060 021    | ベアリング             | 4          | 6002Z              |                                 |                |
| 19        | 0740 0001 500    | Cリング              | 4          | S15                |                                 |                |


注記 NO.1,NO.13 のテンリン ASSY は、新型にて互換性があり、オイルシール・ベアリングの供給についてはサイズをご確認ください。  
適用号機は、1988/03 以降より NO.625001~にて表示変更、1988/03 以前は、西暦表示 (87~、86~、)

FIG 8 テンリン ROLLER




| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適用号機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|------------|--------------------|---------------------------------|----------------|
| 20        | 0840 0015 357    | オイルシール            | 4          | KEY15357           |                                 |                |
| 21        | 3611 2203 000    | シジテンリンキャップ        | 4          |                    |                                 |                |
| 22        | 0350 0151 226    | PW                | 4          | 12×26×2.3          |                                 |                |
| 23        | A360 0101 202    | SW                | 2          | 12                 |                                 |                |
| 24        | 3611 2204 000    | シジテンリンシメツケナット     | 2          | 22×23              |                                 |                |
| 25        | F301 0112 000    | Fナット              | 2          | M12                |                                 |                |
| 26        | A650 0100 600    | グリスニップル           | 2          | M6                 |                                 |                |
| 27        | 3611 2300 100    | ユウドウリンASSY        | 2          |                    |                                 |                |
| 28        | 3611 2301 000    | ユウドウリン            | 2          |                    |                                 |                |
| 29        | 3611 2302 000    | ユウドウリンジク          | 2          |                    |                                 |                |
| 30        | 0750 0562 053    | ベアリング             | 4          | 6205DU             |                                 |                |
| 31        | 0741 0005 200    | Cリング              | 4          | H52                |                                 |                |
| 32        | 0840 1305 211    | オイルシール            | 4          | UE305211           |                                 |                |
| 33        | 3611 2303 000    | スリーブ              | 4          | 25×17              |                                 |                |
| 34        | 3611 2304 000    | ユウドウリンカバー         | 4          |                    |                                 |                |
| 35        | 0350 0161 630    | PW                | 4          | 16×30×3.2          |                                 |                |
| 36        | A360 0101 602    | SW                | 4          | 16                 |                                 |                |
| 37        | 3611 2305 000    | ユウドウリンシメツケナット     | 2          | 24×27              |                                 |                |
| 38        | A300 0116 001    | ナット               | 2          | M16                |                                 |                |
| 39        | A650 0100 600    | グリスニップル           | 2          | M6                 |                                 |                |
| 40        | 3611 2311 000    | ユウドウリンフォーク        | 2          |                    |                                 |                |
| 41        | 3611 2321 000    | クローラハリボルト         | 2          | M20×232            |                                 |                |
| 42        | A300 0120 001    | ナット               | 2          | M20                |                                 |                |
| 43        | 3611 2012 000    | クローラ              | 2          |                    |                                 | 標準クローラ         |
| 43        | 3611 2015 000    | クローラ              | 2          |                    |                                 | 強化クローラ         |

FIG 9 レバー LEVER



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数Q'ty       | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|--------------|--------------------|------------------------------------|----------------|
| 1         | 3611 3001 000    | クラッチトリツケ          | BRACKET      | 1 1 1 1            |                                    |                |
| 2         | A110 0110 025    | ボルト               | BOLT         | 4 4 4 4            | M10×25                             |                |
| 3         | 0350 0141 022    | PW                | WASHER       | 4 4 4 4            | 10×22×1.6                          |                |
| 4         | H301 0110 001    | Sナット              | NUT          | 4 4 4 4            | M10                                |                |
| 5         | H154 0108 025    | セムスB              | BOLT         | 1 1 1 1            | M8×25 7T                           |                |
| 6         | 3611 3101 000    | サイドクラッチレバー-R      | LEVER        | 1 1 1 1            |                                    |                |
| 7         | 3611 3106 000    | サイドクラッチレバー-L      | LEVER        | 1 1 1 1            |                                    |                |
| 8         | 0692 0015 350    | グリップ              | GRIP         | 2 2 2 2            |                                    |                |
| 9         | 3611 3108 010    | トリツケピン            | PIN          | 1 1 1 1            | φ16×272                            |                |
| 10        | 0350 0161 630    | PW                | WASHER       | 2 2 2 2            | 16×30×3.2                          |                |
| 11        | 0520 0125 030    | ワリピン              | PIN split    | 2 2 2 2            | 2.5×30                             |                |
| 12        | 3611 3111 000    | ロッド               | ROD          | 2 2 2 2            |                                    |                |
| 13        | 3611 3113 000    | ロッド               | ROD          | 2 2 2 2            |                                    |                |
| 14        | A301 0108 003    | ナット               | NUT          | 2 2 2 2            | M8 3種                              |                |
| 15        | A301 2108 003    | ナット               | NUT          | 2 2 2 2            | M8L3種                              |                |
| 16        | 3208 3410 000    | ターンバックル           | BUCKLE       | 2 2 2 2            | M8×50                              |                |
| 17        | 0562 0108 022    | ヒアタマピン            | PIN clevis   | 4 4 4 4            | φ8×22                              |                |
| 18        | 0350 0140 818    | PW                | WASHER       | 4 4 4 4            | 8×18×1.6                           |                |
| 19        | 0520 0125 020    | ワリピン              | PIN split    | 4 4 4 4            | 2.5×20                             |                |
| 20        | 3611 3124 000    | スプリング             | SPRING       | 2 2 2 2            | #73                                |                |
| 21        | 3611 3121 000    | ツギテ               | LINK         | 2 2 2 2            |                                    |                |
| 22        | 0562 0108 025    | ヒアタマピン            | PIN clevis   | 2 2 2 2            | φ8×25                              |                |
| 23        | 0350 0140 818    | PW                | WASHER       | 2 2 2 2            | 8×18×1.6                           |                |
| 24        | 0520 0125 020    | ワリピン              | PIN split    | 2 2 2 2            | 2.5×20                             |                |
| 25        | 3611 3201 000    | クラッチレバー           | LEVER clutch | 1 1 1 1            |                                    |                |

FIG 9 レバー LEVER



|   |           |
|---|-----------|
| A | Robin・国内  |
| B | KUBOTA・国内 |
| C | Robin・輸出  |
| D | KUBOTA・輸出 |

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME       | 個数0'ty<br>A B C D | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------------|-------------------|--------------------|------------------------------------|----------------|
| 25        | 3611 6001 000    | クラッチレバー<br>LEVER clutch |                   | 1 1 (緊停装置用)        |                                    |                |
| 26        | 0691 0012 250    | グリップ<br>GRIP            | 1 1 1 1           | 黒                  |                                    |                |
| 27        | 3611 3206 000    | ブレーキレバー<br>LEVER        | 1 1               |                    |                                    |                |
| 27        | 3611 3225 000    | ブレーキレバー<br>LEVER        |                   | 1 1                |                                    |                |
| 28        | 0691 0012 251    | グリップ<br>GRIP            | 1 1 1 1           | 赤                  |                                    |                |
| 29        | 3611 3208 000    | レバートリツケピン<br>PIN        | 1 1 1 1           |                    |                                    |                |
| 30        | 0350 0161 630    | PW<br>WASHER            | 2 2 2 2           | 16×30×3.2          |                                    |                |
| 31        | 0520 0125 030    | ワリピン<br>PIN split       | 2 2 2 2           | 2.5×30             |                                    |                |
| 32        | 3611 3209 000    | レバーアーム<br>ARM           | 2 2 2 2           |                    |                                    |                |
| 33        | 0562 0106 016    | ヒラアタマピン<br>PIN clevis   | 2 2 2 2           | Φ6×16              |                                    |                |
| 34        | 0350 0130 613    | PW<br>WASHER            | 2 2 2 2           | 6×13×1.0           |                                    |                |
| 35        | 0520 0120 016    | ワリピン<br>PIN split       | 2 2 2 2           | 2.0×16             |                                    |                |
| 36        | 3611 3221 000    | テンションワイヤー<br>WIRE       | 1 1 1 1           | WG033172           |                                    | クラッチ           |
| 37        | 0562 0108 020    | ヒラアタマピン<br>PIN clevis   | 1 1 1 1           | Φ8×20              |                                    |                |
| 38        | 0350 0140 818    | PW<br>WASHER            | 1 1 1 1           | 8×18×1.6           |                                    |                |
| 39        | 0520 0125 020    | ワリピン<br>PIN split       | 1 1 1 1           | 2.5×20             |                                    |                |
| 40        | 3606 2016 000    | スプリング<br>SPRING         |                   | 1 1 #42            |                                    |                |
| 40        | 3407 3016 000    | ヒキロッド<br>ROD            | 1                 | 1 #122             |                                    |                |
| 41        | 3407 3004 000    | スプリング<br>SPRING         | 1 1 1 1           | #34                |                                    |                |
| 42        | 3611 3211 000    | テンションプーリーAssy<br>PULLEY | 1 1 1 1           | ナット付               |                                    |                |
| 43        | 3611 3211 100    | ローラ<br>ROLLER           | 1 1 1 1           |                    |                                    |                |
| 44        | 3611 3211 200    | シャフト<br>SHAFT           | 1 1 1 1           |                    |                                    |                |
| 45        | 0750 0062 022    | ベアリング<br>BEARING        | 2 2 2 2           |                    |                                    |                |
| 46        | A301 0112 003    | ナット<br>NUT              | 2 2 2 2           |                    |                                    |                |
| 47        | 0740 0001 200    | Cリング<br>RING            | 2 2 2 2           |                    |                                    |                |

This diagram illustrates the exploded view of a motorcycle engine and transmission assembly. The components are numbered 1 through 58, with some numbers appearing multiple times to indicate identical parts. Key labels include:


- ブレーキ (Brake):** Located near the bottom left, pointing to the brake master cylinder and associated lines.
- クラッチ (Clutch):** Located near the bottom right, pointing to the clutch lever and cable assembly.

The diagram shows the following major components and their sub-assemblies:

- Engine Block and Cylinder:** Includes the main engine block (1), cylinder head (2), and various bolts (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58).
- Transmission and Output Shaft:** Includes the output shaft (1), output gear (2), and various bolts (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58).
- Clutch Assembly:** Includes the clutch lever (1), clutch cable (2), and various bolts (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58).
- Brake Assembly:** Includes the brake master cylinder (1), brake lines (2), and various bolts (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58).


[illegible]

FIG 10 シート SEAT




| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称    | PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|---------|-----------|------------|--------------------|------------------------------------|----------------|
| 1         | 3611 3601 001    | シートトリツケ | BRACKET   | 1          |                    | NO.6251777~                        |                |
| 1         | 3611 3601 000    | シートトリツケ | BRACKET   | 1          |                    | NO.6251643~NO.6251776              |                |
| 2         | A110 0110 025    | ボルト     | BOLT      | 1          | M10×25             |                                    |                |
| 3         | A301 0110 003    | ナット     | NUT       | 1          | M10 3種             |                                    |                |
| 4         | 3642 3409 000    | ザセキシート  | SEAT      | 1          | UK-87-10           | NO.6251643~                        |                |
| 5         | 3642 3414 000    | ブラケット   | BRACKET   | 1          |                    | NO.6251777~                        |                |
| 5         | 3642 3411 000    | ブラケット   | BRACKET   | 1          |                    | NO.6251643~NO.6251776              |                |
| 6         | A114 0112 075    | ボルト     | BOLT      | 1          | M12×75             | NO.6251777~                        |                |
| 6         | A114 0110 080    | ボルト     | BOLT      | 1          | M10×80×25          | NO.6251643~NO.6251776              |                |
| 7         | 0350 0151 226    | PW      | WASHER    | 1          | 12×26×2.3          | NO.6251777~                        |                |
| 7         | 0350 0141 022    | PW      | WASHER    | 1          | 10×22×1.6          | NO.6251643~NO.6251776              |                |
| 8         | A351 0112 001    | Uナット    | U-NUT     | 1          | M12                | NO.6251777~                        |                |
| 8         | A351 0110 001    | Uナット    | U-NUT     | 1          | M10                | NO.6251643~NO.6251776              |                |
| 9         | 3627 3101 000    | シート     | SEAT      | 1          | UK-1               | ~NO.6251642                        |                |
| 10        | 3628 3102 000    | シートトリツケ | BRACKET   | 1          |                    | ~NO.6251642                        |                |
| 11        | A114 0110 090    | ボルト     | BOLT      | 1          | M10×90             | ~NO.6251642                        |                |
| 12        | 0350 0141 022    | PW      | WASHER    | 1          | 10×22×1.6          | ~NO.6251642                        |                |
| 13        | A351 0110 001    | Uナット    | U-NUT     | 1          | M10                | ~NO.6251642                        |                |
| 14        | 3611 3403 000    | ボウシンゴム  | INSULATOR | 1          | B-2                | ~NO.6251642                        |                |
| 15        | 3611 3511 000    | シートトリツケ | BRACKET   | 1          |                    | ~NO.6251642                        |                |
|           |                  |         |           |            |                    |                                    |                |
|           |                  |         |           |            |                    |                                    |                |
|           |                  |         |           |            |                    |                                    |                |
|           |                  |         |           |            |                    |                                    |                |
|           |                  |         |           |            |                    |                                    |                |

FIG 11 ニダイフレーム WAGON (一方ダンブ) NO.6251341~




| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Qty  | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS        |
|-----------|------------------|-------------------|------------|--------------------|------------------------------------|-----------------------|
| 1         | 3639 4101 001    | ニダイフレーム           | WAGON      | 1                  |                                    |                       |
| 2         | 3611 4062 000    | ホゴゴム              | RUBBER     | 2                  | B-4                                |                       |
| 3         | A252 0160 025    | トラスコネジ            | SCREW      | 2                  | M6×25                              |                       |
| 4         | 3639 4201 001    | マエドア              | DOOR       | 1                  |                                    | NO.6251703~           |
| 4         | 3639 4201 000    | マエドア              | DOOR       | 1                  | H=400                              | NO.6251341~NO.6251702 |
| 5         | 3639 4451 002    | ソクバン              | DOOR       | 2                  |                                    | NO.6251703~           |
| 5         | 3639 4451 001    | ソクバン              | DOOR       | 2                  |                                    | NO.6251341~NO.6251702 |
| 6         | 0562 0112 133    | ヒラアタマピン           | PIN clevis | 6                  | φ12×133                            |                       |
| 7         | 0350 0151 222    | PW                | WASHER     | 6                  | 12×22×2.3                          |                       |
| 8         | 0520 0125 025    | ワリピン              | PIN split  | 6                  | 2.5×25                             |                       |
| 9         | 2305 3112 000    | ドアカケカナグ           | LEVER      | 2                  | K-004                              |                       |
| 10        | 2305 3113 000    | ドアカケカナグ           | LEVER      | 2                  | K-004                              |                       |
| 11        | 0350 0151 226    | PW                | WASHER     | 4                  | 12×26×2.3                          |                       |
| 12        | A301 0112 001    | ナット               | NUT        | 4                  | M12                                |                       |
| 13        | A301 0112 003    | ナット               | NUT        | 4                  | M12 3種                             |                       |
| 14        | 3639 4551 002    | バックホキョウR          | BRACKET    | 1                  |                                    | NO.6251703~           |
| 14        | 3639 4551 001    | バックホキョウR          | BRACKET    | 1                  |                                    | NO.6251341~NO.6251702 |
| 15        | 3639 4552 002    | バックホキョウL          | BRACKET    | 1                  |                                    | NO.6251703~           |
| 15        | 3639 4552 001    | バックホキョウL          | BRACKET    | 1                  |                                    | NO.6251341~NO.6251702 |
| 16        | K710 0110 025    | Fボルト              | BOLT       | 10                 | M10×25                             |                       |
| 17        | 3639 4651 001    | ウシロドア             | DOOR       | 1                  |                                    | NO.6251703~           |
| 17        | 3639 4651 000    | ウシロドア             | DOOR       | 1                  |                                    | NO.6251341~NO.6251702 |
| 18        | K710 0110 025    | Fボルト              | BOLT       | 6                  | M10×25                             |                       |
| 19        | 0350 0151 026    | PW                | WASHER     | 6                  | 10×26×2.3                          |                       |
| 20        | A110 0108 025    | ボルト               | BOLT       | 2                  | M8×25                              |                       |
| 21        | 0350 0140 822    | PW                | WASHER     | 4                  | 8×22×1.6                           |                       |
| 22        | F301 0108 000    | Fナット              | NUT        | 2                  | M8                                 |                       |

FIG 12 ニダイフレーム WAGON (一方ダンブ) ~NO.6251340




| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|------------|--------------------|------------------------------------|----------------|
| 1         | 3611 4001 003    | ニダイフレーム           | 1          |                    | NO.6250045~1340                    |                |
| 1         | 3611 4001 001    | ニダイフレーム           | 1          |                    | ~NO.6250044                        |                |
| 2         | 3611 4101 011    | マエドア              | 1          |                    | NO.6250045~                        |                |
| 2         | 3611 4101 000    | マエドア              | 1          |                    | ~NO.6250044                        |                |
| 3         | H174 0110 025    | セムスC              | 6          | M10×25             |                                    |                |
| 4         | A110 0108 025    | ボルト               | 2          | M8×25              |                                    |                |
| 5         | 0350 0140 822    | PW                | 4          | 8×22×1.6           |                                    |                |
| 6         | H301 0108 001    | Sナット              | 2          | M8                 |                                    |                |
| 7         | 3611 4201 000    | ソクバン              | 2          |                    |                                    |                |
| 8         | 0562 0112 133    | ヒラアタマピン           | 6          | φ12×133            |                                    |                |
| 9         | 0350 0151 222    | PW                | 6          | 12×22×2.3          |                                    |                |
| 10        | 0520 0125 025    | ワリピン              | 6          | 2.5×25             |                                    |                |
| 11        | 0350 0151 226    | PW                | 4          | 12×26×2.3          |                                    |                |
| 12        | A301 0112 001    | ナット               | 4          | M12                |                                    |                |
| 13        | A301 0112 003    | ナット               | 4          | M12 3種             |                                    |                |
| 14        | 2305 3112 000    | ドアカケカナグ           | 2          | K-004              |                                    |                |
| 15        | 2305 3113 000    | ドアカケカナグ           | 2          | K-004              |                                    |                |
| 16        | 3611 4301 000    | バックホキョウR          | 1          |                    |                                    |                |
| 17        | 3611 4302 000    | バックホキョウL          | 1          |                    |                                    |                |
| 18        | H174 0110 025    | セムスC              | 4          | M10×25             |                                    |                |
| 19        | A110 0110 030    | ボルト               | 4          | M10×30             |                                    |                |
| 20        | 0350 0141 022    | PW                | 4          | 10×22×1.6          |                                    |                |
| 21        | A360 0101 002    | SW                | 4          | 10                 |                                    |                |
| 22        | 3611 4401 001    | ウシロドア             | 1          |                    |                                    |                |
| 23        | 0350 0161 430    | PW                | 2          | 14×30×3.2          |                                    |                |
| 24        | A300 0114 001    | ナット               | 2          | M14                |                                    |                |
| 25        | A340 0131 402    | フクロナット            | 2          | M14                |                                    |                |
| 26        | 3611 4062 000    | ホゴゴム              | 2          | B-4                |                                    |                |
| 27        | A252 0160 025    | トラスコネジ            | 2          | M6×25              |                                    |                |

FIG 13 ドアロックソウチ DOOR LOCK (一方ダンブ)



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|------------|--------------------|------------------------------------|----------------|
| 1         | 3408 5201 000    | ドアロックカナグ          | 1          | LOCK               |                                    |                |
| 2         | 0562 0108 025    | ヒラアタマピン           | 1          | PIN clevis         |                                    |                |
| 3         | 0520 0125 020    | ワリピン              | 1          | PIN split          |                                    |                |
| 4         | 3617 3227 000    | スプリング             | 1          | SPRING             | #30                                | NO.8673001~    |
| 4         | 3205 2005 000    | スプリング             | 1          | SPRING             | #38                                | ~NO.8573100    |
| 5         | 3611 4071 000    | ロッド               | 1          | ROD                | L-032                              |                |
| 6         | 3611 4061 200    | ロッド               | 1          | ROD                | M8×495                             | NO.8673001~    |
| 7         | 3611 4061 300    | ヒキイタ              | 1          | PLATE              |                                    | NO.8673001~    |
| 8         | 3611 4061 400    | スプリング             | 1          | SPRING             | #181                               | NO.8673001~    |
| 9         | A301 0108 001    | ナット               | 2          | NUT                | M8                                 | NO.8673001~    |
| 10        | A301 0108 003    | ナット               | 2          | NUT                | M8 3種                              | NO.8673001~    |
| 11        | 0350 0140 818    | PW                | 4          | WASHER             | 8×18×1.6                           |                |
| 12        | 0562 0108 025    | ヒラアタマピン           | 1          | PIN clevis         | Φ8×25                              |                |
| 13        | 0520 0125 016    | ワリピン              | 1          | PIN split          | 2.5×16                             |                |
| 14        | 0350 0140 816    | PW                | 1          | WASHER             | 8×16×1.6                           |                |
| 15        | 3208 3410 000    | ターンバックル           | 1          | BUCKLE             | M8×50                              |                |
| 16        | A301 0108 003    | ナット               | 1          | NUT                | M8 3種                              |                |
| 17        | A301 2108 003    | ナット               | 1          | NUT                | M8L3種                              |                |
| 18        | 3611 4061 100    | Lロッド              | 1          | ROD                | L-057                              | ~NO.8573100    |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |
|           |                  |                   |            |                    |                                    |                |

FIG 14 ニダイフレーム WAGON (三転ダンブ)



|   |     |
|---|-----|
| A | 国内用 |
| B | 輸出用 |

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数Q'ty<br>A B | 型 寸<br>DESCRIPTION | 適用号機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|---------------|--------------------|---------------------------------|----------------|
| 1         | 3639 4001 000    | ニダイフレーム           | 1 1           | WAGON              | NO.6251341~                     |                |
| 1         | 3611 4501 002    | ニダイフレーム           | 1 1           | WAGON              | ~NO.6251340                     |                |
| 1         | 3611 4501 102    | ニダイフレーム           | 1 1           | WAGON              | ~NO.6251340                     |                |
| 2         | A652 0100 600    | グリスニップル           | 2 2           | M6 C形              |                                 |                |
| 3         | 3611 4571 010    | ニダイトリツケマエ R       | 1 1           | BRACKET            |                                 |                |
| 4         | 3611 4572 010    | ニダイトリツケマエ L       | 1 1           | BRACKET            |                                 |                |
| 5         | 3611 4583 010    | ニダイトリツケウシロ R      | 1 1           | BRACKET            |                                 |                |
| 6         | 3611 4584 010    | ニダイトリツケウシロ L      | 1 1           | BRACKET            |                                 |                |
| 7         | A110 0110 030    | ボルト               | 16 16         | M10×30             |                                 |                |
| 8         | 0350 0141 022    | PW                | 16 16         | 10×22×1.6          |                                 |                |
| 9         | H301 0110 001    | Sナット              | 16 16         | M10                |                                 |                |
| 10        | 3611 4587 000    | ピンASSY            | 1 1           | PIN                | NO.6250101~                     |                |
| 10        | 3611 4588 000    | ピンASSY            | 2 2           | PIN                | ~NO.6250100                     |                |
| 11        | 3611 4593 000    | ピンASSY            | 1 1           | PIN                | NO.6250101~                     |                |
| 12        | 3639 4601 000    | ウシロドア             | 1 1           | GATE               | NO.6251341~                     |                |
| 12        | 3611 4701 001    | マエドア              | 1 1           | GATE               | ~NO.6251340                     |                |
| 13        | H174 0110 025    | セムスC              | 6 6           | M10×25             |                                 |                |
| 14        | A110 0108 025    | ボルト               | 2 2           | M8×25              |                                 |                |
| 15        | 0350 0140 822    | PW                | 4 4           | 8×22×1.6           |                                 |                |
| 16        | H301 0108 001    | Sナット              | 2 2           | M8                 |                                 |                |
| 17        | 3639 4401 000    | ソクバン              | 2 2           | SIDE GATE          | NO.6251341~                     |                |
| 17        | 3611 4711 000    | ソクバン              | 2 2           | SIDE GATE          | ~NO.6251340                     |                |
| 18        | 3639 4301 000    | マエドア              | 1 1           | GATE               | NO.6251341~                     |                |
| 18        | 3611 4731 000    | ウシロドア             | 1 1           | GATE               | ~NO.6251340                     |                |
| 19        | 3639 4501 001    | バックホキョウR          | 1 1           | BRACKET            | NO.6251341~                     |                |


This is a detailed exploded view diagram of a mechanical assembly, likely a door or panel mechanism. The diagram shows the following components and their assembly relationships:

- Part 1:** The main rectangular frame or base plate.
- Part 2:** A long horizontal bar or track that fits into the top of the frame.
- Part 3:** A small bracket or clip used to secure the bar to the frame.
- Part 4:** A vertical support or guide pin that fits into the bottom of the frame.
- Part 5:** A small rectangular plate or bracket.
- Part 6:** A vertical support or guide pin, similar to part 4.
- Part 7:** A small pin or screw used for assembly.
- Part 8:** A small pin or screw.
- Part 9:** A small pin or screw.
- Part 10:** A small bracket or clip.
- Part 11:** A small bracket or clip.
- Part 12:** A vertical support or guide pin.
- Part 13:** A small pin or screw.
- Part 14:** A vertical support or guide pin.
- Part 15:** A small pin or screw.
- Part 16:** A small pin or screw.
- Part 17:** A long horizontal bar or track, similar to part 2.
- Part 18:** A vertical support or guide pin.
- Part 19:** A vertical support or guide pin.
- Part 20:** A vertical support or guide pin.
- Part 21:** A small pin or screw.
- Part 22:** A small pin or screw.
- Part 23:** A small pin or screw.
- Part 24:** A small pin or screw.

The diagram illustrates the assembly sequence and the relative positions of these parts. A large, faint watermark 'rG' is visible across the center of the image.


04/06/17

FIG 15 ドアロックソウチ DOOR LOCK (三転ダンブ)



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|------------|--------------------|------------------------------------|----------------|
| 1         | 3639 4701 000    | アームAR             | 1          |                    |                                    |                |
| (2)       | 3639 4702 000    | アームAL             | 1          |                    |                                    |                |
| 3         | 3611 4607 000    | パイプ               | 2          |                    |                                    |                |
| 4         | 0350 0151 222    | PW                | 4          | 12×22×2.3          |                                    |                |
| 5         | 0520 0130 025    | ワリピン              | 4          | 3.0×25             |                                    |                |
| 6         | 0350 0161 630    | PW                | 2          | 16×30×3.2          |                                    |                |
| 7         | 0520 0130 030    | ワリピン              | 2          | 3.0×30             |                                    |                |
| 8         | 3611 4061 300    | ヒキイタ              | 2          |                    |                                    |                |
| 9         | 3611 4061 400    | スプリング             | 2          | #181               |                                    |                |
| 10        | 3611 4616 002    | ダンブロッドA           | 2          |                    | NO.6250902~                        |                |
| 10        | 3611 4616 001    | ダンブロッドA           | 2          |                    | ~NO.6250901                        |                |
| 10        | 3611 4616 000    | ダンブロッドA           | 2          |                    | ~NO.6250872                        |                |
| 11        | 3611 4658 000    | ロッド               | 2          |                    | NO.6250902~                        |                |
| 11        | 3619 4054 000    | テンションヒキロッド        | 2          | L-050              | ~NO.6250901                        |                |
| 11        | 3611 4071 000    | ロッド               | 2          | L-032              | ~NO.6250872                        |                |
| 12        | 3208 3410 000    | ターンバックル           | 2          | M8×50              |                                    |                |
| 13        | A301 0108 003    | ナット               | 2          | M8 3種              |                                    |                |
| 14        | A301 2108 003    | ナット               | 2          | M8L3種              |                                    |                |
| 15        | 0350 0140 818    | PW                | 4          | 8×18×1.6           |                                    |                |
| 16        | A301 0108 001    | ナット               | 4          | M8                 |                                    |                |
| 17        | A301 0108 003    | ナット               | 4          | M8 3種              |                                    |                |
| 18        | 0350 0140 818    | PW                | 4          | 8×18×1.6           |                                    |                |
| 19        | 0520 0125 016    | ワリピン              | 2          | 2.5×16             |                                    |                |
| 20        | 0562 0108 022    | ヒラアタマピン           | 4          | Φ8×22              |                                    |                |
| 21        | 3205 2004 000    | スプリング             | 2          | #50                |                                    |                |

FIG 15 ドアロックソウチ DOOR LOCK (三転ダンプ)



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|------------|--------------------|------------------------------------|----------------|
| 22        | 3611 4601 000    | アームAR             | 1          |                    |                                    |                |
| (23)      | 3611 4602 000    | アームAL             | 1          |                    |                                    |                |
| 24        | 3611 4607 000    | パイプ               | 2          |                    |                                    |                |
| 25        | 0350 0151 222    | PW                | 4          | 12×22×2.3          |                                    |                |
| 26        | 0520 0130 025    | ワリピン              | 4          | 3.0×25             |                                    |                |
| 27        | 0350 0161 630    | PW                | 2          | 16×30×3.2          |                                    |                |
| 28        | 0520 0130 030    | ワリピン              | 2          | 3.0×30             |                                    |                |
| 29        | 3611 4061 300    | ヒキイタ              | 2          |                    |                                    |                |
| 30        | 3611 4061 400    | スプリング             | 2          | #181               |                                    |                |
| 31        | 3611 4635 000    | ダンプロッドB           | 2          |                    |                                    |                |
| 32        | 3619 4054 000    | テンションヒキロッド        | 2          | L-050              |                                    |                |
| 33        | 3208 3410 000    | ターンバックル           | 2          | M8×50              |                                    |                |
| 34        | A301 0108 003    | ナット               | 2          | M8 3種              |                                    |                |
| 35        | A301 2108 003    | ナット               | 2          | M8L3種              |                                    |                |
| 36        | 0350 0140 818    | PW                | 4          | 8×18×1.6           |                                    |                |
| 37        | A301 0108 001    | ナット               | 4          | M8                 |                                    |                |
| 38        | A301 0108 003    | ナット               | 4          | M8 3種              |                                    |                |
| 39        | 0350 0140 818    | PW                | 4          | 8×18×1.6           |                                    |                |
| 40        | 0520 0125 016    | ワリピン              | 2          | 2.5×16             |                                    |                |
| 41        | 0562 0108 022    | ヒリアタマピン           | 4          | φ8×22              |                                    |                |
| 42        | 3205 2004 000    | スプリング             | 2          | #50                |                                    |                |
| 43        | 3611 4645 000    | アームB              | 2          |                    |                                    |                |
| 44        | 0350 0161 630    | PW                | 2          | 16×30×3.2          |                                    |                |
| 45        | 0520 0130 030    | ワリピン              | 2          | 3.0×30             |                                    |                |
| 46        | 3611 4655 000    | ダンプロッドC           | 2          |                    |                                    |                |

FIG 15 ドアロックソウチ DOOR LOCK (三転ダンプ)



[illegible]


FIG 16 アンゼンソウチ DEADMAN'S CONTROL BRAKE



P-GC640-FIG16-P


[illegible]

FIG 17 ユアツ HYDRAULIC EQUIPMENT



| 見出  | 部品番号          | 部品名称      |           | 個数Q' ty |   |   |   | 型 寸         | 適 用 号 機                 | 備 考     |
|-----|---------------|-----------|-----------|---------|---|---|---|-------------|-------------------------|---------|
| NO. | PART NO.      |           | PART NAME | A       | B | C | D | DESCRIPTION | FROM ~ UP TO SERIAL NO. | REMARKS |
| 1   | 3611 7001 100 | パッケージ     | HYD.PUMP  | 1       | 1 | 1 | 1 | K62-52-53-0 | NO.6250662～             | 31ページ詳細 |
| 1   | 3611 7001 100 | パッケージ     | HYD.PUMP  | 1       | 1 | 1 | 1 | K62-52-03-1 | ～NO.6250661             | 32ページ詳細 |
| 2   | 3611 7002 111 | パッケージトリツケ | BRACKET   | 1       | 1 | 1 | 1 |             | NO.6250662～             |         |
| 2   | 3611 7002 100 | パッケージトリツケ | BASE      | 1       | 1 | 1 | 1 |             | ～NO.6250661             |         |
| 3   | H114 0108 020 | セムスB      | BOLT      | 3       | 3 | 3 | 3 | M8×20       |                         |         |
| 4   | A110 0110 025 | ボルト       | BOLT      | 2       | 2 | 2 | 2 | M10×25      |                         |         |
| 5   | 0350 0141 022 | PW        | WASHER    | 2       | 2 | 2 | 2 | 10×22×1.6   |                         |         |
| 6   | A360 0101 002 | SW        | S-WASHER  | 2       | 2 | 2 | 2 | 10          |                         |         |
| 7   | 3611 7005 120 | ダンプレパーツギテ | LINK      | 1       | 1 | 1 | 1 |             |                         |         |
| 8   | A301 0108 003 | ナット       | NUT       | 1       | 1 | 1 | 1 | M8 3種       |                         |         |
| 9   | 0852 1300 034 | Vベルト      | V-BELT    | 1       |   | 1 |   | SB34        |                         |         |
| 9   | 0852 1300 036 | Vベルト      | V-BELT    |         | 1 |   | 1 | SB36        |                         |         |
| 10  | 3611 7101 021 | テンションアーム  | ARM       | 1       | 1 | 1 | 1 |             | NO.6250662～             |         |
| 10  | 3611 7101 010 | テンションアーム  | ARM       | 1       | 1 | 1 | 1 |             | ～NO.6250661             |         |
| 11  | 3405 3101 000 | スプリング     | SPRING    | 1       | 1 | 1 | 1 | #118        | NO.6250662～             |         |
| 11  | 5201 2319 000 | スプリング     | SPRING    | 1       | 1 | 1 | 1 | #37         | ～NO.6250661             |         |
| 12  | 3611 7106 000 | アイガタボルト   | BOLT      | 1       | 1 | 1 | 1 | φ8×300      |                         |         |
| 13  | H301 0108 001 | Sナット      | NUT       | 1       | 1 | 1 | 1 | M8          |                         |         |
| 14  | A301 0108 003 | ナット       | NUT       | 1       | 1 | 1 | 1 | M8 3種       |                         |         |
| 15  | 0350 0140 818 | PW        | WASHER    | 2       | 2 | 2 | 2 | 8×18×1.6    |                         |         |
| 16  | 3611 7105 000 | テンションプーリ  | PULLEY    | 1       | 1 | 1 | 1 | ナット付き       |                         |         |
| 17  | 0350 0161 630 | PW        | WASHER    | 1       | 1 | 1 | 1 | 16×30×3.2   |                         |         |
| 18  | 0520 0132 025 | ワリピン      | PIN split | 1       | 1 | 1 | 1 | 3.2×25      |                         |         |
| 19  | 3611 7201 100 | ダンプレバー    | LEVER     | 1       | 1 | 1 | 1 |             |                         |         |
| 20  | 0691 0010 250 | グリップ      | GRIP      | 1       | 1 | 1 | 1 |             |                         |         |

FIG 17 ユアツ HYDRAULIC



| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数Q'ty<br>A B C D | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|-------------------|--------------------|------------------------------------|----------------|
| 21        | 3611 7206 000    | ボルト               | 1 1 1 1           | B-015              |                                    |                |
| 22        | H301 0112 001    | Sナット              | 1 1 1 1           | M12                |                                    |                |
| 23        | 0350 0151 222    | PW                | 1 1 1 1           | 12×22×2.3          |                                    |                |
| 24        | 7802 000A 000    | シリンダー             | 1 1 1 1           | CC6030             |                                    |                |
| 25        | 3636 5037 000    | ユアツホース            | 2 2 2 2           | R015               | NO.6251341~                        |                |
| 25        | 3611 7301 100    | ホース               | 2 2 2 2           | L=2080             | ~NO.6251340                        |                |
| 26        | 3611 7301 200    | ビニールパイプ           | 2 2 2 2           | 22×26×550          |                                    |                |
| 27        | 3611 7302 000    | エルボ               | 2 2 2 2           | 302204             |                                    |                |
| 28        | A652 0100 600    | グリスニップル           | 1 1 1 1           | M6 C形              |                                    |                |
| 29        | 3611 7306 000    | シリンダージクシタ         | 1 1 1 1           | φ20×135            |                                    |                |
| 30        | 0350 0162 040    | PW                | 2 2 2 2           | 20×40×3.2          |                                    |                |
| 31        | 0740 0002 000    | リング               | 2 2 2 2           | S20                |                                    |                |
| 32        | 3611 7308 000    | ユアツホーストメ          | 1 1 1 1           |                    |                                    |                |
| 33        | H114 0108 016    | セムスB              | 1 1 1 1           | M8×16              |                                    |                |
| 34        | 3611 7311 000    | シリンダージクウエ         | 1 1               | φ20×157            |                                    |                |
| 34        | 3611 7316 000    | トリツケピン            |                   |                    |                                    |                |
| 35        | F114 0108 016    | セムスA              | 1 1 1 1           | M8×16              |                                    |                |
| 36        | 0350 0160 828    | PW                | 1 1 1 1           | 8×28×3.2           |                                    |                |
| 37        | H114 0108 020    | セムスB              | 1 1               | M8×20              |                                    |                |
| 37        | H164 0106 020    | セムスC              |                   | M6×20              |                                    |                |
| 38        | 3634 5035 000    | シリンダートリツケウエ       |                   |                    | NO.6251341~                        |                |
| 39        | 3635 5045 000    | トリツケジク            |                   |                    | NO.6251341~                        |                |
| 40        | 0350 0130 613    | PW                |                   | 6×13×1.0           | NO.6251341~                        |                |
| 41        | A650 0100 600    | グリスニップル           |                   | M6                 | NO.6251341~                        |                |
| 42        | H114 0110 025    | セムスB              |                   | M10×25             |                                    |                |

FIG 18 サイドボード BOAD (オプション・三転ダンプ)



[illegible]

FIG 19 マーク (国内用) MARK (DOMESTIC)




P-GC640-FIG19-P

|   |            |
|---|------------|
| A | Robin・セルナシ |
| B | Robin・セルツキ |
| C | KUBOTA     |

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME | 個数Q'ty | 型 寸<br>DESCRIPTION | 適用号機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------|--------|--------------------|---------------------------------|----------------|
|           |                  |                   | A      | B                  | C                               |                |
| 1         | 3407 5013 000    | CANYCOM           | MARK   | 1                  | 1                               |                |
| 1         | 3407 5014 000    | クボタ               | MARK   |                    | 1                               |                |
| 2         | 3611 5006 000    | ソウコウヘンソクイチ        | MARK   | 1                  | 1                               |                |
| 3         | 3611 5008 000    | ソウコウクラッチ          | MARK   | 1                  | 1                               |                |
| 4         | 3611 5009 000    | チューシャプレーキ         | MARK   | 1                  | 1                               |                |
| 5         | 3611 5011 000    | コウドウジョウシャキンシ      | MARK   | 1                  | 1                               |                |
| 6         | 3611 5012 000    | オイルテンケン           | MARK   | 1                  | 1                               |                |
| 7         | 3611 5013 000    | ミッションオイル          | MARK   | 1                  | 1                               |                |
| 8         | 3611 5014 000    | ミギセンカイ            | MARK   | 1                  | 1                               |                |
| 9         | 3611 5015 000    | ヒダリセンカイ           | MARK   | 1                  | 1                               |                |
| 10        | 3611 5016 000    | カンレイジノチュウイ        | MARK   | 1                  | 1                               |                |
| 11        | 3611 5017 000    | パッケージジョウウゲ        | MARK   | 1                  | 1                               |                |
| 12        | 3611 5019 000    | ダンブソウサジノチュウイ      | MARK   | 1                  | 1                               |                |
| 13        | 3611 5021 000    | ラッカボウシボウ          | MARK   | 1                  | 1                               |                |
| 14        | 3611 5022 000    | チュウユ              | MARK   | 6                  | 6                               |                |
| 15        | 3611 5023 000    | グリスアップチュウイ        | MARK   | 1                  | 1                               |                |
| 16        | 3611 5024 000    | アンゼンカバーハツネニ       | MARK   | 1                  | 1                               |                |
| 17        | 3606 5004 000    | エンジンティシボタン        | MARK   | 1                  |                                 |                |
| 18        | 3611 5027 000    | シヨウ               | MARK   | 1                  | 1                               |                |
| 19        | 3531 5017 000    | ハンシャキョウ           | MARK   | 2                  | 2                               | 赤              |
| 20        | 3531 5018 000    | ハンシャキョウ           | MARK   | 2                  | 2                               | 黄              |
|           |                  |                   |        |                    |                                 |                |
|           |                  |                   |        |                    |                                 |                |
|           |                  |                   |        |                    |                                 |                |
|           |                  |                   |        |                    |                                 |                |

[illegible][illegible]

FIG 21 パッケージ HYDRAULIC PUMP NO.6250662～




K62R-52-53

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME     | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-----------------------|------------|--------------------|------------------------------------|----------------|
| 1         | 9EK62-216        | ホ'ディー(ハ'ルフ')          | 1          | K62-216            |                                    |                |
| 2         | 9EK62-415        | オイルタンクCOMP            | 1          | K62-415            |                                    |                |
| 3         | 9EK62-506        | Vフ'リ                  | 1          | K62-506            |                                    |                |
| 4         | 9EK62R-132       | ホ'ンフ'カハ'ー             | 1          | K62R-132           |                                    |                |
| 5         | 9EK62-141        | ホ'ンフ'ホ'デー             | 1          | K62-141            |                                    |                |
| 6         | 9EK62-109        | フ'リーシャフト              | 1          | K62-109            |                                    |                |
| 7         | 9EK62-135        | メタル(マキフ'ッシュ)          | 4          | K62-135            |                                    |                |
| 8         | 9EK62-134        | ハ'ッキン                 | 2          | K62-134            |                                    |                |
| 9         | 9EK62-133        | 側板                    | 2          | K62-133            |                                    |                |
| 10        | 9EK62-113        | 主 動 キ'ヤ               | 1          | K62-113            |                                    |                |
| 11        | 9EK62-114        | 従 動 キ'ヤ               | 1          | K62-114            |                                    |                |
| 12        |                  |                       |            |                    |                                    |                |
| 13        | 9EK1-00-006      | 吸 引 ハ'イフ'             | 1          | K1-00-006          |                                    |                |
| 14        | 9EK62-212        | ス'プール                 | 1          | K62-212            |                                    |                |
| 15        | 9EK32-901        | オイルシール                | 1          | K32-901            |                                    |                |
| 16        | 9EK522-204       | ス'プールヘット'             | 1          | K522-204           |                                    |                |
| 17        | 9EK522-208       | レハ'ーヘット'              | 1          | K522-208           |                                    |                |
| 18        | 9EV10-209        | フ'ラケット                | 1          | V10-209            |                                    |                |
| 19        | 9EK522-210       | ピ'ン                   | 1          | K522-210           |                                    |                |
| 20        | 9EK62-225        | ヒラサ'カ'ネ               | 2          | K62-225            |                                    |                |
| 21        | 9EV15-206        | リター'ンスフ'リンク'          | 1          | V15-206            |                                    |                |
| 22        | 9EK62-228        | スヘ'ーサー                | 1          | K62-228            |                                    |                |
| 23        | 9EVM15-911       | ホ'ルト(ロ'ッカクアナツキフ'ランシ') | 1          | VM15-911           |                                    |                |
| 24        | 9EK522-207       | ハ'ルフ'カハ'ー             | 1          | K522-207           |                                    |                |
| 25        | 9EK62-323        | 圧力調整スフ'リンク'           | 1          | K62-323            |                                    |                |
| 26        | 9EV30-304        | アシ'ヤスタキ'ット            | 1          | V30-304            |                                    |                |
| 27        | 9EK62-110        | 平 座 金                 | 1          | K62-110            |                                    |                |
| 28        | 9EK52-411        | キャ'ップ(検油棒付)           | 1          | K52-411            |                                    |                |
| 29        | 9EK12D-280       | マ'グ'ネットフ'ラク'          | 1          | K12D-280           |                                    |                |
| 30        | 9E601A6003LLB    | ホ'ールハ'アリ'ング'          | 2          | 601A6003LLB        |                                    |                |

注記) パッケージ構成部品は、供給可能(供給不可部品を除く)ですが、組立に際して熟練した技術が必要です。パッケージASSY供給が望ましい。

FIG 21 パッケージ HYDRAULIC PUMP NO.6250662～




K62R-52-53

| 見出  | 部品番号        | 部品名称                | 個数   | 型 寸         | 適 用 号 機                 | 備 考     |
|-----|-------------|---------------------|------|-------------|-------------------------|---------|
| NO. | PART NO.    | PART NAME           | Q'ty | DESCRIPTION | FROM ~ UP TO SERIAL NO. | REMARKS |
| 31  | 9E654A15257 | オイルシール              | 1    | 654A15257   |                         |         |
| 32  | 9E672B2032  | O-リング               | 1    | 672B2032    |                         |         |
| 33  | 9E670F1510  | O-リング               | 1    | 670F1510    |                         |         |
| 34  | 9E670F1507  | O-リング               | 1    | 670F1507    |                         |         |
| 35  | 9E670B2010  | O-リング               | 2    | 670B2010    |                         |         |
| 36  | 9E512A0525  | カタマルキー              | 1    | 512A0525    |                         |         |
| 37  | 9E554Y0600  | スナップ'ピン             | 1    | 554Y0600    |                         |         |
| 38  | 9E555A3520  | スプリング'ピン            | 1    | 555A3520    |                         |         |
| 39  | 9E600A0900  | コウキユウ               | 2    | 600A0900    |                         |         |
| 40  | 9E600A0700  | コウキユウ               | 1    | 600A0700    |                         |         |
| 41  | 9E757G0100  | シス'ミフ'ラク'           | 2    | 757G0100    |                         |         |
| 42  | 9E465Y0800  | サラハ'ネ(ロッカク'アナヨウ)    | 4    | 465Y0800    |                         |         |
| 43  | 9E120Q0875  | ホ'ルト(ロッカク'アナ)       | 2    | 120Q0875    |                         |         |
| 44  | 9E120Q0860  | ホ'ルト(ロッカク'アナ)       | 2    | 120Q0860    |                         |         |
| 45  | 9E120Y0514  | ホ'ルト(ロッカク'アナ)       | 4    | 120Y0514    |                         |         |
| 46  | 9E110Y0614  | ホ'ルト                | 1    | 110Y0614    |                         |         |
| 47  | 9E461Y0500  | ハ'ネサ'ガ'ネ            | 1    | 461Y0500    |                         |         |
| 48  | 9E411Y0600  | ヒラサ'ガ'ネ(ミカ'キマル)     | 1    | 411Y0600    |                         |         |
| 49  | 9E461Y0600  | ハ'ネサ'ガ'ネ            | 1    | 461Y0600    |                         |         |
| 50  | 9E223Y0612  | ナハ'コネシ'(ハ'ネツキ+ジ'アナ) | 4    | 223Y0612    |                         |         |
| 51  | 9E671B25130 | O-リング               | 1    | 671B25130   |                         |         |
| 52  | 9EK52-42019 | I7                  | 1    | K52-42019   |                         |         |
| 53  | 9EK62-501   | ホ-スアダ'フ'ター          | 2    | K62-501     |                         |         |
| 54  | 9E670F2011  | O-リング               | 2    | 670F2011    |                         |         |
| 55  | 9ES1S1-023  | コ-シヨンプ'レート(チュウイ)    | 1    | S1S1-023    |                         |         |

注記) パッケージ構成部品は、供給可能(供給不可部品を除く)ですが、組立に際して熟練した技術が必要です。パッケージASSY供給が望ましい。

FIG 22 パッケージ HYDRAULIC PUMP ~NO.6250661




K62R-52-03

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME       | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------------|------------|--------------------|------------------------------------|----------------|
| 1         | 9EK62R-201       | ハ'ル'ホ'デー                | 1          | K62R-201           |                                    |                |
| 2         | 9EK62-401        | オイルタンク                  | 1          | K62-401            |                                    |                |
| 3         | 9EK62-506        | V'ー'リ                   | 1          | K62-506            |                                    |                |
| 4         | 9EK62-109        | フ'ー'リ-シャフト              | 1          | K62-109            |                                    |                |
| 5         | 9EK62R-111       | ホ'ン'フ'ホ'デー              | 1          | K62R-111           |                                    |                |
| 6         | 9EK62-116        | メタルB                    | 1          | K62-116            |                                    |                |
| 7         | 9EK62-115        | メタルA                    | 1          | K62-115            |                                    |                |
| 8         | 9EK62-113        | 主 動 キ'ヤ                 | 1          | K62-113            |                                    |                |
| 9         | 9EK62-114        | 従 動 キ'ヤ                 | 1          | K62-114            |                                    |                |
| 10        | 9EK62-108        | メタルD                    | 1          | K62-108            |                                    |                |
| 11        | 9EK62-107        | メタルC                    | 1          | K62-107            |                                    |                |
| 12        | 9EK62-102        | ホ'ン'フ'カ'ハー              | 1          | K62-102            |                                    |                |
| 13        | 9EK62R-411       | ハ'ッフル'プレート              | 1          | K62R-411           |                                    |                |
| 14        | 9EK62-310        | レ'ー'フ'ハ'ル'フ'ASSY        | 1          | K62-310            |                                    |                |
| 15        | 9EK52-301        | レ'ー'フ'ホ'デー              | 1          | K52-301            |                                    |                |
| 16        | 9EK23-302        | ホ'ヘ'ット                  | 1          | K23-302            |                                    |                |
| 17        | 9EK62-313        | 圧力調整ス'プリング              | 1          | K62-313            |                                    |                |
| 18        | 9EK62-314        | ハ'ネ'ス'ト'ハ'ー             | 1          | K62-314            |                                    |                |
| 19        | 9EK62-305        | 舌付座金                    | 1          | K62-305            |                                    |                |
| 20        | 9EK23-306        | ロ'ック'ナ'ット(コ'タ)          | 1          | K23-306            |                                    |                |
| 21        | 9EK62-404        | ス'トレ'ナ                  | 1          | K62-404            |                                    |                |
| 22        | 9ES1S1-023       | コ'ー'ッ'シ'ョ'ン'フ'レート(チュウイ) | 1          | S1S1-023           |                                    |                |
| 23        | 9EK62-407        | エ'フ                     | 1          | K62-407            |                                    |                |
| 24        | 9EK522-208       | レ'ハ'ー'ヘ'ット              | 1          | K522-208           |                                    |                |
| 25        | 9EK522-210       | ピ'ン                     | 1          | K522-210           |                                    |                |
| 26        | 9EK62-209        | フ'ラ'ケット                 | 1          | K62-209            |                                    |                |
| 27        | 9EK522-204       | ス'プ'ール'ヘ'ット             | 1          | K522-204           |                                    |                |
| 28        | 9EK522-203       | ス'プ'ール                  | 1          | K522-203           |                                    |                |
| 29        | 9EK62-225        | ヒ'ラ'ザ'カ'ネ               | 2          | K62-225            |                                    |                |
| 30        | 9EK522-206       | リ'タ'ー'ン'ス'プ'リ'ング        | 1          | K522-206           |                                    |                |

注記) パッケージ構成部品は、供給可能(供給不可部品を除く)ですが、組立に際して熟練した技術が必要です。パッケージASSY供給が望ましい。

FIG 22 パッケージ HYDRAULIC PUMP ~NO.6250661



K62R-52-03

| 見出<br>NO. | 部品番号<br>PART NO. | 部品名称<br>PART NAME       | 個数<br>Q'ty | 型 寸<br>DESCRIPTION | 適 用 号 機<br>FROM ~ UP TO SERIAL NO. | 備 考<br>REMARKS |
|-----------|------------------|-------------------------|------------|--------------------|------------------------------------|----------------|
| 31        | 9EK522-207       | ハ'ル'カハ'-                | 1          | K522-207           |                                    |                |
| 32        | 9EK52-411        | キャ'ッ'プ                  | 1          | K52-411            |                                    |                |
| 33        | 9E671B25130      | O-リン'ク'                 | 1          | 671B25130          |                                    |                |
| 34        | 9E672B2032       | O-リン'ク'                 | 1          | 672B2032           |                                    |                |
| 35        | 9E672F2022.4     | O-リン'ク'                 | 2          | 672F2022.4         |                                    |                |
| 36        | 9E670F2011       | O-リン'ク'                 | 2          | 670F2011           |                                    |                |
| 37        | 9E670F2010       | O-リン'ク'                 | 2          | 670F2010           |                                    |                |
| 38        | 9E670F1510       | O-リン'ク'                 | 1          | 670F1510           |                                    |                |
| 39        | 9E670F1507       | O-リン'ク'                 | 1          | 670F1507           |                                    |                |
| 40        | 9E657G14204.2    | オイルシ-ル                  | 1          | 657G14204.2        |                                    |                |
| 41        | 9E654A15257      | オイルシ-ル                  | 1          | 654A15257          |                                    |                |
| 42        | 9E601A6003LLB    | ホ-ールハ'アリ'ン'ク'           | 2          | 601A6003LLB        |                                    |                |
| 43        | 9E512A0525       | カタマルキ-                  | 1          | 512A0525           |                                    |                |
| 44        | 9EK6-901         | ホ'ルト座付(頭)               | 2          | K6-901             |                                    |                |
| 45        | 9EK6-912         | ホ'ルト座付(頭)               | 2          | K6-912             |                                    |                |
| 46        | 9E110Q0616       | ホ'ルト                    | 2          | 110Q0616           |                                    |                |
| 47        | 9E120Q0508       | ホ'ルト(ロ'ッカ'ク'アナ)         | 1          | 120Q0508           |                                    |                |
| 48        | 9E120Q0514       | ホ'ルト(ロ'ッカ'ク'アナ)         | 2          | 120Q0514           |                                    |                |
| 49        | 9E223Y0612       | ナハ'コ'ネ'シ'(ハ'ネ'ツ'キ+シ'アナ) | 4          | 223Y0612           |                                    |                |
| 50        | 9E465A0800       | サラハ'ネ(ロ'ッカ'ク'アナ'ヨウ)     | 1          | 465A0800           |                                    |                |
| 51        | 9EK62-110        | ヒラサ'カ'ネ(ミ'カ'キ'マル)       | 1          | K62-110            |                                    |                |
| 52        | 9EV10-901        | ミ'カ'キ'座'金               | 1          | V10-901            |                                    |                |
| 53        | 9E411Y0600       | ヒラサ'カ'ネ(ミ'カ'キ'マル)       | 1          | 411Y0600           |                                    |                |
| 54        | 9E461Y0600       | ハ'ネ'座'金                 | 3          | 461Y0600           |                                    |                |
| 55        | 9E461C0500       | ハ'ネ'座'金                 | 2          | 461C0500           |                                    |                |
| 56        | 9E757G0100       | シ'ス'ミ'フ'ラ'ク'            | 2          | 757G0100           |                                    |                |
| 57        | 9EK12D-280       | マ'グ'ネ'ッ'ト'フ'ラ'ク'        | 1          | K12D-280           |                                    |                |
| 58        | 9EK62-501        | ホ-ス'ア'タ'フ'ター            | 2          | K62-501            |                                    |                |
| 59        | 9E554Y0600       | ス'ナ'ッ'プ'ビ'ン             | 1          | 554Y0600           |                                    |                |
| 60        | 9EK6-904         | ハ'ッ'ク'ア'ッ'プ'リ'ン'ク'      | 2          | K6-904             |                                    |                |
| 61        | 9EK62-307        | マ'ワ'リ'ト'メ'サ'カ'ネ         | 1          | K62-307            |                                    |                |
| 62        | 9E110Y0614       | ホ'ルト                    | 1          | 110Y0614           |                                    |                |
| 63        | 9EK62-228        | ス'ヘ'-サー                 | 1          | K62-228            |                                    |                |

注記) パッケージ構成部品は、供給可能(供給不可部品を除く)ですが、組立に際して熟練した技術が必要です。パッケージA S S Y供給が望ましい。