


PARTS LIST

CMX227H



目次

Table of Contents

5347 000A エンジン(日本 韓国) Engine(Japan KR)	1
5347 000B エンジン(CE Asia USA) Engine(CE Asia USA)	2
5347 010A エンジンコントロール Engine Control	3
5347 020A デンソウ(日本 韓国) Electric(Japan KR)	4~5
5347 020B デンソウ(CE Asia USA) Electric(CE Asia USA)	6~7
5347 030A ネンリョウタンク Fuel Tank	8~9
5347 100A フレーム Frame	10
5347 120A カバー Cover	11
5347 120A カバー(韓国) Cover(韓国)	11-1
5347 125A リアカバー Rear Cover	12~12-1
5347 125A リアカバー(韓国) Rear Cover(韓国)	13~13-1
5347 130A バンパー Bumper	14
5347 130B ステップバンパー(CE Asia USA) Bumper with Step(CE Asia USA)	15
5347 200A ミッション JP KR Asia (チャージポンプナシ) Transmission JP KR Asia(Without Charge Pump)	16~17
5347 200B ミッション CE USA (チャージポンプ付) Transmission CE USA (With Charge Pump)	18
5332 205A HSTタンク(チャージポンプ付) HST Tank(With Charge Pump)	19
5347 210A フロントアクスル Front Axle	20
5347 220A ゼンリン(AG) Front Tire(AG)	21
5347 230A コウリン(AG) Rear Tire(AG)	22
5335 220A ゼンリン(AG) Front Tire(AG) CMX227HRCIS No.1620213 -	23
5335 230A コウリン(AG) Rear Tire(AG) CMX227HRCIS No.1620213 -	24
5347 210B フロントアクスル(ターフ) Front Axle(Turf)	25
ターフタイヤ変更用部品リスト	25-1
5347 220B ゼンリン(ターフ) Front Tire(Turf)	26
5347 230A コウリン(ターフ) Rear Tire(Turf)	27
5347 235A ドウリョクデンタツ (ソウコウ) Power Line (Drive)	28
5347 240A ドウリョクデンタツ (カリハ) Power Line (Cutting)	29~30
5347 250A カリハクドウ Cutting Rotary	31
5347 260A AWDクドウ AWD Shifting	32
5347 300A ステアリング Steering	33~34
5347 3001 000 ステアリング Assy Steering Assy (- No.1620678)	35
5347 3002 001 ステアリング Assy Steering Assy (No.1620679 -)	36
5347 310A 走行・操作レバー(左ブレーキ 左 HST レバー) CMX227HRCKR	
Drive Lever(Brake L HST L)	37~38
5347 310B 走行・操作レバー(左ブレーキ 左 HST レバー CE USA)	
Drive Lever(Brake L HST L CE USA)	39~40
5347 320A フクヘンソクレバー Auxiliary Shift Lever	41
5347 330E ブレーキ(左 Long CE USA) Brake(Left Long CE USA)	42
5347 340A デフロック Differential Lock	43
5347 345A 4WDキリカエ 2WD/AWD Shifting	44
5347 350B シート(High)(CE USA) SEAT(High)(CE USA)	45
5347 350D シート SEAT CMX227HRCKR	46
5347 350H シート(CMX227HRCIS) SEAT(CMX227HRCIS)	47
5347 400A カリハリンク Cutting Link	48

目次

Table of Contents


5347 405A カリタカサレバー(HST 左操作) Cutting Adjust(HST Lever L)	49
5347 410A カリハカバー(JP KR) Cutting Blade Shield(JP KR)	50～51
5347 410E カリハカバー(CE USA) Cutting Blade Shield(CE USA)	52～53
5332 420A カリハ Cutting Blade	54
5347 430A カリハブレーキ Cutting Brake	55
5347 500E マーク(CE) Mark(CE)	56～57
5347 500F マーク(Asia) Mark(Asia)	58～59
5347 500E マーク(韓国) Mark(KR)	60～61
5347 500E マーク(USA) Mark(USA)	62～63
5347 530E フゾクヒン(CE Asia USA) Accessories(EU Asia USA)	64
5332 0201 配線図(CE)	65
マサオメンテナンスチェックシート Masao Maintenance Check Sheet	66～67


RH

2013/July


RH


[illegible]

[illegible]





見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 0202 001	ハーネス	HARNESS	1			- No.1560875	
1	5332 0202 002	ハーネス	HARNESS	1		B	No.1560876 -	
1-1	0980 1003 002	ヒューズ	FUSE	1	30A			
1-2	0980 1001 002	ヒューズ	FUSE	1	10A			
2	0980 7201 704	プラスコード	CODE	1	20-L1700			
3	3705 3901 000	バッテリー	BATTERY	1				
4	5332 0203 000	ランプ	LAMP	1				
4-1	5332 0203 100	バルブ	BULB	1	12V25W/25W			
4-2	0980 8120 348	バルブ	BULB	2	12V3.4W			
5	3714 0491 000	リレー	RELAY	1				パワーリレー(スタート)
6	3714 8075 000	リレー	RELAY	1				パワーリレー(停止)
7	3718 0425 000	メインスイッチAssy	SWITCH	1				
7-1	3718 0425 100	キーAssy	KEY	1				
8	5332 0205 000	スイッチ	SWITCH	1				ヘッドライトSW
9	5313 0205 000	アウメータ	METER	1				
10	5310 0208 000	スイッチ	SWITCH	1				セーフティSW(ブレーキ)
11	F204 0105 012	セムSA	BOLT	2				
12	5306 3541 000	スイッチ	SWITCH	2				セーフティSW(シート下、カリハクタッチ)
13	F242 0103 020	ナベセムSA	SCREW	4				
14	F300 0103 001	Fナット	NUT	4	M3			
15	F300 0106 000	Fナット	NUT	2	M6			
16	3643 0217 000	マイナスコード	MINUS CODE	1				
17	3522 0231 000	マイナスコード	MINUS CODE	1				
18	3522 0238 100	タップタイト	TAP TIGHT	3				
19	3712 0315 000	クリップ	CLIP	5				

[illegible]





見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 0202 001	ハーネス	HARNESS	1			- No.1620539	
1	5332 0202 002	ハーネス	HARNESS	1		B	No.1620540 -	
1-1	0980 1003 002	ヒューズ	FUSE	1	30A			
1-2	0980 1001 002	ヒューズ	FUSE	1	10A			
2	0980 7201 704	プラスコード	CODE	1	20-L1700			
3	3705 3901 000	バッテリー	BATTERY	1				
4	5332 0203 000	ランプ	LAMP	1				
4-1	5332 0203 100	バルブ	BULB	1	12V25W/25W			
4-2	0980 8120 348	バルブ	BULB	2	12V3.4W			
5	3714 0491 000	リレー	RELAY	1				START
6	5309 0254 000	ハーネス	HARNESS	1				
7	3718 0425 000	メインスイッチAssy	SWITCH	1				
7-1	3718 0425 100	キーAssy	KEY	1				
8	5332 0205 000	スイッチ	SWITCH	1				HEAD LIGHT
9	5313 0205 000	アワメータ	METER	1				
10	5310 0208 000	スイッチ	SWITCH	1				SAFTY(BREAK)
11	F204 0105 012	セムSA	BOLT	2				
12	5306 3541 000	スイッチ	SWITCH	2				SAFTY(SEAT,CUTTING CLUTCH)
13	F242 0103 020	ナベセムSA	SCREW	4				
14	F300 0103 001	Fナット	NUT	4	M3			
15	F300 0106 000	Fナット	NUT	1	M6			
16	3643 0217 000	マイナスコード	MINUS CODE	1				
17	3522 0231 000	マイナスコード	MINUS CODE	1				
18	3522 0238 100	タツタイト	TAP TIGHT	3				
19	3712 0315 000	クリップ	CLIP	5				

[illegible]




見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 0302 005	タンクASSY	TANK ASSY	1				
1-2	5332 0304 001	ゲージ	GAUGE	1				
1-3	A222 0106 014	サライネジ	SCREW	2	M6*14			
1-4	5332 0305 000	プレート	PLATE	1				
1-5	5332 0321 000	シール	SEAL	1				
1-6	F242 0105 010	ナベセムスA	SCREW	3	M5*10			
2	5332 0306 000	ブラケット	BRACKET	1				
3	5332 0307 000	ブラケット	BRACKET	1				
4	5332 0318 000	ホコゴム	GROMMET	1				
5	F301 0108 000	Fナット	NUT	2	M8			
6	5332 0308 001	ブラケット	BRACKET	1				
7	5332 0309 000	カバー	COVER	1				
8	5332 0311 000	ゴムイタ	GROMMET	1				
9	5332 0312 000	ゴムイタ	GROMMET	1				
10	5332 0313 000	ゴムイタ	GROMMET	1				
11	5332 0314 000	ゴムイタ	GROMMET	1				
12	5332 0315 000	ホース	HOSE	1				
13	0050 1100 140	ホースバンド	BAND	2				
14	5305 0329 000	フューエルコック	COCK	1				
15	F300 0106 000	Fナット	NUT	1	M6			
16	5332 0316 000	ホース	HOSE	1				
17	3712 0315 000	クリップ	CLIP	1				
18	3637 0254 000	プラスチックバンド	BAND	2				
19	5332 0317 001	インシュレータ	INSULATOR	1				
20	A351 0108 002	Uナット	NUT	2	M8			

[illegible]


[illegible]

5347 120A カバー Cover




見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 1201 000	ランプカバー	COVER	1				黄色
2	A252 0160 012	トラスコネジ	SCREW	1	M6*12			
3	5347 1202 000	フロントカバー	COVER	1				黄色
4	5332 1205 000	プレート	PLATE	1				
5	K700 0106 012	Fボルト	BOLT	4	M6*12(7T)			
6	3583 4019 000	ロッドホルダー	ROD HOLDER	2				
7	5332 1203 000	ステップ	STEP	1			-No.1620389	FAGA RED
7	5346 1203 000	ステップ	STEP	1			No.1620390-	ROSE RED
8	5332 1204 000	ステップ	STEP	1			-No.1620389	FAGA RED
8	5346 1204 000	ステップ	STEP	1			No.1620390-	ROSE RED
9	K110 0108 016	Fボルト	BOLT	8	M8*16			
10	5347 1206 000	カバー	COVER	1				
11	5332 1207 000	ブラケット	BRACKET	1				
12	5313 1294 000	トリム	TRIM	2				
13	3643 1295 000	ケショウネジ	SCREW	5				
14	5332 1208 000	ブラケット	BRACKET	1				
15	0350 0140 818	PW	WASHER	4	8*18*1.6			
16	5332 1209 000	プレート	PLATE	2				
17	A351 0108 002	ナット	NUT	2	M8			
18	5332 1211 000	プレート	PLATE	1				
19	5332 1214 000	ボールキャッチ	CATCH	1				
20	5347 1213 000	プレート	PLATE	1				
21	3661 1457 100	クリップ	CLIP	2				
22	H242 0103 005	ナベセムSB	SCREW	2	M3*5			
23	A222 0103 010	サラコネジ	SCREW	2	M3*10			
24	F300 0103 001	Fナット	NUT	2	M3			

5347 120A カバー (韓国) Cover (Korea)



見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 1201 000	ランプカバー	COVER	1				黄色
2	A252 0160 012	トラスコネジ	SCREW	1	M6*12			
3	5347 1202 000	フロントカバー	COVER	1				黄色
4	5332 1205 000	プレート	PLATE	1				
5	K700 0106 012	Fボルト	BOLT	4	M6*12(7T)			
6	3583 4019 000	ロッドホルダー	ROD HOLDER	2				
7	5332 1203 000	ステップ	STEP	1			-No.1640219	FAGA RED
7	5346 1203 000	ステップ	STEP	1			No.1640220-	ROSE RED
8	5332 1204 000	ステップ	STEP	1			-No.1640219	FAGA RED
8	5346 1204 000	ステップ	STEP	1			No.1640220-	ROSE RED
9	K110 0108 016	Fボルト	BOLT	8	M8*16			
10	5347 1206 000	カバー	COVER	1				
11	5332 1207 000	ブラケット	BRACKET	1				
12	5313 1294 000	トリム	TRIM	2				
13	3643 1295 000	ケショウネジ	SCREW	5				
14	5332 1208 000	ブラケット	BRACKET	1				
15	0350 0140 818	PW	WASHER	4	8*18*1.6			
16	5332 1209 000	プレート	PLATE	2				
17	A351 0108 002	ナット	NUT	2	M8			
18	5332 1211 000	プレート	PLATE	1				
19	5332 1214 000	ボールキャッチ	CATCH	1				
20	5347 1213 000	プレート	PLATE	1				
21	3661 1457 100	クリップ	CLIP	2				
22	H242 0103 005	ナベセムS	SCREW	2	M3*5			
23	A222 0103 010	サラコネジ	SCREW	2	M3*10			
24	F300 0103 001	Fナット	NUT	2	M3			

RH




LH

見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 1261 000	カバー	COVER	1				黄色
2	5347 1262 000	カバー	COVER	1				黄色
3	5347 1255 000	グリップ	GRIP	2	Silver			
4	5332 1256 000	ブラケット	BRACKET	1				
5	5332 1257 000	ブラケット	BRACKET	1				
6	K710 0108 020	ボルト	BOLT	4	M8*20(7T)			
7	K110 0108 016	ボルト	BOLT	16	M8*16			
8	5332 1258 000	カバー	COVER	1				
9	5347 1251 000	バンパ	BAMPER	1				
10	F301 0108 000	ナット	NUT	4	M8			
11	5347 1252 000	ブラケット	BRACKET	1				
12	5236 1341 000	ワイヤー	WIRE	1				
13	5332 1253 000	カバー	COVER	1			-No.1620389	FAGA RED
13	5346 1253 000	カバー	COVER	1			No.1620390-	ROSE RED
14	K710 0108 012	ボルト	BOLT	11				
15	5332 1265 000	カバー	COVER	1				
16	5201 3608 000	バネ	SPRING	1	#92			
17	3673 1247 000	インシュレータ	INSULATOR	1				
18	5347 1253 000	カバー	COVER	1				
19	5347 1256 000	エフトシーラー	INSULATOR	1				
20	5347 1257 000	エフトシーラー	INSULATOR	1				
21	5347 1254 100	カバー	COVER	1				
22	5332 1269 000	カバー	COVER	1				
23	5332 1269 500	カバー	COVER	1				
24	5332 1269 800	バインドコネジ	SCREW	4	4.0*14			
25	5347 1254 300	プレート	PLATE	1				

LH

RH





LH


見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 1261 000	カバー	COVER	1				黄色
2	5347 1262 000	カバー	COVER	1				黄色
3	5347 1255 000	グリップ	GRIP	2	Silver			
4	5332 1256 000	ブラケット	BRACKET	1				
5	5332 1257 000	ブラケット	BRACKET	1				
6	K710 0108 020	ボルト	BOLT	4	M8*20(7T)			
7	K110 0108 016	ボルト	BOLT	16	M8*16			
8	5332 1258 000	カバー	COVER	1				
9	5347 1251 000	バンパ	BAMPER	1				
10	F301 0108 000	ナット	NUT	4	M8			
11	5347 1252 000	ブラケット	BRACKET	1				
12	5236 1341 000	ワイヤー	WIRE	1				
13	5332 1253 000	カバー	COVER	1			-No.1640219	FAGA RED
14	5346 1253 000	カバー	COVER	1			No.1640220-	ROSE RED
15	K710 0108 012	ボルト	BOLT	11				
16	5332 1265 000	カバー	COVER	1				
17	5201 3608 000	バネ	SPRING	1	#92			
18	3673 1247 000	インシュレータ	INSULATOR	1				
19	5347 1253 000	カバー	COVER	1				
20	5347 1256 000	エプトシーラー	INSULATOR	1				
21	5347 1257 000	エプトシーラー	INSULATOR	1				
22	5347 1254 100	カバー	COVER	1				
23	5332 1269 000	カバー	COVER	1				
24	5332 1269 500	カバー	COVER	1				
25	5332 1269 800	バインドコネジ	SCREW	4	4.0*14			
26	5347 1254 300	プレート	PLATE	1				

RH

2017/December


[illegible]

[illegible]




見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 800A 000	ミッションAssy	Transmission Assy	1			- NO. 1620079	
1	5347 800A 001	ミッションAssy	Transmission Assy	1		B	NO. 1620080 -	
2	K712 0612 025	Fボルト	BOLT	4	M12*25 P=1.25			
3	K814 0108 050	Fボルト	BOLT	1				
4	F301 0108 000	Fナット	NUT	2	M8			
5	5313 8106 002	HST	HST	1				
6	5347 2001 000	ブラケット	BRACKET	1				
7	K710 0108 025	Fボルト	BOLT	5	M8*25(7T)			
8	3557 2031 001	プーリ	PULLEY	1				
9	0572 0005 028	キー	KEY	1				
10	5335 2023 000	ファン	FAN	1				
11	5332 2004 000	プレート	PLATE	1				
12	K700 0106 014	Fボルト	BOLT	3	M6*14(7T)			
13	5347 2002 000	リンク	LINK	1				
14	5347 2003 000	HSTニュートラルアッ	NEUTRALASSY	1				
14-1	5347 2003 100	ブラケット	BRACKET	1				
14-2	5347 2003 200	ガイド	GUIDE	2				
14-3	5347 2003 400	ボルト	BOLT	1				
14-4	5310 3109 500	スプリング	SPRING	1				
14-5	5347 2003 500	ロッドエンド	JOINT	1				
14-6	A301 0108 001	ナット	NUT	3	M8			
15	0742 0100 600	リング	RING	1				
16	5313 2015 000	タンクアッ	TANK	1				
16-1	5313 2015 100	タンク	TANK	1				
16-2	5313 2015 200	パッキン	PACKING	1				

2019/October




見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 800A 000	ミッションAssy	Transmission Assy	1			- NO. 1620079	
1	5347 800A 001	ミッションAssy	Transmission Assy	1		B	NO. 1620080 -	
2	K712 0612 025	Fボルト	BOLT	4	M12*25 P=1.25			
3	K814 0108 050	Fボルト	BOLT	1				
4	F301 0108 000	Fナット	NUT	2	M8			
5	5316 8105 002	HST	HST	1				
6	5347 2001 000	ブラケット	BRACKET	1				
7	K710 0108 025	Fボルト	BOLT	5	M8*25(7T)			
8	3557 2031 001	プーリ	PULLEY	1				
9	0572 0005 028	キー	KEY	1				
10	5335 2023 000	ファン	FAN	1				
11	5332 2004 000	プレート	PLATE	1				
12	K700 0106 014	Fボルト	BOLT	3	M6*14(7T)			
13	5347 2002 000	リンク	LINK	1				
14	5347 2003 000	HSTニュートラルアッ	NEUTRALASSY	1				
14-1	5347 2003 100	ブラケット	BRACKET	1				
14-2	5347 2003 200	ガイド	GUIDE	2				
14-3	5347 2003 400	ボルト	BOLT	1				
14-4	5310 3109 500	スプリング	SPRING	1				
14-5	5347 2003 500	ロッドエンド	JOINT	1				
14-6	A301 0108 001	ナット	NUT	3	M8			
15	0742 0100 600	Eリング	RING	1				
16	5347 2004 000	ブラケット	BRACKET	1				
17	K110 0108 016	Fボルト	BOLT	2	M8*16			
18	K712 0110 020	Fボルト	BOLT	1	M10*20 P=1.25			


5332 205A HSTタンク(チャージポンプ付) HST Tank(With Charge Pump)

[illegible]


5347 210A フロントアクスル Front Axle





見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 850A 000	デフAssy	DIFF ASSY	1			- NO. 1620079	
1	5332 850A 001	デフAssy	DIFF ASSY	1		B	NO. 1620080 -	
2	5347 2108 000	ピン	PIN	1			- NO. 1620373	M8,Eリング,グリスニップル
2	5347 2103 001	ピン	PIN	1		D	NO. 1620374 -	M10,Eリング,グリスニップル
3	5347 2106 000	ハードロックナット	NUT	1	M8		- NO. 1620373	
3	5347 2107 000	ハードロックナット	NUT	1	M10	D	NO. 1620374 -	
4	5347 2104 000	アームR	ARM	1				
5	5347 2105 000	アームL	ARM	1				
6	K712 0110 025	Fボルト	BOLT	4				
7	5332 2106 000	ブラケット	BRACKET	1				
8	K710 0108 012	Fボルト	BOLT	2				
9	5332 2114 000	ゴムイタ	RUBBER	1				
10	5347 2115 000	プレート	PLATE	1				
11	F301 0108 000	Fナット	NUT	14	M8			
12	5335 2111 000	ゴムイタ	RUBBER	1				
13	5332 2107 500	ブラケット	BRACKET	1				
14	5321 2118 000	ゴムイタ	RUBBER	1				
15	5335 2113 000	プレート	PLATE	1				
16	5332 2109 001	プレート	PLATE	2				
17	5332 2116 000	ゴムイタ	RUBBER	2				
18	5332 2111 000	ブラケット	BRACKET	1				
19	5332 2112 000	ブラケット	BRACKET	1				
20	K700 0106 014	Fボルト	BOLT	6	M6*14(7T)			
21	5332 2113 000	ゴムイタ	RUBBER	2				
22	0350 0160 828	PW	WASHER	4	8*28*3.0			
23	0350 0141 022	PW	WASHER	4	10*22*1.6			
24	0742 0101 500	Eリング	Ring	1	15	D	NO. 1620374 -	
25	A650 0100 600	グリスニップル	NIPPLE GREASE	1	A-M6	D	NO. 1620374 -	

[illegible]

5347 230A コウリン(AG) Rear Tire(AG)


[illegible]

[illegible]


[illegible]

2015/January


5347 210B フロントアクスル(ターフ) Front Axle(Turf)





見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	交換時間
1	5332 850A 001	デフAssy	DIFF ASSY	1				初回50時間 2回目以降 500時間毎 #80 0.7L
2	5347 2103 001	ピン	PIN	1				M10,Eリング,グリスニップル
3	5347 2107 000	ハードロックナット	NUT	1	M10			
4	5347 2104 000	アームR	ARM	1				
5	5347 2105 000	アームL	ARM	1				
6	K712 0110 025	ボルト	BOLT	4				
7	5332 2106 000	ブラケット	BRACKET	1				
8	K710 0108 012	ボルト	BOLT	2				
9	5332 2114 000	ゴムイタ	RUBBER	1				
10	5347 2115 000	プレート	PLATE	1				
11	F301 0108 000	ナット	NUT	14	M8			
12	5335 2111 000	ゴムイタ	RUBBER	1				
13	5332 2107 500	ブラケット	BRACKET	1				
14	5321 2118 000	ゴムイタ	RUBBER	1				
15	5335 2113 000	プレート	PLATE	1				
16	5332 2109 001	プレート	PLATE	2				
17	5332 2116 000	ゴムイタ	RUBBER	2				
18	5332 2111 000	ブラケット	BRACKET	1				
19	5332 2112 000	ブラケット	BRACKET	1				
20	K700 0106 014	ボルト	BOLT	6	M6*14(7T)			
21	5332 2113 000	ゴムイタ	RUBBER	2				
22	0350 0160 828	PW	WASHER	4	8*28*3.0			
23	0350 0141 022	PW	WASHER	2	10*22*1.6			
24	0742 0101 500	Eリング	Ring	1	15			
25	A650 0100 600	グリスニップル	NIPPLE GREASE	1	A-M6			
26	5321 8149 000	ハブ	HUB	2				ターフ

[illegible]


5323 230A コウリン(ターフ) Rear Tire(Turf)

[illegible]


[illegible]



見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	0852 1600 037	Vベルト	VBELT	2	SGLB37			
2	5347 2401 000	テンションアーム	TENSION ARM	1				
3	0796 0202 315	DUブッシュ	BUSHING	2				
4	7301 2006 000	シムA	SHIM	1				
5	0740 0002 000	リング	RING	2	S20			
6	5317 2411 000	プーリ	PULLEY	1				
7	0741 0004 200	リング	RING	1	H42			
8	0750 0560 044	ベアリング	BEARING	2				
9	5207 2106 000	メクラフタ	CAP	1				
10	5332 2405 001	プーリ	PULLEY	1				
11	0571 0007 040	キー	KEY	1	7*40			
12	0350 0170 832	PW	PW	1				
13	K710 0608 025	Fボルト	BOLT	1	M8*25(7T)			
14	5347 2402 001	カリハスプリングASSY	Spring Assy	1				
14-1	5347 2402 600	ブラケット	BRACKET	1				
14-2	5347 2402 200	スプリング	SPRING	1				
14-3	A301 0108 001	ナット	NUT	4	M8			
14-4	0350 0160 828	PW	WASHER	1	8*28*3.0			
14-5	5347 2402 900	ロッドASSY	RODASSY	1				
14-11	5347 2402 300	ロッド	ROD	1				
14-12	A301 0108 001	ナット	NUT	1	M8			
14-13	3208 3410 000	ターンバックル	TURNBUCKLE	1	M8*50			
14-14	A301 2108 001	ナット	NUT	1				
14-15	5347 2402 400	ブラケット	BRACKET	1				
15	0742 0101 200	リング	RING	1	12			

[illegible]



5347 250A カリハドゥウ Cutting Rotary



見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5345 2111 000	カリハケースAssy	CASE ASSY	1				
1-1	5332 2501 000	ケース	CASE	1				
1-2	5332 2502 002	シャフト	SHAFT	1				
1-3	5345 2112 000	カバー	COVER	1				
1-4	5345 2113 000	ベベルギヤ13	GEAR 13	1				
1-5	5332 2507 000	ホルダー	CASE	1				
1-6	0750 0062 050	ベアリング	BEARING	1	6205			
1-7	0750 0060 060	ベアリング	BEARING	2	6006			
1-8	0830 0500 750	Oリング	O RING	1	S75			
1-9	0740 0003 000	Cリング	RING	1	S30			
1-10	7410 1004 000	チュウユセン	CAP	1	PF1/2			
1-11	3516 2302 000	オイルシール	SEAL	1				
1-12	K712 0110 025	Fボルト	BOLT	6				
1-13	0750 0060 070	ベアリング	BEARING	1	6007			
1-14	0840 1020 407	オイルシール	SEAL	1				
1-15	5332 2503 000	ベベルギヤ 21	GEAR 21	1				
1-16	5332 2506 000	カラー	COLLAR	1				
1-17	0833 0000 800	シールワッシャ	SEAL WASHER	1				
1-18	K710 0108 016	Fボルト	BOLT	1	M8*16(7T)			
1-19	5332 2508 000	スプリング	SPRING	1				
2	F301 0110 000	Fナット	NUT	4	M10			
3	5347 2511 001	ジョイント(一体型)	PROPELLER SHAFT	1			NO.1560044 -	Assy供給
3-1	5347 2511 100	グリスニップル	NIPPLE GREASE	1	BGN05-05FA	D	NO.1560044 -	
4	5332 2517 000	ピン	PIN	1				
5	0350 0140 818	PW	WASHER	1	8*18*1.6			
6	0520 0125 016	ワリピン	PIN SPLIT	1	2.5*16			
7	0550 0006 040	スプリングピン	PIN SPRING	1	6*40			
98	A650 0100 600	グリスニップル	NIPPLE GREASE	1	A-M6	D	- NO.1560043	分解型
99	0350 0130 613	PW	WASHER	1	6*13*1.0	D	- NO.1560043	分解型

このシャフトは、NO.3の部品に置き換わりました。
This drive shaft is superseded by NO.3.


●は、セット品での供給になります。




このシャフトは、NO.4の部品に置き換わりました。
This drive shaft is superseded by NO.4.


見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 2605 000	シャフト	SHAFT	1				
2	5332 2606 000	サポ-ト	SUPPORT	1			- NO.1560107	
2	5347 2606 000	サポ-ト	SUPPORT	1		D	NO.1560108 -	
3	5347 2609 001	ジョイントAssy(フロント)	JOINT Assy(Front)	1			NO.1560108 -	Assy供給
3-1	5310 2426 200	セットピン	PIN	2				
3-2	5310 2426 300	リングスプリング	SPRING	2				
3-3	5347 2511 100	グリスニップル	NIPPLE GREASE	1	BGN05-05FA	D	NO.1560108 -	
4	5347 2609 101	ジョイントAssy(リア)	JOINT Assy(Rear)	1			NO.1560108 -	Assy供給
4-1	5310 2426 200	セットピン	PIN	2				
4-2	5310 2426 300	リングスプリング	SPRING	2				
5	0750 0562 034	ベ-アリング	BEARING	2	6203DDU			
6	0741 0004 000	Cリング	RING	2	H40		- NO.1560107	
6	0741 0004 000	Cリング	RING	1	H40	D	NO.1560108 -	
7	K710 0108 016	Fボルト	BOLT	2	M8*16(7T)			
91	5310 2426 000	NCジョイント16	JOINT	4		D	- NO.1560107	分解型
91-1	5310 2426 200	セットピン	PIN	8		D	- NO.1560107	分解型
91-2	5310 2426 300	リングスプリング	SPRING	8		D	- NO.1560107	分解型
99	A650 0100 600	グリスニップル	NIPPLE GREASE	2	A-M6	D	- NO.1560107	分解型


5347 300A ステアリング Steering




見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 3001 000	ステアリング Assy	STEERING	1			- No.1620678	
1	5347 3002 001	ステアリング Assy	STEERING	1		B	No.1620679 -	
2	5347 3013 100	シャフト	SHAFT	1				
3	5332 3014 000	コラムシャフト	SHAFT	1				
4	0740 0002 500	リング	RING	1	S25			
5	5332 3011 000	ピン	PIN	1				
6	5347 3012 000	サポート	SUPPORT	1				
7	K110 0108 016	ボルト	BOLT	8	M8*16			
8	5332 3008 000	サポート	SUPPORT	1				
9	5332 3009 000	レバー	LEVER	1				
10	5347 3015 000	ピン	PIN	1				
11	0742 0100 800	リング	RING	4				
12	5347 3009 000	コンソール	CONSOLE	1			- No.1620539	
12	5347 3009 001	コンソール	CONSOLE	1		B	No.1620540 -	
14	5332 3017 000	ゴムイタ	RUBBER	2				
15	5347 3018 000	ハンドル	HANDLE	1	350			15-1を含む
15-1	5332 6001 000	ノブ Assy	Knob assy	1				
16	5347 3019 000	カバー	COVER	1				
17	5347 3021 000	プレート	PLATE	1				
18	5332 1269 800	バンドコネジ	SCREW	2	4.0*14			
19	A360 0101 202	SW	WASHER	1	12			
20	3205 2004 000	スプリング	SPRING	2	#50			
21	A303 0112 001	ナット	NUT	1	M12 P=1.25			
22	3611 1807 000	ホコゴム	GROMMET	2	C-6			
23	5332 3021 000	インシュレータ	INSULATOR	2				

[illegible]

[illegible]


[illegible]

5347 310A 走行・操作レバー(左ブレーキ 左 HST レバー) Drive Lever(Brake L HST L)



見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 3101 000	ペダル	PEDAL	1				
2	5332 3103 000	プレート	PLATE	1				
3	K710 0108 020	Fボルト	BOLT	2	M8*20(7T)			
4	5317 3302 000	パッド	PAD	1				
5	3709 3114 000	ペダルパッド	BOOTS	1				
6	5332 3105 000	ロッド	ROD	1				
7	0562 0108 022	ヒラアタマピン	PIN	2	8*22			
8	0350 0140 818	PW	WASHER	5	8*18*1.6			
9	0523 0108 000	スナップピン	PIN SNAP	2	8			
10	5347 3106 000	シャフト	SHAFT	1				
11	5347 3107 000	レバー	LEVER	1				
12	5321 3113 000	スプリング	SPRING	1				
13	0350 0160 828	PW	WASHER	1	8*28*3.0			
14	A300 0108 001	ナット	NUT	2				
15	5229 0105 000	グリップ	GRIP	1				
16	5332 3111 000	サポート	SUPPORT	1				
17	5332 3112 001	ブラケット	BRACKET	1				
18	5347 3113 000	ガイド	GUIDE	1				
19	F301 0108 000	Fナット	NUT	6	M8			
20	5347 3117 001	プーリ	PULLEY	1				
21	5332 3115 000	ブレーキ	BRAKE	1				
22	5332 3116 000	ピン	PIN	1				
23	K110 0108 016	Fボルト	BOLT	4	M8*16			
24	3513 3127 000	スプリング	SPRING	1				
25	3630 4393 000	ハリボルト	BOLT	1				


5347 310A 走行・操作レバー(左ブレーキ 左 HST レバー) Drive Lever(Brake L HST L)



見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
26	5347 3118 000	タイロッド Assy	TIEROD	1				
26-1	3408 5008 000	リンクボール	LINK BALL	1	M8			
26-2	5332 3118 000	タイロッド	TIEROD	1				
26-3	3208 3410 000	ターンバックル	TURNBUCKLE	1	M8*50			
26-4	5332 3119 000	ロッド	ROD	1				
26-5	A301 0108 003	ナット	NUT	2	M8			
26-6	A301 2108 003	ナット	NUT	1	M8 L			
27	5347 3125 000	タイロッド Assy	TIEROD	1				
27-1	3408 5008 000	リンクボール	LINK BALL	1	M8			
27-2	5332 3118 000	タイロッド	TIEROD	1				
27-3	3208 3410 000	ターンバックル	TURNBUCKLE	1	M8*50			
27-4	A301 0108 003	ナット	NUT	1	M8			
27-5	A301 2108 003	ナット	NUT	1	M8 L			
28	0520 0125 016	ワリピン	PIN SPLIT	2	2.5*16			
29	5347 3121 000	ロッドアッシー	ROD ASSY	1				
29-1	5332 3121 000	ロッド	ROD	1				
29-2	5332 3122 000	ピン	PIN	1				
29-3	5347 3123 000	スプリング	SPRING	1				
29-4	0350 0160 828	PW	WASHER	1	8*28*3.0			
29-5	0741 0002 800	リング	RING	1	H28			
29-6	K814 0108 135	Fボルト	BOLT	1	M8*135(8T)			
29-7	A301 0108 001	ナット	NUT	1	M8			
29-8	0350 0140 818	PW	WASHER	1	8*18*1.6			

5347 310B 走行・操作レバー(左ブレーキ 左HSTレバー CE USA)


Drive Lever(Brake L HST L CE USA)



見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 3110 000	ペダル	PEDAL	1				
2	5332 3103 000	プレート	PLATE	1				
3	K710 0108 020	Fボルト	BOLT	2	M8*20(7T)			
4	5317 3302 000	パッド	PAD	1				
5	3709 3114 000	ペダルパッド	BOOTS	1				
6	5347 3109 000	ロッド	ROD	1				
7	0562 0108 022	ヒラアタマピン	PIN	2	8*22			
8	0350 0140 818	PW	WASHER	5	8*18*1.6			
9	0523 0108 000	スナップピン	PIN SNAP	2	8			
10	5347 3106 000	シャフト	SHAFT	1				
11	5347 3107 000	レバー	LEVER	1				
12	5321 3113 000	スプリング	SPRING	1				
13	0350 0160 828	PW	WASHER	1	8*28*3.0			
14	A300 0108 001	ナット	NUT	2				
15	5229 0105 000	グリップ	GRIP	1				
16	5332 3111 000	サポート	SUPPORT	1				
17	5332 3112 001	ブラケット	BRACKET	1				
18	5347 3113 000	ガイド	GUIDE	1				
19	F301 0108 000	Fナット	NUT	6	M8			
20	5347 3117 001	プーリ	PULLEY	1				
21	5332 3115 000	ブレーキ	BRAKE	1				
22	5332 3116 000	ピン	PIN	1				
23	K110 0108 016	Fボルト	BOLT	4	M8*16			
24	3513 3127 000	スプリング	SPRING	1				
25	3630 4393 000	ハリボルト	BOLT	1				


5347 310B 走行・操作レバー(左ブレーキ 左 HSTレバー CE USA)

Drive Lever(Brake L HST L CE USA)




見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
26	5347 3118 000	タイロッド Assy	TIEROD	1				
26-1	3408 5008 000	リンクボール	LINK BALL	1	M8			
26-2	5332 3118 000	タイロッド	TIEROD	1				
26-3	3208 3410 000	ターンバックル	TURNBUCKLE	1	M8*50			
26-4	5332 3119 000	ロッド	ROD	1				
26-5	A301 0108 003	ナット	NUT	2	M8			
26-6	A301 2108 003	ナット	NUT	1	M8 L			
27	5347 3125 000	タイロッド Assy	TIEROD	1				
27-1	3408 5008 000	リンクボール	LINK BALL	1	M8			
27-2	5332 3118 000	タイロッド	TIEROD	1				
27-3	3208 3410 000	ターンバックル	TURNBUCKLE	1	M8*50			
27-4	A301 0108 003	ナット	NUT	1	M8			
27-5	A301 2108 003	ナット	NUT	1	M8 L			
28	0520 0125 016	ワリピン	PIN SPLIT	2	2.5*16			
29	5347 3121 000	ロッドアッシー	ROD ASSY	1				
29-1	5332 3121 000	ロッド	ROD	1				
29-2	5332 3122 000	ピン	PIN	1				
29-3	5347 3123 000	スプリング	SPRING	1				
29-4	0350 0160 828	PW	WASHER	1	8*28*3.0			
29-5	0741 0002 800	リング	RING	1	H28			
29-6	K814 0108 135	Fボルト	BOLT	1	M8*135(8T)			
29-7	A301 0108 001	ナット	NUT	1	M8			
29-8	0350 0140 818	PW	WASHER	1	8*18*1.6			


5347 320A フクヘンソクレバー Auxiliary Shift Lever


[illegible]

5347 330E ブレーキ(左 Long) Brake(Left Long)

[illegible]


CMX227H 2013/August

[illegible]



見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 3501 000	プレート	PLATE	1				
2	5335 3502 000	ブラケット	BRACKET	1			- NO. 1620143	2 levels
2	5347 3507 000	ブラケット	BRACKET	1		D	NO. 1620144 -	4 levels
3	K110 0108 016	Fボルト	BOLT	6	M8*16			
4	5332 3503 001	ブラケット	BRACKET	1			- NO. 1620143	2 levels
4	5332 3503 002	ブラケット	BRACKET	1		D	NO. 1620144 -	4 levels
5	5335 3503 000	ブラケット	BRACKET	1			- NO. 1620143	2 levels
5	5347 3506 000	ブラケット	BRACKET	1		D	NO. 1620144 -	4 levels
6	K110 0108 020	Fボルト	BOLT	2	M8*20			High
7	5332 3506 000	ブラケット	BRACKET	1				
8	5312 3514 000	スプリング	SPRING	1				
9	5332 3507 000	ブラケット	BRACKET	1				
10	3611 1807 000	ホココム	GROMMET	1	C-6			
11	F300 0106 000	Fナット	NUT	2	M6			
12	5347 3509 000	ブラケット	BRACKET	1			- NO. 1620143	2 levels
12	5347 3509 001	ブラケット	BRACKET	1		D	NO. 1620144 -	4 levels
13	0350 0140 822	PW	WASHER	1	8*22*1.6			
14	F301 0108 000	Fナット	NUT	6	M8			
15	5347 3511 000	シート	SEAT	1				
16	0562 0108 035	ヒラアタマピン	PIN	1	8*35			
17	0523 0108 000	スナップピン	PIN SNAP	1	8			
18	5332 3512 000	ゴムイタ	RUBBER	2				
19	3661 1457 100	クリップ	CLIP	6				
20	K710 0108 025	Fボルト	BOLT	1	M8*25(7T)			
21	A110 0108 016	ボルト	BOLT	4	M8*16			
22	5332 3523 000	テープ	TAPE	4				
23	5347 3512 000	パイプ	PIPE	1				
24	5347 3505 000	プレート	PLATE	1		D	NO. 1620144 -	4 levels
25	5347 3503 000	ピン	PIN	1		D	NO. 1620144 -	4 levels
26	0350 0141 022	PW	WASHER	1	10*22*1.6	D	NO. 1620144 -	4 levels
27	0523 0110 000	スナップピン	PIN SNAP	1	10	D	NO. 1620144 -	4 levels


注1) Interchangeable as a set on No.2, No.4, No.12, No.24, No.25, No.26 and No.27.



見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5332 3501 000	プレート	PLATE	1				
2	5347 3502 000	プレート	PLATE	1			- NO. 1560205	2段階
2	5347 3502 001	プレート	PLATE	1		D	NO. 1560206 -	4段階
3	K110 0108 016	Fボルト	BOLT	6	M8*16			
4	5332 3503 001	ブラケット	BRACKET	1			- NO. 1560205	2段階
4	5332 3503 002	ブラケット	BRACKET	1		D	NO. 1560206 -	4段階
5	5332 3506 000	ブラケット	BRACKET	1				
6	5312 3514 000	スプリング	SPRING	1				
7	5332 3507 000	ブラケット	BRACKET	1				
8	3611 1807 000	ホゴゴム	GROMMET	1	C-6			
9	F300 0106 000	Fナット	NUT	2	M6			
10	5347 3509 000	ブラケット	BRACKET	1			- NO. 1560205	一体型
10	5347 3509 001	ブラケット	BRACKET	1		D	NO. 1560206 -	分割型
11	0350 0140 822	PW	WASHER	1	8*22*1.6			
12	F301 0108 000	Fナット	NUT	4	M8			
13	5347 3511 000	シート	SEAT	1				
14	0562 0108 035	ヒラタマピン	PIN	1	8*35			
15	0523 0108 000	スナップピン	PIN SNAP	1	8			
16	5332 3512 000	ゴムイタ	RUBBER	2				
17	3661 1457 100	クリップ	CLIP	6				
18	K710 0108 025	Fボルト	BOLT	1	M8*25(7T)			
19	A110 0108 016	ボルト	BOLT	4	M8*16			
20	5332 3523 000	テープ	TAPE	4				
21	5347 3512 000	パイプ	PIPE	1				
22	5347 3505 000	プレート	PLATE	1		D	NO. 1560206 -	分割型
23	5347 3503 000	ピン	PIN	1		D	NO. 1560206 -	分割型
24	0350 0141 022	PW	WASHER	1	10*22*1.6	D	NO. 1560206 -	分割型
25	0523 0110 000	スナップピン	PIN SNAP	1	10	D	NO. 1560206 -	分割型

注1) No.2, No.4, No.10, No.22, No.23, No.24, No.25 セット交換にて、新旧部品の互換性があります。

5347 350H シート(CMX227HRCIS) SEAT(CMX227HRCIS)


[illegible]



LH


2013/March

5347 405A カリタカサレバー(HST 左操作) Cutting Adjust(HST Lever L)



見出	部品番号	部品名称		個数	型 寸	互換性	適用号機	備考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 4051 000	レバー	LEVER	1				
2	5347 4052 000	プレート	PLATE	1				
3	5347 4053 000	タイロッドAssy	TIEROD	1				
3-1	5332 4067 000	タイロッド	TIEROD	1	L=140			
3-2	3408 5008 000	リンクボール	BALL	1	BL8D			
3-3	3522 4341 000	リンクボール	BALL	1	BL8DL			
3-4	A301 0108 003	ナット	NUT	1	M8			
3-5	A301 2108 003	ナット	NUT	1	M8 L			
4	K710 0108 020	Fボルト	BOLT	2	M8*20(7T)			
5	5335 4052 000	ロックレバー	LOCK LEVER	1				
6	5335 4053 000	ブラケット	BRACKET	1				
7	0550 0005 040	スプリングピン	PIN SPRING	1	5*40			
8	3408 5202 000	スプリング	SPRING	1				
9	5332 4058 000	グリップ	GRIP	1				
10	5332 4059 001	ブラケット	BRACKET	1				
11	F301 0110 000	Fナット	NUT	2	M10			
12	5335 4064 000	プレート	PLATE	1				
13	5335 4065 000	ゴムイタ	RUBBER	1				
14	F301 0108 000	Fナット	NUT	2	M8			
15	5347 4054 000	カーススプリング	ABSORBER	1				
16	0742 0100 800	Eリング	RING	1				
17	0350 0141 022	PW	WASHER	1	10*22*1.6			
18	0520 0125 020	ワリピン	PIN	1	2.5*20			
19	5347 4056 000	パイプ	PIPE	1				
20	0742 0101 200	Eリング	RING	1				

RH




LH

見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 4101 000	カリハカバー	COVER	1				
2	5332 4112 000	プレート	PLATE	1				
3	5332 4113 000	ゴムイタ	RUBBER	1				
4	5332 4115 000	ブラケット	BRACKET	1				
5	F301 0108 000	Fナット	NUT	13	M8			
6	5321 4124 000	ゴムイタ	RUBBER	1				
7	5347 4129 000	プレート	PLATE	2				
8	K110 0108 016	Fボルト	BOLT	6	M8*16			
9	5347 4102 000	カバー	COVER	1			- No.1560701	右
9	5347 4102 001	カバー	COVER	1		A	No.1560702 -	右
10	5347 4103 000	カバー	COVER	1			- No.1560701	左
10	5347 4103 001	カバー	COVER	1		A	No.1560702 -	左
11	5347 4104 000	カバー	COVER	1				右
12	5347 4105 000	カバー	COVER	1				左
13	5335 4106 000	ピン	PIN	2				
14	5116 3075 300	スプリング	SPRING	2				
15	5335 4107 000	ピン	PIN	2				
16	0350 0161 630	PW	WASHER	2	16*30*3.0			
17	0740 0001 600	リング	RING	2	S16			
18	5347 4108 000	プレート	PLATE	2			- No.1560701	
18	5347 4106 000	プレート	PLATE	2		D	No.1560702 -	
19	5347 4109 000	ゴムイタ	RUBBER	2				
20	5347 4111 001	ブラケット	BRACKET	1			- No.1561410	左
20	5347 4111 002	ブラケット	BRACKET	1		D	No.1561411 -	左
21	5347 4113 001	ブラケット	BRACKET	1			- No.1561410	右

2016/October


RH



LH


見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
1	5347 4101 000	カリハカバー	COVER	1				
2	5332 4112 000	プレート	PLATE	1				
3	5332 4113 000	ゴムイタ	RUBBER	1				
4	5332 4115 000	ブラケット	BRACKET	1				
5	F301 0108 000	Fナット	NUT	13	M8			
6	5321 4124 000	ゴムイタ	RUBBER	1				
7	5347 4129 000	プレート	PLATE	2				
8	K110 0108 016	Fボルト	BOLT	6	M8*16			
9	5347 4102 000	カバー	COVER	1			- No.1620384	右
9	5347 4102 001	カバー	COVER	1		A	No.1620385 -	右
10	5347 4103 000	カバー	COVER	1			- No.1620384	左
10	5347 4103 001	カバー	COVER	1		A	No.1620385 -	左
11	5347 4104 000	カバー	COVER	1				右
12	5347 4105 000	カバー	COVER	1				左
13	5335 4106 000	ピン	PIN	2				
14	5116 3075 300	スプリング	SPRING	2				
15	5335 4107 000	ピン	PIN	2				
16	0350 0161 630	PW	WASHER	2	16*30*3.0			
17	0740 0001 600	リング	RING	2	S16			
18	5347 4108 000	プレート	PLATE	2			- No.1620384	
18	5347 4106 000	プレート	PLATE	2		D	No.1620385 -	
19	5347 4109 000	ゴムイタ	RUBBER	2				
20	5347 4111 001	ブラケット	BRACKET	1			- No.1620667	左
20	5347 4111 002	ブラケット	BRACKET	1		D	No.1620668 -	左
21	5347 4113 001	ブラケット	BRACKET	1			- No.1620667	右


RH




LH

見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
21	5347 4113 002	ブラケット	BRACKET	1		D	No.1620668 -	右
22	5335 4115 000	プレート	PLATE	1				
23	5335 4116 000	プレート	PLATE	1				
24	5335 4117 000	ロッド	ROD	2				
25	3408 5202 000	スプリング	SPRING	2				
26	0350 0160 835	PW	PW	2				
27	A301 0108 001	ナット	NUT	2	M8			
28	0350 0140 822	PW	WASHER	5	8*22*1.6			
29	5335 4121 000	ブラケット	BRACKET	1				
30	5335 4122 000	ホース	HOSE	1	L=340			
31	0050 1100 250	ホースバンド	CLAMP HOSE	2	25			
32	5335 4123 000	ゴムイタ	RUBBER	1				
33	5335 4124 001	プレート	PLATE	1				
34	5335 4125 000	ゴムイタ	RUBBER	1				
35	A110 0108 040	ボルト	BOLT	2	M8*40			
36	5335 4126 000	ブラケット	BRACKET	2				
37	F300 0106 000	Fナット	NUT	2	M6			
38	A650 0100 600	グリースニップル	NIPPLE GREASE	2		D	No.1620668 -	
39	A351 0108 002	U ナット	NUT	10				

[illegible]


[illegible]

5347 500E マーク(CE) Mark(CE)




見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
S01	5347 500E 000	マークセット	MARK set	1			EX:AWD/CMX227HRCCE005	
3	5347 5003 000	マーク	MARK	2				
4	5347 5004 000	マーク	MARK	2				
5	5347 5005 000	マーク	MARK	1				
6	5347 5006 000	マーク	MARK	1				
7	5332 5007 000	マーク	MARK	1				
8	5332 5008 000	マーク	MARK	1				
9	5347 5109 000	マーク	MARK	1				
10	5347 5111 000	マーク	MARK	1				
11	5347 5112 000	マーク	MARK	1				
12	5347 5113 000	マーク	MARK	1			- No.1620539	
12	5347 5115 000	マーク	MARK	1		B	No.1620540 -	
13	5347 5114 000	マーク	MARK	1				
14	5347 5015 000	マーク	MARK	1				
15	5347 5016 000	マーク	MARK	1				
16	5332 5117 000	マーク	MARK	1				
17	5332 5118 000	マーク	MARK	1				
18	5332 5119 001	マーク	MARK	1				
19	5332 5121 000	マーク	MARK	1				
20	5347 5123 000	マーク	MARK	1				
21	5347 5124 001	マーク	MARK	1				
22	3570 5026 000	マーク	MARK	4				
23	5347 5125 000	マーク	MARK	1				
24	5321 5016 000	マーク	MARK	1				

5347 500E マーク(CE) Mark(CE)


[illegible]

5347 500F マーク(Asia) Mark(Asia)




見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
S01	5347 500F 000	マークセット	MARK set				EX:AWD/CMX227HRCAS000	
3	5347 5003 000	マーク	MARK	2				
4	5347 5004 000	マーク	MARK	2				
5	5347 5005 000	マーク	MARK	1				
6	5347 5006 000	マーク	MARK	1				
7	5332 5007 000	マーク	MARK	1				
8	5332 5008 000	マーク	MARK	1				
9	5347 5109 000	マーク	MARK	1				
10	5347 5111 000	マーク	MARK	1				
11	5347 5112 000	マーク	MARK	1				
12	5347 5113 000	マーク	MARK	1			- No.1620539	
12	5347 5115 000	マーク	MARK	1		B	No.1620540 -	
13	5347 5114 000	マーク	MARK	1				
14	5347 5015 000	マーク	MARK	1				
15	5347 5016 000	マーク	MARK	1				
16	5332 5117 000	マーク	MARK	1				
17	5332 5118 000	マーク	MARK	1				
18	5332 5119 001	マーク	MARK	1				
19	5332 5121 000	マーク	MARK	1				
20	5347 5123 000	マーク	MARK	1				
21	5347 5124 001	マーク	MARK	1				
22	3570 5026 000	マーク	MARK	4				
23	5347 5125 000	マーク	MARK	1				
24	5321 5016 000	マーク	MARK	1				

5347 500F マーク(Asia) Mark(Asia)


[illegible]

5347 500K マーク(韓国) Mark(Korea)




見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
S01	5347 500K 000	マークセット	MARK set	1			- No.1640295	X2202RCKR
S01	5347 500K 001	マークセット	MARK set	1		D	No.1640296 -	BD/RR
3	5347 5003 000	マーク	MARK	2			- No.1640295	Hey Masao
3	5347 5072 000	マーク	MARK	2		D	No.1640296 -	Hey Masao
4	5347 5004 000	マーク	MARK	2				AWD
5	5347 5005 000	マーク	MARK	1			- No.1640295	
5	5347 5073 000	マーク	MARK	1		D	No.1640296 -	
6	5347 5006 000	マーク	MARK	1			- No.1640295	
6	5347 5074 000	マーク	MARK	1		D	No.1640296 -	
7	5332 5007 000	マーク	MARK	1			- No.1640295	
7	5347 5007 000	マーク	MARK	1		D	No.1640296 -	
8	5332 5008 000	マーク	MARK	1			- No.1640295	
8	5347 5008 000	マーク	MARK	1		D	No.1640296 -	
9	5347 5309 000	マーク	MARK	1			- No.1640295	
9	5347 5309 001	マーク	MARK	1		D	No.1640296 -	
10	5347 5311 000	マーク	MARK	1			- No.1640295	
10	5347 5311 001	マーク	MARK	1		D	No.1640296 -	
11	5347 5312 000	マーク	MARK	1			- No.1640295	
11	5347 5312 001	マーク	MARK	1		D	No.1640296 -	
12	5347 5313 000	マーク	MARK	1			- No.1640285	
12	5347 5313 001	マーク	MARK	1		B	No.1640286 - No.1640295	
12	5347 5313 001	マーク	MARK	1		D	No.1640296 -	
13	5347 5314 000	マーク	MARK	1			- No.1640295	
13	5347 5314 001	マーク	MARK	1		D	No.1640296 -	

5347 500K マーク(韓国) Mark(Korea)




見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
14	5347 5315 000	マーク	MARK	1			- No.1640295	
14	5347 5315 001	マーク	MARK	1		D	No.1640296 -	
15	5347 5316 000	マーク	MARK	1			- No.1640295	
15	5347 5316 001	マーク	MARK	1		D	No.1640296 -	
16	5332 5117 000	マーク	MARK	1				
17	5335 5318 000	マーク	MARK	1				
18	5335 5319 000	マーク	MARK	1				
19	5335 5321 000	マーク	MARK	1				
20	5347 5323 000	マーク	MARK	1				
21	5347 5324 001	マーク	MARK	1				
22	3570 5026 000	マーク	MARK	4				
23	5347 5325 000	マーク	MARK	1				
24	5335 5329 000	マーク	MARK	1				
25	5347 5326 000	マーク	MARK	2				
26	5321 5111 000	マーク	MARK	1			- No.1640295	
26	5347 5028 000	マーク	MARK	1		D	No.1640296 -	
29	5347 5328 000	マーク	MARK	2				
30	5335 5327 000	マーク	MARK	1				
31	5335 5328 000	マーク	MARK	1				
32	5352 5007 000	マーク	MARK	1				


5347 500U マーク(USA) Mark(USA)




見出	部品番号	部品名称		個数	型 寸	互 換 性	適 用 号 機	備 考
NO.	PART NO.	PART NAME		Q'ty	DESCRIPTION	R/P	FROM ~ UP TO SERIAL NO.	REMARKS
S01	5347 500U 000	マークミタ	EQUIPMENT	1			EX/AWD/CMX227HRCUS	
3	5347 5003 000	マーク	MARK	2				
4	5347 5004 000	マーク	MARK	2				
5	5347 5005 000	マーク	MARK	1				
6	5347 5006 000	マーク	MARK	1				
7	5332 5007 000	マーク	MARK	1				
8	5332 5008 000	マーク	MARK	1				
9	5347 5029 000	マーク	MARK	1				
10	5347 5111 000	マーク	MARK	1				
11	5347 5112 000	マーク	MARK	1				
12	5347 5113 000	マーク	MARK	1			- No.1620539	
12	5347 5115 000	マーク	MARK	1		B	No.1620540 -	
13	5347 5032 000	マーク	MARK	1				
14	5347 5015 000	マーク	MARK	1				
15	5347 5016 000	マーク	MARK	1				
16	5335 5505 000	マーク	MARK	1				
17	5332 5118 000	マーク	MARK	1				
18	5332 5119 001	マーク	MARK	1				
19	5335 5506 000	マーク	MARK	1				
20	5347 5123 000	マーク	MARK	1				
21	5347 5124 001	マーク	MARK	1				
22	3570 5026 000	マーク	MARK	4				
23	5347 5033 000	マーク	MARK	1				
24	5321 5016 000	マーク	MARK	1				

5347 500U マーク(USA) Mark(USA)

[illegible]

[illegible]

5332 0201 100 配線図 (CE) Diagram (CE)



Please use this check sheet for a better maintenance of your ride on brush cutter.
If you need spare parts or any technical assistance, please contact your local dealer.

End user name:	Model:
Address:	Serial No:
TEL:	Dealer Name:
FAX:	Sales Rep:

HST oil 20W-50 (Engine oil) 1.1ℓ ✓ Every 300 hours 5310 9911 000 Quantity: 1	Viewpoint Check item Illustration Check the column Service interval Order Quantity (Q'ty) Part number
--	---

Did you notice any oil leakage? Is the oil dirty?

(Check the hour meter to fill the time)

Engine oil 10W-30 1.4ℓ	Transmission oil Gear oil (#80) 0.9ℓ	Front axle oil Gear oil (#80) 0.7ℓ	Gear box oil Gear oil (#80) 0.15ℓ	HST oil 20W-50 (Engine oil) 1.1ℓ
1st 20 hours After every 50 hours	1st 50 hours After every 500 hours	1st 50 hours After every 500 hours	1st 50 hours After every 500 hours	After every 300 hours
Previous H Next H	Previous H Next H	Previous H Next H	Previous H Next H	Previous H Next H
				5310 9911 000 order Q'ty

Are the filters dirty?


Engine oil filter	Fuel filter	Air cleaner element
1st 50 hours After every 200 hours	After every 500 hours	200 hours or 1 year
ZR 248 65801 00 (PC) order Q'ty	ZR 263 65012 A3 (PC) order Q'ty	ZR 263 32610 A1 (PC) order Q'ty

Is the blade edge reduced? Is the blade worn? Check the blade wear limit.

Cutting blade set (IAI)	Stay bar
Replace when either of the part wears out Blade When new	15mm Stay bar When new
Visually inspect blades and pin for wear and damage. If blades are worn normally, turn them over and use. Replace if both edges are worn. If blades or pin are worn excessively, deformed, damaged, or missing, replace them with new ones.	Wear Limit: Up to the solid line in the left figure (should have more than 15mm clearance between edge of rotor stay and mounting slot.)
Z 332 4202 010 (This is for one blade) order Q'ty	5332 4201 0 00 (This concern only the stay bar) order Q'ty


■ Did you notice any damage, cracks or uneven wear on the travel devices?

Rear brake




7301 9901 000 (1 shoe -set) order Q'ty

Front brake
For 4WD



7306 9901 000 (1 shoe -set) order Q'ty


Cutting brake



5310 4301 001 (1 item) order Q'ty


Tire Models CMX227HRC AU CM226H CMX2502HRC AU

4.00-7-4PR




5347 2202 000 order Q'ty
Only tire (2 tires for 1 machine)

17x8.00-8-4PR




5347 2302 000 order Q'ty
Only tire (2 tires for 1 machine)

Tube(4.00-7) ※Option



5304 2205 000 order Q'ty
(2 tubes for 1 machine)


Tube(17*8.00-8)



3407 6004 000 order Q'ty
(2 tubes for 1 machine)


Tire Models CMX186H CM186H

3.50-7 2PR



5304 2204 000 order Q'ty
Only tire (2 tires for 1 machine)


16*7.00-8 2PR



5304 2301 100 order Q'ty
Only tire (2 tires for 1 machine)


Are belts in good condition?

V-Belt (travel)
SB36 (LB36)



0852 1300 036 order Q'ty
(1 belt for 1 machine)

V belt (blade)
SB37 (LB37)
Super gold



0852 1600 037 order Q'ty
(2 belts for 1 machine)

Other suggestions

Parts name	check	Parts number	order Q'ty
Cooling fan		5335 2023 000	
HST reserve tank		5313 2015 000	
Battery		Please ask your dealer.	
Start relay (black)		3714 0491 000	
Stop relay (blue)		3714 8075 000	

Note:
These items are consumable spare parts and their life span will depend on the conditions of utilization of the machine.
Specifications might be subject to change without notice.

CANYCOM

For parts order please
contact your local dealer.
Thank you!

For more information regarding our spare parts,
please access to our website
www.canyc.com.jp/eng/maintenance/parts/