

0CNP5-M24300EN

Directions for the Parts Catalog.

- 1.The parts stipulated in this Parts Catalog are not necessarily standard equipped parts.
- 2.Parts may change without prior notice.
- 3.The following is an example of the Parts Catalog format.

OCF10-G21601

29. FUEL INJECTION PUMP(W/BOOST)

1

REF.

2

LEV.

PARTS NO.

DESCRIPTION

(A)=4JH-DT
(B)=4JH-DTZ
(C)=4JH-DTZP

(D)=4JH-DTZA
(E)=4JH-DTZY
(F)=

Q'TY

(A) (B) (C) (D) (E) (F)

3

I

5

R

1	1	729595-51390	FUEL INJECTION PUMP	1	1	1	1	1		1
1-1	1	729595-51391	FUEL INJECTION PUMP	1	1	1	1	1		N 1
		(A=E00185) (B=E00200)								
3	2	26022-060162	SCREW M 6X 16	9	9	9	9	9		
3-1	2	26022-060162	SCREW M 6X 16	4	4	4	4	4		K
		(A=E00156) (B=E00156) (C=E00156) (D=E00156) (E=E00156)								
4	2	129470-51040	CAMSHAFT	1	1	1	1	1		
5	2	122710-51050	BEARING, ROLLER	2	2	2	2	2		
6	2	129470-51060	RETAINER	1	1	1	1	1		

Remarks

(1) BOOST COMPENSATOR TYPE. OPTIONAL PART, TO E00155,(4JH-DT, 4JH-DTZ

① Ref. No.

The Ref. No. listed may not be in accordance with the illustration Ref. No.

(Ex.) Illustration No.

List Ref No.

1 1 (Before change) → 1-1 (After change)

For interchangeable symbols N, R and K, illustrations for new parts may be abbreviated.

② Lev. (Level)

Level indication

The numbers below indicate the level of relativity towards the main part.

1 ---- Main parts (Assembly parts)

2 ---- Sub component included in " 1 ".

3 ---- Sub component included in " 2 ".

Note) Parts that are not for sale are partially illustrated but not listed.

③ Interchangeability Mark

When a part change takes place, one of the following interchangeability symbols is indicated beside the part.

Symbol	Interchangeability	Contents note
N	Old $\xrightarrow{\text{Yes}}$ New No $\xrightarrow{\text{No}}$	New Part is interchangeable for Old Part but Old Part is not interchangeable for New Part.
Q	Old $\xrightarrow{\text{No}}$ New Yes $\xrightarrow{\text{Yes}}$	New Part is not interchangeable for Old Part but Old Part is interchangeable for New Part.
R	Old $\xrightarrow{\text{Yes}}$ New Yes $\xrightarrow{\text{Yes}}$	New/ Old Parts are both interchangeable.
S	Old $\xrightarrow{\text{No}}$ New No $\xrightarrow{\text{No}}$	New/ Old Parts are both not interchangeable.
W		Part newly added.
Z		Part discontinued.
F		Not interchangeable by a single part but interchangeable together with related parts.
K		Changes only for used parts quantities.

④ Effective Machine No.

When a part changes, the effective Machine No. will be indicated in the (A)-(F) column.

Product Symbol	Product No.	Product Symbol	Product No.
C	Clutch No. Compressor No.	F	Machine No. (Agricultural Equip.)
D	Drive No.	M	Machine No.
E	Engine No.		

Note 1) A date may follow the symbol. (Ex.) 1996.01

Note 2) "XXXXX" and "ZZZZZ" are for parts that could not be predicted or for engine models that could not be identified.

Note 3) (A=E00185) is the E (Engine Serial Number) for the column (A) model (in this case 4JH-DT) after the parts design change.

⑤ Remarks Mark


Figures or alphabets (symbols) are entered in the remarks column.

The comments (remarks) on parts that are indicated at the bottom of the illustration are the same symbols as those stated above.

Contents

Fig. No.	Fig. Name	Fig. No.	Fig. Name
ENGINE SECTION			
1.	BLOCK , CYLINDER		
2.	CASE , GEAR		
3.	MOUNTING FLANGE & OIL SUMP		
4.	CYLINDER HEAD & BONNET		
5.	SUCTION MANIFOLD		
6.	EXHAUST MANIFOLD & SILENCER		
7.	CAMSHAFT & DRIVING GEAR		
8.	CRANKSHAFT & PISTON		
9.	HYDRAULIC PUMP		
10.	LUB.OIL SYSTEM		
11.	COOLING WATER SYSTEM		
12.	FUEL INJECTION PUMP		
13.	GOVERNOR		
14.	FUEL INJECTION VALVE		
15.	STARTING MOTOR		
16.	GENERATOR		

Fig.1. BLOCK , CYLINDER




No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	729002-01561	BLOCK ASSY, CYLINDER	1	1						
4	2	27231-500000	PLUG 50	1	1						
4-1	2	129001-01250	PLUG, 50	1	1					N	
(A=E)XXX (B=E)XXX											
5	2	124160-01910	PLUG, PT1/4	3	3						
6	2	171051-01921	PLUG, NPTF1	1	1						
7	2	129150-02020	BOLT, METAL CAP	8	8						
10	2	129795-02411	BUSH, CAMSHAFT	1	1						
11	2	23871-010000	PLUG, R01	1	1						
11-1	2	23876-010000	PLUG, R01	1	1					N	
(A=E)XXX (B=E)XXX											
12	2	27241-120000	PLUG, 12	2	2						
13	2	27241-300000	PLUG 30	6	6						
23	2	129150-02930	BEARING, THRUST	2	2						
26	1	129150-01200	BOLT, HEAD	14	14						
27	1	129002-01331	GASKET, HEAD	1	1						
28	1	129001-02930	BEARING, MAIN	4	4						3
31	1	129150-02870	BEARING, 0.25 US	4	4						1
34	1	129150-02940	BEARING, THRUST 0.25	1	1						2

Remarks
(1) UNDER-SIZE(U.S=0.25)PART.
(2) OVER-SIZE(O.S=0.25)PART.
(3) REPAIR PART.
(REMARKS)EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.


OCNP5-M24300

Fig.2. CASE , GEAR



No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129100-01520	FLANGE, GEAR CASE	1	1						
2	1	121450-01560	STUD, M8X22	3	3						
3	1	129150-01580	STUD, M8X30	1	1						
4	1	129100-01590	CASE ASSY, GEAR	1	1						
6	2	129795-01800	SEAL, OIL	1	1						
7	1	124160-01751	COVER, FILLER	1	1						
8	1	124240-01871	COVER	1	1						
9	1	124240-01883	GASKET	1	1						Z
(A=E052020) (B=E056266)											
10	1	129795-01950	PIPE, KNOCK L=18	2	2						
11	1	129150-03100	RETAINER, PIPE	1	1						
12	1	121850-51960	O-RING	1	1						
13	1	22190-080002	WASHER, SEAL 6	4	4						
14	1	22190-080002	WASHER, SEAL 6	1	1						
15	1	24311-000160	O-RING, 1AP16.0	2	2						
15-1	1	119609-32040	O-RING, P16	2	2						R
(A=E052020) (B=E056266)											
16	1	24311-000320	O-RING, 1AP32.0	1	1						
17	1	26106-080122	BOLT, M8X 12 PLATED	4	4						
18	1	26106-080162	BOLT, M8X 16 PLATED	3	3						
19	1	26106-080162	BOLT, M8X 16 PLATED	1	1						
20	1	26106-080452	BOLT, M8X 45 PLATED	6	6						
21	1	26106-080552	BOLT, M8X 55 PLATED	3	3						
22	1	129001-91840	BOLT, M8X85	4	4						
23	1	26366-080002	NUT, M8	3	3						
23-1	1	26306-080002	NUT, M8	3	3						N
(A=E052020) (B=E056266)											
24	1	124240-01871	COVER	1	1						
25	1	124240-01883	GASKET	1	1						
26	1	26106-080122	BOLT, M8X 12 PLATED	4	4						
27	1	129150-91400	GEAR	1	1						
29	2	24341-000240	O-RING, 1AS24.0	1	1						
30	1	26106-060162	BOLT, M6X 16 PLATED	2	2						

Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.




Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

				(A)=3TNE84-EJKD (B)=3TNE84-EJKS (C)=	(D)= (E)= (F)=						
No.	Lev.	Parts No.	Description	(A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	129100-01580	PIN, M8X16	2	2						
2	1	129129-01600	FLANGE, MOUNTING	1	1						
3	1	26206-100202	BOLT, M10X 20 PLATED	8	8						
4	1	129129-01550	SUMP ASSY, OIL	1	1						
4A	2	129129-01540	COVER ASSY, OIL SUMP	1	1					W	
		(A=E023765)	(B=E024098)								
5	3	105425-01690	PLUG, 16	1	1						
7	3	22190-160002	WASHER, SEAL 16	1	1						
9	2	26106-080122	BOLT, M8X 12 PLATED	8	8						
10	1	26106-080252	BOLT, M8X 25 PLATED	6	6						
11	1	26106-080502	BOLT, M8X 50 PLATED	4	4						
12	1	129001-91840	BOLT, M8X85	8	8						
12-1	1	129001-91841	BOLT, M8X85	8	8					R	
		(A=E027428)	(B=E027445)								
13	1	129001-91910	BOLT, M8X120	4	4						
14	1	129100-01580	PIN, M8X16	2	2						
15	1	729402-01650	CASE ASSY, OIL SEAL	1	1						
17	2	129120-01780	SEAL, OIL	1	1						
18	1	129486-01670	BOLT, M8X30	9	9						

OCNP5-M24300

Fig.4. CYLINDER HEAD & BONNET




Remarks
(1) REPAIR PART.
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.


No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129150-03090	HOSE, ID16X2T	1	1						
2	1	124736-07900	LIFTER	1	1						
3	1	26106-080142	BOLT, M8X 14 PLATED	2	2						
4	1	129155-11241	SHAFT ASSY, ROCKER	1	1						
5	2	129155-11260	SUPPORT, ROCKER ARM	2	2						
6	2	129155-11270	SUPPORT, ROCKER ARM	2	2						
7	2	26226-080182	STUD, M8X 18	3	3						
7-1	2	119802-11280	STUD	3	3						R
(A=EXXX) (B=EXXX)											
8	2	129150-11280	SPRING	3	3						
9	2	129150-11290	SHAFT, ROCKER ARM	1	1						
12	2	729402-11650	ARM ASSY, ROCKER	6	6						
13	3	129150-11230	SCREW, VALVE ADJUST	6	6						
15	3	129150-11750	NUT, M8	6	6						
16	1	129051-11700	HEAD ASSY, CYLINDER	1	1						
21	2	27241-400000	PLUG, 40	2	2						
22	2	129100-11100	VALVE, INTAKE	3	3						
23	2	129100-11110	VALVE, EXHAUST	3	3						
24	2	129795-11120	SPRING, VALVE	6	6						
25	2	129795-11180	RETAINER, SPRING	6	6						
26	2	121400-11340	SEAL, VALVE STEM	3	3						
27	2	124460-11340	SEAL, VALVE STEM	3	3						
28	2	27310-080000	COTTER 8	6	6						
29	1	119625-11870	PROTECTOR, NOZZLE	3	3						
30	1	129150-11370	CAP, VALVE	6	6						
31	1	119625-11880	SEAT, NOZZLE	3	3						
32	1	119625-11900	RETAINER, NOZZLE	3	3						
33	1	22351-060012	PIN, SPRING 6.0X12	2	2						
34	1	26106-080252	BOLT, M8X 25 PLATED	2	2						
35	1	26106-080502	BOLT, M8X 50 PLATED	6	6						
36	1	26216-060202	STUD, M6X 20	6	6						
37	1	26366-060002	NUT, M6	6	6						
38	1	120130-11860	GUIDE, VALVE	3	3						1
39	1	129150-11810	GUIDE, VALVE	3	3						1
40	1	124160-11360	KNOB	3	3						
41	1	729132-11520	BONNET ASSY, HEAD	1	1						
41-1	1	729132-11521	BONNET ASSY, HEAD	1	1						N
(A=EXXX) (B=EXXX)											
43	2	129150-03020	COVER, BREATHER	1	1						
44	2	129150-03070	BAFFLE, BREATHER	1	1						
45	2	129150-03080	PLATE, BAFFLE	1	1						
47	2	129150-11310	GASKET, BONNET	1	1						
49	2	24341-000500	O-RING, 1AS50.0	1	1						
50	2	26106-080162	BOLT, M8X 16 PLATED	2	2						
51	1	24311-000120	O-RING, 1AP12.0	3	3						
54	1	124160-01751	COVER, FILLER	1	1						
55	1	24311-000320	O-RING, 1AP32.0	1	1						

N:Old $\frac{100}{100}$ New, Q:Old $\frac{100}{100}$ New, R:Old $\frac{100}{100}$ New, S:Old $\frac{100}{100}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
Copyright (C) YANMAR CO., LTD. All Rights Reserved.

Fig.5. SUCTION MANIFOLD



No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129107-12090	MANIFOLD ASSY,INTAKE	1	1						
3	2	129107-12121	PLATE	1	1						
4	2	26476-060142	SCREW, TAPPING M6X14	12	12						
5	1	129150-12111	GASKET, MANIFOLD	1	1						
6	1	26106-080252	BOLT, M8X 25 PLATED	4	4						
7	1	129120-77502	HEATER	1	1						
8	1	129150-77511	GASKET	1	1						
9	1	26106-080352	BOLT, M8X 35 PLATED	4	4						




Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

No.	Lev.	Parts No.	Description	(A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	129107-13100	MANIFOLD, EXHAUST	1	1						
2	1	129150-13110	GASKET	1	1						
3	1	26366-080002	NUT, M8	3	3						
3-1	1	26306-080002 (A=EXXX) (B=EXXX)	NUT, M8	3	3						N
4	1	26106-080652	BOLT, M8X 65 PLATED	2	2						
5	1	26106-081152	BOLT, M8X115 PLATED	1	1						
6	1	26216-080202	STUD, M8X 20	3	3						
7	1	129129-13500	SILENCER	1	1						
8	1	129107-13540	GASKET, SILENCER	1	1						
9	1	26366-080002	NUT, M8	2	2						
9-1	1	26306-080002 (A=EXXX) (B=EXXX)	NUT, M8	2	2						N

N:Old $\xleftrightarrow[\text{No}]{\text{Yes}}$ New, Q:Old $\xleftrightarrow[\text{Yes}]{\text{No}}$ New, R:Old $\xleftrightarrow[\text{Yes}]{\text{No}}$ New, S:Old $\xleftrightarrow[\text{No}]{\text{Yes}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
Copyright (C) YANMAR CO., LTD. All Rights Reserved.

0CNP5-M24300

Fig.7. CAMSHAFT & DRIVING GEAR




No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129150-14200	TAPPET	6	6						
2	1	129150-14400	ROD, PUSH L=178	6	6						
3	1	129129-14580	CAMSHAFT ASSY	1	1						
4	2	129150-02450	BEARING, THRUST	1	1						
6	2	129150-14101	GEAR, CAMSHAFT	1	1						
7	2	22512-070140	KEY, 7X 14	1	1						
8	1	26106-080142	BOLT, M8X 14 PLATED	2	2						
9	1	129100-25061	SHAFT, IDLE	1	1						
10	1	129150-25101	GEAR ASSY, IDLE	1	1						
13	1	26106-080452	BOLT, M8X 45 PLATED	2	2						
14	1	129150-25920	BUSH, IDLE GEAR	1	1						1
15	1	129150-25301	BOLT	4	4						
16	1	129150-25931	GEAR, PUMP	1	1						
17	1	129150-01881	GASKET	1	1						
18	1	129150-26000	DRIVE ASSY, PUMP	1	1						
19	2	129150-26050	BRACKET, PUMP	1	1						
21	2	24105-060064	BEARING, BALL 6006Z	2	2						

Remarks
(1) REPAIR PART.
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

OCNP5-M24300

Fig.8. CRANKSHAFT & PISTON




No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129001-21000	CRANKSHAFT ASSY	1	1						
1-1	1	129001-21100	CRANKSHAFT ASSY	1	1					S	
(A)=E031350) (B)=E031346)											
2	2	129100-01580	PIN, M8X16	1	1						
4	2	129150-21200	GEAR, CRANKSHAFT	1	1						
5	2	22512-070140	KEY, 7X 14	1	1						
7	1	22512-070140	KEY, 7X 14	1	1						
8	1	129150-21651	V-PULLEY	1	1						
9	1	129795-21661	WASHER	1	1						
10	1	121850-21680	BOLT	1	1						
11	1	121111-21501	BOLT, FLYWHEEL	6							
12	1	124160-21501	BOLT, FLYWHEEL		6						
13	1	129129-21590	FLYWHEEL ASSY	1							
14	1	129129-21580	FLYWHEEL ASSY		1						
15	2	124450-21230	BUSH	1	1						
18	2	119865-21600	GEAR, RING	1	1						
19	1	129002-22070	PISTON ASSY	3	3						
21	2	129002-22500	RING SET, PISTON	3	3						
25	1	129202-22300	PIN, PISTON D26 L70	3	3						
26	1	22252-000260	RING, 26	6	6						
27	1	729402-23100	ROD ASSY, CONNECTING	3	3						
30	2	121550-23200	BOLT, CONNECTING ROD	6	6						
31	2	129150-23600	BEARING, CRANK PIN	3	3						
33	1	129100-23910	BEARING, PISTON PIN	3	3						1
34	1	129002-22930	PISTON ASSY, 0.25 OS	3	3						2
36	2	129002-22960	RING SET O.S=0.25	3	3						2
40	1	129150-23610	BEARING, 0.25 US	3	3						3

Remarks
(1) REPAIR PART.
(2) OVER-SIZE(O.S=0.25)PART.
(3) UNDER-SIZE(U.S=0.25)PART.
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

OCNP5-M24300

Fig.9. HYDRAULIC PUMP




No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	124240-01883	GASKET	2	1						
2	1	178070-16000	PUMP ASSY, HYDRAULIC	1	1						
4	2	178070-10400	RING	1	1						
4-1	2	178070-10401	RING	1	1						N
(A=EXXXXX) (B=EXXXXX)											
13	2	194521-41570	PIN, 11X7	2	2						
15	2	22252-000320	RING, 32	1	1						
16	2	24421-153207	SEAL, OIL TC153207	1	1						
17	2	26016-080352	BOLT, M8X 35	4	4						
18	1	178070-44000	PUMP ASSY, HYDRAULIC	1							
20	2	178070-10400	RING	1							
20-1	2	178070-10401	RING	1							N
(A=EXXXXX)											
26	2	194521-41570	PIN, 11X7	2							
31	2	22252-000320	RING, 32	1							
32	2	24421-153207	SEAL, OIL TC153207	1							
33	2	26016-080352	BOLT, M8X 35	4							
34	1	26106-080802	BOLT, M8X 80 PLATED	2							
35	1	26106-080952	BOLT, M8X 95 PLATED	2	2						
36	1	26216-080222	STUD, M8X 22	2							
37	1	26216-080402	STUD, M8X 40	1	1						
38	1	26306-080002	NUT, M8	4	2						

Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

OCNP5-M24300

Fig.10. LUB.OIL SYSTEM




No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129001-32001	PUMP ASSY, OIL	1	1						
14	1	129150-32020	GASKET, PUMP	1	1						
15	1	26450-060252	BOLT, M6X 25	4	4						
16	1	119260-34810	GUIDE, DIPSTICK	1	1						
17	1	129129-34810	GUIDE, DIPSTICK	1	1						
18	1	129129-34820	DIPSTICK, OIL	1	1						
19	1	24311-240100	O-RING, 1AP10A	1	1						
20	1	26106-080122	BOLT, M8X 12 PLATED	1	1						
21	1	129150-35041	GASKET	1	1						
22	1	129129-35090	PIPE ASSY, OIL INLET	1	1						
23	2	129129-35010	PIPE, OIL INLET	1	1						
24	2	129129-35080	PIPE, OIL INLET	1	1						
25	2	26106-080122	BOLT, M8X 12 PLATED	1	1						
26	1	26106-080352	BOLT, M8X 35 PLATED	2	2						
27	1	129150-35101	BRACKET, STRAINER	1	1						
28	1	129150-35111	GASKET	1	1						
29	1	129150-35153	FILTER 80X80L	1	1						1
30	1	129001-35300	BOLT, FILTER	1	1						
31	1	129150-35350	NUT	1	1						
32	1	24311-000160	O-RING, 1AP16.0	1	1						
33	1	26106-080202	BOLT, M8X 20 PLATED	3	3						
34	1	114250-39450	SWITCH, 0.5KG	1	1						
35	1	124160-39140	BOLT, PIPE JOINT M10	1	1						
36	1	129150-39450	PIPE ASSY, OIL	1	1						
40	1	124550-59830	BOLT ASSY, JOINT M8	1	1						
41	2	124550-59820	BOLT, PIPE JOINT M8	1	1						
42	2	22190-080002	WASHER, SEAL 6	1	1						
43	1	22190-080002	WASHER, SEAL 6	1	1						
44	1	22190-100002	WASHER, SEAL 10	2	2						

Remarks

(1) REPAIR PART.


N:Old $\frac{N_{Old}}{N_{New}}$ New, Q:Old $\frac{Q_{Old}}{Q_{New}}$ New, R:Old $\frac{R_{Old}}{R_{New}}$ New, S:Old $\frac{S_{Old}}{S_{New}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
Copyright (C) YANMAR CO., LTD. All Rights Reserved.

Fig.11. COOLING WATER SYSTEM



No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129107-42002	PUMP ASSY, WATER	1	1						
1-1	1	129107-42003	PUMP ASSY, WATER	1	1						N
(A=E052020) (B=E056266)											
3	2	129150-42051	GASKET, WATER PUMP	1	1						
3-1	2	129470-42050	GASKET	1	1						N
(A=E046300) (B=E046328)											
3-2	2	129150-42059	GASKET	1	1						N
(A=E053667) (B=E056266)											
4	2	129150-42120	PLATE	1	1						
4-1	2	129150-42129	PLATE	1	1						N
(A=E052020) (B=E056266)											
8	2	129150-42300	FLANGE	1	1						
9	2	129150-42311	GASKET	1	1						
9-1	2	129470-42310	GASKET	1	1						N
(A=E046300) (B=E046328)											
9-2	2	129150-42319	GASKET	1	1						N
(A=E053667) (B=E056266)											
10	2	129150-42320	O-RING	1	1						
10-1	2	129054-42320	O-RING	1	1						N
(A=E052020) (B=E056266)											
12	2	26106-060142	BOLT, M6X 14 PLATED	5	5						
13	2	26106-060202	BOLT, M6X 20 PLATED	2	2						
14	2	26116-060142	BOLT, M6X 14 PLATED	1	1						
15	1	129150-42020	GASKET, WATER PUMP	1	1						
15-1	1	129486-42050	GASKET, WATER PUMP	1	1						N
(A=E027428) (B=E027445)											
16	1	26106-080552	BOLT, M8X 55 PLATED	3	3						
17	1	26106-080602	BOLT, M8X 60 PLATED	1	1						
18	1	129403-42380	V-PULLEY, D=110	1	1						
19	1	124722-42290	V-BELT, A40	1	1						
20	1	129354-44740	FAN, COOLING	1	1						
21	1	121267-44760	SPACER	1	1						
22	1	26106-060352	BOLT, M6X 35 PLATED	4	4						
23	1	129350-49530	COVER, THERMOSTAT	1	1						
24	1	129795-49551	GASKET	1	1						
25	1	129155-49800	THERMOSTAT, 71	1	1						
26	1	129150-49811	GASKET, THERMOSTAT	1	1						
27	1	26106-080222	BOLT, M8X 22 PLATED	2	2						
28	1	119620-49290	COCK ASSY, 1/4	1	1						
31	1	121450-42450	PLUG, M16	1	1						
32	1	124465-44950	GASKET, 16	1	1						
33	1	124250-49351	SENSOR	1	1						
34	1	129150-49360	GASKET	1	1						

Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.




Remarks
(1) GOVERNOR(FIG.NO.13)IS INCORPORATED IN THIS FUEL INJECTION PUMP.
(REF.NO.1).
(REMARKS)"EFFECTIVE MACHINE NO." OF ENGINE IS INDICATED ON THE ENGINE LABEL WHICH IS SHOWN IN FIG.4.

				(A)=3TNE84-EJKD (B)=3TNE84-EJKS (C)=							(D)= (E)= (F)=		
No.	Lev.	Parts No.	Description	(A)	(B)	(C)	(D)	(E)	(F)	Qty	I	R	
1	1	729223-51470	PUMP ASSY, INJECTION	1	1							1	
4	2	129155-51020	STUD	2	2								
5	2	129171-51040	CAMSHAFT	1	1								
6	2	129155-51050	BEARING, 17BM001D	1	1								
7	2	129208-51060	SUPPORT	1	1								
8	2	122710-51090	KEY	1	1								
9	2	129506-51100	PLUNGER ASSY	3	3								
12	2	129155-51140	PIN	3	3								
13	2	174307-51170	RETAINER, SPRING A	3	3								
14	2	129155-51180	RETAINER, SPRING	3	3								
15	2	124950-51190	SPRING, PLUNGER	3	3								
16	2	129155-51200	TAPPET ASSY	3	3								
23	2	129155-51270	STOPPER, TAPPET	3	3								
24	2	129155-51280	O-RING, S6	3	3								
25	2	129208-51300	VALVE ASSY, DELIVERY	3	3								
28	2	129573-51330	SPRING, DELIVERY	3	3								
29	2	129573-51340	RETAINER	3	3								
30	2	124550-51350	GASKET, DELIVERY	3	3								
31	2	124550-51370	O-RING	3	3								
32	2	129573-51370	STOPPER, VALVE	3	3								
33	2	129155-51380	STOPPER	2	2								
34	2	129155-51390	STOPPER	2	2								
35	2	129155-51400	DEFLECTOR	1	1								
36	2	129155-51410	BOLT	1	1								
37	2	129155-51420	PLUG, M16	1	1								
38	2	129155-51450	SHIM SET, ADJUSTING	1	1								
43	2	129155-51500	RACK, CONTROL	1	1								
44	2	129155-51521	BUSH, RACK	1	1								
45	2	129155-51530	SPACER	1	1								
46	2	129155-51540	CIRCLIP	1	1								
47	2	129155-51550	PINION, CONTROL	3	3								
48	2	174307-51560	PINION	3	3								
48-1	2	129100-51560	PINION	3	3							N	
(A)=EXXXX (B)=EXXXX													
49	2	122117-51580	SCREW	3	3								
49-1	2	129100-51570	SCREW	3	3							N	
(A)=EXXXX (B)=EXXXX													
50	2	129155-51570	PLUG, M12	1	1								
51	2	129155-51580	O-RING	1	1								
52	2	129155-51591	SPRING, RACK	1	1								
53	2	129155-51600	SHIM SET, ADJUSTING	3	3								
72	2	129155-51700	COVER	1	1								
72-1	2	129155-51701	COVER	1	1							N	
(A)=E024609 (B)=E024677													
73	2	129155-51710	GASKET	1	1								
73-1	2	129155-51711	GASKET	1	1							N	
(A)=E035315 (B)=E035601													
74	2	129155-51750	COVER	1	1								
74-1	2	129155-51751	COVER	1	1							N	
(A)=E024609 (B)=E024677													
75	2	129155-51760	GASKET	1	1								

N:Old $\xrightarrow{\text{Yes}} \text{New}$, Q:Old $\xrightarrow{\text{No}} \text{New}$, R:Old $\xrightarrow{\text{Yes}} \text{New}$, S:Old $\xrightarrow{\text{No}} \text{New}$, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
 ++ CONTINUE ++
 Copyright (C) YANMAR CO., LTD. All Rights Reserved.


OCNP5-M24300

Fig.12. FUEL INJECTION PUMP



Remarks
(1) GOVERNOR(FIG.NO.13)IS INCORPORATED IN THIS FUEL INJECTION PUMP.
(REF.NO.1).
(REMARKS)"EFFECTIVE MACHINE NO." OF ENGINE IS INDICATED ON THE ENGINE LABEL WHICH IS SHOWN IN FIG.4.


No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
76	2	129155-51790	STOOPER, RACK	1	1						
77	2	129156-51910	LABEL, CAUTION	1	1						
78	2	129155-51930	SPACER, T=3.25	1	1						
79	2	129155-51940	SPACER, T=1.5	1	1						
80	2	129208-54500	FLANGE ASSY	1	1						
82	3	22217-120000	WASHER, SPRING 12	1	1						
83	3	26716-120002	NUT, M12	1	1						
84	2	22190-160002	WASHER, SEAL 16	1	1						
85	2	22217-050000	WASHER, SPRING 5	2	2						
86	2	22217-060000	WASHER, SPRING 6	2	2						
87	2	22351-050010	PIN, SPRING 5.0X10	2	2						
88	2	24101-063034	BEARING, BALL 6303	1	1						
89	2	24341-000160	O-RING, 1AS16.0	1	1						
90	2	26022-050102	SCREW, M5X10	8	8						
90-1	2	26022-050122	SCREW, M5X12	8	8						N
(A=E024609) (B=E024677)											
91	2	26022-060162	SCREW, M6X16	4	4						
92	2	26116-050302	BOLT, M5X 30 PLATED	2	2						
93	2	26716-060002	NUT, M6	2	2						
96	2	129155-52050	GASKET	1	1						
97	2	129108-52100	PUMP ASSY, FUEL FEED	1	1						



(2) SELECTIVE PARTS:
* THIS FIGURE (GOVERNOR ASSY) IS INCORPORATED IN THE FUEL INJECTION PUMP ASSY (FIG. 12).
(REMARKS) "EFFECTIVE MACHINE NO." OF ENGINE IS INDICATED ON THE ENGINE LABEL WHICH IS SHOWN IN FIG. 4.

				(A)=3TNE84-EJKD (B)=3TNE84-EJKS (C)=	(D)= (E)= (F)=						
No.	Lev.	Parts No.	Description	Qty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
2	2	129155-51280	O-RING, S6	1	1						
4	2	129052-61050	GASKET	1	1						
5	2	129052-61060	COVER, GOVERNOR CASE	1	1						
6	2	129052-61070	GASKET	1	1						
7	2	129155-61120	LINK, L=30 MARK 0	1	1						1
8	2	129155-61130	LINK, L=31 MARK 1	1	1						
9	2	129155-61140	LINK, L=30.5 MARK 05	1	1						1
10	2	129486-61200	WEIGHT ASSY,GOVERNOR	1	1						
10-1	2	129486-61201	WEIGHT ASSY,GOVERNOR	1	1						R
(A=E024609)		(B=E024677)									
14	2	129155-61341	SLEEVE	1	1						2
15	2	129155-61350	SLEEVE, L=24.9	1	1						2
16	2	129155-61360	SLEEVE, L=25.2	1	1						2
17	2	124550-66370	NUT, M6	1	1						
17-1	2	129209-61370	NUT, M6	1	1						S
(A=E053667)		(B=E056266)									
18	2	129052-61390	SHAFT	1	1						
19	2	129100-61400	SHAFT ASSY	1	1						
22	2	129155-61430	SPACER	1	1						
26	2	129155-61450	BOLT, LIMITER	1	1						
27	2	129155-61460	BOLT, IDLE	1	1						
28	2	129155-61480	SPACER ASSY	2	2						
33	2	119908-61500	LEVER ASSY, GOVERNOR	1	1						
33-1	2	119908-61501	LEVER ASSY, GOVERNOR	1	1						N
(A=E044236)		(B=E044291)									
34	3	174307-51700	SHIM SET	2	2						
48	3	129052-61540	SPRING, SET	1	1						
48-1	3	129486-61540	SPRING, SET	1	1						S
(A=EXXX)		(B=EXXX)									
58	2	129155-61830	O-RING, S10	1	1						
59	2	119660-61901	RETAINER, SHAFT	1	1						
60	2	129155-61950	BOLT	1	1						
61	2	22117-040000	WASHER, 4	1	1						
62	2	22190-060003	SEAL WASER 6	1	1						
63	2	22190-100002	WASHER, SEAL 10	1	1						
64	2	22190-120002	WASHER, SEAL 12	2	2						
65	2	22287-120000	WASHER, 12	1	1						
66	2	22372-040000	PIN, SNAP 4	2	2						
67	2	23887-100002	PLUG, 10	1	1						
68	2	24341-000280	O-RING, 1AS28.0	1	1						
69	2	26106-060102	BOLT, M6x 10 PLATED	1	1						
70	2	26106-060102	BOLT, M6x 10 PLATED	1	1						
71	2	26106-060102	BOLT, M6x 10 PLATED	4	4						
72	2	26106-060142	BOLT, M6x 14 PLATED	2	2						
73	2	26106-060202	BOLT, M6x 20 PLATED	6	6						
74	2	26736-120002	NUT, M12	1	1						
75	2	26756-060002	NUT, LOCK M6	1	1						
76	2	26776-120002	NUT, LOCK M12	1	1						
77	2	129100-61440	LEVER, CONTROL	1	1						
78	2	120323-61470	BOLT, CONTROL	1	1						
79	2	171353-61550	ANGLEICH ASSY	1	1						

N:Old $\xrightarrow{\text{Yes}} \text{New}$, Q:Old $\xrightarrow{\text{No}} \text{New}$, R:Old $\xrightarrow{\text{Yes}} \text{New}$, S:Old $\xrightarrow{\text{No}} \text{New}$, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
 ++ CONTINUE ++
 Copyright (C) YANMAR CO., LTD. All Rights Reserved.




				(A)=3TNE84-EJKD (B)=3TNE84-EJKS (C)=	(D)= (E)= (F)=						
No.	Lev.	Parts No.	Description	(A)	(B)	(C)	Q'ty (D)	(E)	(F)	I	R
110	2	129100-61650	SPRING, CONTROLLER	1	1						
111	2	171353-61710	SPRING, GOVERNOR	1	1						
112	2	119653-77950	SOLENOID, STOP	1	1						
113	2	22137-080000	WASHER, 8	1	1						
114	2	22417-160180	PIN, COTTER 1.6X18	1	1						
115	2	129100-61930	NUT, CAP	1	1						
115-1	2	129209-61930	NUT, CAP	1	1						S
		(A=E053667)	(B=E056266)								
	2	26366-080002	NUT, M8	1	1						
116A	2	129209-61970	PLATE	1	1						W
		(A=E053667)	(B=E056266)								
116B	2	23414-120016	GASKET, 12X1.0	1	1						W
		(A=E053667)	(B=E056266)								
117	2	194150-01370	ADJUSTER	1	1						

N:Old $\xrightarrow{\text{Yes}} \text{New}$, Q:Old $\xrightarrow{\text{No}} \text{New}$, R:Old $\xrightarrow{\text{Yes}} \text{New}$, S:Old $\xrightarrow{\text{No}} \text{New}$, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

0CNP5-M24300

Fig.14. FUEL INJECTION VALVE




No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	729609-53100	VALVE ASSY,INJECTION	3	3						
2	2	129609-53000	VALVE ASSY,INJECTION	3	3						
5	2	114250-53080	NUT, NOZZLE D16.95	3	3						
9	2	114250-53120	SPRING, NOZZLE	3	3						
10	2	114250-53130	SEAT, SPRING	3	3						
11	2	114250-53140	PLATE	3	3						
12	2	114250-53210	PIN	6	6						
13	2	114250-53400	SHIM SET	3	3						
25	1	129150-59120	RETAINER, PIPE	1	1						
28	2	129150-59131	BOLT, M4X14	2	2						
30	1	129107-59810	PIPE ASSY, INJECTION	1	1						
34	1	129107-59820	PIPE ASSY, INJECTION	1	1						
38	1	129107-59830	PIPE ASSY, INJECTION	1	1						
42	1	124066-59100	CLIP, HOSE 8	5	5						
43	1	121250-59550	PIPE, FUEL D8X120	2	2						
44	1	119840-59500	PIPE ASSY, RETURN	1	1						
45	2	124066-59100	CLIP, HOSE 8	2	2						
47	1	119840-59570	JOINT	1	1						
48	1	129150-59580	CAP	1	1						
49	1	129100-59951	VALVE ASSY, CHECK	1	1						
57	1	23414-120000	GASKET, 12X1.0	2	2						
57-1	1	22190-120002	WASHER, SEAL 12	2	2						N
(A=E032727) (B=E032746)											
58	1	103854-39140	BOLT, PIPE JOINT	1	1						
59	1	101304-59020	JOINT, PIPE 12	1	1						
60	1	119860-59020	PIPE ASSY, FUEL	1	1						
61	2	124766-59050	CLIP, HOSE 12	2	2						
62	2	105110-59560	PIPE, FUEL	1	1						
63	1	22190-120002	WASHER, SEAL 12	2	2						

Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

0CNP5-M24300


Fig.15. STARTING MOTOR



No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129129-77010	STARTER ASSY	1	1						
2	2	129129-77362	COVER	1	1						
3	2	X0283060061	ROLLER	5	5						
4	2	129129-77460	SCREW	2	2						
5	2	X9490561370	NUT	1	1						
6	2	X9491200240	BALL	1	1						
7	2	129129-77210	YOKE ASSY	1	1						
8	2	129129-77220	ARMATURE ASSY	1	1						
9	3	129129-77230	BEARING	1	1						
10	3	129129-77240	BEARING	1	1						
11	2	129129-77250	STARTER	1	1						
12	3	X0280210230	NUT	1	1						
13	3	X0283270140	RETAINER, SNAP	1	1						
14	3	X9491703371	SPRING, COIL	1	1						
15	3	129129-77390	CLUTCH ASSY, STARTER	1	1						
16	4	129129-77440	BALL BEARING	1	1						
17	4	129129-77450	BALL BEARING	1	1						
18	3	129129-77400	SHAFT	1	1						
19	3	129129-77410	SPRING, COIL	1	1						
20	3	129129-77420	PINION, STARTER	1	1						
21	3	129129-77430	RING, SNAP	1	1						
22	2	129129-77260	RETAINER	1	1						
23	2	129129-77270	PINION	1	1						
24	2	129129-77280	HOUSING	1	1						
25	2	129129-77290	FRAME	1	1						
26	2	129129-77300	HOLDER ASSY	1	1						
27	3	X9491730461	SPRING	4	4						
28	2	129129-77310	SWITCH ASSY	1	1						
29	2	129129-77320	BOLT	2	2						
30	2	129129-77330	BOLT	2	2						
31	2	129129-77340	SPRING	1	1						
32	2	129129-77350	O-RING	2	2						
34	2	129129-77380	CAP	1	1						
35	1	129155-77060	BOLT	1	1						
36	1	26116-120202	BOLT, M12X 20 PLATED	1	1						

Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

Fig.16. GENERATOR



No.	Lev.	Parts No.	Description	Q'ty						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119626-77200	DYNAMO ASSY	1	1						
2	2	XM219230000	WASHER, SPRING	1	1						
3	2	XM860250000	WASHER, PLAIN	1	1						
4	2	XM863720000	NUT	1	1						
5	2	129118-77210	PLATE ASSY	1	1						
6	3	XM329830000	COLLAR	1	1						
7	3	XM069000000	CLAMP	1	1						
8	3	X3A02982KA0	STATOR ASSY	1	1						
9	3	XM771860000	COUPLER	1	1						
10	3	XYSPS400800	SCREW	1	1						
11	3	119259-77250	SCREW, WASHER SET	2	2						
13	3	24104-062010	BEARING, 6201UUC3	2	2						
14	2	XM771870000	CAP	1	1						
15	2	129150-77230	FLYWHEEL ASSY	1	1						
16	1	26366-100002	NUT, M10	1	1						
16-1	1	26306-100002	NUT, M10	1	1						N
		(A=EXXX)	(B=EXXX)								
17	1	129795-01900	STUD	1	1						
18	1	129150-77330	ADJUSTER	1	1						
19	1	119810-77340	BOLT, ADJUSTER	1	1						

Remarks
(REMARKS)"EFFECTIVE MACHINE NO." OF
ENGINE IS INDICATED ON THE
ENGINE LABEL WHICH IS SHOWN
IN FIG.4.

Parts No. Index

Parts No.	Fig. No.	Ref. No.
101304-59020	14	59
103854-39140	14	58
105110-59560	14	62
105425-01690	3	5
114250-39450	10	34
114250-53080	14	5
114250-53120	14	9
114250-53130	14	10
114250-53140	14	11
114250-53210	14	12
114250-53400	14	13
119259-77250	16	11
119260-34810	10	16
119609-32040	2	15 -1
119620-49290	11	28
119625-11870	4	29
119625-11880	4	31
119625-11900	4	32
119626-77200	16	1
119653-77950	13	112
119660-61901	13	59
119802-11280	4	7 -1
119810-77340	16	19
119840-59500	14	44
119840-59570	14	47
119860-59020	14	60
119865-21600	8	18
119908-61500	13	33
119908-61501	13	33 -1
120130-11860	4	38
120323-61470	13	78
121111-21501	8	11
121250-59550	14	43
121267-44760	11	21
121400-11340	4	26
121450-01560	2	2
121450-42450	11	31
121550-23200	8	30
121850-21680	8	10
121850-51960	2	12
122117-51560	12	49
122710-51090	12	8
124066-59100	14	42
		45
124160-01751	2	7
	4	54
124160-01910	1	5
124160-11360	4	40
124160-21501	8	12
124160-39140	10	35

Parts No.	Fig. No.	Ref. No.
124240-01871	2	8
		24
124240-01883	2	9
		25
	9	1
124250-49351	11	33
124450-21230	8	15
124460-11340	4	27
124465-44950	11	32
124550-51350	12	30
124550-51370	12	31
124550-59820	10	41
124550-59830	10	40
124550-66370	13	17
124722-42290	11	19
124736-07900	4	2
124766-59050	14	61
124950-51190	12	15
129001-01250	1	4 -1
129001-02930	1	28
129001-21000	8	1
129001-21100	8	1 -1
129001-32001	10	1
129001-35300	10	30
129001-91840	2	22
	3	12
129001-91841	3	12 -1
129001-91910	3	13
129002-01331	1	27
129002-22070	8	19
129002-22500	8	21
129002-22930	8	34
129002-22960	8	36
129051-11700	4	16
129052-61050	13	4
129052-61060	13	5
129052-61070	13	6
129052-61390	13	18
129052-61540	13	48
129054-42320	11	10 -1
129100-01520	2	1
129100-01580	3	1
		14
	8	2
129100-01590	2	4
129100-11100	4	22
129100-11110	4	23
129100-23910	8	33
129100-25061	7	9
129100-51560	12	48 -1

Parts No.	Fig. No.	Ref. No.
129100-51570	12	49 -1
129100-59951	14	49
129100-61400	13	19
129100-61440	13	77
129100-61650	13	110
129100-61930	13	115
129107-12090	5	1
129107-12121	5	3
129107-13100	6	1
129107-13540	6	8
129107-42002	11	1
129107-42003	11	1 -1
129107-59810	14	30
129107-59820	14	34
129107-59830	14	38
129108-52100	12	97
129118-77210	16	5
129120-01780	3	17
129120-77502	5	7
129129-01540	3	4 A
129129-01550	3	4
129129-01600	3	2
129129-13500	6	7
129129-14580	7	3
129129-21580	8	14
129129-21590	8	13
129129-34810	10	17
129129-34820	10	18
129129-35010	10	23
129129-35080	10	24
129129-35090	10	22
129129-77010	15	1
129129-77210	15	7
129129-77220	15	8
129129-77230	15	9
129129-77240	15	10
129129-77250	15	11
129129-77260	15	22
129129-77270	15	23
129129-77280	15	24
129129-77290	15	25
129129-77300	15	26
129129-77310	15	28
129129-77320	15	29
129129-77330	15	30
129129-77340	15	31
129129-77350	15	32
129129-77362	15	2
129129-77380	15	34
129129-77390	15	15

Parts No.	Fig. No.	Ref. No.
129129-77400	15	18
129129-77410	15	19
129129-77420	15	20
129129-77430	15	21
129129-77440	15	16
129129-77450	15	17
129129-77460	15	4
129150-01200	1	26
129150-01580	2	3
129150-01881	7	17
129150-02020	1	7
129150-02450	7	4
129150-02870	1	31
129150-02930	1	23
129150-02940	1	34
129150-03020	4	43
129150-03070	4	44
129150-03080	4	45
129150-03090	4	1
129150-03100	2	11
129150-11230	4	13
129150-11280	4	8
129150-11290	4	9
129150-11310	4	47
129150-11370	4	30
129150-11750	4	15
129150-11810	4	39
129150-12111	5	5
129150-13110	6	2
129150-14101	7	6
129150-14200	7	1
129150-14400	7	2
129150-21200	8	4
129150-21651	8	8
129150-23600	8	31
129150-23610	8	40
129150-25101	7	10
129150-25301	7	15
129150-25920	7	14
129150-25931	7	16
129150-26000	7	18
129150-26050	7	19
129150-32020	10	14
129150-35041	10	21
129150-35101	10	27
129150-35111	10	28
129150-35153	10	29
129150-35350	10	31
129150-39450	10	36
129150-42020	11	15

Parts No. Index

Parts No.	Fig. No.	Ref. No.
129150-42051	11	3
129150-42059	11	3 -2
129150-42120	11	4
129150-42129	11	4 -1
129150-42300	11	8
129150-42311	11	9
129150-42319	11	9 -2
129150-42320	11	10
129150-49360	11	34
129150-49811	11	26
129150-59120	14	25
129150-59131	14	28
129150-59580	14	48
129150-77230	16	15
129150-77330	16	18
129150-77511	5	8
129150-91400	2	27
129155-11241	4	4
129155-11260	4	5
129155-11270	4	6
129155-49800	11	25
129155-51020	12	4
129155-51050	12	6
129155-51140	12	12
129155-51180	12	14
129155-51200	12	16
129155-51270	12	23
129155-51280	12	24
	13	2
129155-51380	12	33
129155-51390	12	34
129155-51400	12	35
129155-51410	12	36
129155-51420	12	37
129155-51450	12	38
129155-51500	12	43
129155-51521	12	44
129155-51530	12	45
129155-51540	12	46
129155-51550	12	47
129155-51570	12	50
129155-51580	12	51
129155-51591	12	52
129155-51600	12	53
129155-51700	12	72
129155-51701	12	72 -1
129155-51710	12	73
129155-51711	12	73 -1
129155-51750	12	74
129155-51751	12	74 -1

Parts No.	Fig. No.	Ref. No.
129155-51760	12	75
129155-51790	12	76
129155-51930	12	78
129155-51940	12	79
129155-52050	12	96
129155-61120	13	7
129155-61130	13	8
129155-61140	13	9
129155-61341	13	14
129155-61350	13	15
129155-61360	13	16
129155-61430	13	22
129155-61450	13	26
129155-61460	13	27
129155-61480	13	28
129155-61830	13	58
129155-61950	13	60
129155-77060	15	35
129156-51910	12	77
129171-51040	12	5
129202-22300	8	25
129208-51060	12	7
129208-51300	12	25
129208-54500	12	80
129209-61370	13	17 -1
129209-61930	13	115 -1
129209-61970	13	116 A
129350-49530	11	23
129354-44740	11	20
129403-42380	11	18
129470-42050	11	3 -1
129470-42310	11	9 -1
129486-01670	3	18
129486-42050	11	15 -1
129486-61200	13	10
129486-61201	13	10 -1
129486-61540	13	48 -1
129506-51100	12	9
129573-51330	12	28
129573-51340	12	29
129573-51370	12	32
129609-53000	14	2
129795-01800	2	6
129795-01900	16	17
129795-01950	2	10
129795-02411	1	10
129795-11120	4	24
129795-11180	4	25
129795-21661	8	9
129795-49551	11	24

Parts No.	Fig. No.	Ref. No.
171051-01921	1	6
171353-61550	13	79
171353-61710	13	111
174307-51170	12	13
174307-51560	12	48
174307-51700	13	34
178070-10400	9	4
		20
178070-10401	9	4 -1
		20 -1
178070-16000	9	2
178070-44000	9	18
194150-01370	13	117
194521-41570	9	13
		26
22117-040000	13	61
22137-080000	13	113
22190-060003	13	62
22190-080002	2	13
		14
	10	42
		43
22190-100002	10	44
	13	63
22190-120002	13	64
	14	57 -1
		63
22190-160002	3	7
	12	84
22217-050000	12	85
22217-060000	12	86
22217-120000	12	82
22252-000260	8	26
22252-000320	9	15
		31
22287-120000	13	65
22351-050010	12	87
22351-060012	4	33
22372-040000	13	66
22417-160180	13	114
22512-070140	7	7
	8	5
		7
23414-120000	14	57
23414-120016	13	116 B
23871-010000	1	11
23876-010000	1	11 -1
23887-100002	13	67
24101-063034	12	88
24104-062010	16	13

Parts No.	Fig. No.	Ref. No.
24105-060064	7	21
24311-000120	4	51
24311-000160	2	15
	10	32
24311-000320	2	16
	4	55
24311-240100	10	19
24341-000160	12	89
24341-000240	2	29
24341-000280	13	68
24341-000500	4	49
24421-153207	9	16
		32
26016-080352	9	17
		33
26022-050102	12	90
26022-050122	12	90 -1
26022-060162	12	91
26106-060102	13	69
		70
		71
26106-060142	11	12
	13	72
26106-060162	2	30
26106-060202	11	13
	13	73
26106-060352	11	22
26106-080122	2	17
		26
	3	9
	10	20
		25
26106-080142	4	3
	7	8
26106-080162	2	18
		19
	4	50
26106-080202	10	33
26106-080222	11	27
26106-080252	3	10
	4	34
	5	6
26106-080352	5	9
	10	26
26106-080452	2	20
	7	13
26106-080502	3	11
	4	35
26106-080552	2	21
	11	16

Parts No. Index

Parts No.	Fig. No.	Ref. No.
26106-080602	11	17
26106-080652	6	4
26106-080802	9	34
26106-080952	9	35
26106-081152	6	5
26116-050302	12	92
26116-060142	11	14
26116-120202	15	36
26206-100202	3	3
26216-060202	4	36
26216-080202	6	6
26216-080222	9	36
26216-080402	9	37
26226-080182	4	7
26306-080002	2	23 -1
	6	3 -1
		9 -1
	9	38
26306-100002	16	16 -1
26366-060002	4	37
26366-080002	2	23
	6	3
		9
	13	116
26366-100002	16	16
26450-060252	10	15
26476-060142	5	4
26716-060002	12	93
26716-120002	12	83
26736-120002	13	74
26756-060002	13	75
26776-120002	13	76
27231-500000	1	4
27241-120000	1	12
27241-300000	1	13
27241-400000	4	21
27310-080000	4	28
729002-01561	1	1
729132-11520	4	41
729132-11521	4	41
729223-51470	12	1
729402-01650	3	15
729402-11650	4	12
729402-23100	8	27
729609-53100	14	1
X0280210230	15	12
X0283060061	15	3
X0283270140	15	13
X3A02982KA0	16	8
X9490561370	15	5

Parts No.	Fig. No.	Ref. No.
X9491200240	15	6
X9491703371	15	14
X9491730461	15	27
XM069000000	16	7
XM219230000	16	2
XM329830000	16	6
XM771860000	16	9
XM771870000	16	14
XM860250000	16	3
XM863720000	16	4
XYSPS400800	16	10

Parts No.	Fig. No.	Ref. No.