

# Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

**REF.No** → The number referring to the part on the picture page of the parts book.

**Part No.** → The number assigned to this part at the time of printing the parts book.

**Description** → Discription of part.

**Q'ty** → Quantity of part used on that page.

**S.No.** → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

**I/C** → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

# The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

**Remarks** → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


## Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

| Symbol | Country                  |
|--------|--------------------------|
| A      | United States of America |
| CA     | Canada                   |
| FR     | France                   |
| GR     | Greece                   |
| PO     | Portugal                 |
| AU     | Australia                |

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.

ALL PRODUCT INDEX  
L2500DT




| Item                 | Part No. | Description                      | Book     |
|----------------------|----------|----------------------------------|----------|
| ENGINE               | 01T001   | CRANKCASE                        | 100K0363 |
|                      | 01T002   | OIL PAN                          | 100K0363 |
|                      | 01T003   | PISTON/CRANKSHAFT                | 100K0363 |
|                      | 01T004   | MAIN BEARING CASE                | 100K0363 |
|                      | 01T005   | FLYWHEEL                         | 100K0363 |
|                      | 01T006   | CYLINDER HEAD                    | 100K0363 |
|                      | 01T007   | VALVE AND ROCKER ARM             | 100K0363 |
|                      | 01T008   | NOZZLE HOLDER/GLOW PLUG          | 100K0363 |
|                      | 01T009   | NOZZLE HOLDER [COMPONENT PARTS]  | 100K0363 |
|                      | 01T010   | CYLINDER HEAD COVER              | 100K0363 |
|                      | 01T011   | INLET MANIFOLD                   | 100K0363 |
|                      | 01T013   | EXHAUST MANIFOLD                 | 100K0363 |
|                      | 01T015   | CAMSHAFT                         | 100K0363 |
|                      | 01T016   | GEAR CASE                        | 100K0363 |
|                      | 01T017   | WATER PUMP                       | 100K0363 |
|                      | 01T018   | WATER FLANGE AND THERMOSTAT      | 100K0363 |
|                      | 01T019   | FUEL CAMSHAFT                    | 100K0363 |
|                      | 01T020   | INJECTION PUMP                   | 100K0363 |
|                      | 01T021   | INJECTION PUMP [COMPONENT PARTS] | 100K0363 |
|                      | 01T022   | ENGINE STOP LEVER                | 100K0363 |
|                      | 01T023   | SPEED CONTROL PLATE              | 100K0363 |
|                      | 01T024   | GOVERNOR                         | 100K0363 |
|                      | 01T025   | UPPER GASKET KIT                 | 100K0363 |
|                      | 01T026   | LOWER GASKET KIT                 | 100K0363 |
|                      | 02T012   | AIR CLEANER                      | 100K0363 |
|                      | 02T01401 | MUFFLER                          | 100K0363 |
|                      | 02T01402 | UNDER MUFFLER [OPTION]           | 100K0363 |
|                      | 02T027   | STOP ROD                         | 100K0363 |
|                      | 02T028   | HAND ACCELERATOR LEVER           | 100K0363 |
| FUEL SYSTEM          | 02T02902 | FUEL TANK                        | 100K0363 |
| COOLING WATER SYSTEM | 02T030   | FUEL FILTER/FUEL PIPE            | 100K0363 |
|                      | 02T031   | FAN                              | 100K0363 |
|                      | 02T032   | WATER PIPE                       | 100K0363 |
|                      | 02T033   | RADIATOR                         | 100K0363 |
| ELECTRICAL SYSTEM    | 02T03401 | SHUTTER [MANUAL STRG.]           | 100K0363 |
|                      | 02T03402 | SHUTTER [POWER STRG.]            | 100K0363 |
|                      | 02T035   | ALTERNATOR                       | 100K0363 |
|                      | 02T036   | ALTERNATOR [COMPONENT PARTS]     | 100K0363 |
|                      | 02T037   | STARTER                          | 100K0363 |
|                      | 02T038   | STARTER [COMPONENT PARTS]        | 100K0363 |
|                      | 02T039   | BATTERY                          | 100K0363 |
|                      | 02T040   | SWITCH                           | 100K0363 |
|                      | 02T041   | LIGHT                            | 100K0363 |
|                      | 02T042   | METER                            | 100K0363 |
|                      | 02T04302 | ELECTRICAL WIRING                | 100K0363 |
| CLUTCH               | 02T044   | CLUTCH                           | 100K0363 |
|                      | 02T045   | CLUTCH LEVER                     | 100K0363 |
|                      | 02T046   | CLUTCH PEDAL                     | 100K0363 |
|                      | 02T047   | CLUTCH HOUSING                   | 100K0363 |
| TRANSMISSION         | 02T048   | TRANSMISSION CASE                | 100K0363 |
|                      | 02T049   | MAIN SHAFT                       | 100K0363 |
|                      | 02T050   | COUNTERSHAFT                     | 100K0363 |
|                      | 02T051   | PTO COUNTERSHAFT                 | 100K0363 |
|                      | 02T052   | REVERSE SHAFT                    | 100K0363 |

| Item                           | Part No. | Description                                        | Book     |
|--------------------------------|----------|----------------------------------------------------|----------|
| SPEED CHANGE LEVER             | 02T053   | MAIN GEAR SHIFT LEVER                              | 100K0363 |
|                                | 02T054   | PTO GEAR SHIFT LEVER                               | 100K0363 |
|                                | 02T055   | MAIN GEAR SHIFT FORK                               | 100K0363 |
|                                | 02T056   | PTO GEAR SHIFT FORK                                | 100K0363 |
|                                | 02T057   | RANGE GEAR SHIFT FORK AND LEVER                    | 100K0363 |
| REAR AXLE/REAR WHEEL           | 02T058   | SPIRAL BEVEL PINION                                | 100K0363 |
|                                | 02T059   | REAR DIFFERENTIAL                                  | 100K0363 |
|                                | 02T060   | DIFFERENTIAL LOCK PEDAL                            | 100K0363 |
|                                | 02T061   | REAR AXLE                                          | 100K0363 |
|                                | 02T06201 | REAR WHEEL (9.5-24)                                | 100K0363 |
| BRAKE                          | 02T06202 | REAR WHEEL (11.2-24)                               | 100K0363 |
|                                | 02T06203 | REAR WHEEL (13.6-16)                               | 100K0363 |
|                                | 02T06302 | BRAKE                                              | 100K0363 |
|                                | 02T064   | BRAKE PEDAL                                        | 100K0363 |
|                                | 02T065   | PARKING BRAKE LEVER                                | 100K0363 |
| FRONT AXLE/FRONT WHEEL/CHASSIS | 02T070   | FRONT AXLE                                         | 100K0363 |
|                                | 02T071   | FRONT AXLE CASE                                    | 100K0363 |
|                                | 02T072   | DIFFERENTIAL GEAR SHAFT                            | 100K0363 |
|                                | 02T073   | FRONT DIFFERENTIAL CASE                            | 100K0363 |
|                                | 02T074   | FRONT DIFFERENTIAL                                 | 100K0363 |
| STEERING                       | 02T075   | PROPELLER SHAFT                                    | 100K0363 |
|                                | 02T076   | FRONT SHEEL DRIVE CASE                             | 100K0363 |
|                                | 02T077   | FRONT WHEEL DRIVE LEVER                            | 100K0363 |
|                                | 02T07801 | FRONT WHEEL (6-14)                                 | 100K0363 |
|                                | 02T07802 | FRONT WHEEL (7-16)                                 | 100K0363 |
|                                | 02T07803 | FRONT WHEEL (24X8.50-14)                           | 100K0363 |
|                                | 02T079   | FRONT AXLE FRAME                                   | 100K0363 |
|                                | 02T08201 | STEERING LINKAGE (DRAG LINK) (MS)                  | 100K0363 |
|                                | 02T08202 | STEERING LINKAGE (DRAG LINK) (PS)                  | 100K0363 |
|                                | 02T083   | STEERING LINKAGE (TIE ROD)                         | 100K0363 |
|                                | 02T08401 | MANUAL STEERING AND HANDLE (MS)                    | 100K0363 |
|                                | 02T08402 | POWER STEERING AND HANDLE (PS)                     | 100K0363 |
|                                | 02T08501 | MANUAL STEERING [COMPONENT PARTS]                  | 100K0363 |
|                                | 02T08502 | POWER STEERING [COMPONENT PARTS]                   | 100K0363 |
|                                | 02T08602 | HYDRAULIC PUMP                                     | 100K0363 |
| HYDRAULIC SYSTEM               | 02T08702 | HYDRAULIC PUMP [COMPONENT PARTS]                   | 100K0363 |
|                                | 02T08802 | HYDRAULIC OIL LINE                                 | 100K0363 |
|                                | 02T089   | FLOW PRIORITY VALVE (PS)                           | 100K0363 |
|                                | 02T090   | CONTROL VALVE                                      | 100K0363 |
|                                | 02T09101 | CONTROL VALVE (POSITION CONTROL) [COMPONENT PARTS] | 100K0363 |
|                                | 02T09102 | CONTROL VALVE (DRAFT) [OPTION] [COMPONENT PARTS]   | 100K0363 |
|                                | 02T092   | DRAFT CONTROL VALVE [OPTION]                       | 100K0363 |
|                                | 02T093   | DRAFT CONTROL VALVE [OPTION] [COMPONENT PARTS]     | 100K0363 |
|                                | 02T094   | HYDRAULIC CYLINDER                                 | 100K0363 |
|                                | 02T095   | CYLINDER FRONT COVER                               | 100K0363 |
|                                | 02T096   | LIFT ARM                                           | 100K0363 |
|                                | 02T097   | FEED BACK LEVER                                    | 100K0363 |
|                                | 02T098   | POSITION CONTROL LEVER                             | 100K0363 |
|                                | 02T099   | 3-POINT LINKAGE 1 (LOWER LINK/TOP LINK)            | 100K0363 |

| Item              | Part No. | Description                                    | Book     |
|-------------------|----------|------------------------------------------------|----------|
| HYDRAULIC SYSTEM  | 02T100   | 3-POINT LINKAGE 2 (LIFT ROD)                   | 100K0363 |
|                   | 02T101   | TOP LINK BRACKET/LOWER LINK HOLDER             | 100K0363 |
|                   | 02T102   | TOP LINK BRACKET (WITH DRAFT CONTROL) [OPTION] | 100K0363 |
| HITCH/DRAWBAR     | 02T103   | DRAWBAR/HITCH                                  | 100K0363 |
| HOOD(BONNET)/ROPS | 02T104   | PTO SHAFT PROTECTOR                            | 100K0363 |
|                   | 02T105   | FRONT GRILLE                                   | 100K0363 |
|                   | 02T106   | HOOD (BONNET)                                  | 100K0363 |
|                   | 02T107   | HOOD (SIDE COVER)                              | 100K0363 |
|                   | 02T108   | REAR HOOD (BONNET)                             | 100K0363 |
|                   | 02T109   | FENDER                                         | 100K0363 |
|                   | 02T110   | FENDER SUPPORT                                 | 100K0363 |
|                   | 02T111   | SEAT                                           | 100K0363 |
|                   | 02T112   | STEP                                           | 100K0363 |
|                   | 02T113   | ROPS                                           | 100K0363 |
| LABELS            | 02T114   | LABEL 1                                        | 100K0363 |
| ACCESSORIES       | 02T115   | LABEL 2                                        | 100K0363 |
|                   | 02T116   | ACCESSORIES AND SERVICE PARTS                  | 100K0363 |

## CRANKCASE



16417-008-10




## CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16417-01010 | COMP.CRANKCASE      | 1    |       |     |         | 48.5         | 106.7       |
| 020    | 15521-96020 | PLUG                | 5    |       |     |         | 0.003        | 0.0066      |
| 030    | 15521-96030 | PLUG                | 2    |       |     |         | 0.007        | 0.0154      |
| 040    | 17391-96160 | PLUG EXPANSION      | 3    |       |     |         | 0.003        | 0.0066      |
| 050    | 06311-75045 | PLUG EXPANSION      | 1    |       |     |         | 0.026        | 0.0572      |
| 060    | 15221-03380 | CAP SEALING         | 5    |       |     |         | 0.017        | 0.0374      |
| 070    | 16111-03390 | CAP SEALING         | 2    |       |     |         | 0.027        | 0.0594      |
| 080    | 05012-00408 | PIN STRAIGHT        | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 05012-00609 | PIN STRAIGHT        | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 05012-00612 | PIN STRAIGHT        | 2    |       |     |         | 0.003        | 0.0066      |
| 110    | 05012-01018 | PIN STRAIGHT        | 1    |       |     |         | 0.012        | 0.0264      |
| 120    | 15221-33650 | PIN PIPE            | 1    |       |     |         | 0.004        | 0.0088      |
| 130    | 06311-85020 | CAP SEALING         | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 15221-33610 | PLUG                | 1    |       |     |         | 0.009        | 0.0198      |
| 150    | 15021-33660 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 15221-33700 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 15471-35010 | ASSY PUMP OIL       | 1    |       |     |         | 0            | 0           |
| 180    | 15296-35150 | GASKET OIL PUMP     | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 01053-50650 | BOLT                | 4    |       |     |         | 0.011        | 0.0242      |
| 200    | 04512-60060 | WASHER SPRING       | 4    |       |     |         | 0.001        | 0.0022      |
| 210    | 19202-35660 | GEAR OIL PUMP DRIVE | 1    |       |     |         | 0.23         | 0.506       |
| 220    | 05712-00410 | KEY FEATHER         | 1    |       |     |         | 0.001        | 0.0022      |
| 230    | 15221-35682 | NUT FLANGE          | 1    |       |     |         | 0.014        | 0.0308      |
| 240    | 15531-39010 | SWITCH OIL          | 1    |       |     |         | 0.032        | 0.0704      |
| 250    | 06312-10020 | PLUG                | 1    |       |     |         | 0.015        | 0.033       |

## OIL PAN








## OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15521-01610 | OIL PAN        | 1    |       |     |         | 2.8          | 6.16        |
| 020    | 17326-01620 | GASKET OIL PAN | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 01133-51028 | BOLT           | 18   |       |     |         | 0.027        | 0.0594      |
| 040    | 01133-51025 | BOLT           | 2    |       |     |         | 0.023        | 0.0506      |
| 050    | 15261-33750 | PLUG           | 2    |       |     |         | 0.034        | 0.0748      |
| 060    | 15109-33660 | GASKET         | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 16427-32110 | FILTER OIL     | 1    |       |     |         | 0.2          | 0.44        |
| 080    | 01123-60814 | BOLT           | 1    |       |     |         | 0.008        | 0.0176      |
| 090    | 04811-00160 | O RING         | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 16427-36410 | GAUGE OIL      | 1    |       |     |         | 0.035        | 0.077       |






# PISTON/CRANKSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16427-21110 | PISTON              | 3    |       |     | STD     | 0.5          | 1.1         |
| 010    | 16427-21910 | PISTON              | 3    |       |     | +0.50MM | 0.5          | 1.1         |
| 020    | 16427-21050 | ASSY PISTON RING    | 3    |       |     | STD     | 0.055        | 0.121       |
| 020    | 16427-21090 | ASSY PISTON RING    | 3    |       |     | +0.50MM | 0.06         | 0.132       |
| 030    | 14901-21310 | PIN PISTON          | 3    |       |     |         | 0.17         | 0.374       |
| 040    | 14109-21330 | CLIP PISTON PIN     | 6    |       |     |         | 0.015        | 0.033       |
| 050    | 17311-22010 | ASSY CONNECTING ROD | 3    |       |     |         | 0.885        | 1.947       |
| 060    | 17331-21980 | BUSH PISTON PIN     | 3    |       |     |         | 0.025        | 0.055       |
| 070    | 15521-22142 | BOLT CONNECTING ROD | 3    |       |     |         | 0.026        | 0.0572      |
| 080    | 17311-22310 | METAL CRANKPIN      | 3    |       |     | STD     | 0.045        | 0.099       |
| 080    | 17331-22970 | METAL CRANKPIN      | 3    |       |     | -0.20MM | 0.05         | 0.11        |
| 080    | 17331-22980 | METAL CRANKPIN      | 3    |       |     | -0.40MM | 0.045        | 0.099       |
| 090    | 16467-23010 | COMP.CRANKSHAFT     | 1    |       |     |         | 13           | 28.6        |
| 100    | 07715-00401 | BALL                | 3    |       |     |         | 0.001        | 0.0022      |
| 110    | 08121-06002 | BEARING BALL        | 1    |       |     |         | 0.03         | 0.066       |
| 120    | 19202-23280 | SLEEVE CRANKSHAFT   | 1    |       |     |         | 0.09         | 0.198       |
| 130    | 15471-24110 | GEAR CRANK          | 1    |       |     |         | 0.375        | 0.825       |
| 140    | 05712-00720 | KEY FEATHER         | 1    |       |     |         | 0.008        | 0.0176      |
| 150    | 15471-23312 | SLINGER OIL         | 1    |       |     |         | 0.008        | 0.0176      |
| 160    | 19202-23250 | COLLAR CRANKSHAFT   | 1    |       |     |         | 0.065        | 0.143       |
| 170    | 04811-10300 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 15221-23360 | NUT CRANKSHAFT      | 1    |       |     |         | 0.11         | 0.242       |
| 190    | 17311-23470 | METAL CRANKSHAFT    | 1    |       |     | STD     | 0            | 0           |
| 190    | 17311-23910 | METAL CRANKSHAFT    | 1    |       |     | -0.20MM | 0.05         | 0.11        |
| 190    | 17311-23920 | METAL CRANKSHAFT    | 1    |       |     | -0.40MM | 0.06         | 0.132       |
| 200    | 17311-23480 | METAL CRANKSHAFT    | 3    |       |     | STD     | 0.045        | 0.099       |
| 200    | 17311-23930 | METAL CRANKSHAFT    | 3    |       |     | -0.20MM | 0.05         | 0.11        |
| 200    | 17311-23940 | METAL CRANKSHAFT    | 3    |       |     | -0.40MM | 0.06         | 0.132       |
| 210    | 15521-23530 | METAL SIDE          | 2    |       |     | STD     | 0.01         | 0.022       |
| 210    | 15221-23950 | METAL SIDE          | 2    |       |     | +0.20MM | 0            | 0           |
| 210    | 15221-23960 | METAL SIDE          | 2    |       |     | +0.40MM | 0.009        | 0.0198      |
| 220    | 19202-23540 | METAL SIDE          | 2    |       |     | STD     | 0.01         | 0.022       |
| 220    | 19202-23970 | METAL SIDE          | 2    |       |     | +0.20MM | 0.01         | 0.022       |
| 220    | 19202-23980 | METAL SIDE          | 2    |       |     | +0.40MM | 0.01         | 0.022       |
| 230    | 19202-04140 | SEAL OIL            | 1    |       |     |         | 0.015        | 0.033       |
| 240    | 07916-27660 | KIT PISTON-RING     | 3    |       |     | STD     | 0.72         | 1.584       |
| 240    | 07916-27670 | KIT PISTON-RING     | 3    |       |     | +0.50MM | 0.84         | 1.848       |
| 250    | 07916-28070 | KIT METAL ENGINE    | 1    |       |     | STD     | 0.35         | 0.77        |
| 250    | 07916-28720 | KIT METAL ENGINE    | 1    |       |     | -0.20MM | 0.44         | 0.968       |
| 250    | 07916-28730 | KIT METAL ENGINE    | 1    |       |     | -0.40MM | 0.44         | 0.968       |

## MAIN BEARING CASE






## MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 19013-04090 | ASSY CASE MAIN BRG.  | 1    |       |     |         | 0            | 0           |
| 020    | 19013-04540 | BOLT BEARING CASE    | 6    |       |     |         | 0.038        | 0.0836      |
| 030    | 19077-04360 | GASKET BEARING CASE  | 1    |       |     |         | 0.004        | 0.0088      |
| 040    | 19013-04813 | COVER BEARING CASE   | 1    |       |     |         | 0.41         | 0.902       |
| 050    | 17118-04830 | GASKET BRG.CASE COV. | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 01123-50825 | BOLT                 | 8    |       |     |         | 0.013        | 0.0286      |
| 070    | 01123-50828 | BOLT                 | 8    |       |     |         | 0.014        | 0.0308      |
| 080    | 19202-04460 | SEAL OIL             | 1    |       |     |         | 0.055        | 0.121       |
| 090    | 19013-04040 | ASSY CASE MAIN BRG.  | 1    |       |     |         | 0            | 0           |
| 100    | 19013-04050 | ASSY CASE MAIN BRG.  | 1    |       |     |         | 0            | 0           |
| 110    | 15601-04560 | BOLT BEARING CASE    | 2    |       |     |         | 0.06         | 0.132       |

## FLYWHEEL






## FLYWHEEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16417-25010 | COMP.FLYWHEEL    | 1    |       |     |         | 15.5         | 34.1        |
| 020    | 15221-63820 | GEAR RING        | 1    |       |     |         | 1.2          | 2.64        |
| 030    | 15321-25163 | BOLT FLYWHEEL    | 6    |       |     |         | 0.05         | 0.11        |
| 040    | 16417-04610 | HOUSING FLYWHEEL | 1    |       |     |         | 9            | 19.8        |
| 050    | 05012-01018 | PIN STRAIGHT     | 2    |       |     |         | 0.012        | 0.0264      |
| 060    | 31220-14290 | PLUG             | 4    |       |     |         | 0.002        | 0.0044      |
| 070    | 31220-14170 | COVER            | 1    |       |     |         | 0.014        | 0.0308      |
| 080    | 01123-50812 | BOLT             | 1    |       |     |         | 0            | 0           |
| 090    | 16427-91010 | BOLT             | 11   |       |     |         | 0.004        | 0.0088      |
| 100    | 01073-51240 | BOLT             | 2    |       |     |         | 0.049        | 0.1078      |
| 110    | 04512-60120 | WASHER SPRING    | 2    |       |     |         | 0.005        | 0.011       |

## CYLINDER HEAD








## CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15221-01750 | HOOK ENGINE         | 1    |       |     |         | 0.04         | 0.088       |
| 020    | 09980-10075 | CAP PROTECTOR       | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 15471-91530 | STUD                | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 02156-50080 | NUT                 | 1    |       |     |         | 0.004        | 0.0088      |
| 060    | 04512-60080 | WASHER SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 04012-50080 | WASHER PLAIN        | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 16427-03040 | COMP.CYLINDER HEAD  | 1    |       |     |         | 15.5         | 34.1        |
| 090    | 15221-03370 | CAP SEALING         | 9    |       |     |         | 0.01         | 0.022       |
| 100    | 15221-03490 | CAP SEALING         | 1    |       |     |         | 0.02         | 0.044       |
| 110    | 15261-96010 | PLUG                | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 17321-13580 | GUIDE INLET VALVE   | 3    |       |     |         | 0.015        | 0.033       |
| 130    | 17321-13560 | GUIDE EXHAUST VALVE | 3    |       |     |         | 0.02         | 0.044       |
| 140    | 19013-03450 | BOLT CYLINDER HEAD  | 14   |       |     |         | 0.077        | 0.1694      |
| 150    | 16427-03310 | GASKET CYL.HEAD     | 1    |       |     |         | 0.11         | 0.242       |
| 160    | 31351-32830 | SENSOR THERMO       | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 16415-13620 | SEAT INLET VALVE    | 3    |       |     |         | 0.01         | 0.022       |
| 180    | 16415-13612 | SEAT EXHAUST VALVE  | 3    |       |     |         | 0.01         | 0.022       |

## VALVE AND ROCKER ARM






## VALVE AND ROCKER ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16484-13110 | VALVE INLET         | 3    |       |     |         | 0.05         | 0.11        |
| 020    | 16484-13120 | VALVE EXHAUST       | 3    |       |     |         | 0.1          | 0.22        |
| 030    | 15221-13240 | SPRING VALVE        | 6    |       |     |         | 0.036        | 0.0792      |
| 040    | 15221-13330 | RETAINER VALVE SP.  | 6    |       |     |         | 0.03         | 0.066       |
| 050    | 15221-13360 | COLLET VALVE SPRING | 6    |       |     |         | 0            | 0           |
| 060    | 15221-13150 | SEAL VALVE STEM     | 6    |       |     |         | 0.001        | 0.0022      |
| 070    | 15221-13280 | CAP VALVE           | 6    |       |     |         | 0.006        | 0.0132      |
| 080    | 15321-14052 | ASSY SHAFT R-ARM    | 1    |       |     |         | 0.235        | 0.517       |
| 090    | 03410-00808 | SCREW SET           | 2    |       |     |         | 0.002        | 0.0044      |
| 100    | 15221-14350 | BRACKET ROCKER ARM  | 3    |       |     |         | 0.044        | 0.0968      |
| 110    | 15521-91500 | STUD                | 3    |       |     |         | 0.035        | 0.077       |
| 120    | 02156-50080 | NUT                 | 3    |       |     |         | 0.004        | 0.0088      |
| 130    | 04512-60080 | WASHER SPRING       | 3    |       |     |         | 0.002        | 0.0044      |
| 140    | 04012-50080 | WASHER PLAIN        | 3    |       |     |         | 0.001        | 0.0022      |
| 150    | 05411-00528 | PIN SPRING          | 1    |       |     |         | 0.003        | 0.0066      |
| 160    | 15221-14430 | WASHER R-ARM.SHAFT  | 2    |       |     |         | 0.002        | 0.0044      |
| 170    | 15221-14310 | SPRING ROCKER ARM   | 2    |       |     |         | 0.005        | 0.011       |
| 180    | 04612-00140 | CIRCLIP EXTERNAL    | 2    |       |     |         | 0.001        | 0.0022      |
| 190    | 15621-14030 | ASSY ROCKER ARM     | 6    |       |     |         | 0.1          | 0.22        |
| 200    | 15521-14230 | SCREW ADJUSTING     | 6    |       |     |         | 0.009        | 0.0198      |
| 210    | 15021-14240 | NUT                 | 6    |       |     |         | 0.003        | 0.0066      |




16467-006-12

**NOZZLE HOLDER/GLOW PLUG**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | 16467-42502 | ASSY PIPE OVER FLOW | 1    |       |     | REFER TO L.No.0B05-R0 FOR COMPONENTS. | 0.045        | 0.099       |
| 020    | 17331-42500 | PIPE OVER FLOW      | 1    |       |     |                                       | 0.02         | 0.044       |
| 030    | 14971-42750 | CLIP PIPE           | 1    |       |     |                                       | 0.001        | 0.0022      |
| 040    | 10244-42320 | CLIP PIPE           | 1    |       |     |                                       | 0.001        | 0.0022      |
| 050    | 16082-53900 | KIT HOLDER NOZZLE   | 3    |       |     |                                       | 0.146        | 0.3212      |
| 060    | 15841-53622 | GASKET              | 3    |       |     |                                       | 0.002        | 0.0044      |
| 070    | 19077-53650 | SEAL HEAT           | 3    |       |     |                                       | 0.005        | 0.011       |
| 080    | 19077-53714 | PIPE INJECTION      | 1    |       |     |                                       | 0.14         | 0.308       |
| 090    | 19077-53723 | PIPE INJECTION      | 1    |       |     |                                       | 0.14         | 0.308       |
| 100    | 19077-53733 | PIPE INJECTION      | 1    |       |     |                                       | 0.12         | 0.264       |
| 110    | 15841-53850 | CLAMP PIPE          | 2    |       |     |                                       | 0.01         | 0.022       |
| 120    | 15841-53860 | CLAMP PIPE          | 2    |       |     |                                       | 0.009        | 0.0198      |
| 130    | 03024-50520 | SCREW WITH WASHER   | 2    |       |     |                                       | 0.004        | 0.0088      |
| 140    | 16415-65510 | GLOW PLUG           | 3    |       |     |                                       | 0.03         | 0.066       |
| 150    | 16415-65560 | CORD GLOW PLUG      | 1    |       |     |                                       | 0.015        | 0.033       |
| 160    | 02761-50040 | NUT FLANGE          | 3    |       |     |                                       | 0.002        | 0.0044      |
| 170    | 04013-60040 | WASHER PLAIN        | 3    |       |     |                                       | 0.002        | 0.0044      |

# NOZZLE HOLDER [COMPONENT PARTS]






# NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16082-53900 | KIT HOLDER NOZZLE  | 3    |       |     |         | 0.146        | 0.3212      |
| 020    | 15841-92030 | NUT                | 3    |       |     |         | 0.005        | 0.011       |
| 030    | 15841-53230 | WASHER ADJUSTING   | 3    |       |     |         | 0.001        | 0.0022      |
| 040    | 15841-53170 | SPRING NOZZLE      | 3    |       |     |         | 0.004        | 0.0088      |
| 050    | 15841-53350 | PIECE DISTANCE     | 3    |       |     |         | 0.004        | 0.0088      |
| 060    | 15841-53160 | PUSH ROD           | 3    |       |     |         | 0.001        | 0.0022      |
| 070    | 16475-53280 | NUT NOZZLE         | 3    |       |     |         | 0.03         | 0.066       |
| 080    | 15841-94040 | WASHER             | 3    |       |     |         | 0.001        | 0.0022      |
| 090    | 16082-53610 | PIECE NOZZLE       | 3    |       |     |         | 0.023        | 0.0506      |
| 100    | 15841-98100 | ASSY WASHER ADJUST | 3    |       |     | OPTION  | 0.043        | 0.0946      |
| 110    | 15841-53230 | WASHER ADJUSTING   | 3    |       |     | 0.900MM | 0.001        | 0.0022      |
| 110    | 15841-98510 | WASHER ADJUSTING   | 3    |       |     | 0.925MM | 0.001        | 0.0022      |
| 110    | 15841-98520 | WASHER ADJUSTING   | 3    |       |     | 0.950MM | 0.001        | 0.0022      |
| 110    | 15841-98530 | WASHER ADJUSTING   | 3    |       |     | 0.975MM | 0.001        | 0.0022      |
| 110    | 15841-98540 | WASHER ADJUSTING   | 3    |       |     | 1.000MM | 0.001        | 0.0022      |
| 110    | 15841-98550 | WASHER ADJUSTING   | 3    |       |     | 1.025MM | 0.001        | 0.0022      |
| 110    | 15841-98560 | WASHER ADJUSTING   | 3    |       |     | 1.050MM | 0.001        | 0.0022      |
| 110    | 15841-98570 | WASHER ADJUSTING   | 3    |       |     | 1.075MM | 0.001        | 0.0022      |
| 110    | 15841-98580 | WASHER ADJUSTING   | 3    |       |     | 1.100MM | 0.001        | 0.0022      |
| 110    | 15841-98590 | WASHER ADJUSTING   | 3    |       |     | 1.125MM | 0.001        | 0.0022      |
| 110    | 15841-98600 | WASHER ADJUSTING   | 3    |       |     | 1.150MM | 0.001        | 0.0022      |
| 110    | 15841-98610 | WASHER ADJUSTING   | 3    |       |     | 1.175MM | 0.001        | 0.0022      |
| 110    | 15841-98620 | WASHER ADJUSTING   | 3    |       |     | 1.200MM | 0.001        | 0.0022      |
| 110    | 15841-98630 | WASHER ADJUSTING   | 3    |       |     | 1.225MM | 0.001        | 0.0022      |
| 110    | 15841-98640 | WASHER ADJUSTING   | 3    |       |     | 1.250MM | 0.001        | 0.0022      |
| 110    | 15841-98650 | WASHER ADJUSTING   | 3    |       |     | 1.275MM | 0.001        | 0.0022      |
| 110    | 15841-98660 | WASHER ADJUSTING   | 3    |       |     | 1.300MM | 0.001        | 0.0022      |
| 110    | 15841-98670 | WASHER ADJUSTING   | 3    |       |     | 1.325MM | 0.001        | 0.0022      |
| 110    | 15841-98680 | WASHER ADJUSTING   | 3    |       |     | 1.350MM | 0.001        | 0.0022      |
| 110    | 15841-98690 | WASHER ADJUSTING   | 3    |       |     | 1.375MM | 0.001        | 0.0022      |
| 110    | 15841-98700 | WASHER ADJUSTING   | 3    |       |     | 1.400MM | 0.001        | 0.0022      |
| 110    | 15841-98710 | WASHER ADJUSTING   | 3    |       |     | 1.425MM | 0.001        | 0.0022      |
| 110    | 15841-98720 | WASHER ADJUSTING   | 3    |       |     | 1.450MM | 0.001        | 0.0022      |
| 110    | 15841-98730 | WASHER ADJUSTING   | 3    |       |     | 1.475MM | 0.001        | 0.0022      |
| 110    | 15841-98740 | WASHER ADJUSTING   | 3    |       |     | 1.500MM | 0.001        | 0.0022      |
| 110    | 15841-98750 | WASHER ADJUSTING   | 3    |       |     | 1.525MM | 0.001        | 0.0022      |
| 110    | 15841-98760 | WASHER ADJUSTING   | 3    |       |     | 1.550MM | 0.001        | 0.0022      |
| 110    | 15841-98770 | WASHER ADJUSTING   | 3    |       |     | 1.575MM | 0.001        | 0.0022      |
| 110    | 15841-98780 | WASHER ADJUSTING   | 3    |       |     | 1.600MM | 0.002        | 0.0044      |
| 110    | 15841-98790 | WASHER ADJUSTING   | 3    |       |     | 1.625MM | 0.001        | 0.0022      |
| 110    | 15841-98800 | WASHER ADJUSTING   | 3    |       |     | 1.650MM | 0.001        | 0.0022      |
| 110    | 15841-98810 | WASHER ADJUSTING   | 3    |       |     | 1.675MM | 0.004        | 0.0088      |
| 110    | 15841-98820 | WASHER ADJUSTING   | 3    |       |     | 1.700MM | 0.001        | 0.0022      |
| 110    | 15841-98830 | WASHER ADJUSTING   | 3    |       |     | 1.725MM | 0.001        | 0.0022      |
| 110    | 15841-98840 | WASHER ADJUSTING   | 3    |       |     | 1.750MM | 0.001        | 0.0022      |
| 110    | 15841-98850 | WASHER ADJUSTING   | 3    |       |     | 1.775MM | 0.001        | 0.0022      |
| 110    | 15841-98860 | WASHER ADJUSTING   | 3    |       |     | 1.800MM | 0.001        | 0.0022      |
| 110    | 15841-98870 | WASHER ADJUSTING   | 3    |       |     | 1.825MM | 0.001        | 0.0022      |
| 110    | 15841-98880 | WASHER ADJUSTING   | 3    |       |     | 1.850MM | 0.001        | 0.0022      |
| 110    | 15841-98890 | WASHER ADJUSTING   | 3    |       |     | 1.875MM | 0.001        | 0.0022      |
| 110    | 15841-98900 | WASHER ADJUSTING   | 3    |       |     | 1.900MM | 0.001        | 0.0022      |
| 110    | 15841-98910 | WASHER ADJUSTING   | 3    |       |     | 1.925MM | 0.001        | 0.0022      |
| 110    | 15841-98920 | WASHER ADJUSTING   | 3    |       |     | 1.950MM | 0.001        | 0.0022      |
| 120    | 15841-53622 | GASKET             | 3    |       |     |         | 0.002        | 0.0044      |
| 130    | 19077-53650 | SEAL HEAT          | 3    |       |     |         | 0.005        | 0.011       |



16417-009-10






## CYLINDER HEAD COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15521-05140 | PLATE B/THER ELEMENT | 1    |       |     |         | 0.005        | 0.011       |
| 020    | 15521-05150 | PLATE B/THER ELEMENT | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 15521-05670 | ELEMENT BREATHER     | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 15521-05370 | OIL SHIELD BREATHER  | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 03034-50510 | SCREW WITH WASHER    | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | 15521-05550 | JOINT BREATHER PIPE  | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 16427-14510 | COVER CYL.HEAD       | 1    |       |     |         | 1.13         | 2.486       |
| 080    | 15521-14520 | GASKET HEAD COVER    | 1    |       |     |         | 0.035        | 0.077       |
| 090    | 15451-92330 | NUT CAP              | 3    |       |     |         | 0.015        | 0.033       |
| 100    | 15021-33660 | GASKET               | 3    |       |     |         | 0.001        | 0.0022      |
| 110    | 15521-05510 | PIPE BREATHER        | 1    |       |     |         | 0.075        | 0.165       |
| 120    | 15401-05580 | CLAMP PIPE           | 1    |       |     |         | 0.02         | 0.044       |


## INLET MANIFOLD






| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16427-11760 | MANIFOLD INLET     | 1    |       |     |         | 0.9          | 1.98        |
| 020    | 17326-11820 | GASKET IN-MANIFOLD | 1    |       |     |         | 0.015        | 0.033       |
| 030    | 01123-50822 | BOLT               | 5    |       |     |         | 0.012        | 0.0264      |

## EXHAUST MANIFOLD










## CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15601-15550 | TAPPET           | 6    |       |     |         | 0.08         | 0.176       |
| 020    | 19013-15110 | PUSH ROD         | 6    |       |     |         | 0.05         | 0.11        |
| 030    | 17331-16010 | ASSY CAMSHAFT    | 1    |       |     |         | 3.42         | 7.524       |
| 040    | 17331-16150 | CAMSHAFT         | 1    |       |     |         | 1.795        | 3.949       |
| 050    | 15521-93610 | SCREW SET        | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 15521-16510 | GEAR CAM         | 1    |       |     |         | 0.85         | 1.87        |
| 070    | 05712-00720 | KEY FEATHER      | 1    |       |     |         | 0.008        | 0.0176      |
| 080    | 15221-16270 | STOPPER CAMSHAFT | 1    |       |     |         | 0.073        | 0.1606      |
| 090    | 01123-50818 | BOLT             | 2    |       |     |         | 0.012        | 0.0264      |
| 100    | 16427-24010 | COMP GEAR IDLE   | 1    |       |     |         | 1.2          | 2.64        |
| 110    | 16427-24980 | BUSH IDLE GEAR   | 1    |       |     |         | 0.07         | 0.154       |
| 120    | 16427-24360 | COLLAR           | 1    |       |     |         | 0.02         | 0.044       |
| 130    | 16427-24370 | COLLAR           | 1    |       |     |         | 0.02         | 0.044       |
| 140    | 15451-95400 | CIRCLIP EXTERNAL | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 16427-24250 | SHAFT IDLE GEAR  | 1    |       |     |         | 0.65         | 1.43        |
| 160    | 01123-50818 | BOLT             | 3    |       |     |         | 0.012        | 0.0264      |

## GEAR CASE








## GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16705-04032 | ASSY CASE GEAR       | 1    |       |     |         | 4.2          | 9.24        |
| 020    | 16241-96020 | PLUG                 | 2    |       |     |         | 0.015        | 0.033       |
| 030    | 04811-00150 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 035    | 04811-00200 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04811-00360 | O RING               | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 15221-56280 | PIN START SPRING     | 1    |       |     |         | 0.006        | 0.0132      |
| 060    | 05012-00612 | PIN STRAIGHT         | 2    |       |     |         | 0.003        | 0.0066      |
| 070    | 17331-32610 | SUPPORT OIL FILTER   | 1    |       |     |         | 0.275        | 0.605       |
| 080    | 17326-32620 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 01123-50825 | BOLT                 | 3    |       |     |         | 0.013        | 0.0286      |
| 100    | 17331-32880 | COVER                | 1    |       |     |         | 0.075        | 0.165       |
| 110    | 17331-32910 | COMP BOLT            | 1    |       |     |         | 0.07         | 0.154       |
| 120    | 04811-00150 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 19202-96830 | O RING               | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 17326-04132 | GASKET GEAR CASE     | 1    |       |     |         | 0.03         | 0.066       |
| 150    | 01123-50860 | BOLT                 | 3    |       |     |         | 0.026        | 0.0572      |
| 160    | 01153-50870 | BOLT                 | 3    |       |     |         | 0.026        | 0.0572      |
| 170    | 17367-91010 | BOLT                 | 2    |       |     |         | 0.005        | 0.011       |
| 180    | 01153-50880 | BOLT                 | 2    |       |     |         | 0.03         | 0.066       |
| 190    | 17367-91020 | BOLT                 | 3    |       |     |         | 0.035        | 0.077       |
| 200    | 17367-91030 | BOLT                 | 2    |       |     |         | 0.02         | 0.044       |
| 210    | 04512-60080 | WASHER SPRING        | 5    |       |     |         | 0.002        | 0.0044      |
| 230    | 15521-32290 | JOINT PIPE           | 1    |       |     |         | 0.05         | 0.11        |
| 240    | 15241-36950 | SPRING               | 1    |       |     |         | 0.004        | 0.0088      |
| 250    | 15521-36930 | SEAT VALVE           | 1    |       |     |         | 0.015        | 0.033       |
| 260    | 07715-03213 | BALL                 | 1    |       |     |         | 0.004        | 0.0088      |
| 270    | 15521-73320 | FLANGE WATER RETURN  | 1    |       |     |         | 0.04         | 0.088       |
| 280    | 15766-73330 | GASKET WATER FLANGE  | 1    |       |     |         | 0.002        | 0.0044      |
| 290    | 01023-50620 | BOLT                 | 3    |       |     |         | 0.006        | 0.0132      |
| 300    | 17321-32430 | CARTRIDGE OIL FILTER | 1    |       |     |         | 0.45         | 0.99        |
| 310    | 38240-34660 | ASSY GEAR CASE H/M   | 1    |       |     |         | 0.335        | 0.737       |
| 320    | 15296-88130 | GASKET H/METER UNIT  | 1    |       |     |         | 0.002        | 0.0044      |
| 330    | 15221-88210 | STUD                 | 4    |       |     |         | 0.005        | 0.011       |
| 340    | 02056-50060 | NUT                  | 4    |       |     |         | 0.002        | 0.0044      |
| 350    | 04512-60060 | WASHER SPRING        | 4    |       |     |         | 0.001        | 0.0022      |
| 360    | 15571-33140 | PLUG OIL FILLER      | 1    |       |     |         | 0.03         | 0.066       |

# WATER PUMP






## WATER PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16412-73030 | ASSY PUMP WATER      | 1    |       |     |         | 1.21         | 2.662       |
| 020    | 17331-73410 | BODY WATER PUMP      | 1    |       |     |         | 0.51         | 1.122       |
| 030    | 15521-73550 | BEARING              | 1    |       |     |         | 0.235        | 0.517       |
| 040    | 16661-73510 | IMPELLER             | 1    |       |     |         | 0.195        | 0.429       |
| 050    | 16661-73050 | ASSY SEAL MECHANICAL | 1    |       |     |         | 0.025        | 0.055       |
| 060    | 15521-73520 | FLANGE WATER PUMP    | 1    |       |     |         | 0.25         | 0.55        |
| 070    | 17326-73430 | GASKET WATER PUMP    | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 01123-50828 | BOLT                 | 3    |       |     |         | 0.014        | 0.0308      |
| 090    | 15521-91510 | STUD                 | 1    |       |     |         | 0.012        | 0.0264      |
| 100    | 04512-60080 | WASHER SPRING        | 1    |       |     |         | 0.002        | 0.0044      |
| 110    | 02156-50080 | NUT                  | 1    |       |     |         | 0.004        | 0.0088      |
| 120    | 15221-88210 | STUD                 | 1    |       |     |         | 0.005        | 0.011       |
| 130    | 01023-50618 | BOLT                 | 8    |       |     |         | 0.006        | 0.0132      |
| 140    | 02056-50060 | NUT                  | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 04512-60060 | WASHER SPRING        | 1    |       |     |         | 0.001        | 0.0022      |






## WATER FLANGE AND THERMOSTAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 17331-72703 | COMP.FLANGE WATER   | 1    |       |     |         | 0.36         | 0.792       |
| 020    | 17331-73342 | PIPE WATER RETURN   | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 15766-72920 | GASKET WATER FLANGE | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 01123-50822 | BOLT                | 2    |       |     |         | 0.012        | 0.0264      |
| 040    | 01123-50820 | BOLT                | 2    |       | ↔   |         | 0.011        | 0.0242      |
| 050    | 15221-91530 | STUD                | 1    |       |     |         | 0.011        | 0.0242      |
| 060    | 01153-50870 | BOLT                | 1    |       |     |         | 0.026        | 0.0572      |
| 070    | 02156-50080 | NUT                 | 1    |       |     |         | 0.004        | 0.0088      |
| 080    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 090    | 15521-73340 | PIPE WATER RETURN   | 1    |       |     |         | 0.025        | 0.055       |
| 100    | 15109-73360 | BAND PIPE           | 2    |       |     |         | 0.01         | 0.022       |
| 110    | 15321-73260 | COVER THERMOSTAT    | 1    |       |     |         | 0.107        | 0.2354      |
| 120    | 15313-73270 | GASKET THERMOSTAT   | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 01123-50835 | BOLT                | 2    |       |     |         | 0.02         | 0.044       |
| 140    | 19434-73010 | ASSY THERMOSTAT     | 1    |       |     |         | 0.064        | 0.1408      |






## FUEL CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16427-16020 | ASSY CAMSHAFT FUEL   | 1    |       |     |         | 2.5          | 5.5         |
| 020    | 16427-16173 | CAMSHAFT FUEL        | 1    |       |     |         | 0.99         | 2.178       |
| 030    | 08153-06205 | BEARING BALL         | 1    |       |     |         | 0.13         | 0.286       |
| 040    | 16415-51150 | GEAR INJECTION PUMP  | 1    |       |     |         | 1.075        | 2.365       |
| 050    | 05712-00525 | KEY FEATHER          | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 04612-00240 | CIRCLIP EXTERNAL     | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 15611-55450 | SLEEVE GOVERNOR      | 1    |       |     |         | 0.117        | 0.2574      |
| 080    | 15221-55470 | CIR-CLIP GOV. SLEEVE | 1    |       |     |         | 0.003        | 0.0066      |
| 090    | 15611-55690 | CASE GOVERNOR BALL   | 1    |       |     |         | 0.03         | 0.066       |
| 100    | 07715-03205 | BALL                 | 39   |       |     |         | 0.001        | 0.0022      |
| 110    | 15221-55740 | CIR-CLIP             | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 07715-00403 | BALL                 | 7    |       |     |         | 0.03         | 0.066       |
| 130    | 08103-06205 | BEARING BALL         | 1    |       |     |         | 0.12         | 0.264       |
| 140    | 15221-16320 | STOPPER FUEL.C/SHAFT | 1    |       |     |         | 0.02         | 0.044       |
| 150    | 01123-60814 | BOLT                 | 2    |       |     |         | 0.008        | 0.0176      |







## INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | 16427-51010 | ASSY PUMP INJECTION | 1    |       |     | REFER TO L.No.0B13-R0 FOR COMPONENTS. | 2.3          | 5.06        |
| 010    | 1G702-51010 | ASSY PUMP INJECTION | 1    |       | ≠   |                                       | 2.2          | 4.84        |
| 020    | 16414-52090 | SHIM INJECTION      | 1    |       |     | 0.20MM                                | 0.001        | 0.0022      |
| 020    | 16414-52110 | SHIM INJECTION      | 1    |       |     | 0.25MM                                | 0.001        | 0.0022      |
| 020    | 16414-52120 | SHIM INJECTION      | 1    |       |     | 0.30MM                                | 0.005        | 0.011       |
| 030    | 01123-50822 | BOLT                | 2    |       |     |                                       | 0.012        | 0.0264      |
| 040    | 15221-91530 | STUD                | 2    |       |     |                                       | 0.011        | 0.0242      |
| 050    | 02156-50080 | NUT                 | 2    |       |     |                                       | 0.004        | 0.0088      |
| 060    | 04512-60080 | WASHER SPRING       | 2    |       |     |                                       | 0.002        | 0.0044      |
| 070    | 14311-60504 | ASSY COCK JET START | 1    |       |     |                                       | 0.034        | 0.0748      |
| 080    | 14111-42410 | JOINT EYE           | 1    |       |     |                                       | 0.025        | 0.055       |






## INJECTION PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16427-51010 | ASSY PUMP INJECTION | 1    |       |     | #       | 2.3          | 5.06        |
| 010    | 1G702-51010 | ASSY PUMP INJECTION | 1    |       | ≠   | #       | 2.2          | 4.84        |
| 020    | 16475-51050 | PLUNGER PUMP        | 3    |       |     |         | 0.04         | 0.088       |
| 030    | 16475-51030 | VALVE DELIVERY      | 3    |       |     |         | 0.02         | 0.044       |
| 040    | 16475-51230 | SPRING DELIV.VALVE  | 3    |       |     |         | 0.003        | 0.0066      |
| 050    | 11420-51240 | GASKET DELIV.VALVE  | 3    |       |     |         | 0            | 0           |
| 060    | 16415-51220 | HOLDER DELIV.VALVE  | 3    |       |     |         | 0.07         | 0.154       |
| 070    | 16415-51610 | ASSY PLATE LOCK     | 1    |       |     |         | 0.1          | 0.22        |
| 080    | 15221-51070 | ASSY TAPPET         | 3    |       |     |         | 0.039        | 0.0858      |
| 090    | 14611-51250 | PIN TAPPET GUIDE    | 3    |       |     |         | 0.003        | 0.0066      |
| 100    | 19484-51460 | PLATE               | 1    |       |     |         | 0.003        | 0.0066      |
| 110    | 15221-51280 | SPRING PLUNGER      | 3    |       |     |         | 0.015        | 0.033       |
| 120    | 15221-51270 | SEAT SPRING UPPER   | 3    |       |     |         | 0.004        | 0.0088      |
| 130    | 15221-51290 | SEAT SPRING LOWER   | 3    |       |     |         | 0.01         | 0.022       |
| 140    | 19077-51490 | SHIM                | 3    |       |     |         | 0.001        | 0.0022      |
| 150    | 15321-51060 | RACK CONTROL        | 1    |       |     |         | 0.038        | 0.0836      |
| 180    | 15221-51382 | SLEEVE CONTROL      | 3    |       |     |         | 0.011        | 0.0242      |
| 190    | 15521-51320 | SCREW FOLLOW        | 1    |       |     |         | 0.035        | 0.077       |
| 200    | 15221-96650 | GASKET              | 2    |       |     |         | 0.001        | 0.0022      |
| 210    | 14611-51200 | O RING              | 3    |       |     |         | 0.001        | 0.0022      |

## ENGINE STOP LEVER






## ENGINE STOP LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15521-54090 | APPARATUS IDLING     | 1    |       |     |         | 0.045        | 0.099       |
| 020    | 15521-54100 | ASSY BOLT ADJUSTMENT | 1    |       |     |         | 0.015        | 0.033       |
| 030    | 15401-92010 | NUT                  | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 15521-92330 | NUT CAP              | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 15021-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 15521-54270 | CAP                  | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 17331-57702 | ASSY LEVER ENG.STOP  | 1    |       |     |         | 0.19         | 0.418       |
| 080    | 15471-51652 | COVER INJECTION PUMP | 1    |       |     |         | 0.02         | 0.044       |
| 090    | 17331-57740 | SHAFT LEVER          | 1    |       |     |         | 0.04         | 0.088       |
| 100    | 17331-57720 | LEVER ENGINE STOP    | 1    |       |     |         | 0.05         | 0.11        |
| 110    | 15471-57980 | SEAL OIL             | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 05411-00420 | PIN SPRING           | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 15471-57920 | SPRING RETURN        | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 15296-51660 | GASKET PUMP COVER    | 1    |       |     |         | 0.003        | 0.0066      |
| 150    | 01023-50618 | BOLT                 | 3    |       |     |         | 0.006        | 0.0132      |
| 160    | 32330-17170 | SUPPORT              | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 38430-17180 | SPRING               | 1    |       |     |         | 0.1          | 0.22        |
| 180    | 01025-50620 | BOLT                 | 1    |       |     |         | 0.02         | 0.044       |






## SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15601-54120 | BOLT ADJUSTING      | 1    |       |     |         | 0.011        | 0.0242      |
| 020    | 15601-92010 | NUT                 | 1    | ≤4826 |     |         | 0            | 0           |
| 020    | 15601-92012 | NUT                 | 1    | ≥4827 | ←   |         | 0.006        | 0.0132      |
| 030    | 15601-96650 | GASKET              | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 15841-14620 | NUT CAP             | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 16221-54420 | CAP                 | 1    |       |     | #       | 0.001        | 0.0022      |
| 050    | 1G833-54290 | PIPE LOCK           | 1    |       | ≠   | #       | 0.012        | 0.0264      |
| 060    | 15469-57150 | LEVER SPEED CONTROL | 1    |       |     | #       | 0.06         | 0.132       |
| 060    | 15471-57150 | LEVER SPEED CONTROL | 1    |       | ←   | #       | 0.05         | 0.11        |
| 070    | 05712-00408 | KEY FEATHER         | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-00120 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 04013-60080 | WASHER PLAIN        | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 02112-50080 | NUT                 | 2    |       |     |         | 0.003        | 0.0066      |
| 110    | 15521-57240 | COLLAR              | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 15521-57115 | PLATE SPEED CONTROL | 1    |       |     |         | 0.1          | 0.22        |
| 130    | 15439-57210 | GASKET              | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 01023-50620 | BOLT                | 2    |       |     |         | 0.006        | 0.0132      |
| 150    | 15221-88210 | STUD                | 2    |       |     |         | 0.005        | 0.011       |
| 160    | 04512-60060 | WASHER SPRING       | 2    |       |     |         | 0.001        | 0.0022      |
| 170    | 02056-50060 | NUT                 | 2    |       |     |         | 0.002        | 0.0044      |








## GOVERNOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 15601-56020 | COMP.LEVER GOVERNOR | 1    |        |     |         | 0.055        | 0.121       |
| 020    | 16417-56050 | ASSY LEVER FORK     | 1    |        |     |         | 0.4          | 0.88        |
| 030    | 15221-56150 | SHAFT FORK LEVER    | 1    |        |     |         | 0.1          | 0.22        |
| 040    | 15021-56240 | BOLT LEVER SHAFT    | 1    |        |     |         | 0.005        | 0.011       |
| 050    | 04512-60060 | WASHER SPRING       | 2    |        |     |         | 0.001        | 0.0022      |
| 060    | 15221-56230 | HOLDER FORK LEVER   | 1    |        |     |         | 0.1          | 0.22        |
| 070    | 15221-66410 | BOLT                | 1    |        |     |         | 0.005        | 0.011       |
| 080    | 01123-50832 | BOLT                | 2    |        |     |         | 0.016        | 0.0352      |
| 090    | 01023-50628 | BOLT                | 1    |        |     |         | 0.015        | 0.033       |
| 100    | 04012-50080 | WASHER PLAIN        | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04012-50060 | WASHER PLAIN        | 1    |        |     |         | 0.001        | 0.0022      |
| 120    | 17241-56480 | SPRING START        | 1    |        |     |         | 0.005        | 0.011       |
| 130    | 19077-56410 | SPRING GOVERNOR     | 1    | <=1827 |     |         | 0            | 0           |
| 130    | 19077-56412 | SPRING GOVERNOR     | 1    | >=1828 | ←   |         | 0.01         | 0.022       |
| 140    | 16415-56420 | SPRING GOVERNOR     | 1    |        |     |         | 0.002        | 0.0044      |

UPPER GASKET KIT






## UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-28885 | KIT GASKET UPPER    | 1    |       |     |         | 0.35         | 0.77        |
| 020    | 15221-33700 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 16427-03310 | GASKET CYL.HEAD     | 1    |       |     |         | 0.11         | 0.242       |
| 040    | 17326-11820 | GASKET IN-MANIFOLD  | 1    |       |     |         | 0.015        | 0.033       |
| 050    | 15522-12350 | GASKET EX-MANIFOLD  | 3    |       |     |         | 0.005        | 0.011       |
| 060    | 15221-13150 | SEAL VALVE STEM     | 6    |       |     |         | 0.001        | 0.0022      |
| 070    | 15521-14520 | GASKET HEAD COVER   | 1    |       |     |         | 0.035        | 0.077       |
| 080    | 15021-33660 | GASKET              | 3    |       |     |         | 0.001        | 0.0022      |
| 090    | 15841-53622 | GASKET              | 3    |       |     |         | 0.002        | 0.0044      |
| 100    | 19077-53650 | SEAL HEAT           | 3    |       |     |         | 0.005        | 0.011       |
| 110    | 15766-72920 | GASKET WATER FLANGE | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 15313-73270 | GASKET THERMOSTAT   | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | T0070-16420 | GASKET MUFFLER      | 2    |       |     |         | 0.016        | 0.0352      |

## LOWER GASKET KIT






## LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-28895 | KIT GASKET LOWER     | 1    |       |     |         | 0.3          | 0.66        |
| 020    | 15021-33660 | GASKET               | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 17326-01620 | GASKET OIL PAN       | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 15109-33660 | GASKET               | 3    |       |     |         | 0.001        | 0.0022      |
| 050    | 04811-00160 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04811-00150 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 04811-00200 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 17326-32620 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 04811-00150 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 17326-04132 | GASKET GEAR CASE     | 1    |       |     |         | 0.03         | 0.066       |
| 110    | 04811-00360 | O RING               | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 15766-73330 | GASKET WATER FLANGE  | 1    |       |     |         | 0.002        | 0.0044      |
| 130    | 19077-04360 | GASKET BEARING CASE  | 1    |       |     |         | 0.004        | 0.0088      |
| 140    | 17118-04830 | GASKET BRG.CASE COV. | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 19202-04460 | SEAL OIL             | 1    |       |     |         | 0.055        | 0.121       |
| 160    | 19202-04140 | SEAL OIL             | 1    |       |     |         | 0.015        | 0.033       |
| 170    | 04811-10300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 15296-35150 | GASKET OIL PUMP      | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 15221-96650 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 200    | 15601-96650 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 210    | 15021-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 220    | 04811-00120 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 230    | 15439-57210 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 240    | 15471-57980 | SEAL OIL             | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 15296-51660 | GASKET PUMP COVER    | 1    |       |     |         | 0.003        | 0.0066      |
| 260    | 17326-73430 | GASKET WATER PUMP    | 1    |       |     |         | 0.01         | 0.022       |
| 270    | 15296-88130 | GASKET H/METER UNIT  | 1    |       |     |         | 0.002        | 0.0044      |

# AIR CLEANER






## AIR CLEANER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0070-16304 | ASSY CLEANER AIR     | 1    |       |     |         | 1.05         | 2.31        |
| 020    | T0070-16310 | COMP.BODY A/C        | 1    |       |     |         | 0.49         | 1.078       |
| 030    | T0070-16323 | COMP.FILTER A/C      | 1    |       |     |         | 0.38         | 0.836       |
| 040    | T0070-93173 | ASSY CUP AIR CLEANER | 1    |       |     |         | 0.2          | 0.44        |
| 045    | T0070-93150 | SEAL AIR CLEANER     | 1    |       |     |         | 0.004        | 0.0088      |
| 046    | T0070-93160 | VALVE                | 1    |       |     |         | 0.01         | 0.022       |
| 050    | T0070-16342 | BOLT WING            | 1    |       |     |         | 0.021        | 0.0462      |
| 060    | T0070-16350 | SEAL WASHER          | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | T0070-93180 | LABEL AIR CLEANER    | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 01754-50816 | BOLT FLANGE          | 2    |       |     |         | 0.011        | 0.0242      |
| 090    | 32330-16330 | HOSE INLET           | 1    |       |     |         | 0.615        | 1.353       |
| 100    | 15401-11720 | BAND PIPE            | 1    |       |     | #       | 0.05         | 0.11        |
| 100    | T0270-35560 | CLAMP HOSE           | 1    |       | ↔   | #       | 0.035        | 0.077       |
| 110    | 31351-18110 | BAND PIPE            | 1    |       |     |         | 0.04         | 0.088       |
| 120    | 15401-11700 | ASSY HOLDER PIPE     | 1    |       |     |         | 0.08         | 0.176       |
| 130    | 15401-11710 | HOLDER INLET PIPE    | 1    |       |     |         | 0.06         | 0.132       |
| 140    | 15401-11690 | PROTECTOR INLET PIPE | 1    |       |     |         | 0.018        | 0.0396      |
| 150    | 02156-50080 | NUT                  | 1    |       |     |         | 0.004        | 0.0088      |
| 160    | 04512-60080 | WASHER SPRING        | 1    |       |     |         | 0.002        | 0.0044      |

# MUFFLER








## MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15221-12116 | MUFFLER        | 1    |       |     |         | 2.3          | 5.06        |
| 020    | 15221-12133 | BAND MUFFLER   | 1    |       |     |         | 0.105        | 0.231       |
| 030    | 01153-50880 | BOLT           | 1    |       |     |         | 0.03         | 0.066       |
| 040    | 02156-50080 | NUT            | 1    |       |     |         | 0.004        | 0.0088      |
| 050    | 04512-60080 | WASHER SPRING  | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 04012-50080 | WASHER PLAIN   | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 34219-12410 | PIPE EXHAUST   | 1    |       |     |         | 0.54         | 1.188       |
| 080    | 15221-12433 | BAND PIPE      | 1    |       |     |         | 0.05         | 0.11        |
| 090    | 01153-50860 | BOLT           | 1    |       |     |         | 0.024        | 0.0528      |
| 100    | 02156-50080 | NUT            | 1    |       |     |         | 0.004        | 0.0088      |
| 110    | 04512-60080 | WASHER SPRING  | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 04012-50080 | WASHER PLAIN   | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | 32400-88790 | FLANGE MUFFLER | 1    |       |     |         | 0.445        | 0.979       |
| 140    | 01123-50822 | BOLT           | 4    |       |     |         | 0.012        | 0.0264      |
| 150    | T0070-16420 | GASKET MUFFLER | 2    |       |     |         | 0.016        | 0.0352      |

# UNDER MUFFLER [OPTION]






# UNDER MUFFLER [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 17325-12312 | MANIFOLD EXHAUST   | 1    |       |     |                  | 3            | 6.6         |
| 020    | 15313-12350 | GASKET EX-MANIFOLD | 1    |       |     |                  | 0.04         | 0.088       |
| 030    | 17355-92852 | COVER MANIFOLD     | 1    |       |     |                  | 0.25         | 0.55        |
| 040    | T0070-16420 | GASKET MUFFLER     | 2    |       |     |                  | 0.016        | 0.0352      |
| 050    | 01123-50820 | BOLT               | 4    |       |     |                  | 0.011        | 0.0242      |
| 060    | 32330-62110 | PIPE MUFFLER       | 1    |       |     |                  | 2.24         | 4.928       |
| 070    | 01123-50825 | BOLT               | 4    |       |     |                  | 0.013        | 0.0286      |
| 090    | 32430-62130 | PIPE MUFFLER       | 1    |       |     |                  | 0.15         | 0.33        |
| 100    | 32310-62160 | SUPPORT MUFFLER    | 1    |       |     |                  | 0.55         | 1.21        |
| 120    | 35110-62170 | BOLT               | 1    |       |     |                  | 0.05         | 0.11        |
| 130    | 04013-60080 | WASHER PLAIN       | 1    |       |     |                  | 0.002        | 0.0044      |
| 140    | 04512-60080 | WASHER SPRING      | 1    |       |     |                  | 0.002        | 0.0044      |
| 150    | 02054-50080 | NUT                | 1    |       |     |                  | 0.005        | 0.011       |
| 160    | 32330-26150 | COVER HEAT PROOF   | 1    |       |     |                  | 0.38         | 0.836       |
| 170    | 35010-34130 | COVER              | 1    |       |     |                  | 0.2          | 0.44        |
| 180    | 01125-60820 | BOLT               | 3    |       |     |                  | 0.015        | 0.033       |
| 190    | 04013-60080 | WASHER PLAIN       | 3    |       |     |                  | 0.002        | 0.0044      |
| 200    | 02114-50080 | NUT                | 3    |       |     |                  | 0.005        | 0.011       |
| 205    | 32330-26160 | SHEET HEAT SHIELD  | 1    |       |     | FOR BATTERY-CORD | 0.016        | 0.0352      |
| 206    | 32330-26170 | SHEET HEAT SHIELD  | 1    |       |     | FOR WIRE HARNESS | 0.016        | 0.0352      |
| 207    | 32330-26180 | TAPE               | 4    |       |     | FOR SHEET        | 0.002        | 0.0044      |
| 208    | 32330-98210 | MANUAL INSTRUCTION | 1    |       |     |                  | 0.01         | 0.022       |
| 210    | 15221-12116 | MUFFLER            | 1    |       |     |                  | 2.3          | 5.06        |
| 220    | 15221-12133 | CLAMP MUFFLER      | 1    |       |     |                  | 0.105        | 0.231       |
| 230    | 01153-50880 | BOLT               | 1    |       |     |                  | 0.03         | 0.066       |
| 240    | 02156-50080 | NUT SELF-LOCKING   | 1    |       |     |                  | 0.004        | 0.0088      |
| 250    | 04512-60080 | WASHER SPRING      | 1    |       |     |                  | 0.002        | 0.0044      |
| 260    | 04012-50080 | WASHER PLAIN       | 2    |       |     |                  | 0.001        | 0.0022      |
| 270    | 15221-12433 | CLAMP MUFFLER PIPE | 1    |       |     |                  | 0.05         | 0.11        |
| 280    | 01153-50860 | BOLT               | 1    |       |     |                  | 0.024        | 0.0528      |
| 290    | 02156-50080 | NUT SELF-LOCKING   | 1    |       |     |                  | 0.004        | 0.0088      |
| 300    | 04512-60080 | WASHER SPRING      | 1    |       |     |                  | 0.002        | 0.0044      |
| 310    | 04012-50080 | WASHER PLAIN       | 1    |       |     |                  | 0.001        | 0.0022      |

## STOP ROD






## STOP ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description  | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32330-17153 | ROD STOP     | 1    |       |     |         | 0.155        | 0.341       |
| 020    | 05511-50218 | PIN SPLIT    | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 04013-60060 | WASHER PLAIN | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 32330-17160 | SUPPORT      | 1    |       |     |         | 0.06         | 0.132       |
| 050    | 66591-54580 | CUSHION      | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 01754-50812 | BOLT FLANGE  | 2    |       |     |         | 0.01         | 0.022       |
| 070    | 32330-17190 | SUPPORT      | 1    |       |     |         | 0.041        | 0.0902      |
| 080    | 36330-87450 | RING RUBBER  | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 32330-17180 | KNOB         | 1    |       |     |         | 0.009        | 0.0198      |
| 100    | 02012-60060 | NUT          | 1    |       |     |         | 0.005        | 0.011       |

## HAND ACCELERATOR LEVER






## HAND ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35170-17120 | LEVER HAND ACCEL. | 1    |       |     |         | 0.345        | 0.759       |
| 020    | 3A031-10230 | GRIP              | 1    |       |     |         | 0.019        | 0.0418      |
| 030    | 34260-17190 | SPRING            | 2    |       |     |         | 0.002        | 0.0044      |
| 040    | 02118-50100 | NUT               | 2    |       |     |         | 0.005        | 0.011       |
| 050    | 35170-17320 | LINK ACCEL.       | 1    |       |     |         | 0.12         | 0.264       |
| 060    | 34150-17260 | SPRING            | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 37150-17570 | ROD ACCEL.        | 1    |       |     |         | 0.06         | 0.132       |
| 080    | 37150-17580 | ROD ACCEL.        | 1    |       |     |         | 0.025        | 0.055       |
| 090    | 04012-50080 | WASHER PLAIN      | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 04012-50060 | WASHER PLAIN      | 4    |       |     |         | 0.001        | 0.0022      |
| 110    | 05511-50212 | PIN SPLIT         | 5    |       |     |         | 0.001        | 0.0022      |
| 120    | 32400-17360 | ROD ACCEL.        | 1    |       |     |         | 0.145        | 0.319       |
| 130    | 34150-17390 | JOINT ROD         | 1    |       |     |         | 0.025        | 0.055       |
| 140    | 02012-60060 | NUT               | 2    |       |     |         | 0.005        | 0.011       |
| 150    | 04012-50060 | WASHER PLAIN      | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 05511-50212 | PIN SPLIT         | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 05511-51612 | PIN SPLIT         | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 01155-50840 | BOLT              | 1    |       |     |         | 0.02         | 0.044       |
| 190    | 02112-50080 | NUT               | 1    |       |     |         | 0.003        | 0.0066      |

## FUEL TANK








## FUEL TANK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32317-35100 | ASSY TANK FUEL     | 1    |       |     |         | 5            | 11          |
| 020    | 38240-35200 | ASSY CAP FUEL TANK | 1    |       |     |         | 0.06         | 0.132       |
| 030    | 34150-35240 | SPONGE             | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 34150-35230 | GASKET             | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 34150-35180 | GASKET             | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 37300-35120 | CUSHION            | 4    |       |     |         | 0.003        | 0.0066      |
| 080    | 37300-35140 | SPACER             | 2    |       |     |         | 0.006        | 0.0132      |
| 090    | 01123-50825 | BOLT               | 2    |       |     |         | 0.013        | 0.0286      |
| 100    | 04015-60080 | WASHER PLAIN       | 2    |       |     |         | 0.01         | 0.022       |






## FUEL FILTER/FUEL PIPE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 32400-35510 | ASSY PIPE FUEL       | 1    |       |     | MANUAL STRG. | 0.035        | 0.077       |
| 010    | 67800-53730 | ASSY PIPE FUEL       | 1    |       |     | POWER STRG.  | 0.035        | 0.077       |
| 020    | 14301-42750 | CLIP PIPE            | 2    |       |     |              | 0.005        | 0.011       |
| 030    | 37260-35520 | ASSY PIPE FUEL       | 1    |       |     |              | 0.06         | 0.132       |
| 040    | 14301-42750 | CLIP PIPE            | 2    |       |     |              | 0.005        | 0.011       |
| 050    | 34070-42633 | ASSY TUBE FUEL       | 1    |       |     |              | 0.025        | 0.055       |
| 060    | 09661-40400 | TUBE FUEL            | 1    |       |     |              | 0.02         | 0.044       |
| 065    | 14971-42750 | CLIP PIPE            | 2    |       |     |              | 0.001        | 0.0022      |
| 070    | 15291-43010 | ASSY FILTER FUEL     | 1    |       |     |              | 0.555        | 1.221       |
| 080    | 15221-43210 | COVER FILTER         | 1    |       |     |              | 0.25         | 0.55        |
| 085    | 15108-43610 | JOINT                | 1    |       |     |              | 0.02         | 0.044       |
| 086    | 15108-43780 | JOINT                | 1    |       |     |              | 0.02         | 0.044       |
| 090    | 15221-43170 | ELEMENT FILTER       | 1    |       |     |              | 0.3          | 0.66        |
| 100    | 19222-43280 | PLUG FILTER BREATHER | 1    |       |     |              | 0.01         | 0.022       |
| 110    | 15108-43290 | O RING               | 1    |       |     |              | 0.001        | 0.0022      |
| 120    | 15291-87760 | MARK FORM            | 1    |       |     |              | 0.005        | 0.011       |
| 130    | 37150-35810 | BRACKET FILTER       | 1    |       |     |              | 0.3          | 0.66        |
| 140    | 01123-50822 | BOLT                 | 2    |       |     |              | 0.012        | 0.0264      |
| 150    | 01123-60816 | BOLT                 | 2    |       |     |              | 0.01         | 0.022       |
| 160    | 02114-50080 | NUT                  | 2    |       |     |              | 0.005        | 0.011       |




32330-034-10







## RADIATOR








## RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 15575-72060 | ASSY RADIATOR        | 1    |       |     |              | 6            | 13.2        |
| 020    | 15101-72030 | CAP RADIATOR         | 1    |       |     |              | 0.075        | 0.165       |
| 030    | 15371-72710 | PIPE WATER OVERFLOW  | 1    |       |     |              | 0.048        | 0.1056      |
| 040    | 15575-72330 | SHROUD FAN           | 1    |       |     |              | 0.73         | 1.606       |
| 050    | 31349-61420 | PLUG DRAIN           | 1    |       |     |              | 0.01         | 0.022       |
| 060    | 04717-01700 | WASHER WITH RUBBER   | 1    |       |     |              | 0.003        | 0.0066      |
| 070    | 32400-17720 | NET RADIATOR         | 1    |       |     |              | 1.35         | 2.97        |
| 080    | 01754-50610 | BOLT FLANGE          | 4    |       |     |              | 0.006        | 0.0132      |
| 100    | 55411-21792 | WHISTLE STEAM        | 1    |       |     |              | 0.01         | 0.022       |
| 120    | 04015-60100 | WASHER PLAIN         | 2    |       |     |              | 0.015        | 0.033       |
| 130    | 15111-72190 | CUSHION              | 2    |       |     |              | 0.016        | 0.0352      |
| 140    | 35080-13310 | BOLT RADIATOR        | 2    |       |     |              | 0.03         | 0.066       |
| 150    | 15111-72200 | WASHER               | 2    |       |     |              | 0.013        | 0.0286      |
| 160    | 05515-61000 | PIN SNAP             | 2    |       |     |              | 0.003        | 0.0066      |
| 170    | 32400-17790 | SHUTTER              | 2    |       |     |              | 0.045        | 0.099       |
| 180    | 38430-29372 | CLIP BUTTON          | 8    |       |     |              | 0.001        | 0.0022      |
| 190    | 32330-17780 | SHUTTER              | 1    |       |     | MANUAL STRG. | 0.095        | 0.209       |
| 190    | 32330-45780 | SHUTTER              | 1    |       |     | POWER STRG.  | 0.09         | 0.198       |
| 200    | 32330-17700 | KIT PLATE SHUTTER RH | 1    |       |     | MANUAL STRG. | 0.205        | 0.451       |
| 210    | 32751-49580 | LABEL FAN BELT       | 1    |       |     |              | 0.001        | 0.0022      |
| 220    | 32330-17710 | KIT PLATE SHUTTER LH | 1    |       |     | MANUAL STRG. | 0.205        | 0.451       |
| 230    | 32751-49580 | LABEL FAN BELT       | 1    |       |     |              | 0.001        | 0.0022      |
| 240    | 32330-45700 | KIT PLATE SHUTTER RH | 1    |       |     | POWER STRG.  | 0.19         | 0.418       |
| 250    | 32751-49580 | LABEL FAN BELT       | 1    |       |     |              | 0.001        | 0.0022      |
| 260    | 32330-45710 | KIT PLATE SHUTTER LH | 1    |       |     | POWER STRG.  | 0.2          | 0.44        |
| 270    | 32751-49580 | LABEL FAN BELT       | 1    |       |     |              | 0.001        | 0.0022      |






# SHUTTER [MANUAL STRG.]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-35230 | SUPPORT SHUTTER | 1    |       |     |         | 0.345        | 0.759       |
| 020    | 32400-35260 | STAY FUEL TANK  | 1    |       |     |         | 0.4          | 0.88        |
| 030    | 01754-50812 | BOLT FLANGE     | 3    |       |     |         | 0.01         | 0.022       |
| 040    | 31351-35180 | CUSHION TANK    | 1    |       |     |         | 0.04         | 0.088       |
| 050    | 32330-45720 | PLATE SHUTTER   | 1    |       |     |         | 6            | 13.2        |
| 060    | 01754-50812 | BOLT FLANGE     | 4    |       |     |         | 0.01         | 0.022       |
| 070    | 30400-17980 | RUBBER BLOCK    | 2    |       |     |         | 0.01         | 0.022       |
| 080    | 32310-35310 | BAND FUEL TANK  | 1    |       |     |         | 0.16         | 0.352       |
| 090    | 31351-13820 | CUSHION BATTERY | 1    |       |     |         | 0.015        | 0.033       |
| 100    | 01754-50812 | BOLT FLANGE     | 3    |       |     |         | 0.01         | 0.022       |
| 110    | 63611-52330 | CUSHION         | 1    |       |     |         | 0.01         | 0.022       |




**SHUTTER [POWER STRG.]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-35230 | SUPPORT SHUTTER | 1    |       |     |         | 0.345        | 0.759       |
| 020    | 32400-45670 | STAY FUEL TANK  | 1    |       |     |         | 0.36         | 0.792       |
| 030    | 01754-50812 | BOLT FLANGE     | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 01754-50850 | BOLT FLANGE     | 2    |       |     |         | 0.02         | 0.044       |
| 050    | 35010-35270 | SPACER          | 2    |       |     |         | 0.075        | 0.165       |
| 060    | 31351-35180 | CUSHION TANK    | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 32330-35210 | PLATE SHUTTER   | 1    |       |     |         | 3.8          | 8.36        |
| 080    | 01754-50812 | BOLT FLANGE     | 4    |       |     |         | 0.01         | 0.022       |
| 090    | 30400-17980 | RUBBER BLOCK    | 2    |       |     |         | 0.01         | 0.022       |
| 100    | 32310-35310 | BAND FUEL TANK  | 1    |       |     |         | 0.16         | 0.352       |
| 110    | 31351-13820 | CUSHION BATTERY | 1    |       |     |         | 0.015        | 0.033       |
| 120    | 01754-50812 | BOLT FLANGE     | 3    |       |     |         | 0.01         | 0.022       |
| 130    | 63611-52330 | CUSHION         | 1    |       |     |         | 0.01         | 0.022       |

## ALTERNATOR






## ALTERNATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | TA040-74020 | STAY DYNAMO      | 1    |       |     |                                       | 0.09         | 0.198       |
| 020    | 16417-74280 | PULLEY FAN DRIVE | 1    |       |     |                                       | 1.75         | 3.85        |
| 030    | 05712-00720 | KEY FEATHER      | 1    |       |     |                                       | 0.008        | 0.0176      |
| 040    | 16427-64010 | ASSY ALTERNATOR  | 1    |       |     | REFER TO L.No.0C06-L0 FOR COMPONENTS. | 2.97         | 6.534       |
| 050    | 01173-51000 | BOLT             | 1    |       |     |                                       | 0.06         | 0.132       |
| 060    | 02176-50100 | NUT              | 1    |       |     |                                       | 0.005        | 0.011       |
| 070    | 04512-60100 | WASHER SPRING    | 1    |       |     |                                       | 0.002        | 0.0044      |
| 080    | 04013-50100 | WASHER PLAIN     | 2    |       |     |                                       | 0            | 0           |
| 090    | 01123-50830 | BOLT             | 1    |       |     |                                       | 0.015        | 0.033       |
| 100    | 04015-60080 | WASHER PLAIN     | 1    |       |     |                                       | 0.01         | 0.022       |
| 120    | 02056-50060 | NUT              | 1    |       |     |                                       | 0.002        | 0.0044      |
| 130    | 04512-60060 | WASHER SPRING    | 1    |       |     |                                       | 0.001        | 0.0022      |

## ALTERNATOR [COMPONENT PARTS]






**ALTERNATOR [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16427-64010 | ASSY ALTERNATOR   | 1    |       |     |         | 2.97         | 6.534       |
| 020    | 16427-64110 | PULLEY ALTERNATOR | 1    |       |     |         | 0.2          | 0.44        |
| 030    | 15881-92010 | NUT               | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 15881-64150 | COLLAR            | 1    |       |     |         | 0.004        | 0.0088      |
| 050    | 15881-64040 | ROTOR             | 1    |       |     |         | 1.2          | 2.64        |
| 060    | 15881-64800 | COVER BEARING     | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 15881-64770 | BEARING BALL      | 1    |       |     |         | 0.04         | 0.088       |
| 090    | 16427-64020 | FRAME DRIVE END   | 1    |       |     |         | 1.17         | 2.574       |
| 100    | 15881-64710 | PLATE RETAINER    | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 15881-93010 | SCREW ROUND HEAD  | 4    |       |     |         | 0.003        | 0.0066      |
| 120    | 15881-64260 | BOLT THROUGH      | 2    |       |     |         | 0.01         | 0.022       |
| 130    | 15881-64780 | BEARING BALL      | 1    |       |     |         | 0.05         | 0.11        |
| 140    | 16241-64060 | FRAME END         | 1    |       |     |         | 0.2          | 0.44        |
| 150    | 16241-64230 | COVER END         | 1    |       |     |         | 0.035        | 0.077       |
| 160    | 16231-64850 | ASSY RECTIFIER    | 1    |       |     |         | 0.18         | 0.396       |
| 170    | 16241-64900 | BUSH INSULATION   | 1    |       |     |         | 0.007        | 0.0154      |
| 180    | 15881-64310 | HOLDER BRUSH      | 1    |       |     |         | 0.025        | 0.055       |
| 190    | 15881-64090 | BRUSH             | 2    |       |     |         | 0.002        | 0.0044      |
| 200    | 15881-64330 | SPRING BRUSH      | 2    |       |     |         | 0.002        | 0.0044      |
| 210    | 15881-93020 | SCREW ROUND HEAD  | 2    |       |     |         | 0.005        | 0.011       |
| 220    | 15881-93030 | SCREW ROUND HEAD  | 6    |       |     |         | 0.003        | 0.0066      |
| 230    | 15881-93040 | SCREW ROUND HEAD  | 1    |       |     |         | 0.003        | 0.0066      |
| 240    | 15881-91040 | BOLT              | 3    |       |     |         | 0.005        | 0.011       |
| 250    | 15881-92020 | NUT               | 2    |       |     |         | 0.02         | 0.044       |
| 260    | 15881-91050 | BOLT              | 2    |       |     |         | 0.01         | 0.022       |
| 270    | 14182-92030 | NUT               | 1    |       |     |         | 0.003        | 0.0066      |
| 280    | 15881-64600 | ASSY REGULATOR    | 1    |       |     |         | 0.1          | 0.22        |

## STARTER




32330-020-10



## STARTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | 34070-16800 | ASSY STARTER  | 1    |       |     | REFER TO L.No.0C07-L0 FOR COMPONENTS. | 3.4          | 7.48        |
| 020    | 01517-51028 | STUD          | 1    |       |     |                                       | 0.022        | 0.0484      |
| 030    | 02176-50100 | NUT           | 1    |       |     |                                       | 0.005        | 0.011       |
| 040    | 01133-51030 | BOLT          | 1    |       |     |                                       | 0.025        | 0.055       |
| 050    | 04512-60100 | WASHER SPRING | 1    |       |     |                                       | 0.002        | 0.0044      |






## STARTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-16800 | ASSY STARTER         | 1    |       |     |         | 3.4          | 7.48        |
| 020    | 11460-63080 | YOKE                 | 1    |       |     |         | 0.8          | 1.76        |
| 030    | 11460-63070 | ARMATURE             | 1    |       |     |         | 0.05         | 0.11        |
| 040    | 11460-63530 | BEARING              | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 11460-63500 | BEARING              | 1    |       |     |         | 0.03         | 0.066       |
| 060    | 34070-16810 | ASSY CLUTCH          | 1    |       |     |         | 0.565        | 1.243       |
| 070    | 19212-63100 | ROLLER               | 5    |       |     |         | 0.002        | 0.0044      |
| 080    | 11460-63110 | RETAINER             | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 11460-63270 | GEAR                 | 1    |       |     |         | 0.04         | 0.088       |
| 100    | 34070-16830 | ASSY HOUSING         | 1    |       |     |         | 0.405        | 0.891       |
| 110    | 34070-16840 | ASSY FRAME END       | 1    |       |     |         | 0.1          | 0.22        |
| 120    | 11470-63380 | ASSY HOLDER BRUSH    | 1    |       |     |         | 0.3          | 0.66        |
| 130    | 11460-63390 | SPRING BRUSH         | 4    |       |     |         | 0.01         | 0.022       |
| 140    | 34070-16850 | ASSY SWITCH MAGNETIC | 1    |       |     |         | 0.955        | 2.101       |
| 150    | 15511-63760 | ASSY BOLT            | 2    |       |     |         | 0.005        | 0.011       |
| 160    | 11460-93310 | BOLT                 | 2    |       |     |         | 0.01         | 0.022       |
| 170    | 11460-63320 | BOLT THROUGH         | 2    |       |     |         | 0.02         | 0.044       |
| 180    | 19212-97130 | BALL                 | 1    |       |     |         | 0.003        | 0.0066      |
| 190    | 11460-63120 | SPRING               | 1    |       |     |         | 0.01         | 0.022       |
| 200    | 15511-96660 | O RING               | 2    |       |     |         | 0.005        | 0.011       |
| 210    | 13963-92010 | NUT HEXAGON          | 1    |       |     |         | 0.005        | 0.011       |
| 220    | 02114-50080 | NUT                  | 1    |       |     |         | 0.005        | 0.011       |
| 230    | 04512-60080 | WASHER SPRING        | 1    |       |     |         | 0.002        | 0.0044      |






## BATTERY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|--------------|--------------|-------------|
| 010    | 32310-30110 | BATTERY              | 1    |        |     |              | 12.5         | 27.5        |
| 015    | TA040-30150 | LABEL BATTERY        | 1    |        |     | ENGLISH      | 0.002        | 0.0044      |
| 020    | TA040-30160 | CAP BATTERY          | 6    |        |     |              | 0.01         | 0.022       |
| 030    | 32400-33210 | SUPPORT BATTERY      | 1    |        |     | MANUAL STRG. | 3.4          | 7.48        |
| 030    | 32400-45710 | SUPPORT BATTERY      | 1    |        |     | POWER STRG.  | 4.5          | 9.9         |
| 040    | 01123-60816 | BOLT                 | 4    |        |     |              | 0.01         | 0.022       |
| 050    | 31351-33110 | RETAINER BATTERY     | 1    |        |     |              | 0.11         | 0.242       |
| 060    | 34150-33290 | BOLT HOOK            | 2    |        |     |              | 0.055        | 0.121       |
| 070    | 02014-50060 | NUT                  | 2    |        |     | #            | 0.003        | 0.0066      |
| 070    | 02552-50060 | NUT LOCK             | 2    |        | ←   | #            | 0.002        | 0.0044      |
| 080    | 04512-60060 | WASHER SPRING        | 2    |        |     |              | 0.001        | 0.0022      |
| 090    | 04015-60060 | WASHER PLAIN         | 2    |        |     |              | 0.005        | 0.011       |
| 100    | 30430-82770 | CUSHION              | 1    |        |     |              | 0.005        | 0.011       |
| 110    | 37220-33330 | CORD BATTERY         | 1    | ≤50580 |     |              | 0            | 0           |
| 110    | 37220-33337 | CORD BATTERY         | 1    | ≥50581 | ←   |              | 0.39         | 0.858       |
| 120    | 37220-33380 | CORD EARTH           | 1    |        |     |              | 0.21         | 0.462       |
| 130    | 32330-17960 | SUPPORT BONNET FRONT | 1    |        |     | MANUAL STRG. | 1.03         | 2.266       |
| 130    | 32330-45960 | SUPPORT BONNET FRONT | 1    |        |     | POWER STRG.  | 1.05         | 2.31        |
| 140    | 01125-60816 | BOLT                 | 3    |        |     |              | 0.01         | 0.022       |

## SWITCH








## SWITCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32430-31820 | SWITCH MAIN          | 1    |       |     |         | 0.285        | 0.627       |
| 020    | 35080-31830 | HARNESS MAIN SWITCH  | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 31351-32100 | SWITCH COMBINATION   | 1    |       |     |         | 0.105        | 0.231       |
| 040    | 37150-32240 | SWITCH SAFETY        | 2    |       |     |         | 0.12         | 0.264       |
| 050    | 31331-31202 | UNIT FUEL            | 1    |       |     |         | 0.13         | 0.286       |
| 060    | 36330-75310 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 070    | 04013-60050 | WASHER PLAIN         | 5    |       |     |         | 0.001        | 0.0022      |
| 080    | 02054-50050 | NUT                  | 5    |       |     |         | 0.002        | 0.0044      |
| 090    | 15521-65950 | INDICATOR GLOW PLUG  | 1    |       |     |         | 0.065        | 0.143       |
| 100    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |       |     |         | 0.02         | 0.044       |






## LIGHT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35080-33370 | ASSY LIGHT HEAD   | 1    |       |     |         | 1.5          | 3.3         |
| 020    | 38430-33870 | BULB              | 2    |       |     | 35W     | 0.023        | 0.0506      |
| 030    | 34670-93600 | COMP.CORD SOCKET  | 2    |       |     |         | 0.065        | 0.143       |
| 040    | 01023-50612 | BOLT              | 3    |       |     |         | 0.005        | 0.011       |
| 050    | 02751-50060 | NUT FLANGE        | 2    |       |     |         | 0.005        | 0.011       |
| 060    | 31351-33900 | ASSY REFLECTOR    | 2    |       |     |         | 0.088        | 0.1936      |
| 070    | 03514-50510 | SCREW TAPPING     | 4    |       |     |         | 0.002        | 0.0044      |
| 090    | 32530-33610 | ASSY LIGHT HAZARD | 2    |       |     |         | 0.5          | 1.1         |
| 100    | 32530-91510 | LENS HAZARD LIGHT | 4    |       |     |         | 0.085        | 0.187       |
| 110    | 32530-91520 | SCREW TAPPING     | 12   |       |     |         | 0.001        | 0.0022      |
| 120    | 32530-91530 | BULB LIGHT        | 2    |       |     | 27W     | 0.02         | 0.044       |
| 130    | 34350-34100 | ASSY LIGHT TAIL   | 1    |       |     |         | 0.13         | 0.286       |
| 140    | 34350-34120 | LENS TAIL LIGHT   | 1    |       |     |         | 0.05         | 0.11        |
| 150    | 34350-34140 | BULB TAIL LIGHT   | 1    |       |     | 23W/8W  | 0.008        | 0.0176      |
| 160    | 34350-99220 | GASKET LENS       | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 03056-50335 | SCREW CSK-HD      | 2    |       |     |         | 0.001        | 0.0022      |
| 180    | 32480-34190 | HOLDER TAIL LIGHT | 1    |       |     |         | 0.15         | 0.33        |
| 190    | 01754-50612 | BOLT FLANGE       | 2    |       |     |         | 0.005        | 0.011       |
| 200    | 02114-50100 | NUT               | 2    |       |     |         | 0.005        | 0.011       |
| 210    | 04512-60100 | WASHER SPRING     | 2    |       |     |         | 0.002        | 0.0044      |






## METER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35300-99330 | THERMOMETER    | 1    |       |     |         | 0.2          | 0.44        |
| 020    | 66908-54750 | METER FUEL     | 1    |       |     |         | 0.15         | 0.33        |
| 030    | 32400-33700 | HAZARD UNIT    | 1    |       |     |         | 0.07         | 0.154       |
| 040    | 01754-50610 | BOLT FLANGE    | 1    |       |     |         | 0.006        | 0.0132      |
| 050    | 35260-34602 | METER TRACTOR  | 1    |       |     |         | 0.31         | 0.682       |
| 060    | 32150-31740 | BULB           | 2    |       |     |         | 0.003        | 0.0066      |
| 070    | 34150-34620 | BULB           | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 37150-34630 | COMP.SOCKET    | 1    |       |     |         | 0.02         | 0.044       |
| 090    | 37150-34640 | COMP.SOCKET    | 1    |       |     |         | 0.02         | 0.044       |
| 100    | 37150-34680 | COMP.SOCKET    | 1    |       |     |         | 0.015        | 0.033       |
| 110    | 31341-34654 | CABLE FLEXIBLE | 1    |       |     |         | 0.2          | 0.44        |
| 120    | 04811-10080 | O RING         | 1    |       |     |         | 0.001        | 0.0022      |






## ELECTRICAL WIRING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.   | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|---------|-----|--------------|--------------|-------------|
| 010    | 32330-34410 | WIRE HARNESS    | 1    | <=50580 |     |              | 0            | 0           |
| 010    | 32330-34412 | WIRE HARNESS    | 1    | >=50581 | ←   |              | 0.92         | 2.024       |
| 020    | 38430-34530 | LINK FUSIBLE    | 1    |         |     | 40A          | 0.01         | 0.022       |
| 025    | 32330-34450 | ASSY BOX FUSE   | 1    |         |     | #            | 0.077        | 0.1694      |
| 026    | 32330-34460 | COVER FUSE CASE | 1    |         |     | #            | 0            | 0           |
| 030    | 31351-33630 | FUSE            | 4    |         |     | 10A          | 0.002        | 0.0044      |
| 040    | 31351-33640 | FUSE            | 2    |         |     | 15A          | 0.002        | 0.0044      |
| 050    | 32330-34390 | WIRE HARNESS    | 1    |         |     |              | 0.014        | 0.0308      |
| 060    | 31391-31140 | SCREW           | 2    |         |     |              | 0.01         | 0.022       |
| 070    | 13816-67580 | CLAMP CORD      | 5    |         |     |              | 0.004        | 0.0088      |
| 080    | 32330-34480 | RETAINER CORD   | 1    |         |     |              | 0.04         | 0.088       |
| 090    | 55311-41260 | BAND CORD       | 4    |         |     |              | 0.007        | 0.0154      |
| 100    | 01754-50812 | BOLT FLANGE     | 2    |         |     |              | 0.01         | 0.022       |
| 110    | 55311-41260 | BAND CORD       | 1    |         |     |              | 0.007        | 0.0154      |
| 120    | 13816-67580 | CLAMP CORD      | 1    |         |     | MANUAL STRG. | 0.004        | 0.0088      |
| 120    | 55311-42160 | BAND CORD       | 1    |         |     | POWER STRG.  | 0            | 0           |




32310-026-10





## CLUTCH LEVER



32310-027-10



## CLUTCH LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37220-14712 | LEVER CLUTCH        | 1    |       |     |         | 0.475        | 1.045       |
| 020    | 31351-14720 | FORK CLUTCH RELEASE | 1    |       |     |         | 0.27         | 0.594       |
| 030    | 31150-14780 | KEY FORK            | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 01123-50822 | BOLT                | 1    |       |     |         | 0.012        | 0.0264      |
| 050    | 37220-14813 | HUB CLUTCH RELEASE  | 1    |       |     |         | 0.43         | 0.946       |
| 070    | 08490-00001 | BEARING THRUST BALL | 1    |       |     |         | 0.227        | 0.4994      |
| 080    | 34150-14840 | SPRING              | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 34670-25510 | CASE PROPELLERSHAFT | 1    |       |     |         | 0.37         | 0.814       |
| 100    | 37150-15420 | SPACER              | 1    |       |     |         | 0.105        | 0.231       |
| 110    | 04811-50650 | O RING              | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 01123-50830 | BOLT                | 4    |       |     |         | 0.015        | 0.033       |

## Reference:02T046




## CLUTCH PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37150-15710 | PEDAL CLUTCH   | 1    |       |     |         | 1.4          | 3.08        |
| 020    | 34150-28430 | BUSH           | 2    |       |     |         | 0.04         | 0.088       |
| 030    | 06613-10675 | NIPPLE GREASE  | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 37150-15840 | SPRING         | 1    |       |     |         | 0.06         | 0.132       |
| 050    | 32400-15830 | CUSHION        | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 32240-15950 | PIECE DISTANCE | 1    |       |     |         | 0.045        | 0.099       |
| 070    | 34150-15630 | U-JOINT        | 1    |       |     |         | 0.095        | 0.209       |
| 080    | 05112-50822 | PIN JOINT      | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 04012-50080 | WASHER PLAIN   | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 05511-50220 | PIN SPLIT      | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 34150-15640 | ROD CLUTCH     | 1    |       |     |         | 0.195        | 0.429       |
| 120    | 02172-50120 | NUT            | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 04013-60120 | WASHER PLAIN   | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 05511-50425 | PIN SPLIT      | 1    |       |     |         | 0.003        | 0.0066      |

## CLUTCH HOUSING






## CLUTCH HOUSING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 37150-14114 | HOUSING CLUTCH     | 1    | <=53287 |     |         | 0            | 0           |
| 010    | 37150-14115 | HOUSING CLUTCH     | 1    | >=50288 | ←   |         | 39           | 85.8        |
| 020    | 32448-99030 | GASKET             | 2    |         |     |         | 0.016        | 0.0352      |
| 030    | 38240-21150 | SPACER             | 1    |         |     |         | 3.5          | 7.7         |
| 040    | 31301-14230 | GAUGE OIL          | 1    |         |     |         | 0.005        | 0.011       |
| 050    | 15512-96010 | PLUG DRAIN         | 1    |         |     |         | 0.101        | 0.2222      |
| 060    | 04717-02150 | WASHER WITH RUBBER | 1    |         |     |         | 0.004        | 0.0088      |
| 070    | 38180-21410 | PLUG               | 1    |         |     |         | 0.02         | 0.044       |
| 080    | 04811-50300 | O RING             | 1    |         |     |         | 0.001        | 0.0022      |
| 090    | 05012-01018 | PIN STRAIGHT       | 4    |         |     |         | 0.012        | 0.0264      |
| 100    | 32210-27580 | PLUG               | 6    |         |     |         | 0.001        | 0.0022      |
| 110    | 01173-51070 | BOLT               | 1    |         |     |         | 0.044        | 0.0968      |
| 120    | 01173-51050 | BOLT               | 1    |         |     |         | 0.035        | 0.077       |
| 130    | 01173-51040 | BOLT               | 4    |         |     |         | 0.028        | 0.0616      |
| 140    | 01173-51042 | BOLT               | 2    |         |     |         | 0.03         | 0.066       |
| 150    | 35110-14180 | STUD               | 8    |         |     |         | 0.06         | 0.132       |
| 170    | 37150-14190 | NUT                | 8    |         |     |         | 0.016        | 0.0352      |
| 180    | 34152-57920 | RIVET              | 2    |         |     |         | 0.001        | 0.0022      |
| 190    | 34150-14160 | COVER HOUSING      | 1    |         |     |         | 0.15         | 0.33        |
| 200    | 34150-14170 | GASKET HOUSING     | 1    |         |     |         | 0.03         | 0.066       |
| 210    | 01123-60816 | BOLT               | 1    |         |     |         | 0.01         | 0.022       |
| 220    | 01153-50825 | BOLT               | 1    |         |     |         | 0.012        | 0.0264      |
| 230    | 02114-50080 | NUT                | 1    |         |     |         | 0.005        | 0.011       |
| 240    | 38180-37140 | BREATHER           | 1    |         |     |         | 0.01         | 0.022       |
| 250    | 32310-14270 | KIT PLUG           | 1    |         |     |         | 0.018        | 0.0396      |
| 260    | 04512-60100 | WASHER SPRING      | 1    |         |     |         | 0.002        | 0.0044      |




32310-030-10





## MAIN SHAFT






## MAIN SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37150-21510 | SHAFT MAIN       | 1    |       |     |         | 2.1          | 4.62        |
| 020    | 34150-21560 | WASHER           | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 09502-55210 | SEAL OIL         | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 37150-21520 | GEAR             | 1    |       |     | 17T     | 0.225        | 0.495       |
| 050    | 35110-21530 | GEAR             | 1    |       |     | 23T     | 0.355        | 0.781       |
| 060    | 08151-06305 | BEARING BALL     | 1    |       |     |         | 0.233        | 0.5126      |
| 070    | 37150-21550 | CIRCLIP EXTERNAL | 1    |       |     |         | 0.06         | 0.132       |
| 080    | 04612-00300 | CIRCLIP EXTERNAL | 1    |       |     |         | 0.003        | 0.0066      |
| 090    | 08241-03206 | BEARING BALL     | 1    |       |     |         | 0.302        | 0.6644      |
| 100    | 37150-21790 | CIR-CLIP         | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 37150-21580 | COLLAR           | 1    |       |     |         | 0.02         | 0.044       |
| 120    | 37150-21590 | COLLAR           | 1    |       |     |         | 0.025        | 0.055       |

## COUNTERSHAFT






## COUNTERSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35110-21610 | COUNTERSHAFT     | 1    |       |     |         | 1.645        | 3.619       |
| 020    | 37150-21760 | COLLAR THRUST    | 2    |       |     |         | 0.017        | 0.0374      |
| 030    | 37150-21790 | CIR-CLIP         | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 08151-06205 | BEARING BALL     | 1    |       |     |         | 0.131        | 0.2882      |
| 050    | 37150-21550 | CIRCLIP EXTERNAL | 2    |       |     |         | 0.06         | 0.132       |
| 060    | 35110-21710 | GEAR             | 1    |       |     | 32T     | 0.465        | 1.023       |
| 070    | 37150-21720 | GEAR             | 1    |       |     | 41T     | 0.77         | 1.694       |
| 080    | 37150-21730 | GEAR             | 1    |       |     | 45T     | 0.945        | 2.079       |
| 090    | 37150-21740 | GEAR             | 1    |       |     | 45T     | 1.08         | 2.376       |
| 100    | 08101-06205 | BEARING BALL     | 1    |       |     |         | 0.14         | 0.308       |
| 110    | 34150-21650 | COVER BEARING    | 1    |       |     |         | 0.07         | 0.154       |
| 120    | 37150-21770 | COLLAR           | 1    |       |     |         | 0.12         | 0.264       |
| 130    | 37150-21750 | BOSS SPLINE      | 2    |       |     |         | 0.088        | 0.1936      |
| 140    | 35340-21782 | CIR-CLIP         | 2    |       |     |         | 0.007        | 0.0154      |
| 150    | 35340-21792 | WIRE             | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 35010-21910 | GEAR-SHAFT       | 1    |       |     | 10T     | 0.73         | 1.606       |
| 170    | 35110-21680 | COUPLING         | 1    |       |     |         | 0.343        | 0.7546      |
| 180    | 37150-21550 | CIRCLIP EXTERNAL | 3    |       |     |         | 0.06         | 0.132       |
| 190    | 04612-00300 | CIRCLIP EXTERNAL | 1    |       |     |         | 0.003        | 0.0066      |
| 200    | 35010-21920 | GEAR             | 1    |       |     | 25T     | 0.565        | 1.243       |
| 210    | 08101-06305 | BEARING BALL     | 1    |       |     |         | 0.23         | 0.506       |
| 220    | 31361-21940 | COLLAR           | 1    |       |     |         | 0.01         | 0.022       |
| 230    | 08151-06305 | BEARING BALL     | 1    |       |     |         | 0.233        | 0.5126      |
| 240    | 34150-21942 | RETAINER BEARING | 1    |       |     |         | 0.035        | 0.077       |
| 250    | 01123-50820 | BOLT             | 1    |       |     |         | 0.011        | 0.0242      |

## PTO COUNTERSHAFT



32330-014-10




## PTO COUNTERSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35170-25323 | COUNTERSHAFT PTO  | 1    |       |     |         | 1.83         | 4.026       |
| 020    | 37150-21760 | COLLAR THRUST     | 1    |       |     |         | 0.017        | 0.0374      |
| 030    | 08151-06205 | BEARING BALL      | 1    |       |     |         | 0.131        | 0.2882      |
| 040    | 37150-21550 | CIRCLIP EXTERNAL  | 3    |       |     |         | 0.06         | 0.132       |
| 050    | 32400-21730 | SHIFTER           | 1    |       |     |         | 0.28         | 0.616       |
| 060    | 37150-21740 | GEAR              | 1    |       |     | 45T     | 1.08         | 2.376       |
| 070    | 08241-03205 | BEARING BALL      | 1    |       |     |         | 0            | 0           |
| 080    | 34150-21650 | COVER BEARING     | 1    |       |     |         | 0.07         | 0.154       |
| 090    | 34150-21560 | COLLAR WASHER     | 1    |       |     |         | 0.01         | 0.022       |
| 100    | 37150-21750 | BOSS SPLINE       | 1    |       |     |         | 0.088        | 0.1936      |
| 110    | 35340-21782 | CIR-CLIP          | 1    |       |     |         | 0.007        | 0.0154      |
| 120    | 35110-21750 | COLLAR            | 1    |       |     |         | 0.089        | 0.1958      |
| 130    | 32420-25313 | SHAFT PTO         | 1    |       |     |         | 1.94         | 4.268       |
| 140    | 35010-25210 | SHAFT PTO DRIVE   | 1    |       |     |         | 0.72         | 1.584       |
| 150    | 08101-06205 | BEARING BALL      | 1    |       |     |         | 0.14         | 0.308       |
| 160    | 37150-21550 | CIRCLIP EXTERNAL  | 4    |       |     |         | 0.06         | 0.132       |
| 170    | 37150-21682 | COUPLING          | 1    |       |     |         | 0.24         | 0.528       |
| 180    | 35200-25220 | COLLAR            | 1    |       |     |         | 0.005        | 0.011       |
| 190    | 35200-25230 | SPRING ONE-WAY    | 1    |       |     |         | 0.075        | 0.165       |
| 200    | 35200-25240 | CAM CLUTCH        | 2    |       |     |         | 0.485        | 1.067       |
| 210    | 35200-25250 | COLLAR            | 1    |       |     |         | 0.04         | 0.088       |
| 220    | 37150-25360 | SEAL OIL          | 1    |       |     |         | 0.025        | 0.055       |
| 230    | 37300-25350 | COLLAR OIL SEAL   | 1    |       |     |         | 0.032        | 0.0704      |
| 240    | 38240-25370 | SLINGER           | 1    |       |     |         | 0.004        | 0.0088      |
| 250    | 08151-06205 | BEARING BALL      | 1    |       |     |         | 0.131        | 0.2882      |
| 260    | 34150-21942 | RETAINER BEARING  | 1    |       |     |         | 0.035        | 0.077       |
| 270    | 01123-50820 | BOLT              | 1    |       |     |         | 0.011        | 0.0242      |
| 280    | 08101-06206 | BEARING BALL      | 1    |       |     |         | 0.196        | 0.4312      |
| 290    | 34150-25320 | NUT               | 1    |       |     |         | 0.03         | 0.066       |
| 300    | 04611-00620 | CIR CLIP INTERNAL | 1    |       |     |         | 0.011        | 0.0242      |
| 310    | 37150-25410 | CASE BEARING      | 1    |       |     |         | 1.02         | 2.244       |
| 320    | 32448-99130 | GASKET            | 1    |       |     |         | 0.005        | 0.011       |
| 330    | 01123-50822 | BOLT              | 4    |       |     |         | 0.012        | 0.0264      |
| 340    | 31220-25820 | CAP               | 1    |       |     |         | 0.055        | 0.121       |
| 350    | 31333-44180 | GEAR              | 1    |       |     | 19-34T  | 0.8          | 1.76        |
| 360    | 08822-53114 | BEARING NEEDLE    | 2    |       |     |         | 0.02         | 0.044       |
| 370    | 38240-21760 | COLLAR THRUST     | 2    |       |     |         | 0.02         | 0.044       |

## REVERSE SHAFT



32310-035-10






## REVERSE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37150-23110 | SHAFT REVERSE      | 1    |       |     |         | 0.455        | 1.001       |
| 020    | 37150-23120 | SCREW SET          | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 04717-00800 | WASHER WITH RUBBER | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 37150-23100 | ASSY GEAR          | 1    |       |     | 22T     | 0.885        | 1.947       |
| 050    | 31220-26360 | BUSH               | 2    |       |     |         | 0.015        | 0.033       |

## MAIN GEAR SHIFT LEVER






## MAIN GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37150-21210 | COVER SPEED CHANGE | 1    |       |     |         | 1.14         | 2.508       |
| 020    | 32448-99080 | GASKET             | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 34150-21250 | PLUG               | 5    |       |     |         | 0.002        | 0.0044      |
| 040    | 34269-21250 | PLUG               | 1    |       |     | #       | 0            | 0           |
| 040    | 31393-75420 | PLUG               | 1    |       | ↔   | #       | 0.001        | 0.0022      |
| 050    | 01153-50840 | BOLT               | 1    |       |     |         | 0.018        | 0.0396      |
| 060    | 01123-50840 | BOLT               | 2    |       |     |         | 0.018        | 0.0396      |
| 070    | 01123-50850 | BOLT               | 3    |       |     |         | 0.02         | 0.044       |
| 080    | 04717-00800 | WASHER WITH RUBBER | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 35340-23710 | BRACKET GEAR SHIFT | 1    |       |     |         | 1.46         | 3.212       |
| 100    | 32448-99040 | GASKET             | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 34150-23740 | PIN SET            | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 01123-50832 | BOLT               | 5    |       |     |         | 0.016        | 0.0352      |
| 130    | 34150-23810 | LEVER MAIN SHIFT   | 1    |       |     |         | 0.43         | 0.946       |
| 140    | TA040-15480 | GRIP LEVER         | 1    |       |     |         | 0.053        | 0.1166      |
| 150    | 34150-23940 | SHIELD LEVER       | 1    |       |     |         | 0.025        | 0.055       |
| 160    | 04811-00120 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 32240-23950 | WASHER             | 2    |       |     |         | 0.002        | 0.0044      |
| 180    | 32240-23920 | SPRING             | 1    |       |     |         | 0.007        | 0.0154      |
| 190    | 31220-23930 | CIRCLIP EXTERNAL   | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 34150-23873 | SHIELD             | 1    |       |     | #       | 0.02         | 0.044       |
| 200    | T0270-23870 | BOLT               | 1    |       |     | #       | 0.018        | 0.0396      |
| 210    | 06312-10010 | PLUG               | 2    |       |     |         | 0.007        | 0.0154      |

## PTO GEAR SHIFT LEVER






## PTO GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35260-24760 | ROD PTO FORK        | 1    |       |     |         | 0.15         | 0.33        |
| 020    | 35260-24770 | HOLDER PTO S-CHANGE | 1    |       |     |         | 0.05         | 0.11        |
| 030    | 05411-00420 | PIN SPRING          | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 32400-24780 | COLLAR              | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 32330-24850 | LEVER PTO           | 1    |       |     |         | 0.21         | 0.462       |
| 060    | 32751-24930 | GRIP LEVER          | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 05411-00632 | PIN SPRING          | 1    |       |     |         | 0.004        | 0.0088      |
| 080    | 35260-24860 | LEVER PTO SHIFT     | 1    |       |     |         | 0.105        | 0.231       |
| 090    | 04811-00150 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 32330-24830 | COVER HOUSING       | 1    |       |     |         | 0.47         | 1.034       |
| 110    | 32448-99090 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 01513-50818 | STUD                | 3    |       |     |         | 0.009        | 0.0198      |
| 130    | 01123-50865 | BOLT                | 2    |       |     |         | 0.028        | 0.0616      |
| 140    | 04512-60080 | WASHER SPRING       | 3    |       |     |         | 0.002        | 0.0044      |
| 150    | 02114-50080 | NUT                 | 3    |       |     |         | 0.005        | 0.011       |
| 160    | 32400-65200 | PLATE PTO LABEL     | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 32330-46210 | BRACKET PTO SWITCH  | 1    |       |     |         | 0.185        | 0.407       |
| 180    | 01123-60814 | BOLT                | 2    |       |     |         | 0.008        | 0.0176      |

## MAIN GEAR SHIFT FORK






## MAIN GEAR SHIFT FORK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35305-23510 | FORK SHIFT    | 1    |       |     |         | 0.19         | 0.418       |
| 020    | 35305-23520 | FORK SHIFT    | 1    |       |     |         | 0.28         | 0.616       |
| 030    | 35305-23530 | FORK SHIFT    | 1    |       |     |         | 0.29         | 0.638       |
| 040    | 05411-00420 | PIN SPRING    | 3    |       |     |         | 0.001        | 0.0022      |
| 050    | 37150-23540 | ROD FORK      | 1    |       |     |         | 0.12         | 0.264       |
| 060    | 37150-23550 | ROD FORK      | 1    |       |     |         | 0.12         | 0.264       |
| 070    | 37150-23570 | ROD FORK      | 1    |       |     |         | 0.32         | 0.704       |
| 080    | 07715-01605 | BALL          | 5    |       |     |         | 0.003        | 0.0066      |
| 090    | 62231-18530 | SPRING        | 3    |       |     |         | 0.01         | 0.022       |
| 100    | 34150-23610 | PIECE NEUTRAL | 2    |       |     |         | 0.015        | 0.033       |
| 110    | 34150-23620 | SPRING        | 2    |       |     |         | 0.003        | 0.0066      |








## PTO GEAR SHIFT FORK


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37150-24610 | FORK SHIFT         | 1    |       |     |         | 0.21         | 0.462       |
| 020    | 37150-24630 | SHAFT FORK         | 1    |       |     |         | 0.155        | 0.341       |
| 030    | 34150-24680 | SCREW SET          | 1    |       |     |         | 0.015        | 0.033       |
| 040    | 04717-00800 | WASHER WITH RUBBER | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 04811-00090 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 07715-01605 | BALL               | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 62231-18530 | SPRING             | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 35170-24710 | LEVER PTO          | 1    |       |     |         | 0.26         | 0.572       |
| 090    | 05411-00425 | PIN SPRING         | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 34150-24690 | PIN                | 1    |       |     |         | 0.02         | 0.044       |

## RANGE GEAR SHIFT FORK AND LEVER



150 32330-4626-0



32310-812-10




## RANGE GEAR SHIFT FORK AND LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35000-24110 | FORK RANGE SHIFT     | 1    |        |     |         | 0.215        | 0.473       |
| 020    | 35000-24130 | SHAFT RANGE FORK     | 1    |        |     |         | 0.115        | 0.253       |
| 030    | 05515-61200 | PIN SNAP             | 1    |        |     |         | 0.005        | 0.011       |
| 040    | 37150-23120 | SCREW SET            | 1    |        |     |         | 0.02         | 0.044       |
| 050    | 04717-00800 | WASHER WITH RUBBER   | 1    |        |     |         | 0.001        | 0.0022      |
| 060    | 07715-01605 | BALL                 | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | 62231-18530 | SPRING               | 1    |        |     |         | 0.01         | 0.022       |
| 080    | 37150-24310 | LEVER SHIFT          | 1    |        |     |         | 0.145        | 0.319       |
| 090    | 04811-00150 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 34150-24350 | STOPPER LEVER        | 1    |        |     |         | 0.015        | 0.033       |
| 110    | 01123-60816 | BOLT                 | 1    |        |     |         | 0.01         | 0.022       |
| 120    | 32330-24430 | LAVER RANGE SHIFT    | 1    |        |     |         | 0.81         | 1.782       |
| 130    | 32330-24560 | GRIP LEVER           | 1    |        |     |         | 0.015        | 0.033       |
| 140    | 05411-00632 | PIN SPRING           | 1    |        |     |         | 0.004        | 0.0088      |
| 150    | 32330-46260 | BRACKET RANGE SWITCH | 1    | ≤50005 |     |         | 0            | 0           |
| 150    | 32330-46263 | BRACKET RANGE SWITCH | 1    | ≥50006 | ←   |         | 0.31         | 0.682       |
| 160    | 32330-46270 | SCREW SET            | 1    |        |     |         | 0.07         | 0.154       |
| 170    | 32330-46240 | SPACER               | 1    |        |     |         | 0            | 0           |
| 180    | 01774-51040 | BOLT FLANGE          | 1    |        |     |         | 0.025        | 0.055       |
| 190    | 04512-60100 | WASHER SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 200    | 02118-50100 | NUT                  | 1    |        |     |         | 0.005        | 0.011       |
| 210    | 05122-51255 | PIN JOINT            | 1    |        |     |         | 0.051        | 0.1122      |
| 220    | 04013-60120 | WASHER PLAIN         | 1    |        |     |         | 0.01         | 0.022       |
| 230    | 05511-50425 | PIN SPLIT            | 1    |        |     |         | 0.003        | 0.0066      |

SPIRAL BEVEL PINION






## SPIRAL BEVEL PINION

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35110-22100 | ASSY GEAR SPIRAL     | 1    |       |     | 8-39T   | 5.3          | 11.66       |
| 020    | 08101-06306 | BEARING BALL         | 2    |       |     |         | 0.335        | 0.737       |
| 030    | 04612-00300 | CIRCLIP EXTERNAL     | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 35010-21950 | GEAR                 | 1    |       |     | 24-39T  | 1.245        | 2.739       |
| 050    | 38240-22140 | BEARING TAPER-ROLLER | 1    |       |     |         | 0.56         | 1.232       |
| 060    | 35260-23252 | NUT                  | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 37300-22150 | CASE BEARING         | 1    |       |     |         | 0.56         | 1.232       |
| 090    | 34150-22610 | SHIM                 | 2    |       |     | 0.50MM  | 0.01         | 0.022       |
| 090    | 34150-22620 | SHIM                 | 4    |       |     | 0.20MM  | 0.005        | 0.011       |
| 090    | 34150-22630 | SHIM                 | 2    |       |     | 0.10MM  | 0.005        | 0.011       |
| 100    | 34150-22170 | COVER BEARING        | 1    |       |     |         | 0.16         | 0.352       |
| 110    | 01133-51035 | BOLT                 | 4    |       |     |         | 0.03         | 0.066       |
| 120    | 01123-60816 | BOLT                 | 2    |       |     |         | 0.01         | 0.022       |
| 130    | 37800-43870 | BOLT                 | 8    |       |     |         | 0.026        | 0.0572      |
| 140    | 31363-44170 | GEAR                 | 1    |       |     | 24T     | 0.36         | 0.792       |
| 150    | 31363-44160 | COLLAR               | 1    |       |     |         | 0.02         | 0.044       |

## REAR DIFFERENTIAL





## REAR DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31331-26100 | ASSY DIFFERENTIAL    | 1    |       |     |         | 4.4          | 9.68        |
| 020    | 31331-26510 | CASE DIFFERENTIAL    | 1    |       |     |         | 2.7          | 5.94        |
| 030    | 31331-26340 | SHAFT DIFF.PINION    | 1    |       |     |         | 0.3          | 0.66        |
| 040    | 31220-26280 | KEY FEATHER          | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 35430-26350 | PINION DIFF.         | 2    |       |     |         | 0.16         | 0.352       |
| 060    | 31351-26390 | WASHER DIFF.PINION   | 2    |       |     |         | 0.012        | 0.0264      |
| 070    | 32580-43330 | GEAR DIFF.SIDE       | 1    |       |     |         | 0.49         | 1.078       |
| 080    | 38180-26440 | GEAR DIFF.SIDE LH    | 1    |       |     |         | 0.61         | 1.342       |
| 090    | 31331-26470 | WASHER SIDE GEAR     | 2    |       |     | 1.50MM  | 0.005        | 0.011       |
| 090    | 31331-26480 | WASHER SIDE GEAR     | 2    |       |     | 1.60MM  | 0.017        | 0.0374      |
| 090    | 31331-26490 | WASHER SIDE GEAR     | 2    |       |     | 1.70MM  | 0.02         | 0.044       |
| 100    | 34150-26615 | SHIFTER DIFF.LOCK    | 1    |       |     |         | 0.4          | 0.88        |
| 110    | 31331-26550 | CASE DIFF.BEARING RH | 1    |       |     |         | 1.59         | 3.498       |
| 120    | 31331-26560 | CASE DIFF.BEARING LH | 1    |       |     |         | 1.9          | 4.18        |
| 130    | 01133-51030 | BOLT                 | 8    |       |     |         | 0.025        | 0.055       |
| 140    | 37150-26160 | SHIM                 | 12   |       |     | 0.20MM  | 0.005        | 0.011       |
| 140    | 37150-26170 | SHIM                 | 8    |       |     | 0.10MM  | 0.005        | 0.011       |
| 140    | 37150-26180 | SHIM                 | 4    |       |     | 0.50MM  | 0.01         | 0.022       |
| 150    | 08101-06210 | BEARING BALL         | 1    |       |     |         | 0.45         | 0.99        |
| 160    | 08101-06208 | BEARING BALL         | 1    |       |     |         | 0.355        | 0.781       |








## DIFFERENTIAL LOCK PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37150-26630 | FORK DIFF.LOCK SHIFT | 1    |       |     |         | 0.375        | 0.825       |
| 020    | 37150-26643 | SPRING               | 1    |       |     |         | 0.033        | 0.0726      |
| 030    | 37150-26660 | SPRING               | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 01123-60816 | BOLT                 | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 37300-26650 | PEDAL DIFF.LOCK      | 1    |       |     |         | 0.635        | 1.397       |
| 060    | 32400-26670 | BRACKET PEDAL        | 1    |       |     |         | 0.63         | 1.386       |
| 070    | 35010-26592 | SPACER               | 2    |       |     |         | 0.02         | 0.044       |
| 080    | 35211-26680 | CAM DIFF.LOCK        | 1    |       |     |         | 0.567        | 1.2474      |
| 090    | 05122-50835 | PIN JOINT            | 1    |       |     |         | 0.015        | 0.033       |
| 100    | 04012-50080 | WASHER PLAIN         | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 05511-50215 | PIN SPLIT            | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 05411-00630 | PIN SPRING           | 1    |       |     |         | 0.004        | 0.0088      |
| 130    | 09500-16287 | SEAL OIL             | 2    |       |     |         | 0.01         | 0.022       |

## REAR AXLE





# REAR AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31331-26713 | SHAFT DIFF.GEAR RH | 1    |       |     |         | 1.72         | 3.784       |
| 020    | 31331-26723 | SHAFT DIFF.GEAR LH | 1    |       |     |         | 1.945        | 4.279       |
| 030    | 08101-06309 | BEARING BALL       | 2    |       |     |         | 0.82         | 1.804       |
| 040    | 04611-01000 | CIR CLIP INTERNAL  | 2    |       |     |         | 0.042        | 0.0924      |
| 050    | 04612-00450 | CIRCLIP EXTERNAL   | 2    |       |     |         | 0.007        | 0.0154      |
| 060    | 32400-27312 | CASE AXLE RH       | 1    |       |     |         | 8.8          | 19.36       |
| 070    | 31331-26832 | GEAR               | 1    |       |     | 53T     | 4.85         | 10.67       |
| 080    | 32400-27110 | AXLE REAR          | 1    |       |     |         | 9.15         | 20.13       |
| 090    | 32400-27140 | SPACER             | 1    |       |     |         | 0.93         | 2.046       |
| 100    | T0030-27160 | WASHER             | 1    |       |     |         | 0.008        | 0.0176      |
| 110    | 08101-06209 | BEARING BALL       | 1    |       |     |         | 0.42         | 0.924       |
| 120    | 04611-00850 | CIR CLIP INTERNAL  | 2    |       |     |         | 0.029        | 0.0638      |
| 130    | 70650-11380 | NUT                | 1    |       |     |         | 0.11         | 0.242       |
| 140    | 37150-27560 | SEAL OIL           | 1    |       |     |         | 0.14         | 0.308       |
| 150    | 32400-27332 | CASE AXLE LH       | 1    |       |     |         | 8.9          | 19.58       |
| 160    | 31331-26832 | GEAR               | 1    |       |     | 53T     | 4.85         | 10.67       |
| 170    | 32400-27110 | AXLE REAR          | 1    |       |     |         | 9.15         | 20.13       |
| 180    | 32400-27140 | SPACER             | 1    |       |     |         | 0.93         | 2.046       |
| 190    | T0030-27160 | WASHER             | 1    |       |     |         | 0.008        | 0.0176      |
| 200    | 08101-06209 | BEARING BALL       | 1    |       |     |         | 0.42         | 0.924       |
| 210    | 04611-00850 | CIR CLIP INTERNAL  | 2    |       |     |         | 0.029        | 0.0638      |
| 220    | 70650-11380 | NUT                | 1    |       |     |         | 0.11         | 0.242       |
| 230    | 37150-27560 | SEAL OIL           | 1    |       |     |         | 0.14         | 0.308       |
| 240    | 08101-06306 | BEARING BALL       | 2    |       |     |         | 0.335        | 0.737       |
| 250    | 31341-27350 | GASKET AXLE CASE   | 2    |       |     | #       | 0            | 0           |
| 250    | 32330-27350 | GASKET AXLE CASE   | 2    |       |     | ← #     | 0.013        | 0.0286      |
| 260    | 31351-27392 | BOLT REAMER        | 4    |       |     |         | 0.03         | 0.066       |
| 270    | 01133-51020 | BOLT               | 32   |       |     |         | 0.02         | 0.044       |
| 290    | 01517-51016 | STUD               | 4    |       |     |         | 0.06         | 0.132       |
| 300    | 04512-60100 | WASHER SPRING      | 4    |       |     |         | 0.002        | 0.0044      |
| 310    | 02176-50100 | NUT                | 4    |       |     |         | 0.005        | 0.011       |



**REAR WHEEL (9.5-24)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32400-27900 | ASSY REAR WHEEL    | 1    |       |     |         | 0            | 0           |
| 020    | 32400-27910 | ASSY REAR WHEEL    | 1    |       |     |         | 0            | 0           |
| 030    | 35200-27620 | TIRE               | 1    |       |     |         | 24           | 52.8        |
| 040    | 31220-27630 | TUBE               | 1    |       |     |         | 2.7          | 5.94        |
| 050    | 38240-11690 | CAP VALVE          | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 32150-27740 | CORE VALVE         | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 32150-27700 | ASSY VALVE         | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 32270-27710 | NUT RIM            | 1    |       |     |         | 0.006        | 0.0132      |
| 090    | 32460-27630 | WHEEL              | 1    |       |     |         | 21.1         | 46.42       |
| 100    | 32400-27980 | LABEL TIRE LH      | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 32400-27990 | ASSY REAR WHEEL RH | 1    |       |     |         | 0            | 0           |
| 120    | 35200-27620 | TIRE               | 1    |       |     |         | 24           | 52.8        |
| 130    | 31220-27630 | TUBE               | 1    |       |     |         | 2.7          | 5.94        |
| 140    | 38240-11690 | CAP VALVE          | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 32150-27740 | CORE VALVE         | 1    |       |     |         | 0.003        | 0.0066      |
| 160    | 32150-27700 | ASSY VALVE         | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 32270-27710 | NUT RIM            | 1    |       |     |         | 0.006        | 0.0132      |
| 180    | 32460-27630 | WHEEL              | 1    |       |     |         | 21.1         | 46.42       |
| 190    | 32400-27970 | LABEL TIRE RH      | 1    |       |     |         | 0.005        | 0.011       |
| 200    | 01073-51630 | BOLT               | 8    |       |     |         | 0.079        | 0.1738      |
| 210    | 02076-50160 | NUT                | 4    |       |     |         | 0.03         | 0.066       |
| 220    | 01517-51632 | STUD               | 4    |       |     |         | 0.076        | 0.1672      |
| 230    | 04512-60160 | WASHER SPRING      | 12   |       |     |         | 0.01         | 0.022       |






## REAR WHEEL (11.2-24)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32470-27900 | ASSY REAR WHEEL    | 1    |       |     |         | 122          | 268.4       |
| 020    | 32470-27610 | ASSY REAR WHEEL    | 1    |       |     |         | 62           | 136.4       |
| 030    | 32420-27620 | TIRE               | 1    |       |     |         | 31.5         | 69.3        |
| 040    | 32240-27630 | TUBE               | 1    |       |     |         | 0            | 0           |
| 050    | 32150-27700 | ASSY VALVE         | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 32150-27740 | CORE VALVE         | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 38240-11690 | CAP VALVE          | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 32270-27710 | NUT RIM            | 1    |       |     |         | 0.006        | 0.0132      |
| 090    | 32470-27650 | RIM                | 1    |       |     |         | 14.7         | 32.34       |
| 100    | 32470-27660 | DISK               | 1    |       |     |         | 13.5         | 29.7        |
| 110    | 31220-27680 | BOLT               | 4    |       |     |         | 0.09         | 0.198       |
| 120    | 04512-60160 | WASHER SPRING      | 4    |       |     |         | 0.01         | 0.022       |
| 130    | 02174-50160 | NUT                | 4    |       |     |         | 0.022        | 0.0484      |
| 135    | 04011-60160 | WASHER PLAIN       | 4    |       |     |         | 0.01         | 0.022       |
| 140    | 32470-27680 | LABEL TIRE LH      | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 32470-27690 | ASSY REAR WHEEL RH | 1    |       |     |         | 62           | 136.4       |
| 160    | 35260-27620 | TIRE               | 1    |       |     |         | 29.05        | 63.91       |
| 170    | 32240-27630 | TUBE               | 1    |       |     |         | 0            | 0           |
| 180    | 32150-27700 | ASSY VALVE         | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 32150-27740 | CORE VALVE         | 1    |       |     |         | 0.003        | 0.0066      |
| 200    | 38240-11690 | CAP VALVE          | 1    |       |     |         | 0.001        | 0.0022      |
| 210    | 32270-27710 | NUT RIM            | 1    |       |     |         | 0.006        | 0.0132      |
| 220    | 32470-27650 | RIM                | 1    |       |     |         | 14.7         | 32.34       |
| 230    | 32470-27660 | DISK               | 1    |       |     |         | 13.5         | 29.7        |
| 240    | 31220-27680 | BOLT               | 4    |       |     |         | 0.09         | 0.198       |
| 250    | 04512-60160 | WASHER SPRING      | 4    |       |     |         | 0.01         | 0.022       |
| 260    | 02174-50160 | NUT                | 4    |       |     |         | 0.022        | 0.0484      |
| 265    | 04011-60160 | WASHER PLAIN       | 4    |       |     |         | 0.01         | 0.022       |
| 270    | 32470-27670 | LABEL TIRE RH      | 1    |       |     |         | 0.001        | 0.0022      |
| 280    | 01073-51630 | BOLT               | 8    |       |     |         | 0.079        | 0.1738      |
| 290    | 02076-50160 | NUT                | 4    |       |     |         | 0.03         | 0.066       |
| 300    | 01517-51632 | STUD               | 4    |       |     |         | 0.076        | 0.1672      |
| 310    | 04512-60160 | WASHER SPRING      | 12   |       |     |         | 0.01         | 0.022       |






**REAR WHEEL (13.6-16)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32400-27800 | ASSY REAR WHEEL | 1    |       |     |         | 93           | 204.6       |
| 020    | 32400-27810 | ASSY REAR WHEEL | 1    |       |     |         | 0            | 0           |
| 030    | 38450-99330 | TIRE            | 1    |       |     |         | 20.5         | 45.1        |
| 040    | 99424-27120 | TUBE            | 1    |       |     |         | 3.8          | 8.36        |
| 050    | 32400-27850 | WHEEL           | 1    |       |     |         | 15.2         | 33.44       |
| 060    | 32150-27700 | ASSY VALVE      | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 38240-11690 | CAP VALVE       | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 32150-27740 | CORE VALVE      | 1    |       |     |         | 0.003        | 0.0066      |
| 090    | 32270-27710 | NUT RIM         | 1    |       |     |         | 0.006        | 0.0132      |
| 100    | 32400-27780 | LABEL TIRE LH   | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 32400-27820 | ASSY REAR WHEEL | 1    |       |     |         | 0            | 0           |
| 120    | 38450-99330 | TIRE            | 1    |       |     |         | 20.5         | 45.1        |
| 130    | 99424-27120 | TUBE            | 1    |       |     |         | 3.8          | 8.36        |
| 140    | 32400-27850 | WHEEL           | 1    |       |     |         | 15.2         | 33.44       |
| 150    | 32150-27700 | ASSY VALVE      | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 38240-11690 | CAP VALVE       | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 32150-27740 | CORE VALVE      | 1    |       |     |         | 0.003        | 0.0066      |
| 180    | 32270-27710 | NUT RIM         | 1    |       |     |         | 0.006        | 0.0132      |
| 190    | 32400-27770 | LABEL TIRE RH   | 1    |       |     |         | 0.005        | 0.011       |
| 200    | 01073-51630 | BOLT            | 8    |       |     |         | 0.079        | 0.1738      |
| 210    | 02076-50160 | NUT             | 4    |       |     |         | 0.03         | 0.066       |
| 220    | 01517-51632 | STUD            | 4    |       |     |         | 0.076        | 0.1672      |
| 230    | 04512-60160 | WASHER SPRING   | 12   |       |     |         | 0.01         | 0.022       |






## BRAKE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31341-28135 | CASE BRAKE RH      | 1    |       |     |         | 15.4         | 33.88       |
| 020    | 31341-28154 | CASE BRAKE LH      | 1    |       |     |         | 15           | 33          |
| 030    | 32425-28160 | GASKET             | 2    |       |     |         | 0.02         | 0.044       |
| 040    | 37150-27370 | PIN STRAIGHT       | 4    |       |     |         | 0.009        | 0.0198      |
| 050    | 37150-27350 | STUD               | 4    |       |     |         | 0.06         | 0.132       |
| 060    | 01173-51260 | BOLT               | 10   |       |     |         | 0.06         | 0.132       |
| 070    | 31339-23150 | STUD               | 2    |       |     |         | 0.715        | 1.573       |
| 080    | 01574-61260 | STUD               | 8    |       |     |         | 0.05         | 0.11        |
| 090    | 01574-51235 | STUD               | 2    |       |     |         | 0            | 0           |
| 100    | 04512-60120 | WASHER SPRING      | 26   |       |     |         | 0.005        | 0.011       |
| 110    | 02176-50120 | NUT                | 16   |       |     |         | 0.01         | 0.022       |
| 120    | 06331-45012 | PLUG               | 2    |       |     |         | 0.028        | 0.0616      |
| 130    | 04717-01200 | WASHER WITH RUBBER | 2    |       |     |         | 0.002        | 0.0044      |
| 140    | 31351-28210 | CAM BRAKE          | 2    |       |     |         | 0.35         | 0.77        |
| 150    | 04811-00220 | O RING             | 4    |       |     |         | 0.001        | 0.0022      |
| 160    | 04015-60120 | WASHER PLAIN       | 2    |       |     |         | 0.022        | 0.0484      |
| 170    | 04512-60120 | WASHER SPRING      | 2    |       |     |         | 0.005        | 0.011       |
| 180    | 02174-50120 | NUT                | 2    |       |     |         | 0.01         | 0.022       |
| 190    | 37150-28240 | PLATE CAM LH       | 1    |       |     |         | 1.13         | 2.486       |
| 200    | 37150-28270 | PLATE CAM RH       | 1    |       |     |         | 1.08         | 2.376       |
| 210    | 37150-28250 | SEAT BALL          | 12   |       |     |         | 0.003        | 0.0066      |
| 220    | 07715-00805 | BALL               | 12   |       |     |         | 0.016        | 0.0352      |
| 230    | 37150-28200 | DISK BRAKE         | 4    |       |     |         | 0.774        | 1.7028      |
| 240    | 37720-28170 | PLATE              | 2    |       |     |         | 0.422        | 0.9284      |
| 250    | 37150-28224 | LEVER BRAKE CAM RH | 1    |       |     |         | 0.32         | 0.704       |
| 260    | 37150-28234 | LEVER BRAKE CAM LH | 1    |       |     |         | 0.3          | 0.66        |

## BRAKE PEDAL




**BRAKE PEDAL**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37150-28410 | SHAFT BRAKE PEDAL   | 1    |       |     |         | 1.43         | 3.146       |
| 020    | 37150-28420 | SUPPORT PEDAL SHAFT | 1    |       |     |         | 0.95         | 2.09        |
| 030    | 34150-28430 | BUSH                | 2    |       |     |         | 0.04         | 0.088       |
| 040    | 06613-10675 | NIPPLE GREASE       | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 01173-51018 | BOLT                | 4    |       |     |         | 0.018        | 0.0396      |
| 060    | 04512-60100 | WASHER SPRING       | 4    |       |     |         | 0.002        | 0.0044      |
| 070    | 32150-28460 | COLLAR              | 1    |       |     |         | 0.007        | 0.0154      |
| 080    | 04612-00250 | CIRCLIP EXTERNAL    | 1    |       |     |         | 0.002        | 0.0044      |
| 090    | 35260-28610 | PEDAL BRAKE LH      | 1    |       |     |         | 1.36         | 2.992       |
| 100    | 05411-00840 | PIN SPRING          | 1    |       |     |         | 0.008        | 0.0176      |
| 110    | 35260-28620 | PEDAL BRAKE RH      | 1    |       |     |         | 1.34         | 2.948       |
| 120    | 34150-28430 | BUSH                | 2    |       |     |         | 0.04         | 0.088       |
| 130    | 06613-10675 | NIPPLE GREASE       | 1    |       |     |         | 0.003        | 0.0066      |
| 140    | 35110-28930 | ROD BRAKE           | 2    |       |     |         | 0.165        | 0.363       |
| 150    | 37720-28940 | ROD BRAKE           | 2    |       |     |         | 0.2          | 0.44        |
| 160    | 37720-28980 | TURNBUCKLE          | 2    |       |     |         | 0.099        | 0.2178      |
| 170    | 37720-28990 | NUT                 | 2    |       |     |         | 0.008        | 0.0176      |
| 180    | 02172-50120 | NUT                 | 2    |       |     |         | 0.01         | 0.022       |
| 190    | 04012-50080 | WASHER PLAIN        | 4    |       |     |         | 0.001        | 0.0022      |
| 200    | 05112-50822 | PIN JOINT           | 4    |       |     |         | 0.01         | 0.022       |
| 210    | 05511-50215 | PIN SPLIT           | 4    |       |     |         | 0.001        | 0.0022      |
| 220    | 37150-15840 | SPRING              | 2    |       |     |         | 0.06         | 0.132       |

## PARKING BRAKE LEVER



32310-052-10




## PARKING BRAKE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | 34150-28810 | RATCHET       | 1    |        |     |         | 0.045        | 0.099       |
| 020    | 37150-28850 | SPRING        | 1    |        |     |         | 0.005        | 0.011       |
| 030    | 34150-28820 | BOLT          | 1    |        |     |         | 0.04         | 0.088       |
| 040    | 04011-50120 | WASHER PLAIN  | 2    |        |     |         | 0.005        | 0.011       |
| 050    | 02174-50120 | NUT           | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 34150-28880 | GUIDE RATCHET | 1    |        |     |         | 0.04         | 0.088       |
| 070    | 01754-50812 | BOLT FLANGE   | 2    |        |     |         | 0.01         | 0.022       |
| 080    | 34150-28870 | ROD RATCHET   | 1    | ≤50005 |     |         | 0.09         | 0.198       |
| 080    | 32330-28870 | ROD RATCHET   | 1    | ≥50006 | ←   |         | 0.085        | 0.187       |
| 090    | 04012-50060 | WASHER PLAIN  | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 05511-50212 | PIN SPLIT     | 1    |        |     |         | 0.001        | 0.0022      |





32310-061-10




## FRONT AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31353-44110 | FLANGE AXLE   | 2    |       |     |         | 3            | 6.6         |
| 020    | 31353-44130 | O RING        | 2    |       |     |         | 0.01         | 0.022       |
| 030    | 01513-60825 | STUD          | 4    |       |     |         | 0.012        | 0.0264      |
| 040    | 04512-60080 | WASHER SPRING | 4    |       |     |         | 0.002        | 0.0044      |
| 050    | 02156-50080 | NUT           | 4    |       |     |         | 0.004        | 0.0088      |
| 060    | 01123-50825 | BOLT          | 12   |       |     |         | 0.013        | 0.0286      |
| 070    | 31333-43940 | GEAR BEVEL    | 2    |       |     | 40T     | 3.71         | 8.162       |
| 080    | 31353-43960 | AXLE          | 2    |       |     |         | 4            | 8.8         |
| 090    | 08101-06206 | BEARING BALL  | 2    |       |     |         | 0.196        | 0.4312      |
| 100    | 37650-43670 | COLLAR THRUST | 2    |       |     |         | 0.01         | 0.022       |
| 110    | 37720-43690 | COLLAR        | 2    |       |     |         | 0.038        | 0.0836      |
| 120    | 37650-43680 | CIR-CLIP      | 4    |       |     |         | 0            | 0           |
| 130    | 08101-06207 | BEARING BALL  | 2    |       |     |         | 0.282        | 0.6204      |
| 140    | 37650-43530 | SEAL OIL      | 2    |       |     |         | 0.062        | 0.1364      |

## FRONT AXLE CASE






## FRONT AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 35000-43822 | CASE AXLE LH       | 1    |         |     |         | 9            | 19.8        |
| 020    | 35000-43832 | CASE AXLE RH       | 1    |         |     |         | 8.4          | 18.48       |
| 030    | 06331-45012 | PLUG               | 2    |         |     |         | 0.028        | 0.0616      |
| 040    | 04717-01200 | WASHER WITH RUBBER | 2    |         |     |         | 0.002        | 0.0044      |
| 050    | 31353-43850 | PLUG               | 2    |         |     |         | 0.075        | 0.165       |
| 060    | 31353-43876 | SEAL OIL           | 2    |         |     |         | 0            | 0           |
| 060    | T0270-13150 | SEAL OIL           | 2    | <=55667 | ↔   | #       | 0            | 0           |
| 060    | T0270-13152 | SEAL OIL           | 2    | >=55668 | ←   | #       | 0.1          | 0.22        |
| 070    | 08101-06012 | BEARING BALL       | 2    |         |     |         | 0.41         | 0.902       |
| 080    | 08101-06010 | BEARING BALL       | 2    |         |     |         | 0.262        | 0.5764      |
| 085    | TA140-12080 | SHIM               | 2    | >=55668 |     | 0.80MM  | 0.007        | 0.0154      |
| 085    | TA140-12100 | SHIM               | 2    | >=55668 |     | 1.00MM  | 0.008        | 0.0176      |
| 085    | TA140-12120 | SHIM               | 2    | >=55668 |     | 1.20MM  | 0.01         | 0.022       |
| 085    | TA140-12140 | SHIM               | 2    | >=55668 |     | 1.40MM  | 0.011        | 0.0242      |
| 085    | TA140-12160 | SHIM               | 2    | >=55668 |     | 1.60MM  | 0.013        | 0.0286      |
| 090    | 04612-00500 | CIRCLIP EXTERNAL   | 2    |         |     |         | 0.009        | 0.0198      |
| 100    | 04611-00800 | CIR CLIP INTERNAL  | 2    |         |     |         | 0.02         | 0.044       |
| 110    | 31353-43910 | SHAFT BEVEL GEAR   | 2    |         |     |         | 0.67         | 1.474       |
| 120    | 31333-43930 | GEAR BEVEL         | 2    |         |     | 12T     | 0.68         | 1.496       |
| 130    | 08101-06009 | BEARING BALL       | 2    |         |     |         | 0.22         | 0.484       |
| 140    | 31353-43460 | SHIM               | 2    |         |     | 0.80MM  | 0.01         | 0.022       |
| 140    | 31353-43480 | SHIM               | 2    |         |     | 1.20MM  | 0.015        | 0.033       |
| 140    | 31353-44030 | SHIM               | 2    |         |     | 1.60MM  | 0.02         | 0.044       |
| 140    | 31353-44040 | SHIM               | 2    |         |     | 1.80MM  | 0.02         | 0.044       |
| 140    | 31353-44050 | SHIM               | 2    |         |     | 2.00MM  | 0.02         | 0.044       |
| 140    | 31353-44060 | SHIM               | 2    |         |     | 2.30MM  | 0.025        | 0.055       |
| 140    | 31353-44070 | SHIM               | 2    |         |     | 2.60MM  | 0.04         | 0.088       |
| 150    | 04611-00750 | CIR CLIP INTERNAL  | 2    |         |     |         | 0.019        | 0.0418      |
| 160    | 06331-45010 | PLUG               | 2    |         |     |         | 0.02         | 0.044       |
| 170    | 04717-01000 | WASHER WITH RUBBER | 2    |         |     |         | 0.001        | 0.0022      |

## DIFFERENTIAL GEAR SHAFT






## DIFFERENTIAL GEAR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35010-43620 | CASE BEVEL GEAR    | 1    | ≤54285 |     | #       | 0            | 0           |
| 010    | 35010-43623 | CASE BEVEL GEAR    | 1    | ≥54286 | ←   | #       | 3.75         | 8.25        |
| 010    | 35010-43624 | CASE BEVEL GEAR    | 1    | ≥55668 | ≠   | #       | 3.75         | 8.25        |
| 020    | 31353-43614 | CASE BEVEL GEAR    | 1    | ≤54285 |     | #       | 0            | 0           |
| 020    | 31353-43616 | CASE BEVEL GEAR    | 1    | ≥54286 | ←   | #       | 3            | 6.6         |
| 020    | 32330-43610 | CASE BEVEL GEAR    | 1    | ≥55668 | ≠   | #       | 3.1          | 6.82        |
| 030    | 31353-43880 | PIN STRAIGHT       | 4    |        |     |         | 0.02         | 0.044       |
| 040    | 01176-51435 | BOLT               | 10   |        |     |         | 0.056        | 0.1232      |
| 050    | 04512-60140 | WASHER SPRING      | 10   |        |     |         | 0.006        | 0.0132      |
| 060    | 04811-10850 | O RING             | 2    |        |     |         | 0.002        | 0.0044      |
| 070    | 32410-43630 | SHAFT DIFF.GEAR LH | 2    |        |     |         | 1.33         | 2.926       |
| 080    | 31353-43650 | GEAR BEVEL         | 2    |        |     | 13T     | 0.46         | 1.012       |
| 090    | 08101-06208 | BEARING BALL       | 2    |        |     |         | 0.355        | 0.781       |
| 100    | 31353-43750 | SHIM               | 2    |        |     | 0.40MM  | 0.008        | 0.0176      |
| 100    | 31353-43760 | SHIM               | 2    |        |     | 0.60MM  | 0.01         | 0.022       |
| 100    | 31353-43770 | SHIM               | 2    |        |     | 0.80MM  | 0.015        | 0.033       |
| 100    | 31353-43780 | SHIM               | 2    |        |     | 1.00MM  | 0.014        | 0.0308      |
| 100    | 31353-43790 | SHIM               | 2    |        |     | 1.20MM  | 0.015        | 0.033       |
| 110    | 31353-43660 | GEAR BEVEL         | 2    |        |     | 15T     | 0.5          | 1.1         |
| 120    | 36920-40090 | BEARING BALL       | 2    |        |     |         | 0.1          | 0.22        |

## FRONT DIFFERENTIAL CASE






## FRONT DIFFERENTIAL CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------------|--------------|-------------|
| 010    | 32410-43110 | CASE FRONT AXLE      | 1    |       |     |               | 15           | 33          |
| 020    | 04811-00180 | O RING               | 1    |       |     |               | 0.001        | 0.0022      |
| 030    | 31353-43122 | GAUGE OIL            | 1    |       |     |               | 0.015        | 0.033       |
| 040    | 31353-43220 | COLLAR SEAL          | 1    |       |     |               | 0.035        | 0.077       |
| 050    | 04811-10250 | O RING               | 1    |       |     |               | 0.001        | 0.0022      |
| 060    | 09500-32528 | SEAL OIL             | 1    |       |     |               | 0.017        | 0.0374      |
| 070    | 31353-43240 | ROLLER TAPER         | 2    |       |     |               | 0.23         | 0.506       |
| 080    | 31353-43140 | SHIM                 | 1    |       |     | 0.40MM        | 0.003        | 0.0066      |
| 080    | 31353-43150 | SHIM                 | 1    |       |     | 0.60MM        | 0.001        | 0.0022      |
| 080    | 31353-43160 | SHIM                 | 1    |       |     | 0.80MM        | 0.01         | 0.022       |
| 080    | 31353-43170 | SHIM                 | 1    |       |     | 1.00MM        | 0.006        | 0.0132      |
| 080    | 31353-43180 | SHIM                 | 1    |       |     | 1.20MM        | 0.003        | 0.0066      |
| 090    | 35260-23252 | NUT                  | 1    |       |     |               | 0.04         | 0.088       |
| 100    | 31353-43260 | ASSY CASE PINION BRG | 1    |       |     |               | 5            | 11          |
| 110    | 01173-51040 | BOLT                 | 4    |       |     |               | 0.028        | 0.0616      |
| 120    | 04512-60100 | WASHER SPRING        | 4    |       |     |               | 0.002        | 0.0044      |
| 130    | 31353-43250 | O RING               | 1    |       |     |               | 0.005        | 0.011       |
| 140    | 01517-61022 | STUD                 | 2    |       |     |               | 0.019        | 0.0418      |
| 150    | 02176-50100 | NUT                  | 2    |       |     |               | 0.005        | 0.011       |
| 160    | 04512-60100 | WASHER SPRING        | 2    |       |     |               | 0.002        | 0.0044      |
| 170    | 01133-51025 | BOLT                 | 8    |       |     |               | 0.023        | 0.0506      |
| 180    | 06331-45012 | PLUG                 | 1    |       |     |               | 0.028        | 0.0616      |
| 190    | 04717-01200 | WASHER WITH RUBBER   | 1    |       |     |               | 0.002        | 0.0044      |
| 200    | 35080-99700 | KIT BREATHER         | 1    |       |     | SERVICE PARTS | 0.03         | 0.066       |



FRONT DIFFERENTIAL



32430-078-10




## FRONT DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31353-43312 | CASE DIFFERENTIAL    | 1    |       |     |         | 1.62         | 3.564       |
| 020    | 31353-43330 | SHAFT PINION         | 1    |       |     |         | 0.13         | 0.286       |
| 030    | 05012-00628 | PIN STRAIGHT         | 1    |       |     |         | 0.006        | 0.0132      |
| 040    | 31353-43343 | PINION DIFF.         | 2    |       |     |         | 0.1          | 0.22        |
| 050    | 67121-56670 | COLLAR PINION THRUST | 2    |       |     |         | 0.006        | 0.0132      |
| 060    | 31353-43353 | GEAR DIFF.SIDE       | 2    |       |     |         | 0.19         | 0.418       |
| 070    | 67211-15160 | SHIM                 | 2    |       |     | 1.00MM  | 0.01         | 0.022       |
| 070    | 67211-15170 | SHIM                 | 2    |       |     | 0.80MM  | 0.008        | 0.0176      |
| 070    | 67211-15180 | SHIM                 | 2    |       |     | 1.20MM  | 0.01         | 0.022       |
| 070    | 31353-43360 | SHIM                 | 2    |       |     | 0.60MM  | 0.01         | 0.022       |
| 070    | 31353-43370 | SHIM                 | 2    |       |     | 0.40MM  | 0.01         | 0.022       |
| 080    | 31353-43413 | PIN STRAIGHT         | 2    |       |     |         | 0.01         | 0.022       |
| 090    | 36280-42320 | BOLT                 | 4    |       |     |         | 0.042        | 0.0924      |
| 100    | 08101-06009 | BEARING BALL         | 1    |       |     |         | 0.22         | 0.484       |
| 110    | 31353-43440 | SHIM                 | 1    |       |     | 0.40MM  | 0.005        | 0.011       |
| 110    | 31353-43450 | SHIM                 | 1    |       |     | 0.60MM  | 0.01         | 0.022       |
| 110    | 31353-43460 | SHIM                 | 1    |       |     | 0.80MM  | 0.01         | 0.022       |
| 110    | 31353-43470 | SHIM                 | 1    |       |     | 1.00MM  | 0.01         | 0.022       |
| 110    | 31353-43480 | SHIM                 | 1    |       |     | 1.20MM  | 0.015        | 0.033       |
| 120    | 08101-06209 | BEARING BALL         | 1    |       |     |         | 0.42         | 0.924       |
| 130    | 31353-43510 | SCREW ADJUSTING      | 1    |       |     |         | 0.16         | 0.352       |
| 140    | 31353-43530 | WASHER LOCK          | 1    |       |     |         | 0.012        | 0.0264      |
| 150    | 01023-50610 | BOLT                 | 1    |       |     |         | 0.005        | 0.011       |
| 160    | 31353-99120 | ASSY GEAR BEVEL      | 1    |       |     | 7-34T   | 2.3          | 5.06        |

## PROPELLER SHAFT






## PROPELLER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32400-44520 | SHAFT PROPELLER | 1    |       |     |         | 2.4          | 5.28        |
| 020    | T0070-14710 | COUPLING        | 2    |       |     |         | 0.16         | 0.352       |
| 030    | 05411-00430 | PIN SPRING      | 2    |       |     |         | 0.002        | 0.0044      |
| 040    | 32400-44540 | COVER SHAFT     | 1    |       |     |         | 1.03         | 2.266       |
| 050    | 04811-00410 | O RING          | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 05411-00560 | PIN SPRING      | 1    |       |     |         | 0.006        | 0.0132      |
| 070    | 35010-44550 | COVER SHAFT     | 1    |       |     |         | 0.55         | 1.21        |
| 080    | 31353-44570 | SEAL            | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 01774-51016 | BOLT FLANGE     | 1    |       |     |         | 0.02         | 0.044       |
| 100    | 04811-00420 | O RING          | 1    |       |     |         | 0.002        | 0.0044      |
| 110    | 08141-06904 | BEARING BALL    | 1    |       |     |         | 0.05         | 0.11        |
| 120    | 32430-44590 | RING OUTER      | 1    |       |     |         | 0.01         | 0.022       |

## FRONT SHEEL DRIVE CASE



32310-067-10




## FRONT SHEEL DRIVE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31353-44210 | CASE DRIVE         | 1    |       |     |         | 0.9          | 1.98        |
| 020    | 32425-21280 | GASKET             | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 05012-01018 | PIN STRAIGHT       | 2    |       |     |         | 0.012        | 0.0264      |
| 040    | 01133-51235 | BOLT               | 2    |       |     |         | 0.05         | 0.11        |
| 050    | 01133-51260 | BOLT               | 2    |       |     |         | 0.06         | 0.132       |
| 060    | 15512-96010 | PLUG DRAIN         | 1    |       |     |         | 0.101        | 0.2222      |
| 070    | 04717-02150 | WASHER WITH RUBBER | 1    |       |     |         | 0.004        | 0.0088      |
| 080    | 31353-44220 | SHAFT              | 1    |       |     |         | 0.375        | 0.825       |
| 090    | 08101-06203 | BEARING BALL       | 1    |       |     |         | 0.063        | 0.1386      |
| 100    | 08101-06204 | BEARING BALL       | 1    |       |     |         | 0.102        | 0.2244      |
| 110    | 09502-04710 | SEAL OIL           | 1    |       |     |         | 0.022        | 0.0484      |
| 120    | 31343-44230 | GEAR SHIFT         | 1    |       |     | 33T     | 0.565        | 1.243       |
| 130    | 07715-01605 | BALL               | 2    |       |     |         | 0.003        | 0.0066      |
| 140    | 31353-44250 | SPRING             | 1    |       |     |         | 0.015        | 0.033       |
| 150    | 31353-44310 | LEVER SHIFT        | 1    |       |     |         | 0.16         | 0.352       |
| 160    | 04811-00150 | O RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 170    | 31353-44330 | STOPPER LEVER      | 1    |       |     |         | 0.01         | 0.022       |
| 180    | 01754-50816 | BOLT FLANGE        | 1    |       |     |         | 0.011        | 0.0242      |


## FRONT WHEEL DRIVE LEVER



## FRONT WHEEL DRIVE LEVER

---

030 35010-4440-2



32310-811-10






## FRONT WHEEL DRIVE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35010-44360 | LEVER CHANGE      | 1    |        |     |         | 0.2          | 0.44        |
| 020    | 05411-00625 | PIN SPRING        | 1    |        |     |         | 0.004        | 0.0088      |
| 030    | 35010-44402 | LEVER FRONT DRIVE | 1    | ≤50005 |     |         | 0            | 0           |
| 030    | 35010-44403 | LEVER FRONT DRIVE | 1    | ≥50006 | ←   |         | 0.5          | 1.1         |
| 040    | 05411-00425 | PIN SPRING        | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 32330-24560 | GRIP LEVER        | 1    |        |     |         | 0.015        | 0.033       |
| 060    | 05122-51022 | PIN JOINT         | 1    |        |     |         | 0.014        | 0.0308      |
| 070    | 04013-60100 | WASHER PLAIN      | 1    |        |     |         | 0.004        | 0.0088      |
| 080    | 05511-50318 | PIN SPLIT         | 1    |        |     |         | 0.001        | 0.0022      |




32310-069-10

**FRONT WHEEL (6-14)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35010-43700 | ASSY FRONT WHEEL    | 1    |       |     |         | 38.3         | 84.26       |
| 020    | 35010-43710 | ASSY FRONT WHEEL RH | 1    |       |     |         | 19.25        | 42.35       |
| 030    | 95016-11120 | TUBE                | 1    |       |     |         | 0.77         | 1.694       |
| 040    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 38380-43740 | TIRE                | 1    |       |     |         | 8.8          | 19.36       |
| 070    | 35010-43730 | WHEEL               | 1    |       |     |         | 9            | 19.8        |
| 080    | 35010-43770 | LABEL TIRE RH       | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 35010-43720 | ASSY FRONT WHEEL LH | 1    |       |     |         | 0            | 0           |
| 100    | 95016-11120 | TUBE                | 1    |       |     |         | 0.77         | 1.694       |
| 110    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 130    | 38380-43740 | TIRE                | 1    |       |     |         | 8.8          | 19.36       |
| 140    | 35010-43730 | WHEEL               | 1    |       |     |         | 9            | 19.8        |
| 150    | 35010-43780 | LABEL TIRE RH       | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 04512-60140 | WASHER SPRING       | 12   |       |     |         | 0.006        | 0.0132      |
| 170    | 04013-60140 | WASHER PLAIN        | 12   |       |     |         | 0.01         | 0.022       |
| 180    | 02176-50140 | NUT                 | 4    |       |     |         | 0.014        | 0.0308      |
| 190    | 35450-49160 | STUD                | 4    |       |     |         | 0.05         | 0.11        |
| 200    | 01173-51430 | BOLT                | 8    |       |     |         | 0.052        | 0.1144      |

## FRONT WHEEL (7-16)



32310-069-10




## FRONT WHEEL (7-16)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32470-43700 | ASSY FRONT WHEEL    | 1    |       |     |         | 46           | 101.2       |
| 020    | 32470-43710 | ASSY FRONT WHEEL RH | 1    |       |     |         | 22.7         | 49.94       |
| 030    | 35220-43750 | TUBE                | 1    |       |     |         | 1.13         | 2.486       |
| 040    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 38440-43740 | TIRE                | 1    |       |     |         | 9.66         | 21.252      |
| 070    | 32470-43730 | WHEEL               | 1    |       |     |         | 11.48        | 25.256      |
| 080    | 32470-43770 | LABEL TIRE RH       | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 32470-43720 | ASSY FRONT WHEEL LH | 1    |       |     |         | 22.7         | 49.94       |
| 100    | 35220-43750 | TUBE                | 1    |       |     |         | 1.13         | 2.486       |
| 110    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 130    | 38440-43740 | TIRE                | 1    |       |     |         | 9.66         | 21.252      |
| 140    | 32470-43730 | WHEEL               | 1    |       |     |         | 11.48        | 25.256      |
| 150    | 32470-43780 | LABEL TIRE LH       | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 04512-60140 | WASHER SPRING       | 12   |       |     |         | 0.006        | 0.0132      |
| 170    | 04013-60140 | WASHER PLAIN        | 12   |       |     |         | 0.01         | 0.022       |
| 180    | 02176-50140 | NUT                 | 4    |       |     |         | 0.014        | 0.0308      |
| 190    | 35450-49160 | STUD                | 4    |       |     |         | 0.05         | 0.11        |
| 200    | 01173-51430 | BOLT                | 8    |       |     |         | 0.052        | 0.1144      |

FRONT WHEEL (24X8.50-14)




**FRONT WHEEL (24X8.50-14)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32400-11500 | ASSY FRONT WHEEL    | 1    |       |     |         | 36           | 79.2        |
| 020    | 32400-11510 | ASSY FRONT WHEEL RH | 1    |       |     |         | 8            | 17.6        |
| 030    | 32410-11540 | TIRE                | 1    |       |     |         | 5            | 11          |
| 040    | 34159-11850 | VALVE TIRE          | 1    |       |     |         | 0.013        | 0.0286      |
| 050    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 32470-11840 | ASSY WHEEL          | 1    |       |     |         | 10.8         | 23.76       |
| 080    | 32400-11700 | LABEL TIRE RH       | 1    |       |     |         | 0            | 0           |
| 090    | 32400-11520 | ASSY FRONT WHEEL LH | 1    |       |     |         | 8            | 17.6        |
| 100    | 32410-11540 | TIRE                | 1    |       |     |         | 5            | 11          |
| 110    | 34159-11850 | VALVE TIRE          | 1    |       |     |         | 0.013        | 0.0286      |
| 120    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 140    | 32470-11840 | ASSY WHEEL          | 1    |       |     |         | 10.8         | 23.76       |
| 150    | 32400-11690 | LABEL TIRE LH       | 1    |       |     |         | 0            | 0           |
| 160    | 04512-60140 | WASHER SPRING       | 12   |       |     |         | 0.006        | 0.0132      |
| 170    | 04013-60140 | WASHER PLAIN        | 12   |       |     |         | 0.01         | 0.022       |
| 180    | 02176-50140 | NUT                 | 4    |       |     |         | 0.014        | 0.0308      |
| 190    | 35450-49160 | STUD                | 4    |       |     |         | 0.05         | 0.11        |
| 200    | 01173-51430 | BOLT                | 8    |       |     |         | 0.052        | 0.1144      |

## FRONT AXLE FRAME








## FRONT AXLE FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32330-44710 | FRAME FRONT AXLE    | 1    |       |     |         | 0            | 0           |
| 020    | 01176-51235 | BOLT                | 12   |       |     |         | 0.041        | 0.0902      |
| 040    | 01176-51245 | BOLT                | 2    |       |     |         | 0.05         | 0.11        |
| 050    | 04512-60120 | WASHER SPRING       | 14   |       |     |         | 0.005        | 0.011       |
| 060    | 01176-51030 | BOLT                | 1    |       |     |         | 0            | 0           |
| 070    | 04512-60100 | WASHER SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 31353-44700 | ASSY BRACKET F-AXLE | 1    |       |     |         | 1.065        | 2.343       |
| 090    | 08511-03525 | BUSH                | 1    |       |     |         | 0.006        | 0.0132      |
| 100    | 38440-44674 | COLLAR              | 1    |       |     |         | 0.03         | 0.066       |
| 110    | 38440-44830 | SEAL OIL            | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 32400-44760 | SET BOLT            | 1    |       |     |         | 0.015        | 0.033       |
| 130    | 31353-44770 | WASHER SEAL         | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 02172-50120 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 01173-51430 | BOLT                | 2    |       |     |         | 0.052        | 0.1144      |
| 160    | 04512-60140 | WASHER SPRING       | 2    |       |     |         | 0.006        | 0.0132      |
| 170    | 37970-44800 | ASSY BRACKET F-AXLE | 1    |       |     |         | 1.86         | 4.092       |
| 180    | 38440-44630 | BUSH                | 1    |       |     |         | 0.1          | 0.22        |
| 190    | 31353-44830 | COLLAR THRUST       | 1    |       |     |         | 0.03         | 0.066       |
| 200    | 38440-44820 | SEAL OIL            | 1    |       |     |         | 0.01         | 0.022       |
| 210    | 38240-13180 | BOLT REAMER         | 4    |       |     |         | 0.04         | 0.088       |
| 220    | 04512-60120 | WASHER SPRING       | 4    |       |     |         | 0.005        | 0.011       |
| 230    | 32310-13810 | BUMPER              | 1    |       |     |         | 1.4          | 3.08        |
| 240    | 01173-51435 | BOLT                | 4    |       |     |         | 0.056        | 0.1232      |
| 250    | 04512-60140 | WASHER SPRING       | 4    |       |     |         | 0.006        | 0.0132      |




32310-076-10



## STEERING LINKAGE (DRAG LINK) (MS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 32400-43970 | ASSY LINK DRAG | 1    |       |     | MANUAL STRG. | 2.6          | 5.72        |
| 020    | 38240-12650 | COVER DUST     | 2    |       |     | MANUAL STRG. | 0.01         | 0.022       |
| 030    | 38240-12660 | CLIP           | 2    |       |     | MANUAL STRG. | 0.005        | 0.011       |
| 040    | 38240-12830 | NUT            | 2    |       |     | MANUAL STRG. | 0.008        | 0.0176      |
| 050    | 05511-50325 | PIN SPLIT      | 2    |       |     | MANUAL STRG. | 0.002        | 0.0044      |
| 060    | 35000-43910 | END DRAG LINK  | 1    |       |     | MANUAL STRG. | 1.84         | 4.048       |
| 070    | 37800-43890 | BUSH           | 1    |       |     | MANUAL STRG. | 0.035        | 0.077       |
| 080    | 04811-00260 | O RING         | 1    |       |     | MANUAL STRG. | 0.001        | 0.0022      |
| 090    | 01133-51030 | BOLT           | 4    |       |     | MANUAL STRG. | 0.025        | 0.055       |






## STEERING LINKAGE (DRAG LINK) (PS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS     | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|-------------|--------------|-------------|
| 010    | 32400-45610 | ASSY LINK DRAG(PS) | 1    |       |     | POWER STRG. | 3.07         | 6.754       |
| 020    | 35270-12650 | COVER DUST         | 2    |       |     | POWER STRG. | 0.01         | 0.022       |
| 030    | 35270-12660 | CLIP               | 2    |       |     | POWER STRG. | 0.005        | 0.011       |
| 040    | 35270-12670 | NUT                | 2    |       |     | POWER STRG. | 0.014        | 0.0308      |
| 050    | 05511-50328 | PIN SPLIT          | 2    |       |     | POWER STRG. | 0.002        | 0.0044      |
| 060    | 32400-45460 | END DRAG LINK      | 1    |       |     | POWER STRG. | 1.86         | 4.092       |
| 070    | 37800-43890 | BUSH               | 1    |       |     | POWER STRG. | 0.035        | 0.077       |
| 080    | 04811-00260 | O RING             | 1    |       |     | POWER STRG. | 0.001        | 0.0022      |
| 090    | 01133-51030 | BOLT               | 4    |       |     | POWER STRG. | 0.025        | 0.055       |

## STEERING LINKAGE (TIE ROD)






## STEERING LINKAGE (TIE ROD)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 37650-43950 | ARM KNUCKLE RH      | 1    |       |     |         | 0.475        | 1.045       |
| 020    | 37650-43940 | ARM KNUCKLE LH      | 1    |       |     |         | 0.46         | 1.012       |
| 030    | 01133-51030 | BOLT                | 8    |       |     |         | 0.025        | 0.055       |
| 040    | 35220-43990 | ASSY ROD TIE        | 1    |       |     |         | 3.3          | 7.26        |
| 050    | 35220-43960 | ROD TIE             | 1    |       |     |         | 2.5          | 5.5         |
| 060    | 38440-44780 | ASSY END TIE ROD RH | 1    |       |     |         | 0.322        | 0.7084      |
| 070    | 38240-12650 | COVER DUST          | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 38240-12660 | CLIP                | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 05511-50325 | PIN SPLIT           | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 38240-12830 | NUT                 | 1    |       |     |         | 0.008        | 0.0176      |
| 110    | 38440-44790 | ASSY END TIE ROD LH | 1    |       |     |         | 0.32         | 0.704       |
| 120    | 38240-12650 | COVER DUST          | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 38240-12660 | CLIP                | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 05511-50325 | PIN SPLIT           | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 38240-12830 | NUT                 | 1    |       |     |         | 0.008        | 0.0176      |
| 160    | 02172-50160 | NUT                 | 1    |       |     |         | 0.017        | 0.0374      |
| 170    | 32240-12280 | NUT                 | 1    |       |     |         | 0.017        | 0.0374      |












## POWER STEERING AND HANDLE (PS)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | 35270-16100 | ASSY STEERING POWER | 1    |       |     | REFER TO L.No.0E06-L0 FOR COMPONENTS. | 14.5         | 31.9        |
| 020    | 04512-60120 | WASHER SPRING       | 1    |       |     |                                       | 0.005        | 0.011       |
| 030    | 02176-50120 | NUT                 | 1    |       |     |                                       | 0.01         | 0.022       |
| 040    | 01133-51025 | BOLT                | 2    |       |     |                                       | 0.023        | 0.0506      |
| 050    | 01133-51085 | BOLT                | 2    |       |     |                                       | 0.05         | 0.11        |
| 060    | 32400-16800 | ASSY WHEEL STEERING | 1    |       |     |                                       | 1.96         | 4.312       |
| 070    | 32400-16820 | PAD STEERING        | 1    |       |     |                                       | 0.05         | 0.11        |
| 080    | 35010-16860 | COVER HANDLE POST   | 1    |       |     |                                       | 0.04         | 0.088       |
| 090    | 35270-16910 | ARM PITMAN          | 1    |       |     |                                       | 2.1          | 4.62        |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS                 | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|-------------------------|--------------|-------------|
| 010    | 32400-16100 | ASSY STEERING        | 1    |       |     |                         | 7            | 15.4        |
| 020    | 32400-16110 | CASE GEAR            | 1    |       |     |                         | 2.5          | 5.5         |
| 030    | 35200-16200 | COMP.NUT BALL        | 1    |       |     |                         | 1.31         | 2.882       |
| 040    | 38260-16210 | BEARING BALL         | 2    |       |     |                         | 0.06         | 0.132       |
| 050    | 38180-16120 | SHAFT SECTOR         | 1    |       |     |                         | 0.068        | 0.1496      |
| 060    | 38240-16300 | COMP.COLUMN STEERING | 1    |       |     |                         | 1.21         | 2.662       |
| 070    | 34150-16410 | COVER SIDE           | 1    |       |     |                         | 0.361        | 0.7942      |
| 080    | 38240-16520 | BUSH                 | 1    |       |     |                         | 0.04         | 0.088       |
| 090    | 38240-16390 | SEAL OIL             | 1    |       |     |                         | 0.03         | 0.066       |
| 100    | 09500-26387 | SEAL OIL             | 1    |       |     |                         | 0.008        | 0.0176      |
| 110    | 38430-16490 | WASHER SEAL          | 1    |       |     |                         | 0.015        | 0.033       |
| 120    | 38240-16320 | O RING               | 1    |       |     |                         | 0.002        | 0.0044      |
| 130    | 34150-16420 | GASKET               | 1    |       |     |                         | 0.001        | 0.0022      |
| 140    | 32130-16480 | SCREW ADJUSTING      | 1    |       |     |                         | 0.025        | 0.055       |
| 150    | 34150-16440 | COLLAR ADJUSTING     | 1    |       |     | 1.5+0.015MM TO +0.035MM | 0.002        | 0.0044      |
| 150    | 34150-16450 | COLLAR ADJUSTING     | 1    |       |     | 1.5+0.045MM TO +0.065MM | 0.002        | 0.0044      |
| 150    | 34150-16460 | COLLAR ADJUSTING     | 1    |       |     | 1.5+0.075MM TO +0.095MM | 0.002        | 0.0044      |
| 150    | 34150-16470 | COLLAR ADJUSTING     | 1    |       |     | 1.5+0.105MM TO +0.125MM | 0.002        | 0.0044      |
| 150    | 34150-16480 | COLLAR ADJUSTING     | 1    |       |     | 1.5+0.135MM TO +0.155MM | 0.002        | 0.0044      |
| 160    | 02116-50100 | NUT                  | 1    |       |     |                         | 0.004        | 0.0088      |
| 170    | 02172-50200 | NUT                  | 1    |       |     |                         | 0.03         | 0.066       |
| 180    | 38240-16630 | NUT                  | 1    |       |     |                         | 0.035        | 0.077       |
| 190    | 04512-60200 | WASHER SPRING        | 1    |       |     |                         | 0.02         | 0.044       |
| 200    | 34150-16640 | PLUG                 | 1    |       |     |                         | 0.015        | 0.033       |
| 210    | 01123-50820 | BOLT                 | 3    |       |     |                         | 0.011        | 0.0242      |





## POWER STEERING [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35270-16100 | ASSY STEERING POWER  | 1    |       |     |         | 14.5         | 31.9        |
| 020    | 35270-16110 | ASSY BOX GEAR        | 1    |       |     |         | 5.28         | 11.616      |
| 030    | 35270-16130 | BEARING NEEDLE       | 1    |       |     |         | 0.09         | 0.198       |
| 040    | 35270-16140 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 35270-16150 | SEAL OIL             | 1    |       |     |         | 0.015        | 0.033       |
| 060    | 35270-16160 | RING                 | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | 04811-10300 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 35270-16200 | ASSY NUT BALL        | 1    |       |     |         | 2.36         | 5.192       |
| 090    | 31351-66280 | RING                 | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 04811-50500 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 35270-16300 | ASSY COVER FRONT     | 1    |       |     |         | 0.3          | 0.66        |
| 120    | 35270-16320 | BEARING NEEDLE       | 1    |       |     |         | 0.02         | 0.044       |
| 130    | 35270-16160 | RING                 | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 04811-10300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 35270-16340 | O RING               | 1    |       |     |         | 0.003        | 0.0066      |
| 160    | 35270-16400 | ASSY COVER SIDE      | 1    |       |     |         | 0.75         | 1.65        |
| 170    | 35270-16420 | BEARING NEEDLE       | 1    |       |     |         | 0.045        | 0.099       |
| 180    | 04811-50600 | O RING               | 1    |       |     |         | 0.002        | 0.0044      |
| 190    | 35270-16500 | ASSY COLUMN STEERING | 1    |       |     |         | 0.81         | 1.782       |
| 200    | 38240-16520 | BUSH                 | 1    |       |     |         | 0.04         | 0.088       |
| 210    | 38240-16390 | SEAL OIL             | 1    |       |     |         | 0.03         | 0.066       |
| 220    | 35350-66300 | ASSY VALVE           | 1    |       |     |         | 2            | 4.4         |
| 230    | 38430-66790 | PLUG                 | 2    |       |     |         | 0.003        | 0.0066      |
| 240    | 38430-66330 | PISTON               | 4    |       |     |         | 0.005        | 0.011       |
| 250    | 38430-66320 | PISTON               | 4    |       |     |         | 0.01         | 0.022       |
| 260    | 38430-66350 | SPRING               | 2    |       |     |         | 0.003        | 0.0066      |
| 270    | 38430-66340 | SPRING               | 2    |       |     |         | 0.01         | 0.022       |
| 280    | 38430-66370 | POPPET               | 1    |       |     |         | 0.01         | 0.022       |
| 290    | 38430-66380 | SPRING               | 1    |       |     |         | 0.015        | 0.033       |
| 300    | 38430-66390 | SCREW ADJUSTING      | 1    |       |     |         | 0.04         | 0.088       |
| 310    | 38430-66360 | NUT                  | 1    |       |     |         | 0.03         | 0.066       |
| 320    | 04811-00180 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 330    | 38430-45230 | NIPPLE               | 2    |       |     |         | 0.04         | 0.088       |
| 340    | 35350-16400 | ASSY COVER REAR      | 1    |       |     |         | 1.4          | 3.08        |
| 350    | 38430-66420 | COVER REAR           | 1    |       |     |         | 0.81         | 1.782       |
| 360    | 38430-66440 | BEARING NEEDLE       | 1    |       |     |         | 0.015        | 0.033       |
| 370    | 38430-66450 | SEAL OIL             | 1    |       |     |         | 0.01         | 0.022       |
| 380    | 04611-00320 | CIR CLIP INTERNAL    | 1    |       |     |         | 0.002        | 0.0044      |
| 390    | 35270-16600 | ASSY SHAFT SECTOR    | 1    |       |     |         | 1.17         | 2.574       |
| 400    | 35270-16640 | COMP SHAFT STEERING  | 1    |       |     |         | 0.48         | 1.056       |
| 410    | 38240-16530 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 420    | 05411-00518 | PIN SPRING           | 1    |       |     |         | 0.002        | 0.0044      |
| 430    | 35350-66820 | RIVET                | 1    |       |     |         | 0.003        | 0.0066      |
| 440    | 38240-16490 | SPRING               | 1    |       |     |         | 0.005        | 0.011       |
| 450    | 38430-66660 | BOLT                 | 3    |       |     |         | 0.05         | 0.11        |
| 460    | 35270-16650 | BOLT                 | 4    |       |     |         | 0.02         | 0.044       |
| 470    | 04512-60100 | WASHER SPRING        | 7    |       |     |         | 0.002        | 0.0044      |
| 480    | 04811-10700 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 490    | 04811-00080 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 500    | 38430-66650 | NUT                  | 1    |       |     |         | 0.065        | 0.143       |
| 510    | 38430-66630 | RING DRIVE           | 2    |       |     |         | 0.06         | 0.132       |
| 520    | 38430-66610 | RING DRIVE           | 1    |       |     |         | 0.05         | 0.11        |
| 530    | 35270-16660 | RING DRIVE           | 1    |       |     |         | 0.01         | 0.022       |
| 540    | 38430-66640 | BEARING NEEDLE       | 2    |       |     |         | 0.01         | 0.022       |
| 550    | 38430-66740 | NUT                  | 1    |       |     |         | 0.02         | 0.044       |
| 560    | 04611-00630 | CIR CLIP INTERNAL    | 1    |       |     |         | 0.012        | 0.0264      |





## HYDRAULIC PUMP







## HYDRAULIC PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description            | Q'ty | S.No. | I/C | REMARKS                                  | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------------|------|-------|-----|------------------------------------------|--------------|-------------|
| 010    | 31351-76102 | ASSY PUMP<br>HYDRAULIC | 1    |       |     | REFER TO L.No.0E09-R0 FOR<br>COMPONENTS. | 1.86         | 4.092       |
| 020    | 31351-38613 | HOLDER PUMP            | 1    |       |     |                                          | 0.38         | 0.836       |
| 030    | 32430-38630 | GEAR                   | 1    |       |     | 21T                                      | 0.14         | 0.308       |
| 040    | 34150-37820 | COLLAR                 | 1    |       |     |                                          | 0.05         | 0.11        |
| 050    | 04612-00250 | CIRCLIP<br>EXTERNAL    | 1    |       |     |                                          | 0.002        | 0.0044      |
| 060    | 35260-37810 | GEAR HYD.PUMP<br>DRIVE | 1    |       |     | 47T                                      | 0.35         | 0.77        |
| 070    | 08241-05205 | BEARING BALL           | 1    |       |     |                                          | 0.177        | 0.3894      |
| 080    | 04612-00250 | CIRCLIP<br>EXTERNAL    | 1    |       |     |                                          | 0.002        | 0.0044      |
| 090    | 04811-10850 | O RING                 | 1    |       |     |                                          | 0.002        | 0.0044      |
| 100    | 04811-10500 | O RING                 | 1    |       |     |                                          | 0.001        | 0.0022      |
| 110    | 01754-50840 | BOLT FLANGE            | 2    |       |     |                                          | 0.02         | 0.044       |
| 120    | 01754-50820 | BOLT FLANGE            | 1    |       |     |                                          | 0.015        | 0.033       |
| 130    | 38240-36330 | STUD                   | 1    |       |     |                                          | 0.008        | 0.0176      |
| 140    | 02156-50080 | NUT                    | 1    |       |     |                                          | 0.004        | 0.0088      |
| 150    | 04512-60080 | WASHER SPRING          | 2    |       |     |                                          | 0.002        | 0.0044      |
| 160    | 02156-50080 | NUT                    | 2    |       |     |                                          | 0.004        | 0.0088      |
| 170    | 01513-60820 | STUD                   | 1    |       |     |                                          | 0.015        | 0.033       |
| 180    | 01123-50835 | BOLT                   | 1    |       |     |                                          | 0.02         | 0.044       |







32310-083-10




## HYDRAULIC OIL LINE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32400-45860 | PIPE INLET         | 1    |       |     | #       | 0            | 0           |
| 010    | 32400-45864 | PIPE INLET         | 1    |       | ←   | #       | 0.815        | 1.793       |
| 020    | 32400-45870 | PIPE INLET         | 1    |       |     |         | 1.25         | 2.75        |
| 030    | 34350-37774 | PIPE RUBBER        | 1    |       |     |         | 0.06         | 0.132       |
| 040    | 31351-38180 | BAND PIPE          | 2    |       |     |         | 0.02         | 0.044       |
| 050    | 04811-00200 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04811-00220 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 01123-50850 | BOLT               | 2    |       |     |         | 0.02         | 0.044       |
| 080    | 04013-60080 | WASHER PLAIN       | 2    |       |     |         | 0.002        | 0.0044      |
| 090    | 01123-50848 | BOLT               | 2    |       |     |         | 0.02         | 0.044       |
| 100    | 04013-60080 | WASHER PLAIN       | 2    |       |     |         | 0.002        | 0.0044      |
| 110    | 32400-45880 | COMP.PIPE DELIVERY | 1    |       |     |         | 0.9          | 1.98        |
| 120    | 01123-50850 | BOLT               | 2    |       |     |         | 0.02         | 0.044       |
| 130    | 04810-00200 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 04810-00120 | O RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 150    | 04810-00100 | O RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 01023-50625 | BOLT               | 3    |       |     |         | 0.007        | 0.0154      |
| 170    | 04013-60060 | WASHER PLAIN       | 3    |       |     |         | 0.001        | 0.0022      |
| 180    | 37150-38950 | BAND PIPE          | 1    |       |     |         | 0.02         | 0.044       |
| 190    | 33430-82760 | PIN BAND           | 1    |       |     |         | 0.004        | 0.0088      |
| 200    | 31351-38310 | CAP                | 1    |       |     |         | 0.135        | 0.297       |
| 210    | 06312-10010 | PLUG               | 1    |       |     |         | 0.007        | 0.0154      |

## FLOW PRIORITY VALVE (PS)






## FLOW PRIORITY VALVE (PS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35270-16710 | ASSY VALVE PRIORITY | 1    |       |     |         | 1.7          | 3.74        |
| 020    | 04810-00160 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 04810-00120 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 32400-16720 | ASSY PIPE           | 1    |       |     |         | 0.23         | 0.506       |
| 050    | 32400-16760 | ASSY PIPE           | 1    |       |     |         | 0.22         | 0.484       |
| 060    | 35330-16770 | COMP CONNECTOR      | 1    |       |     |         | 0.065        | 0.143       |
| 070    | 04810-00140 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 35330-16790 | NIPPLE              | 1    |       |     |         | 0.05         | 0.11        |
| 090    | 35270-16790 | JOINT PIPE          | 1    |       |     |         | 0.05         | 0.11        |
| 100    | 04810-00140 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 67111-53770 | BAND PIPE           | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 33430-82760 | PIN BAND            | 1    |       |     |         | 0.004        | 0.0088      |
| 130    | 01153-50880 | BOLT                | 1    |       |     |         | 0.03         | 0.066       |
| 140    | 01513-50870 | STUD                | 2    |       |     |         | 0.029        | 0.0638      |
| 150    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 160    | 02114-50080 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |








## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS                                     | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------------------------------------------|--------------|-------------|
| 010    | 31351-37910 | PLUG               | 1    |       |     |                                             | 0.06         | 0.132       |
| 030    | 31351-37920 | SPRING RELIEF      | 1    |       |     |                                             | 0.02         | 0.044       |
| 040    | 31351-37930 | SEAT RELIEF VALVE  | 1    |       |     |                                             | 0.02         | 0.044       |
| 050    | 31351-37940 | POPPET             | 1    |       |     |                                             | 0.005        | 0.011       |
| 060    | 31351-37950 | SHIM               | 5    |       |     | 0.40MM                                      | 0.001        | 0.0022      |
| 060    | 31351-37960 | SHIM               | 2    |       |     | 0.20MM                                      | 0.001        | 0.0022      |
| 060    | 31351-37970 | SHIM               | 2    |       |     | 0.10MM                                      | 0.001        | 0.0022      |
| 070    | 04013-60050 | WASHER PLAIN       | 2    |       |     |                                             | 0.001        | 0.0022      |
| 080    | 04811-10160 | O RING             | 1    |       |     |                                             | 0.001        | 0.0022      |
| 090    | 31391-39000 | ASSY VALVE CONTROL | 1    |       |     | REFER TO L.No.0E12-L0 FOR COMPONENTS.       | 1.65         | 3.63        |
| 090    | 31351-39603 | ASSY VALVE CONTROL | 1    |       |     | DRAFT REFER TO L.No.0E12-R0 FOR COMPONENTS. | 1.9          | 4.18        |
| 100    | 01123-50845 | BOLT               | 1    |       |     |                                             | 0.02         | 0.044       |
| 110    | 01123-50850 | BOLT               | 2    |       |     |                                             | 0.02         | 0.044       |
| 120    | 04810-00120 | O RING             | 2    |       |     |                                             | 0.001        | 0.0022      |



**CONTROL VALVE (POSITION CONTROL) [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31391-39000 | ASSY VALVE CONTROL | 1    |       |     |         | 1.65         | 3.63        |
| 020    | 31351-39130 | SPRING SPOOL       | 1    |       |     |         | 0.005        | 0.011       |
| 030    | 31351-39140 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 040    | 31351-39150 | POPPET             | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 67531-38470 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04811-00160 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 31391-39170 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 080    | 31391-39180 | POPPET             | 1    |       |     |         | 0.015        | 0.033       |
| 090    | 31391-39190 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 04810-00090 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 31351-39200 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 120    | 31351-39210 | RETAINER ROD       | 1    |       |     |         | 0.013        | 0.0286      |
| 130    | 31351-39180 | POPPET             | 1    |       |     |         | 0.025        | 0.055       |
| 140    | 31351-39190 | SPRING             | 1    |       |     |         | 0.008        | 0.0176      |
| 150    | 02056-50060 | NUT                | 1    |       |     |         | 0.002        | 0.0044      |
| 160    | 31351-39240 | PLATE              | 1    |       |     |         | 0.05         | 0.11        |
| 170    | 31351-39250 | PLATE JOINT        | 1    |       |     |         | 0.052        | 0.1144      |
| 180    | 31351-39260 | NUT ADJUSTING      | 1    |       |     |         | 0.008        | 0.0176      |
| 190    | 31351-39270 | U NUT              | 1    |       |     |         | 0.005        | 0.011       |
| 200    | 04811-00050 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 210    | 31351-39290 | RING BACK UP       | 1    |       |     |         | 0.001        | 0.0022      |
| 220    | 04810-06100 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |



**CONTROL VALVE (DRAFT) [OPTION] [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-39603 | ASSY VALVE CONTROL | 1    |       |     |         | 1.9          | 4.18        |
| 020    | 31351-39630 | SPRING SPOOL       | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 31351-39640 | HOLDER SPRING      | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 01311-10814 | BOLT HEX-SOC-HD    | 1    |       |     |         | 0.012        | 0.0264      |
| 050    | 31351-39650 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 060    | 31351-39150 | POPPET             | 1    |       |     |         | 0.02         | 0.044       |
| 070    | 67531-38470 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-00140 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 31351-39660 | PLATE              | 1    |       |     |         | 0.05         | 0.11        |
| 100    | 31351-39670 | POPPET             | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 31351-39680 | SPRING             | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 04811-00160 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 01023-50614 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 31351-39690 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 150    | 31391-39180 | POPPET             | 1    |       |     |         | 0.015        | 0.033       |
| 160    | 31391-39190 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 04810-00090 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 31351-39720 | PIN FULCRUM        | 1    |       |     |         | 0.025        | 0.055       |
| 190    | 04811-00080 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 31351-39730 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 210    | 31351-39180 | POPPET             | 1    |       |     |         | 0.025        | 0.055       |
| 220    | 31351-39190 | SPRING             | 1    |       |     |         | 0.008        | 0.0176      |
| 230    | 04810-06100 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 04811-00050 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 31351-39290 | RING BACK UP       | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 31351-39740 | RETAINER ROD       | 1    |       |     |         | 0.005        | 0.011       |
| 270    | 31351-39750 | PLATE JOINT        | 1    |       |     |         | 0.05         | 0.11        |
| 280    | 02156-50080 | NUT                | 2    |       |     |         | 0.004        | 0.0088      |
| 290    | 04111-50080 | WASHER             | 2    |       |     |         | 0.001        | 0.0022      |
| 300    | 03650-50816 | SCREW SET          | 1    |       |     |         | 0.01         | 0.022       |






## DRAFT CONTROL VALVE [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | 35080-41100 | ASSY VALVE DRAFT CON | 1    |       |     | REFER TO L.No.0E13-R0 FOR COMPONENTS. | 2.5          | 5.5         |
| 020    | 01123-50845 | BOLT                 | 3    |       |     |                                       | 0.02         | 0.044       |
| 030    | 04810-00140 | O RING               | 2    |       |     |                                       | 0.001        | 0.0022      |
| 040    | 32430-41240 | LEVER DRAFT CON.     | 1    |       |     |                                       | 0.3          | 0.66        |
| 050    | 05411-00525 | PIN SPRING           | 1    |       |     |                                       | 0.002        | 0.0044      |
| 060    | 32400-41250 | LEVER DRAFT CON.     | 1    |       |     |                                       | 0.12         | 0.264       |
| 070    | 31351-36880 | GRIP LEVER           | 1    |       |     |                                       | 0.04         | 0.088       |
| 080    | 01023-50612 | BOLT                 | 2    |       |     |                                       | 0.005        | 0.011       |
| 090    | 32400-41260 | GUIDE DRAFT LEVER    | 1    |       |     |                                       | 0.27         | 0.594       |
| 100    | 01754-50812 | BOLT FLANGE          | 2    |       |     |                                       | 0.01         | 0.022       |






**DRAFT CONTROL VALVE [OPTION] [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35080-41100 | ASSY VALVE DRAFT CON | 1    |       |     |         | 2.5          | 5.5         |
| 020    | 35080-41130 | LEVER SPOOL DRIVE    | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 05411-00614 | PIN SPRING           | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 35080-41140 | COVER VALVE          | 1    |       |     |         | 0.39         | 0.858       |
| 050    | 35080-41150 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 01123-50830 | BOLT                 | 4    |       |     |         | 0.015        | 0.033       |
| 070    | 35080-41160 | ARM CONTROL          | 1    |       |     |         | 0.09         | 0.198       |
| 080    | 35080-41270 | COLLAR               | 1    |       |     |         | 0.015        | 0.033       |
| 090    | 04811-06100 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 04013-60140 | WASHER PLAIN         | 2    |       |     |         | 0.01         | 0.022       |
| 120    | 37300-41280 | SPRING PLATE         | 2    |       |     |         | 0.005        | 0.011       |
| 130    | 02172-50140 | NUT                  | 2    |       |     |         | 0.01         | 0.022       |
| 140    | 35080-41170 | PLUG                 | 1    |       |     |         | 0.04         | 0.088       |
| 150    | 35080-41230 | PLUG                 | 1    |       |     |         | 0.06         | 0.132       |
| 160    | 04811-00180 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 170    | 35080-41180 | ARM FEED BACK        | 1    |       |     |         | 0.05         | 0.11        |
| 180    | 04811-00090 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 35080-41190 | LEVER FEED BACK      | 1    |       |     |         | 0.05         | 0.11        |
| 200    | 05411-00520 | PIN SPRING           | 1    |       |     |         | 0.002        | 0.0044      |
| 210    | 35080-41280 | PLUG                 | 1    |       |     |         | 0.025        | 0.055       |
| 220    | 04811-00110 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |





## HYDRAULIC CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 32412-37112 | CASE HYD.CYLINDER | 1    |       |     |              | 20           | 44          |
| 020    | 32425-37120 | GASKET            | 1    |       |     |              | 0.025        | 0.055       |
| 030    | 01574-51245 | STUD              | 2    |       |     |              | 0.051        | 0.1122      |
| 040    | 01133-51245 | BOLT              | 8    |       |     |              | 0.055        | 0.121       |
| 050    | 02176-50120 | NUT               | 2    |       |     |              | 0.01         | 0.022       |
| 060    | 04512-60120 | WASHER SPRING     | 4    |       |     |              | 0.005        | 0.011       |
| 070    | 37150-36730 | PLUG              | 1    |       |     |              | 0.03         | 0.066       |
| 080    | 37150-36720 | GASKET            | 1    |       |     |              | 0.01         | 0.022       |
| 090    | 31351-37160 | PLUG              | 4    |       |     |              | 0.003        | 0.0066      |
| 100    | 31351-37280 | COVER CYL.LH      | 1    |       |     | MANUAL STRG. | 0.12         | 0.264       |
| 110    | 06312-10010 | PLUG              | 1    |       |     | MANUAL STRG. | 0.007        | 0.0154      |
| 120    | 01123-50825 | BOLT              | 3    |       |     |              | 0.013        | 0.0286      |
| 130    | 04810-00100 | O RING            | 3    |       |     |              | 0.001        | 0.0022      |
| 150    | 35010-36610 | SPACER VALVE      | 1    |       |     | POWER STRG.  | 0.805        | 1.771       |
| 160    | 31351-37160 | PLUG              | 2    |       |     | POWER STRG.  | 0.003        | 0.0066      |
| 170    | 01123-50830 | BOLT              | 3    |       |     | POWER STRG.  | 0.015        | 0.033       |
| 180    | 04810-00100 | O RING            | 6    |       |     | POWER STRG.  | 0.001        | 0.0022      |
| 190    | 35010-36620 | COVER             | 1    |       |     | POWER STRG.  | 0.25         | 0.55        |
| 200    | 31351-37160 | PLUG              | 1    |       |     | POWER STRG.  | 0.003        | 0.0066      |
| 210    | 32400-99810 | ASSY OUTLET HYD.  | 1    |       |     | OPTION       | 0.61         | 1.342       |
| 220    | 70760-62690 | BLOCK HYD.OUTLET  | 1    |       |     | OPTION       | 0.555        | 1.221       |
| 230    | 01123-50860 | BOLT              | 2    |       |     | OPTION       | 0.026        | 0.0572      |
| 240    | 31351-37160 | PLUG              | 1    |       |     | OPTION       | 0.003        | 0.0066      |
| 250    | 04810-00100 | O RING            | 2    |       |     | OPTION       | 0.001        | 0.0022      |






## CYLINDER FRONT COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-37200 | ASSY COVER CYL.FRONT | 1    |       |     |         | 0.3          | 0.66        |
| 015    | 31351-37210 | COVER CYL.FRONT      | 1    |       |     |         | 0.315        | 0.693       |
| 020    | 04810-00220 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 04810-06250 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 38240-37250 | COLLAR ADJUSTING     | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 04611-00160 | CIR CLIP INTERNAL    | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 31351-37220 | SHAFT HYD.ADJUST     | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 04810-00100 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 34150-37230 | GRIP                 | 1    |       |     |         | 0.04         | 0.088       |
| 090    | 05411-00418 | PIN SPRING           | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 34150-37260 | CIR CLIP INTERNAL    | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 04012-50080 | WASHER PLAIN         | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 01123-50825 | BOLT                 | 2    |       |     |         | 0.013        | 0.0286      |
| 130    | 38180-21410 | PLUG                 | 1    |       |     |         | 0.02         | 0.044       |
| 140    | 04811-50300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 38180-37140 | BREATHER             | 1    |       |     |         | 0.01         | 0.022       |

## LIFT ARM





## LIFT ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------------|--------------|-------------|
| 010    | 31321-37310 | PISTON HYD.      | 1    |       |     |               | 1.08         | 2.376       |
| 020    | 04811-00650 | O RING           | 1    |       |     |               | 0.007        | 0.0154      |
| 030    | 34220-37380 | RING BACK UP     | 1    |       |     |               | 0.001        | 0.0022      |
| 040    | 31351-37320 | ROD HYD.         | 1    |       |     |               | 0.605        | 1.331       |
| 050    | 31351-37330 | GUIDE HYD.ROD    | 1    |       |     |               | 0.003        | 0.0066      |
| 060    | 05411-00656 | PIN SPRING       | 1    |       |     |               | 0.006        | 0.0132      |
| 070    | 31321-37430 | SHAFT HYD.ARM    | 1    |       |     |               | 2.22         | 4.884       |
| 080    | 31321-37444 | ARM HYDRAULIC    | 1    |       |     |               | 1.55         | 3.41        |
| 090    | 31321-37450 | BUSH             | 1    |       |     |               | 0.09         | 0.198       |
| 090    | 30400-37450 | BUSH             | 1    |       |     | SERVICE PARTS | 0.09         | 0.198       |
| 100    | 34150-37460 | BUSH             | 1    |       |     |               | 0.062        | 0.1364      |
| 100    | 30400-37460 | BUSH             | 1    |       |     | SERVICE PARTS | 0.065        | 0.143       |
| 110    | 34150-37480 | COLLAR           | 1    |       |     |               | 0.005        | 0.011       |
| 120    | 34150-37490 | COLLAR           | 1    |       |     |               | 0.002        | 0.0044      |
| 130    | 04811-50450 | O RING           | 1    |       |     |               | 0.002        | 0.0044      |
| 140    | 04811-06400 | O RING           | 1    |       |     |               | 0.001        | 0.0022      |
| 150    | 30401-37610 | ARM LIFT         | 2    |       |     |               | 2.1          | 4.62        |
| 160    | 04612-00400 | CIRCLIP EXTERNAL | 1    |       |     |               | 0.005        | 0.011       |
| 170    | 30442-37690 | PIN LIFT ROD     | 2    |       |     |               | 0.205        | 0.451       |
| 180    | 04512-60160 | WASHER SPRING    | 2    |       |     |               | 0.01         | 0.022       |
| 190    | 02174-50160 | NUT              | 2    |       |     |               | 0.022        | 0.0484      |
| 200    | 34150-37640 | PIN SET          | 2    |       |     |               | 0.06         | 0.132       |
| 210    | 04011-50180 | WASHER PLAIN     | 2    |       |     |               | 0.012        | 0.0264      |








## FEED BACK LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-37640 | LEVER SPOOL DRIVE | 1    |       |     |         | 0.05         | 0.11        |
| 020    | 31351-37650 | ARM CONTROL       | 1    |       |     |         | 0.16         | 0.352       |
| 030    | 04811-00140 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 31351-37660 | SET PLATE         | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 01123-60816 | BOLT              | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 04013-60140 | WASHER PLAIN      | 2    |       |     |         | 0.01         | 0.022       |
| 070    | 34260-36880 | SPRING PLATE      | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | 02174-50140 | NUT               | 1    |       |     |         | 0.014        | 0.0308      |
| 090    | 02172-50140 | NUT               | 1    |       |     |         | 0.01         | 0.022       |
| 100    | 31351-37750 | SHAFT BACK LEVER  | 1    |       |     |         | 0.1          | 0.22        |
| 110    | 04811-00120 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 38240-36890 | SET PLATE         | 1    |       |     |         | 0.013        | 0.0286      |
| 130    | 01123-60816 | BOLT              | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 31351-37760 | LEVER FEED BACK   | 1    |       |     |         | 0.08         | 0.176       |
| 150    | 05411-00525 | PIN SPRING        | 1    |       |     |         | 0.002        | 0.0044      |
| 160    | 31321-37770 | ROD FEEDBACK      | 1    |       |     |         | 0.12         | 0.264       |
| 170    | 31351-37780 | ROD CONTROL       | 1    |       |     |         | 0.03         | 0.066       |
| 180    | 02114-50080 | NUT               | 2    |       |     |         | 0.005        | 0.011       |
| 190    | 04013-60080 | WASHER PLAIN      | 1    |       |     |         | 0.002        | 0.0044      |
| 200    | 05511-50218 | PIN SPLIT         | 1    |       |     |         | 0.001        | 0.0022      |
| 220    | T0070-36010 | LINK CONTROL      | 1    |       |     |         | 0.07         | 0.154       |
| 230    | 01754-50814 | BOLT FLANGE       | 2    |       |     |         | 0.005        | 0.011       |
| 240    | 67531-38280 | JOINT SPOOL       | 1    |       |     |         | 0.17         | 0.374       |
| 250    | 37150-36420 | JOINT SPOOL       | 1    |       |     |         | 0.02         | 0.044       |
| 260    | 02112-50080 | NUT               | 1    |       |     |         | 0.003        | 0.0066      |
| 270    | 04613-50060 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 280    | 04013-60080 | WASHER PLAIN      | 1    |       |     |         | 0.002        | 0.0044      |
| 290    | 05511-50215 | PIN SPLIT         | 1    |       |     |         | 0.001        | 0.0022      |

## POSITION CONTROL LEVER






## POSITION CONTROL LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------------|--------------|-------------|
| 010    | 32430-36850 | LEVER POSITION    | 1    |       |     |               | 0.42         | 0.924       |
| 020    | 05411-00525 | PIN SPRING        | 1    |       |     |               | 0.002        | 0.0044      |
| 030    | 31351-36860 | LEVER POSITION    | 1    |       |     |               | 0.14         | 0.308       |
| 040    | 01754-50616 | BOLT FLANGE       | 2    |       |     |               | 0.006        | 0.0132      |
| 050    | 31351-36880 | GRIP LEVER        | 1    |       |     |               | 0.04         | 0.088       |
| 060    | 38240-36930 | STOPPER           | 1    |       |     |               | 0.02         | 0.044       |
| 070    | 04015-60080 | WASHER PLAIN      | 1    |       |     |               | 0.01         | 0.022       |
| 080    | 01123-60816 | BOLT              | 1    |       |     |               | 0.01         | 0.022       |
| 090    | 31351-36910 | STOPPER           | 1    |       |     |               | 0.02         | 0.044       |
| 100    | 01811-50610 | BOLT WING         | 1    |       |     |               | 0.014        | 0.0308      |
| 110    | 04013-60060 | WASHER PLAIN      | 1    |       |     |               | 0.001        | 0.0022      |
| 120    | 32430-41210 | COVER CYL.SIDE LH | 1    |       |     | WITHOUT DRAFT | 0.11         | 0.242       |
| 130    | 04810-00140 | O RING            | 2    |       |     | WITHOUT DRAFT | 0.001        | 0.0022      |
| 140    | 01123-50820 | BOLT              | 3    |       |     | WITHOUT DRAFT | 0.011        | 0.0242      |

### 3-POINT LINKAGE 1 (LOWER LINK/TOP LINK)






### 3-POINT LINKAGE 1 (LOWER LINK/TOP LINK)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 32310-71100 | ASSY LINK TOP      | 1    |         |     |         | 2.8          | 6.16        |
| 020    | 31341-71110 | LINK TOP           | 1    |         |     |         | 1.1          | 2.42        |
| 030    | 31351-71150 | SCREW              | 2    |         |     |         | 0.018        | 0.0396      |
| 040    | 04512-60060 | WASHER SPRING      | 2    |         |     |         | 0.001        | 0.0022      |
| 050    | 38247-71180 | NUT TOP LINK       | 1    |         |     |         | 0.06         | 0.132       |
| 060    | 34670-71210 | JOINT TOP LINK RH  | 1    |         |     |         | 0.86         | 1.892       |
| 070    | 34670-71220 | JOINT TOP LINK LH  | 1    |         |     |         | 0.83         | 1.826       |
| 080    | 70436-58360 | SPRING             | 2    |         |     |         | 0.001        | 0.0022      |
| 090    | 31351-71160 | PIN                | 2    |         |     |         | 0.002        | 0.0044      |
| 100    | 31150-71360 | PIN JOINT          | 2    |         |     |         | 0.166        | 0.3652      |
| 110    | 34150-37640 | PIN SET            | 2    |         |     |         | 0.06         | 0.132       |
| 120    | 32310-71310 | COMP.LINK LOWER RH | 1    |         |     |         | 7.2          | 15.84       |
| 130    | 32310-71330 | COMP.LINK LOWER LH | 1    |         |     |         | 7.2          | 15.84       |
| 140    | 34150-37640 | PIN SET            | 4    |         |     |         | 0.06         | 0.132       |
| 150    | 32330-39700 | ASSY CHAIN CHECK   | 2    |         |     |         | 1.3          | 2.86        |
| 160    | 31331-71813 | JOINT CHAIN        | 2    | <=50005 |     |         | 0            | 0           |
| 160    | 31331-71814 | JOINT CHAIN        | 2    | >=50006 | ←   |         | 0.27         | 0.594       |
| 170    | 31341-71820 | JOINT CHAIN        | 2    |         |     |         | 0.435        | 0.957       |
| 180    | 32420-71840 | TURNBUCKLE         | 2    |         |     |         | 0.55         | 1.21        |
| 190    | 02052-50140 | NUT                | 2    |         |     |         | 0.018        | 0.0396      |
| 200    | 99571-22820 | PIN                | 2    |         |     |         | 0.03         | 0.066       |
| 210    | 04013-60100 | WASHER PLAIN       | 2    |         |     |         | 0.004        | 0.0088      |
| 220    | 05511-50318 | PIN SPLIT          | 2    |         |     |         | 0.001        | 0.0022      |
| 230    | 02074-50160 | NUT                | 2    |         |     |         | 0.029        | 0.0638      |
| 240    | 04512-60160 | WASHER SPRING      | 2    |         |     |         | 0.01         | 0.022       |

### 3-POINT LINKAGE 2 (LIFT ROD)

010 { 020  
070



32310-095-10




### 3-POINT LINKAGE 2 (LIFT ROD)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32310-71560 | ASSY ROD LIFT RH | 1    |       |     |         | 2.1          | 4.62        |
| 020    | 32400-71520 | ROD LIFT LOWER   | 1    |       |     |         | 0.93         | 2.046       |
| 030    | 31331-71510 | ROD LIFT UPPER   | 1    |       |     |         | 0.58         | 1.276       |
| 040    | 05411-00320 | PIN SPRING       | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 35110-71570 | NUT              | 1    |       |     |         | 0.05         | 0.11        |
| 060    | 38187-71770 | ROD LIFT MIDDLE  | 1    |       |     |         | 0.54         | 1.188       |
| 070    | 06613-10675 | NIPPLE GREASE    | 1    |       |     |         | 0.003        | 0.0066      |
| 080    | 32310-71540 | ROD LIFT LH      | 1    |       |     |         | 1.55         | 3.41        |
| 090    | 38187-71580 | PIN LIFT ROD     | 2    |       |     |         | 0.061        | 0.1342      |
| 100    | 05515-51600 | PIN SNAP         | 2    |       |     |         | 0.007        | 0.0154      |
| 110    | 35080-71750 | COMP.RUBBER      | 1    |       |     |         | 0.065        | 0.143       |



## TOP LINK BRACKET/LOWER LINK HOLDER




32310-096-10



## TOP LINK BRACKET/LOWER LINK HOLDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS               | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|-----------------------|--------------|-------------|
| 010    | 99571-22140 | HOLDER TOP LINK RH | 1    |       |     | WITH POSITION CONTROL | 0.99         | 2.178       |
| 020    | 99571-22150 | HOLDER TOP LINK LH | 1    |       |     | WITH POSITION CONTROL | 0.99         | 2.178       |
| 030    | 01133-51230 | BOLT               | 6    |       |     | WITH POSITION CONTROL | 0.04         | 0.088       |
| 040    | 31351-29820 | HOLDER LOWER LINK  | 2    |       |     |                       | 0.515        | 1.133       |
| 050    | 01574-51225 | STUD               | 2    |       |     |                       | 0.034        | 0.0748      |
| 060    | 01133-51230 | BOLT               | 4    |       |     |                       | 0.04         | 0.088       |
| 070    | 04512-60120 | WASHER SPRING      | 2    |       |     |                       | 0.005        | 0.011       |
| 080    | 02176-50120 | NUT                | 2    |       |     |                       | 0.01         | 0.022       |




32430-118-10

**TOP LINK BRACKET (WITH DRAFT CONTROL) [OPTION]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35080-41310 | ROD DRAFT CONTROL    | 1    |       |     | #       | 0            | 0           |
| 010    | 35080-41312 | ROD DRAFT CONTROL    | 1    |       | ←   | #       | 0.095        | 0.209       |
| 020    | 35260-41320 | HOLDER CONTROL       | 1    |       |     |         | 0.03         | 0.066       |
| 030    | 02112-50080 | NUT                  | 2    |       |     |         | 0.003        | 0.0066      |
| 040    | 05122-50818 | PIN JOINT            | 1    |       |     |         | 0.008        | 0.0176      |
| 050    | 04012-50080 | WASHER PLAIN         | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 05511-50218 | PIN SPLIT            | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 35080-41400 | COMP HOLDER TOP LINK | 1    |       |     |         | 6.85         | 15.07       |
| 080    | 37300-41440 | PIN STRAIGHT         | 2    |       |     |         | 0.055        | 0.121       |
| 090    | 06613-10010 | NIPPLE GREASE        | 2    |       |     |         | 0.006        | 0.0132      |
| 100    | 37300-41450 | BUSH                 | 3    |       |     |         | 0.03         | 0.066       |
| 110    | 01133-51230 | BOLT                 | 6    |       |     |         | 0.04         | 0.088       |






## DRAWBAR/HITCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35070-29710 | DRAWBAR       | 1    |       |     |         | 6.7          | 14.74       |
| 020    | 35000-29730 | FRAME DRAWBAR | 1    |       |     |         | 8.88         | 19.536      |
| 030    | 01173-51430 | BOLT          | 4    |       |     |         | 0.052        | 0.1144      |
| 040    | 04512-60140 | WASHER SPRING | 4    |       |     |         | 0.006        | 0.0132      |
| 050    | 05112-52070 | PIN JOINT     | 1    |       |     |         | 0.186        | 0.4092      |
| 060    | 05515-51600 | PIN SNAP      | 1    |       |     |         | 0.007        | 0.0154      |
| 110    | 01133-51230 | BOLT          | 2    |       |     |         | 0.04         | 0.088       |






## PTO SHAFT PROTECTOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32330-25430 | KIT COVER PTO(A)  | 1    |       |     |         | 1.8          | 3.96        |
| 020    | 32331-25430 | KIT COVER PTO (B) | 1    |       |     |         | 1.8          | 3.96        |
| 030    | TA040-49590 | LABEL PTO WARNING | 1    |       |     | ENGLISH | 0.002        | 0.0044      |
| 040    | TA041-49590 | LEBEL PTO WARNING | 1    |       |     | FRENCH  | 0.005        | 0.011       |
| 050    | 01133-51230 | BOLT              | 3    |       |     |         | 0.04         | 0.088       |
| 060    | 35114-25340 | COLLAR            | 1    |       |     |         | 0.02         | 0.044       |



## FRONT GRILLE






# FRONT GRILLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 30400-18230 | GRILLE FRONT         | 1    |       |     |              | 4.8          | 10.56       |
| 030    | 30590-18250 | NET FRONT GRILLE     | 1    |       |     |              | 0.385        | 0.847       |
| 040    | 30442-15230 | BOLT                 | 7    |       |     |              | 0.01         | 0.022       |
| 050    | 31351-18260 | PIPE                 | 2    |       |     |              | 0.001        | 0.0022      |
| 060    | 35080-18280 | RETAINER GRILLE      | 1    |       |     |              | 0.27         | 0.594       |
| 070    | 01754-50816 | BOLT FLANGE          | 2    |       |     |              | 0.011        | 0.0242      |
| 080    | 32430-94170 | BELT GRILLE FRONT    | 1    |       |     |              | 0.145        | 0.319       |
| 090    | 32430-94180 | BELT GRILLE RH       | 1    |       |     |              | 0.07         | 0.154       |
| 100    | 32430-94190 | BELT GRILLE LH       | 1    |       |     |              | 0.07         | 0.154       |
| 110    | 02761-50050 | NUT FLANGE           | 8    |       |     |              | 0.005        | 0.011       |
| 120    | 34670-18160 | ROOF FRONT           | 1    |       |     |              | 0.345        | 0.759       |
| 130    | 01754-50612 | BOLT FLANGE          | 3    |       |     |              | 0.005        | 0.011       |
| 140    | 01123-50816 | BOLT FLANGE          | 2    |       |     |              | 0.011        | 0.0242      |
| 160    | 35080-18310 | SUPPORT GRILLE       | 1    |       |     |              | 2            | 4.4         |
| 170    | 01123-50820 | BOLT                 | 2    |       |     |              | 0.011        | 0.0242      |
| 180    | 04015-60080 | WASHER PLAIN         | 2    |       |     |              | 0.01         | 0.022       |
| 190    | 32430-18320 | STAY FRONT GRILLE LH | 1    |       |     | MANUAL STRG. | 0.08         | 0.176       |
| 190    | 32400-45820 | STAY FRONT GRILLE LH | 1    |       |     | POWER STRG.  | 0.13         | 0.286       |
| 200    | 32430-18330 | STAY FRONT GRILLE RH | 1    |       |     | MANUAL STRG. | 0.09         | 0.198       |
| 200    | 32400-45830 | STAY FRONT GRILLE RH | 1    |       |     | POWER STRG.  | 0.135        | 0.297       |
| 210    | 01133-51020 | BOLT                 | 1    |       |     |              | 0.02         | 0.044       |
| 220    | 01135-61020 | BOLT                 | 1    |       |     |              | 0.015        | 0.033       |






## HOOD (BONNET)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 32330-18700 | KIT BONNET UPPER | 1    |       |     |              | 5            | 11          |
| 020    | 30442-18625 | CUSHION          | 5    |       |     |              | 0.005        | 0.011       |
| 030    | 01754-50616 | BOLT FLANGE      | 4    |       |     |              | 0.006        | 0.0132      |
| 040    | 32330-18380 | SUPPORT BONNET   | 1    |       |     | MANUAL STRG. | 0.36         | 0.792       |
| 040    | 32330-18390 | SUPPORT BONNET   | 1    |       |     | POWER STRG.  | 0.425        | 0.935       |
| 050    | 01123-50820 | BOLT             | 4    |       |     | #            | 0.011        | 0.0242      |
| 050    | 01123-50818 | BOLT             | 4    |       |     | #            | 0.012        | 0.0264      |
| 060    | 04015-60080 | WASHER PLAIN     | 2    |       |     |              | 0.01         | 0.022       |
| 070    | TA040-49560 | LABEL FILLER     | 1    |       |     |              | 0            | 0           |
| 080    | 32330-49580 | LABEL MUFFLER    | 1    |       |     |              | 0.002        | 0.0044      |
| 090    | 32330-49540 | LABEL CAUTION    | 1    |       |     |              | 0.001        | 0.0022      |

## HOOD (SIDE COVER)





# HOOD (SIDE COVER)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 32400-18140 | NET BONNET SIDE RH  | 1    |       |     |              | 0.12         | 0.264       |
| 020    | 32400-18150 | NET BONNET SIDE LH  | 1    |       |     |              | 0.31         | 0.682       |
| 030    | 38240-18220 | CUSHION             | 2    |       |     |              | 0.003        | 0.0066      |
| 040    | 01754-50610 | BOLT FLANGE         | 6    |       |     |              | 0.006        | 0.0132      |
| 050    | 32330-18630 | COMP.BONNET SIDE RH | 1    |       |     |              | 3.8          | 8.36        |
| 060    | 32330-18640 | COMP.BONNET SIDE LH | 1    |       |     |              | 3.8          | 8.36        |
| 070    | 32400-18950 | CUSHION BONNET      | 2    |       |     |              | 0.01         | 0.022       |
| 080    | 31341-18680 | COMP BELT SIDE RH   | 1    |       |     |              | 0.48         | 1.056       |
| 090    | 31341-18690 | COMP BELT SIDE LH   | 1    |       |     |              | 0.47         | 1.034       |
| 110    | 32400-18710 | SUPPORT HOOK RH     | 1    |       |     | MANUAL STRG. | 0.21         | 0.462       |
| 110    | 35010-18710 | SUPPORT HOOK RH     | 1    |       |     | POWER STRG.  | 0.43         | 0.946       |
| 120    | 32400-18720 | SUPPORT HOOK LH     | 1    |       |     | MANUAL STRG. | 0.175        | 0.385       |
| 120    | 35010-18720 | SUPPORT HOOK LH     | 1    |       |     | POWER STRG.  | 0.36         | 0.792       |
| 130    | 01123-60814 | BOLT                | 4    |       |     |              | 0.008        | 0.0176      |
| 140    | 01123-50820 | BOLT                | 2    |       |     |              | 0.011        | 0.0242      |
| 150    | 01820-50825 | BOLT KNOB           | 2    |       |     |              | 0.028        | 0.0616      |
| 160    | 04015-60080 | WASHER PLAIN        | 2    |       |     |              | 0.01         | 0.022       |
| 170    | 32400-18220 | RUBBER KNOB BOLT    | 2    |       |     |              | 0.001        | 0.0022      |






# REAR HOOD (BONNET)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description           | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | 32330-18770 | ROOF REAR             | 1    |       |     |              | 0.465        | 1.023       |
| 020    | 32330-18810 | COMP.BONNET REAR RH   | 1    |       |     |              | 1.13         | 2.486       |
| 040    | 38240-29570 | PLUG                  | 2    |       |     |              | 0.001        | 0.0022      |
| 050    | 01754-50612 | BOLT FLANGE           | 4    |       |     |              | 0.005        | 0.011       |
| 060    | 32330-24410 | BOARD SWITCH          | 1    |       |     | MANUAL STRG. | 0.6          | 1.32        |
| 060    | 32330-43410 | BOARD SWITCH          | 1    |       |     | POWER STRG.  | 0.58         | 1.276       |
| 070    | 30400-19060 | BOLT FLANGE           | 4    |       |     |              | 0.006        | 0.0132      |
| 080    | 35110-32420 | PLUG                  | 1    |       |     |              | 0.002        | 0.0044      |
| 090    | 30400-19060 | BOLT FLANGE           | 3    |       |     |              | 0.006        | 0.0132      |
| 100    | 38240-29250 | NUT SPRING            | 2    |       |     |              | 0.005        | 0.011       |
| 110    | 32330-31110 | PANEL                 | 1    |       |     |              | 0.82         | 1.804       |
| 120    | 30400-19060 | BOLT FLANGE           | 6    |       |     |              | 0.006        | 0.0132      |
| 130    | 38240-29250 | NUT SPRING            | 5    |       |     |              | 0.005        | 0.011       |
| 140    | 32310-35280 | SUPPORT ACCEL.LEVER   | 1    |       |     | MANUAL STRG. | 0            | 0           |
| 140    | 32310-45680 | SUPPORT ACCEL.LEVER   | 1    |       |     | POWER STRG.  | 1.39         | 3.058       |
| 150    | 01754-50812 | BOLT FLANGE           | 4    |       |     |              | 0.01         | 0.022       |
| 160    | 32310-18910 | SUPPORT BONNET REAR   | 1    |       |     | MANUAL STRG. | 0.25         | 0.55        |
| 160    | 32317-18910 | SUPPORT BONNET REAR   | 1    |       |     | POWER STRG.  | 0.345        | 0.759       |
| 170    | 30400-18870 | BOLT FLANGE           | 4    |       |     |              | 0.01         | 0.022       |
| 180    | 01155-50840 | BOLT                  | 1    |       |     |              | 0.02         | 0.044       |
| 190    | 02112-50080 | NUT                   | 1    |       |     |              | 0.003        | 0.0066      |
| 200    | 32330-18363 | HOLDER FUSE BOX       | 1    |       |     |              | 0.12         | 0.264       |
| 210    | 30400-18870 | BOLT FLANGE           | 2    |       |     |              | 0.01         | 0.022       |
| 220    | 32330-18920 | KIT BONNET REAR LH(A) | 1    |       |     |              | 1.2          | 2.64        |
| 230    | 32331-18920 | KIT BONNET REAR LH(B) | 1    |       |     |              | 1.1          | 2.42        |
| 240    | TA040-49650 | LEBEL START CAUTION   | 1    |       |     | ENGLISH      | 0.004        | 0.0088      |
| 250    | TA041-49650 | LEBEL START CAUTION   | 1    |       |     | FRENCH       | 0.004        | 0.0088      |






32330-035-10

**FENDER**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32421-29010 | COMP.FENDER LH     | 1    |       |     |         | 9.7          | 21.34       |
| 030    | 30810-29170 | PLUG               | 2    |       |     |         | 0.003        | 0.0066      |
| 040    | 02751-50080 | NUT FLANGE         | 2    |       |     |         | 0.006        | 0.0132      |
| 050    | 01754-50816 | BOLT FLANGE        | 4    |       |     |         | 0.011        | 0.0242      |
| 060    | 34670-29440 | HANDRAIL           | 1    |       |     |         | 0.1          | 0.22        |
| 070    | 04013-60140 | WASHER PLAIN       | 2    |       |     |         | 0.01         | 0.022       |
| 080    | 02174-50140 | NUT                | 2    |       |     |         | 0.014        | 0.0308      |
| 090    | 31351-29490 | GROMMET            | 1    |       |     |         | 0.003        | 0.0066      |
| 100    | 32150-29180 | CAP RUBBER         | 1    |       |     |         | 0.002        | 0.0044      |
| 110    | 32330-47100 | KIT FENDER RH(A)   | 1    |       |     |         | 11           | 24.2        |
| 120    | 32331-47100 | KIT FENDER RH (B)  | 1    |       |     |         | 11           | 24.2        |
| 130    | TA040-49320 | LABEL ROPS WARNING | 1    |       |     | ENGLISH | 0.001        | 0.0022      |
| 140    | TA040-49350 | LABEL DRAWBAR      | 1    |       |     | ENGLISH | 0.002        | 0.0044      |
| 150    | 35260-34913 | LABEL SAFETY       | 1    |       |     | ENGLISH | 0.005        | 0.011       |
| 160    | TA040-49150 | LABEL ROPS WARNING | 1    |       |     | FRENCH  | 0.003        | 0.0066      |
| 170    | TA041-49350 | LABEL DRAWBAR      | 1    |       |     | FRENCH  | 0.003        | 0.0066      |
| 180    | TA041-65700 | LABEL SAFETY       | 1    |       |     | FRENCH  | 0.01         | 0.022       |

## FENDER SUPPORT






## FENDER SUPPORT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35010-29210 | SUPPORT FENDER LH | 1    | ≤51876 |     |         | 0            | 0           |
| 010    | 35010-29212 | SUPPORT FENDER LH | 1    | ≥51877 | ←   |         | 2.06         | 4.532       |
| 020    | 35010-29220 | SUPPORT FENDER RH | 1    | ≤51876 |     |         | 0            | 0           |
| 020    | 35010-29222 | SUPPORT FENDER RH | 1    | ≥51877 | ←   |         | 1.915        | 4.213       |
| 030    | 01774-51220 | BOLT FLANGE       | 4    |        |     |         | 0.03         | 0.066       |
| 040    | 01754-50816 | BOLT FLANGE       | 4    |        |     |         | 0.011        | 0.0242      |
| 050    | 32330-29220 | STAY SEAT         | 1    |        |     |         | 0.8          | 1.76        |
| 060    | 32330-29230 | STAY SEAT         | 1    |        |     |         | 0            | 0           |
| 070    | 01774-51016 | BOLT FLANGE       | 6    |        |     |         | 0.02         | 0.044       |
| 080    | 35010-29242 | STAY FENDER RH    | 1    |        |     |         | 0.3          | 0.66        |
| 090    | 35010-29250 | STAY FENDER LH    | 1    |        |     |         | 0.315        | 0.693       |
| 100    | 32330-29270 | SUPPORT           | 1    |        |     |         | 0.05         | 0.11        |
| 110    | 01754-50816 | BOLT FLANGE       | 1    |        |     |         | 0.011        | 0.0242      |






## SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|------------------|--------------|-------------|
| 010    | TA040-18430 | ASSY ADJUSTER SEAT   | 1    |       |     |                  | 2.3          | 5.06        |
| 020    | 02783-50100 | NUT FLANGE           | 4    |       |     |                  | 0.01         | 0.022       |
| 030    | 32160-18440 | CUSHION              | 2    |       |     |                  | 0.013        | 0.0286      |
| 040    | 32430-11853 | PIN JOINT            | 1    |       |     |                  | 0.08         | 0.176       |
| 050    | 05525-61000 | PIN SNAP             | 1    |       |     |                  | 0.002        | 0.0044      |
| 060    | TA040-11806 | ASSY SUSPENSION SEAT | 1    |       |     |                  | 3.9          | 8.58        |
| 070    | 04011-50100 | WASHER PLAIN         | 1    |       |     |                  | 0.002        | 0.0044      |
| 080    | TA040-11860 | NUT ADJUSTING        | 1    |       |     |                  | 0.605        | 1.331       |
| 090    | TA040-11870 | SPRING SEAT          | 2    |       |     |                  | 0.26         | 0.572       |
| 100    | 01754-50820 | BOLT FLANGE          | 4    |       |     |                  | 0.015        | 0.033       |
| 110    | TA040-18502 | ASSY BELT SEAT       | 1    |       |     | OBTAINED LOCALLY | 0.825        | 1.815       |
| 140    | 32330-18480 | BRACKET SEAT BELT RH | 1    |       |     |                  | 0.365        | 0.803       |
| 150    | TA040-18492 | BRACKET SEAT BELT LH | 1    |       |     |                  | 0.27         | 0.594       |
| 160    | 01774-51025 | BOLT FLANGE          | 2    |       |     |                  | 0.02         | 0.044       |
| 170    | 02116-50100 | NUT                  | 2    |       |     |                  | 0.004        | 0.0088      |
| 180    | TA040-48510 | ASSY SEAT            | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 190    | 32330-18450 | BRACKET SEAT RH      | 1    |       |     |                  | 0.235        | 0.517       |
| 200    | 32330-18460 | BRACKET SEAT LH      | 1    |       |     |                  | 0.235        | 0.517       |
| 210    | 01754-50816 | BOLT FLANGE          | 4    |       |     |                  | 0.011        | 0.0242      |
| 220    | 67401-45922 | STAY                 | 1    |       |     |                  | 0.08         | 0.176       |
| 230    | 01123-60816 | BOLT                 | 2    |       |     |                  | 0.01         | 0.022       |
| 240    | 66704-54952 | BRACKET SMV          | 1    |       |     |                  | 0.15         | 0.33        |
| 250    | 01023-50618 | BOLT                 | 2    |       |     |                  | 0.006        | 0.0132      |
| 260    | 04013-60060 | WASHER PLAIN         | 2    |       |     |                  | 0.001        | 0.0022      |
| 270    | 04511-50060 | WASHER PLAIN         | 2    |       |     |                  | 0            | 0           |
| 280    | 02014-50060 | NUT                  | 2    |       |     |                  | 0.003        | 0.0066      |




**STEP**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32330-29900 | COMP.STEP RH     | 1    |       |     |         | 1.84         | 4.048       |
| 020    | 37150-17530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 32330-29920 | STEP LH          | 1    |       |     |         | 1.69         | 3.718       |
| 040    | 01133-51016 | BOLT             | 6    |       |     |         | 0.015        | 0.033       |
| 050    | 32330-29140 | STEP AUX.LH      | 1    |       |     |         | 0.57         | 1.254       |
| 060    | 32330-29150 | STEP AUX.RH      | 1    |       |     |         | 0.57         | 1.254       |
| 070    | 01754-50816 | BOLT FLANGE      | 8    |       |     |         | 0.011        | 0.0242      |
| 090    | 02751-50080 | NUT FLANGE       | 4    |       |     |         | 0.006        | 0.0132      |
| 100    | 32330-29320 | CONNECTOR FENDER | 2    |       |     |         | 0.07         | 0.154       |
| 110    | 01125-60816 | BOLT             | 4    |       |     |         | 0.01         | 0.022       |








## ROPS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 32330-48010 | ASSY ROPS          | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 75599-04625 | HEX.BOLT           | 4    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 030    | 75599-33016 | WASHER SPRING      | 4    |       |     | OBTAINED LOCALLY | 0.08         | 0.176       |
| 040    | 32330-48300 | BRACKET CHAIN LH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 050    | 32330-48400 | BRACKET CHAIN RH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 060    | 75599-04705 | HEX.BOLT           | 8    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 070    | 75599-31067 | HEX.NUT            | 8    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 080    | 75599-33017 | WASHER SPRING      | 8    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 100    | 32751-34790 | RIVET              | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 110    | 32330-48490 | MANUAL INSTRUCTION | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 120    | TA040-18502 | ASSY BELT SEAT     | 1    |       |     | OBTAINED LOCALLY | 0.825        | 1.815       |






## LABEL 1

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32330-49580 | LABEL MUFFLER        | 1    |       |     |         | 0.002        | 0.0044      |
| 020    | TA040-49560 | LABEL FILLER         | 1    |       |     |         | 0            | 0           |
| 030    | 32330-65820 | LABEL 4WD RH         | 1    |       |     |         | 0.007        | 0.0154      |
| 040    | 32330-65830 | LABEL 4WD LH         | 1    |       |     |         | 0.007        | 0.0154      |
| 050    | 35176-15930 | LABEL PEDAL          | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 35170-15940 | CARD INSTRUCTION     | 1    |       |     |         | 0.015        | 0.033       |
| 070    | TA040-49650 | LABEL START CAUTION  | 1    |       |     | ENGLISH | 0.004        | 0.0088      |
| 070    | TA041-49650 | LABEL START CAUTION  | 1    |       |     | FRENCH  | 0.004        | 0.0088      |
| 080    | 32330-65100 | MARK MODEL LH        | 2    |       |     |         | 0.004        | 0.0088      |
| 090    | 35080-65350 | LABEL KUBOTA         | 2    |       |     |         | 0.001        | 0.0022      |
| 100    | 32400-65240 | LABEL SIDE           | 2    |       |     |         | 0.005        | 0.011       |
| 110    | 38150-65180 | EMBLEM               | 1    |       |     |         | 0.02         | 0.044       |
| 120    | 02761-50040 | NUT FLANGE           | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 32330-49540 | LABEL CAUTION        | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 32330-49900 | KIT LABEL SAFETY (A) | 1    |       |     | ENGLISH | 0.018        | 0.0396      |
| 160    | 32331-49900 | KIT LABEL SAFETY (B) | 1    |       |     | FRENCH  | 0.04         | 0.088       |





## LABEL 2

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 32751-49580 | LABEL FAN BELT       | 2    |       |     |         | 0.001        | 0.0022      |
| 030    | 35010-65810 | LABEL 4WD CHANGE     | 1    |       |     |         | 0.01         | 0.022       |
| 040    | T0070-93180 | LABEL AIR CLEANER    | 1    |       |     | ENGLISH | 0.001        | 0.0022      |
| 040    | TA048-93180 | LABEL AIR CLEANER    | 1    |       |     | FRENCH  | 0.002        | 0.0044      |
| 050    | 35260-25050 | LABEL SHUTTLE        | 1    |       |     | ENGLISH | 0.01         | 0.022       |
| 050    | 35261-25050 | LABEL SHUTTLE        | 1    |       |     | FRENCH  | 0.001        | 0.0022      |
| 060    | TA040-49320 | LABEL ROPS WARNING   | 1    |       |     | ENGLISH | 0.001        | 0.0022      |
| 060    | TA040-49150 | LABEL ROPS WARNING   | 1    |       |     | FRENCH  | 0.003        | 0.0066      |
| 070    | TA040-49350 | LABEL DRAWBAR        | 1    |       |     | ENGLISH | 0.002        | 0.0044      |
| 070    | TA041-49350 | LABEL DRAWBAR        | 1    |       |     | FRENCH  | 0.003        | 0.0066      |
| 080    | 35260-34913 | LABEL SAFETY         | 1    |       |     | ENGLISH | 0.005        | 0.011       |
| 080    | TA041-65700 | LABEL SAFETY         | 1    |       |     | FRENCH  | 0.01         | 0.022       |
| 100    | 32430-65510 | LABEL MAIN SWITCH    | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 32539-65530 | LABEL HAZARD MARK    | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | TA040-49760 | MARK DIFF.LOCK       | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 35260-24950 | LABEL PTO            | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 35176-24580 | LABEL RANGE SHIFT    | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 32430-65760 | LABEL POSITION CON.  | 1    |       |     | ENGLISH | 0.003        | 0.0066      |
| 150    | 32431-65760 | LABEL POSITION CON.  | 1    |       |     | FRENCH  | 0.003        | 0.0066      |
| 160    | 31351-65780 | LABEL HYD ADJUST     | 1    |       |     | ENGLISH | 0.001        | 0.0022      |
| 160    | 32530-65800 | LABEL HYD ADJUST     | 1    |       |     | FRENCH  | 0.001        | 0.0022      |
| 170    | TA040-49590 | LABEL PTO WARNING    | 1    |       |     | ENGLISH | 0.002        | 0.0044      |
| 170    | TA041-49590 | LABEL PTO WARNING    | 1    |       |     | FRENCH  | 0.005        | 0.011       |
| 180    | 32330-65170 | LABEL PANEL          | 1    |       |     |         | 0.017        | 0.0374      |
| 190    | TA040-30150 | LABEL BATTERY        | 1    |       |     | ENGLISH | 0.002        | 0.0044      |
| 190    | TA041-30150 | LABEL BATTERY        | 1    |       |     | FRENCH  | 0.005        | 0.011       |
| 200    | 32430-65770 | LABEL DRAFT CON.     | 1    |       |     | OPTION  | 0.001        | 0.0022      |
| 210    | 32330-17610 | LEBAL ENGINE STOP    | 1    |       |     |         | 0.001        | 0.0022      |
| 220    | 32330-49900 | KIT LABEL SAFETY (A) | 1    |       |     | ENGLISH | 0.018        | 0.0396      |
| 230    | 32331-49900 | KIT LABEL SAFETY (B) | 1    |       |     | FRENCH  | 0.04         | 0.088       |

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS         | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|-----------------|--------------|-------------|
| 010    | 32330-19710 | MANUAL INSTRUCTION   | 1    |       |     | ENGLISH         | 0.16         | 0.352       |
| 010    | 32330-19712 | MANUAL INSTRUCTION   | 1    |       | ≠   | ENGLISH         | 0            | 0           |
| 010    | 32331-19710 | MANUAL INSTRUCTION   | 1    |       |     | FRENCH          | 0.16         | 0.352       |
| 010    | 32331-19712 | MANUAL INSTRUCTION   | 1    |       | ≠   | FRENCH          | 0.16         | 0.352       |
| 020    | 01073-51630 | BOLT                 | 8    |       |     | FOR REAR WHEEL  | 0.079        | 0.1738      |
| 030    | 02076-50160 | NUT                  | 4    |       |     | FOR REAR WHEEL  | 0.03         | 0.066       |
| 050    | 01517-51632 | STUD                 | 4    |       |     | FOR REAR WHEEL  | 0.076        | 0.1672      |
| 060    | 04512-60160 | WASHER SPRING        | 12   |       |     | FOR REAR WHEEL  | 0.01         | 0.022       |
| 070    | 04512-60140 | WASHER SPRING        | 12   |       |     | FOR FRONT WHEEL | 0.006        | 0.0132      |
| 090    | 04013-60140 | WASHER PLAIN         | 12   |       |     | FOR FRONT WHEEL | 0.01         | 0.022       |
| 110    | 02176-50140 | NUT                  | 4    |       |     | FOR FRONT WHEEL | 0.014        | 0.0308      |
| 120    | 35450-49160 | STUD                 | 4    |       |     | FOR FRONT WHEEL | 0.05         | 0.11        |
| 130    | 01173-51430 | BOLT                 | 8    |       |     | FOR FRONT WHEEL | 0.052        | 0.1144      |
| 140    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |       |     |                 | 0.02         | 0.044       |