



ALL PRODUCT INDEX  
L4610DT-HST



| Item                          | Part No. | Description                              | Book     |
|-------------------------------|----------|------------------------------------------|----------|
| ENGINE                        | 010001   | CRANKCASE                                | 100K0559 |
|                               | 010002   | OIL PAN                                  | 100K0559 |
|                               | 010003   | CYLINDER HEAD                            | 100K0559 |
|                               | 010004   | GEAR CASE                                | 100K0559 |
|                               | 010005   | HEAD COVER                               | 100K0559 |
|                               | 010100   | MAIN BEARING CASE                        | 100K0559 |
|                               | 010101   | CAMSHAFT AND IDLE GEAR SHAFT             | 100K0559 |
|                               | 010102   | PISTON AND CRANKSHAFT                    | 100K0559 |
|                               | 01010302 | FLYWHEEL [HST TYPE]                      | 100K0559 |
|                               | 010105   | FUEL CAMSHAFT                            | 100K0559 |
|                               | 010200   | ENGINE STOP LEVER                        | 100K0559 |
|                               | 010202   | INJECTION PUMP                           | 100K0559 |
|                               | 010203   | INJECTION PUMP [COMPONENT PARTS]         | 100K0559 |
|                               | 010204   | GOVERNOR                                 | 100K0559 |
|                               | 010205   | SPEED CONTROL PLATE                      | 100K0559 |
|                               | 010206   | NOZZLE HOLDER AND GLOW PLUG              | 100K0559 |
|                               | 010207   | NOZZLE HOLDER [COMPONENT PARTS]          | 100K0559 |
|                               | 01050001 | WATER FLANGE AND THERMOSTAT [ROPS TYPE]  | 100K0559 |
|                               | 010501   | WATER PUMP                               | 100K0559 |
|                               | 010600   | VALVE AND ROCKER ARM                     | 100K0559 |
|                               | 01060101 | INLET MANIFOLD [ROPS TYPE]               | 100K0559 |
|                               | 010901   | UPPER GASKET KIT                         | 100K0559 |
|                               | 010902   | LOWER GASKET KIT                         | 100K0559 |
|                               | 010603   | EXHAUST MANIFOLD/MUFFLER                 | 100K0559 |
|                               | 01060401 | AIR CLEANER [ROPS TYPE]                  | 100K0559 |
|                               | 01A002   | STOP SOLENOID/ENGINE STOP WIRE           | 100K0559 |
|                               | 01A01002 | ACCELERATOR LEVER [HST TYPE] [ROPS TYPE] | 100K0559 |
|                               | 01A03002 | ACCELERATOR ROD [HST TYPE]               | 100K0559 |
| FUEL SYSTEM                   | 01A10101 | FUEL TANK [ROPS TYPE]                    | 100K0559 |
|                               | 01A110   | FUEL PIPE AND FUEL FILTER                | 100K0559 |
|                               | 01A130   | FUEL FILTER [COMPONENT PARTS]            | 100K0559 |
| COOLING WATER SYSTEM          | 01A401   | FAN                                      | 100K0559 |
|                               | 01A41001 | WATER PIPE [ROPS TYPE]                   | 100K0559 |
|                               | 01A420   | RADIATOR                                 | 100K0559 |
|                               | 01A43001 | RESERVE TANK [ROPS TYPE]                 | 100K0559 |
| ELECTRICAL SYSTEM             | 01A51501 | ALTERNATOR [ROPS TYPE]                   | 100K0559 |
|                               | 01A52001 | ALTERNATOR [COMPONENT PARTS] [ROPS TYPE] | 100K0559 |
|                               | 01A525   | STARTER                                  | 100K0559 |
|                               | 01A530   | STARTER [COMPONENT PARTS]                | 100K0559 |
|                               | 01A53501 | BATTERY [ROPS TYPE]                      | 100K0559 |
|                               | 01B10202 | SWITCH 1 [HST TYPE] [ROPS TYPE]          | 100K0559 |
|                               | 01B10302 | SWITCH 2 [HST TYPE] [ROPS TYPE]          | 100K0559 |
|                               | 01B115   | PANEL BOARD                              | 100K0559 |
|                               | 01B120   | PANEL BOARD [COMPONENT PARTS]            | 100K0559 |
|                               | 01B30401 | LIGHT 1 [ROPS TYPE] [OLD TYPE]           | 100K0559 |
|                               | 01B30402 | LIGHT 1 [ROPS TYPE] [NEW TYPE]           | 100K0559 |
|                               | 01B50102 | ELECTRICAL WIRING [HST TYPE] [ROPS TYPE] | 100K0559 |
| CLUTCH/TRANSMISSION/REAR AXLE | 01C101   | CLUTCH                                   | 100K0559 |
|                               | 01C201   | CLUTCH LEVER                             | 100K0559 |
|                               | 01C30102 | CLUTCH PEDAL [HST TYPE] [ROPS TYPE]      | 100K0559 |
|                               | 01C40102 | CLUTCH HOUSING [HST TYPE]                | 100K0559 |
|                               | 01C41002 | MID CASE [HST TYPE]                      | 100K0559 |
|                               | 01C415   | HST [COMPONENT PARTS] [HST TYPE]         | 100K0559 |
|                               | 01C42002 | TRANSMISSION CASE [HST TYPE]             | 100K0559 |
|                               | 01D10102 | MAIN SHAFT [HST TYPE]                    | 100K0559 |
|                               | 01D103   | INPUT SHAFT [HST TYPE]                   | 100K0559 |
|                               | 01D107   | OUTPUT SHAFT [HST TYPE]                  | 100K0559 |
|                               | 01D12503 | SPIRAL BEVEL PINION [HST TYPE]           | 100K0559 |

| Item                          | Part No. | Description                                        | Book     |
|-------------------------------|----------|----------------------------------------------------|----------|
| CLUTCH/TRANSMISSION/REAR AXLE | 01D127   | REAR DIFFERENTIAL                                  | 100K0559 |
|                               | 01D13202 | PTO CLUTCH [HST TYPE]                              | 100K0559 |
|                               | 01D13502 | PTO SHAFT [HST TYPE]                               | 100K0559 |
|                               | 01D217   | RANGE GEAR SHIFT FORK [HST TYPE]                   | 100K0559 |
|                               | 01D22502 | DIFFERENTIAL LOCK SHIFT FORK [HST TYPE][ROPS TYPE] | 100K0559 |
| SPEED CHANGE LEVER/BRAKE      | 01D30101 | REAR AXLE [ROPS TYPE]                              | 100K0559 |
|                               | 01D401   | BRAKE                                              | 100K0559 |
|                               | 01D40502 | BRAKE ROD 1 [HST TYPE] [ROPS TYPE]                 | 100K0559 |
|                               | 01D41002 | BRAKE ROD 2 [HST TYPE]                             | 100K0559 |
|                               | 01E106   | CRUISE CONTROL LEVER [HST TYPE]                    | 100K0559 |
|                               | 01E107   | CRUISE CONTROL CABLE [HST TYPE]                    | 100K0559 |
|                               | 01E108   | NEUTRAL HOLDER LINK [HST TYPE]                     | 100K0559 |
|                               | 01E10901 | SPEED CONTROL PEDAL [HST TYPE] [ROPS TYPE]         | 100K0559 |
|                               | 01E11001 | RANGE GEAR SHIFT LEVER [HST TYPE] [ROPS TYPE]      | 100K0559 |
|                               | 01E112   | RANGE GEAR SHIFT ROD [HST TYPE]                    | 100K0559 |
| FRONT AXLE/CHASSIS            | 01E125   | PTO GEAR SHIFT LEVER [HST TYPE]                    | 100K0559 |
|                               | 01E140   | FRONT WHEEL DRIVE LEVER                            | 100K0559 |
|                               | 01E20102 | BRAKE PEDAL [HST TYPE] [ROPS TYPE]                 | 100K0559 |
|                               | 01F105   | FRONT AXLE FRAME                                   | 100K0559 |
|                               | 01F120   | PROPELLER SHAFT                                    | 100K0559 |
|                               | 01F122   | FRONT WHEEL DRIVE SHAFT                            | 100K0559 |
|                               | 01F125   | FRONT DIFFERENTIAL CASE                            | 100K0559 |
|                               | 01F127   | BEVEL GEAR (FRONT)                                 | 100K0559 |
|                               | 01F130   | DIFFERENTIAL(FRONT)                                | 100K0559 |
|                               | 01F140   | FRONT AXLE CASE                                    | 100K0559 |
|                               | 01F145   | DIFFERENTIAL GEAR SHAFT                            | 100K0559 |
|                               | 01F150   | FRONT AXLE                                         | 100K0559 |
|                               | 01G10102 | STEERING HANDLE [HST TYPE] [ROPS TYPE]             | 100K0559 |
|                               | 01G110   | STEERING CONTROLLER                                | 100K0559 |
|                               | 01H110   | STEERING CYLINDER                                  | 100K0559 |
| STEERING                      | 01H115   | STEERING CYLINDER [COMPONENT PARTS]                | 100K0559 |
|                               | 01H12002 | HYDRAULIC PUMP [HST TYPE]                          | 100K0559 |
| HYDRAULIC SYSTEM              | 01H12502 | HYDRAULIC PUMP [COMPONENT PARTS] [HST TYPE]        | 100K0559 |
|                               | 01H20502 | HYDRAULIC OIL LINE(INLET) [HST TYPE]               | 100K0559 |
|                               | 01H21002 | HYDRAULIC OIL LINE(DELIVERY) [HST TYPE]            | 100K0559 |
|                               | 01H21502 | HYDRAULIC OIL LINE(PS) [HST TYPE]                  | 100K0559 |
|                               | 01H23502 | HYDRAULIC OUTLET BLOCK [HST TYPE]                  | 100K0559 |
|                               | 01H240   | HYDRAULIC PIPE [HST TYPE]                          | 100K0559 |
|                               | 01H245   | OIL COOLER [HST TYPE]                              | 100K0559 |
|                               | 01H301   | HYDRAULIC CYLINDER                                 | 100K0559 |
|                               | 01H320   | LIFT ARM                                           | 100K0559 |
|                               | 01H330   | FEED BACK LEVER                                    | 100K0559 |
|                               | 01H405   | CONTROL VALVE                                      | 100K0559 |
|                               | 01H410   | CONTROL VALVE [COMPONENT PARTS] [OLD TYPE]         | 100K0559 |
|                               | 01H41001 | CONTROL VALVE [COMPONENT PARTS] [NEW TYPE]         | 100K0559 |
|                               | 01H44001 | POSITION CONTROL LEVER [ROPS TYPE]                 | 100K0559 |
| HITCH/DRAWBAR                 | 01J105   | TOP LINK                                           | 100K0559 |
|                               | 01J110   | 3-POINT LINKAGE 1(LOWER LINK) [OLD TYPE]           | 100K0559 |
|                               | 01J11001 | 3-POINT LINKAGE 1 (LOWER LINK) [NEW TYPE]          | 100K0559 |
|                               | 01J115   | 3-POINT LINKAGE 2(LIFT ROD)                        | 100K0559 |
|                               | 01K105   | DRAWBAR                                            | 100K0559 |
| HOOD(BONNET)/ROPS/CAB         | 01K12501 | PTO PROTECTOR [ROPS TYPE]                          | 100K0559 |
|                               | 01L101   | FRONT GRILLE                                       | 100K0559 |

| Item                   | Part No. | Description                                          | Book     |
|------------------------|----------|------------------------------------------------------|----------|
| HOOD(BONNET)/ROPS/CAB  | 01L10302 | FRONT GRILLE SUPPORT [HST TYPE] [ROPS TYPE]          | 100K0559 |
|                        | 01L10501 | HOOD(BONNET) [ROPS TYPE]                             | 100K0559 |
|                        | 01L111   | HOOD(BONNET) SIDE RH                                 | 100K0559 |
|                        | 01L113   | HOOD(BONNET) SIDE LH                                 | 100K0559 |
|                        | 01L11501 | SIDE COVER LOWER [ROPS TYPE]                         | 100K0559 |
|                        | 01L13001 | SHUTTER PLATE [ROPS TYPE]                            | 100K0559 |
|                        | 01L20102 | PANEL FRAME [HST TYPE] [ROPS TYPE]                   | 100K0559 |
|                        | 01L21002 | FENDER [HST TYPE] [ROPS TYPE]                        | 100K0559 |
|                        | 01L21502 | FLOOR SEAT [HST TYPE] [ROPS TYPE]                    | 100K0559 |
|                        | 01L22001 | SEAT [ROPS TYPE]                                     | 100K0559 |
|                        | 01L221   | SEAT SUSPENSION [COMPONENT PARTS]                    | 100K0559 |
|                        | 01L22502 | STEP [HST TYPE] [ROPS TYPE]                          | 100K0559 |
|                        | 01L301   | ROPS [ROPS TYPE] [OLD TYPE]                          | 100K0559 |
|                        | 01L30101 | ROPS [ROPS TYPE] [NEW TYPE]                          | 100K0559 |
|                        | 01L501   | SMV EMBLEM                                           | 100K0559 |
| FORNT WHEEL/REAR WHEEL | 01P10101 | FRONT WHEEL (8.3-16)                                 | 100K0559 |
|                        | 01P10102 | FRONT WHEEL (10-16.5)                                | 100K0559 |
|                        | 01P10103 | FRONT WHEEL (27*8.5-15)                              | 100K0559 |
|                        | 01P10104 | FRONT WHEEL (29*12.50-15)                            | 100K0559 |
|                        | 01P11001 | REAR WHEEL (13.6-24)                                 | 100K0559 |
|                        | 01P11002 | REAR WHEEL (14.9-24)                                 | 100K0559 |
|                        | 01P11003 | REAR WHEEL (17.5-24)                                 | 100K0559 |
|                        | 01P11004 | REAR WHEEL (41*14.00-20)                             | 100K0559 |
| LABELS                 | 01P11005 | REAR WHEEL (21.5L-16.1)                              | 100K0559 |
|                        | 01R10502 | LABEL 1 [HST TYPE] [ROPS TYPE]                       | 100K0559 |
| ACCESSORIES<br>OPTION  | 01R11002 | LABEL 2 [HST TYPE] [ROPS TYPE]                       | 100K0559 |
|                        | 01S105   | ACCESSORIES AND SERVICE PARTS                        | 100K0559 |
|                        | 01T103   | AIR CLEANER COVER KIT [OPTION]                       | 100K0559 |
|                        | 01T130   | POSITION CONTROL LEVER (WITH DRAFT)<br>[OPTION]      | 100K0559 |
|                        | 01T135   | DRAFT CONTROL LEVER (WITH DRAFT)<br>[OPTION]         | 100K0559 |
|                        | 01T140   | TOP LINK HOLDER (WITH DRAFT) [OPTION]                | 100K0559 |
|                        | 01T145   | SWINGING DRAWBAR/CLEVIS DRAWBAR<br>[OPTION]          | 100K0559 |
|                        | 01T15001 | REMOTE CONTROL VALVE LEVER 1 [ROPS<br>TYPE] [OPTION] | 100K0559 |
|                        | 01T15003 | REMOTE CONTROL VALVE LEVER 2 [ROPS<br>TYPE] [OPTION] | 100K0559 |
|                        | 01T15005 | REMOTE CONTROL VALVE LEVER 3 [ROPS<br>TYPE] [OPTION] | 100K0559 |
|                        | 01T15501 | REMOTE CONTROL VALVE COUPLER 1 [OPTION]              | 100K0559 |
|                        | 01T15502 | REMOTE CONTROL VALVE COUPLER 2 [OPTION]              | 100K0559 |
|                        | 01T15503 | REMOTE CONTROL VALVE COUPLER 3 [OPTION]              | 100K0559 |
|                        | 01T160   | ROPS [ROPS TYPE] [OPTION] [OLD TYPE]                 | 100K0559 |
|                        | 01T16001 | ROPS [ROPS TYPE] [OPTION] [NEW TYPE]                 | 100K0559 |






## CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16423-01010 | COMP.CRANKCASE      | 1    | <=XS4888 |     |         | 0            | 0           |
| 010    | 16423-01012 | COMP.CRANKCASE      | 1    | >=XS4889 | ←   |         | 49           | 107.8       |
| 010    | 16423-01014 | COMP.CRANKCASE      | 1    | >=2A0001 | ←   |         | 49           | 107.8       |
| 020    | 15521-96020 | PLUG                | 6    |          |     |         | 0.003        | 0.0066      |
| 030    | 15521-96030 | PLUG                | 2    |          |     |         | 0.007        | 0.0154      |
| 040    | 17391-96160 | PLUG EXPANSION      | 3    |          |     |         | 0.003        | 0.0066      |
| 050    | 06311-75045 | PLUG EXPANSION      | 1    |          |     |         | 0.026        | 0.0572      |
| 060    | 15221-03380 | CAP SEALING         | 6    |          |     |         | 0.017        | 0.0374      |
| 070    | 15221-03390 | CAP SEALING         | 2    |          |     |         | 0.03         | 0.066       |
| 080    | 05012-00408 | PIN STRAIGHT        | 2    |          |     |         | 0.001        | 0.0022      |
| 090    | 05012-00609 | PIN STRAIGHT        | 2    |          |     |         | 0.003        | 0.0066      |
| 100    | 05012-00612 | PIN STRAIGHT        | 2    |          |     |         | 0.003        | 0.0066      |
| 110    | 05012-01018 | PIN STRAIGHT        | 1    |          |     |         | 0.012        | 0.0264      |
| 120    | 15221-33650 | PIN PIPE            | 1    |          |     |         | 0.004        | 0.0088      |
| 130    | 15321-73340 | PIPE WATER RETURN   | 1    |          |     |         | 0.016        | 0.0352      |
| 140    | 15221-33610 | PLUG                | 1    |          |     |         | 0.009        | 0.0198      |
| 150    | 15021-33660 | GASKET              | 1    |          |     |         | 0.001        | 0.0022      |
| 160    | 15221-33700 | O RING              | 1    |          |     |         | 0.001        | 0.0022      |
| 170    | 15471-35012 | ASSY PUMP OIL       | 1    |          |     |         | 0.55         | 1.21        |
| 180    | 15296-35150 | GASKET OIL PUMP     | 1    |          |     |         | 0            | 0           |
| 180    | 1A021-35150 | GASKET OIL PUMP     | 1    |          | ↔   |         | 0.001        | 0.0022      |
| 190    | 01053-50650 | BOLT                | 4    |          |     |         | 0.011        | 0.0242      |
| 200    | 04512-60060 | WASHER SPRING       | 4    |          |     |         | 0.001        | 0.0022      |
| 210    | 19202-35660 | GEAR OIL PUMP DRIVE | 1    |          |     |         | 0.23         | 0.506       |
| 220    | 05712-00410 | KEY FEATHER         | 1    |          |     |         | 0.001        | 0.0022      |
| 230    | 15221-35682 | NUT FLANGE          | 1    |          |     |         | 0.014        | 0.0308      |




1G785-002-11



## OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|----------|-----|---------|--------------|-------------|
| 010    | 17341-01610 | OIL PAN         | 1    |          |     |         | 4.1          | 9.02        |
| 020    | 15815-01620 | GASKET OIL PAN  | 1    |          |     |         | 0.03         | 0.066       |
| 030    | 01133-51028 | BOLT            | 22   |          |     |         | 0.027        | 0.0594      |
| 040    | 17377-91010 | BOLT            | 2    |          |     |         | 0.08         | 0.176       |
| 050    | 15261-33750 | PLUG            | 2    | <=YJ3494 |     |         | 0.034        | 0.0748      |
| 050    | 16427-33750 | PLUG DRAIN      | 2    | >=YL0001 | ←   |         | 0            | 0           |
| 060    | 6C090-58960 | GASKET          | 2    |          |     |         | 0.002        | 0.0044      |
| 070    | 15411-32110 | FILTER OIL      | 1    |          |     |         | 0.24         | 0.528       |
| 080    | 01123-60814 | BOLT            | 1    |          |     |         | 0.008        | 0.0176      |
| 090    | 04811-00160 | O RING          | 1    |          |     |         | 0.001        | 0.0022      |
| 090    | 04817-00160 | O RING          | 1    |          | ←   |         | 0            | 0           |
| 100    | TA140-36420 | GUIDE OIL GAUGE | 1    |          |     |         | 0.067        | 0.1474      |
| 110    | TA140-36413 | GAUGE OIL       | 1    |          |     |         | 0.025        | 0.055       |
| 120    | 01754-50816 | BOLT FLANGE     | 1    |          |     |         | 0.011        | 0.0242      |
| 130    | 16414-33640 | PLUG OIL GAUGE  | 1    | >=2A0001 |     |         | 0.003        | 0.0066      |






## CYLINDER HEAD


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 09980-10075 | CAP PROTECTOR        | 1    |       |     |         | 0.001        | 0.0022      |
| 020    | 15221-01750 | HOOK ENGINE          | 1    |       |     |         | 0.04         | 0.088       |
| 030    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 040    | 15471-91530 | STUD                 | 2    |       |     |         | 0.01         | 0.022       |
| 050    | 02156-50080 | NUT                  | 2    |       |     |         | 0.004        | 0.0088      |
| 060    | 04512-60080 | WASHER SPRING        | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | 04012-50080 | WASHER PLAIN         | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 16429-03040 | COMP.CYLINDER HEAD   | 1    |       |     |         | 19.1         | 42.02       |
| 090    | 15221-03370 | CAP SEALING          | 12   |       |     |         | 0.01         | 0.022       |
| 100    | 15221-03490 | CAP SEALING          | 1    |       |     |         | 0.02         | 0.044       |
| 110    | 15261-96010 | PLUG                 | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 17321-13580 | GUIDE INLET VALVE    | 4    |       |     |         | 0.015        | 0.033       |
| 130    | 17321-13560 | GUIDE EXHAUST VALVE  | 4    |       |     |         | 0.02         | 0.044       |
| 140    | 16415-13620 | SEAT INLET VALVE     | 4    |       |     |         | 0.01         | 0.022       |
| 150    | 16415-13612 | SEAT EXHAUST VALVE   | 4    |       |     |         | 0.01         | 0.022       |
| 160    | 19013-03450 | BOLT CYLINDER HEAD   | 18   |       |     |         | 0.077        | 0.1694      |
| 170    | 19077-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.13         | 0.286       |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|----------|--------------|-------------|
| 010    | 16705-04032 | ASSY CASE GEAR       | 1    |          |     |          | 4.2          | 9.24        |
| 020    | 16241-96020 | PLUG                 | 2    |          |     |          | 0.015        | 0.033       |
| 030    | 04811-00150 | O RING               | 2    |          |     |          | 0.001        | 0.0022      |
| 030    | 04817-00150 | O RING               | 2    |          | ←   |          | 0            | 0           |
| 035    | 04811-00200 | O RING               | 1    |          |     |          | 0.001        | 0.0022      |
| 035    | 04817-00200 | O RING               | 1    |          | ←   |          | 0            | 0           |
| 040    | 04811-00360 | O RING               | 1    |          |     |          | 0.002        | 0.0044      |
| 040    | 04817-00360 | O RING               | 1    |          | ←   |          | 0            | 0           |
| 050    | 15221-56280 | PIN START SPRING     | 1    |          |     |          | 0.006        | 0.0132      |
| 060    | 05012-00612 | PIN STRAIGHT         | 2    |          |     |          | 0.003        | 0.0066      |
| 070    | 17331-32610 | SUPPORT OIL FILTER   | 1    |          |     |          | 0.275        | 0.605       |
| 080    | 17326-32620 | GASKET               | 1    |          |     |          | 0.005        | 0.011       |
| 090    | 01123-50825 | BOLT                 | 3    |          |     |          | 0.013        | 0.0286      |
| 100    | 17331-32880 | COVER                | 1    |          |     |          | 0.075        | 0.165       |
| 110    | 17331-32910 | COMP BOLT            | 1    |          |     |          | 0.07         | 0.154       |
| 120    | 04811-00150 | O RING               | 1    |          |     |          | 0.001        | 0.0022      |
| 120    | 04817-00150 | O RING               | 1    |          | ←   |          | 0            | 0           |
| 130    | 19202-96830 | O RING               | 1    |          |     |          | 0.01         | 0.022       |
| 140    | 17326-04132 | GASKET GEAR CASE     | 1    |          |     |          | 0.03         | 0.066       |
| 150    | 01123-50860 | BOLT                 | 3    |          |     |          | 0.026        | 0.0572      |
| 160    | 01153-50870 | BOLT                 | 3    |          |     |          | 0.026        | 0.0572      |
| 170    | 17367-91010 | BOLT                 | 2    |          |     |          | 0.005        | 0.011       |
| 180    | 01153-50880 | BOLT                 | 2    |          |     |          | 0.03         | 0.066       |
| 190    | 17367-91020 | BOLT                 | 3    |          |     |          | 0.035        | 0.077       |
| 200    | 17367-91030 | BOLT                 | 2    |          |     |          | 0.02         | 0.044       |
| 210    | 04512-60080 | WASHER SPRING        | 5    |          |     |          | 0.002        | 0.0044      |
| 220    | 99999-99999 | BLANK                | 0    |          |     |          | 0            | 0           |
| 230    | 15521-32290 | JOINT PIPE           | 1    | <=YW4276 |     |          | 0            | 0           |
| 230    | 15521-32293 | JOINT PIPE           | 1    | >=YY0001 | ←   |          | 0            | 0           |
| 240    | 15241-36950 | SPRING               | 1    |          |     |          | 0.004        | 0.0088      |
| 250    | 15521-36930 | SEAT VALVE           | 1    |          |     |          | 0.015        | 0.033       |
| 260    | 07715-03213 | BALL                 | 1    |          |     |          | 0.004        | 0.0088      |
| 270    | 15521-73320 | FLANGE WATER RETURN  | 1    |          |     |          | 0.04         | 0.088       |
| 280    | 1A021-73330 | GASKET WATER FLANGE  | 1    |          |     |          | 0.001        | 0.0022      |
| 280    | 1A021-73330 | GASKET RETURN FLANGE | 1    |          | ↔   |          | 0.001        | 0.0022      |
| 290    | 01023-50620 | BOLT                 | 3    |          |     |          | 0.006        | 0.0132      |
| 300    | 17321-32430 | CARTRIDGE OIL FILTER | 1    |          |     |          | 0            | 0           |
| 300    | 16414-32430 | CARTRIDGE OIL FILTER | 1    |          | ↔   |          | 0            | 0           |
| 310    | 38240-34660 | ASSY GEAR CASE H/M   | 1    |          |     |          | 0.335        | 0.737       |
| 320    | 15296-88130 | GASKET H/METER UNIT  | 1    |          |     |          | 0.002        | 0.0044      |
| 330    | 15221-88210 | STUD                 | 4    |          |     |          | 0.005        | 0.011       |
| 340    | 02056-50060 | NUT                  | 4    |          |     |          | 0.002        | 0.0044      |
| 350    | 04512-60060 | WASHER SPRING        | 4    |          |     |          | 0.001        | 0.0022      |
| 360    | 15571-33140 | PLUG OIL FILLER      | 1    | <=1L4203 |     | NOT SALE | 0.03         | 0.066       |
| 360    | 16427-33140 | PLUG OIL FILLER      | 1    | >=1N0001 | ←   |          | 0.025        | 0.055       |




16493-030-10



## HEAD COVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15521-05140 | PLATE B/THER ELEMENT | 1    |       |     |         | 0.005        | 0.011       |
| 020    | 15521-05150 | PLATE B/THER ELEMENT | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 15521-05670 | ELEMENT BREATHER     | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 15521-05370 | OIL SHIELD BREATHER  | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 03034-50510 | SCREW WITH WASHER    | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | 17365-05550 | JOINT BREATHER       | 1    |       |     |         | 0.065        | 0.143       |
| 070    | 15434-14510 | COVER CYL.HEAD       | 1    |       |     |         | 1.315        | 2.893       |
| 080    | 15471-14520 | GASKET HEAD COVER    | 1    |       |     |         | 0.05         | 0.11        |
| 090    | 15451-92330 | NUT                  | 4    |       |     |         | 0.015        | 0.033       |
| 100    | 15021-33660 | GASKET               | 4    |       |     |         | 0.001        | 0.0022      |
| 110    | 15852-33140 | PLUG OIL FILLER      | 1    |       |     |         | 0.038        | 0.0836      |
| 120    | 04811-50300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 04817-50300 | O RING               | 1    |       | ←   |         | 0.001        | 0.0022      |
| 130    | 15837-05510 | PIPE BREATHER        | 1    |       |     |         | 0.06         | 0.132       |



050 17118-0483-0

050




1A021-804-11



## MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 19013-07090 | ASSY BRG.CASE WHEEL  | 1    |       |     |         | 1.55         | 3.41        |
| 020    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 030    | 19077-04360 | GASKET BEARING CASE  | 1    |       |     |         | 0.004        | 0.0088      |
| 040    | 19013-04813 | COVER BEARING CASE   | 1    |       |     |         | 0.41         | 0.902       |
| 050    | 17118-04830 | GASKET BRG.CASE COV. | 1    |       |     |         | 0            | 0           |
| 050    | 1A091-04820 | GASKET CASE COVER    | 1    |       | ↔   |         | 0.006        | 0.0132      |
| 060    | 01123-50825 | BOLT                 | 8    |       |     |         | 0.013        | 0.0286      |
| 070    | 01123-50828 | BOLT                 | 8    |       |     |         | 0.014        | 0.0308      |
| 080    | 19202-04460 | SEAL OIL             | 1    |       |     |         | 0.055        | 0.121       |
| 090    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 100    | 19013-07040 | ASSY BRG.CASE MAIN   | 1    |       |     |         | 1.5          | 3.3         |
| 110    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 120    | 19013-07050 | ASSY BRG.CASE MAIN   | 1    |       |     |         | 1.495        | 3.289       |
| 130    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 140    | 19013-07060 | ASSY BRG.CASE MAIN   | 1    |       |     |         | 1.52         | 3.344       |
| 150    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 160    | 15601-04560 | BOLT BEARING CASE    | 3    |       |     |         | 0.06         | 0.132       |




16785-001-10



## CAMSHAFT AND IDLE GEAR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15601-15550 | TAPPET            | 8    |          |     |         | 0.08         | 0.176       |
| 020    | 19013-15110 | PUSH ROD          | 8    |          |     |         | 0.05         | 0.11        |
| 030    | 16413-16010 | ASSY CAMSHAFT     | 1    | <=1W2630 |     |         | 4.2          | 9.24        |
| 030    | 16413-16013 | ASSY CAMSHAFT     | 1    | >=1Y0001 | ←   |         | 4.2          | 9.24        |
| 040    | 17343-16150 | CAMSHAFT          | 1    |          |     |         | 2.2          | 4.84        |
| 050    | 15521-93610 | SCREW SET         | 1    |          |     |         | 0.002        | 0.0044      |
| 060    | 15221-16510 | GEAR CAMSHAFT     | 1    | <=1W2630 |     |         | 0.85         | 1.87        |
| 060    | 1A091-16510 | GEAR CAM          | 1    | >=1Y0001 | ←   |         | 0.8          | 1.76        |
| 070    | 05712-00720 | KEY FEATHER       | 1    |          |     |         | 0.008        | 0.0176      |
| 080    | 15221-16270 | STOPPER CAMSHAFT  | 1    |          |     |         | 0.073        | 0.1606      |
| 090    | 01123-50818 | BOLT              | 2    |          |     |         | 0.012        | 0.0264      |
| 100    | 1A021-24010 | COMP.GEAR IDLE    | 1    | <=1Y2848 |     |         | 1.24         | 2.728       |
| 100    | 1A091-24010 | COMP.GEAR IDLE    | 1    | >=2A0001 | ←   |         | 1.21         | 2.662       |
| 110    | 1A021-24980 | BUSH IDLE GEAR    | 1    |          |     |         | 0.072        | 0.1584      |
| 120    | 1A021-24370 | COLLAR            | 1    |          |     |         | 0.022        | 0.0484      |
| 130    | 15451-95400 | CIR CLIP EXTERNAL | 1    |          |     |         | 0.01         | 0.022       |
| 140    | 1A021-24250 | SHAFT IDLE GEAR   | 1    |          |     |         | 0.685        | 1.507       |
| 150    | 01123-50818 | BOLT              | 3    |          |     |         | 0.012        | 0.0264      |



16493-003-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS    | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|------------|--------------|-------------|
| 010    | 19077-21110 | PISTON              | 4    |         |     | STD        | 0.58         | 1.276       |
| 010    | 19077-21910 | PISTON              | 4    |         |     | +0.5mm     | 0.585        | 1.287       |
| 020    | 17331-21050 | ASSY PISTON RING    | 4    |         |     | STD        | 0.065        | 0.143       |
| 020    | 17331-21090 | ASSY PISTON RING    | 4    |         |     | +0.5mm     | 0.065        | 0.143       |
| 030    | 14901-21310 | PIN PISTON          | 4    |         |     |            | 0.17         | 0.374       |
| 040    | 14109-21330 | CIR CLIP INTERNAL   | 8    |         |     |            | 0.015        | 0.033       |
| 050    | 17311-22010 | ASSY CONNECTING ROD | 4    |         |     |            | 0.885        | 1.947       |
| 060    | 17331-21980 | BUSH PISTON PIN     | 4    |         |     |            | 0.025        | 0.055       |
| 070    | 15521-22142 | BOLT CONNECTING ROD | 8    |         |     |            | 0.026        | 0.0572      |
| 080    | 17311-22310 | METAL CRANKPIN      | 4    |         |     | STD SET    | 0.045        | 0.099       |
| 080    | 17331-22970 | METAL CRANKPIN      | 4    |         |     | -0.2mm SET | 0.05         | 0.11        |
| 080    | 17331-22980 | METAL CRANKPIN      | 4    |         |     | -0.4mm SET | 0.045        | 0.099       |
| 090    | 16641-23010 | COMP.CRANKSHAFT     | 1    |         |     |            | 17           | 37.4        |
| 100    | 07715-00401 | BALL                | 4    |         |     |            | 0.001        | 0.0022      |
| 110    | 19202-23280 | BUSH CRANKSHAFT     | 1    |         |     |            | 0.09         | 0.198       |
| 120    | 15471-24110 | GEAR CRANK          | 1    |         |     |            | 0.375        | 0.825       |
| 130    | 05712-00720 | KEY FEATHER         | 1    |         |     |            | 0.008        | 0.0176      |
| 140    | 15471-23312 | SLINGER OIL         | 1    |         |     |            | 0.008        | 0.0176      |
| 150    | 19202-23250 | COLLAR CRANKSHAFT   | 1    |         |     |            | 0.065        | 0.143       |
| 160    | 04811-10300 | O RING              | 1    |         |     |            | 0.001        | 0.0022      |
| 170    | 15221-23360 | NUT CRANKSHAFT      | 1    |         |     |            | 0.11         | 0.242       |
| 180    | 99999-99999 | BLANK               | 0    |         |     |            | 0            | 0           |
| 190    | 17311-23470 | METAL CRANKSHAFT    | 1    | ≤1A3706 |     | STD        | 0            | 0           |
| 190    | 17311-23472 | METAL CRANKSHAFT    | 1    | ≥1C0001 | ←   | STD        | 0            | 0           |
| 190    | 17311-23910 | METAL CRANKSHAFT    | 1    |         |     | -0.2mm     | 0.05         | 0.11        |
| 190    | 17311-23920 | METAL CRANKSHAFT    | 1    |         |     | -0.4mm     | 0.06         | 0.132       |
| 200    | 17311-23480 | METAL CRANKSHAFT    | 4    |         |     | STD SET    | 0.045        | 0.099       |
| 200    | 17311-23930 | METAL CRANKSHAFT    | 4    |         |     | -0.2mm SET | 0.05         | 0.11        |
| 200    | 17311-23940 | METAL CRANKSHAFT    | 4    |         |     | -0.4mm SET | 0.06         | 0.132       |
| 210    | 15521-23530 | METAL SIDE          | 2    |         |     | STD        | 0.01         | 0.022       |
| 210    | 15521-23950 | METAL SIDE          | 2    |         |     | +0.2mm     | 0.01         | 0.022       |
| 210    | 15521-23960 | METAL SIDE          | 2    |         |     | +0.4mm     | 0.01         | 0.022       |
| 220    | 19202-23540 | METAL SIDE          | 2    |         |     | STD        | 0.01         | 0.022       |
| 220    | 19202-23970 | METAL SIDE          | 2    |         |     | +0.2mm     | 0.01         | 0.022       |
| 220    | 19202-23980 | METAL SIDE          | 2    |         |     | +0.4mm     | 0.01         | 0.022       |
| 230    | 19202-04140 | SEAL OIL            | 1    |         |     |            | 0.015        | 0.033       |
| 240    | 07916-26940 | KIT RING PISTON     | 4    |         |     | STD        | 0.87         | 1.914       |
| 240    | 07916-26950 | KIT RING PISTON     | 4    |         |     | +0.5mm     | 0.88         | 1.936       |
| 250    | 07916-28000 | KIT METAL ENGINE    | 1    |         |     | STD        | 0.42         | 0.924       |
| 250    | 07916-28742 | KIT METAL ENGINE    | 1    |         |     | -0.2mm     | 0.55         | 1.21        |
| 250    | 07916-28752 | KIT METAL ENGINE    | 1    |         |     | -0.4mm     | 0.55         | 1.21        |




15493-031-10



## FLYWHEEL [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16493-25010 | COMP.FLYWHEEL    | 1    |       |     |         | 29.8         | 65.56       |
| 020    | 15221-63820 | GEAR RING        | 1    |       |     |         | 1.2          | 2.64        |
| 030    | 16457-25160 | BOLT FLYWHEEL    | 6    |       |     |         | 0.063        | 0.1386      |
| 040    | TA040-20102 | COMP.HOUSING F-W | 1    |       |     |         | 18.2         | 40.04       |
| 050    | 05012-01018 | PIN STRAIGHT     | 2    |       |     |         | 0.012        | 0.0264      |
| 060    | 31220-14290 | PLUG             | 9    |       |     |         | 0.002        | 0.0044      |
| 070    | 15521-04680 | COVER            | 1    |       |     |         | 0.035        | 0.077       |
| 080    | 15521-04790 | PACKING COVER    | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 01123-50816 | BOLT             | 2    |       |     |         | 0.011        | 0.0242      |
| 100    | 16427-91010 | BOLT             | 11   |       |     |         | 0.004        | 0.0088      |
| 110    | 99999-99999 | BLANK            | 0    |       |     |         | 0            | 0           |
| 120    | 01073-51240 | BOLT             | 2    |       |     |         | 0.049        | 0.1078      |
| 130    | 04512-60120 | WASHER SPRING    | 2    |       |     |         | 0.005        | 0.011       |






## FUEL CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 19077-16020 | ASSY CAMSHAFT FUEL   | 1    |       |     |         | 3            | 6.6         |
| 020    | 19077-16170 | CAMSHAFT FUEL        | 1    |       |     |         | 1.12         | 2.464       |
| 030    | 08153-06205 | BEARING BALL         | 1    |       |     |         | 0.13         | 0.286       |
| 040    | 16415-51150 | GEAR INJECTION PUMP  | 1    |       |     |         | 1.075        | 2.365       |
| 050    | 05712-00525 | KEY FEATHER          | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 04612-00240 | CIR CLIP EXTERNAL    | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 15611-55450 | SLEEVE GOVERNOR      | 1    |       |     |         | 0.117        | 0.2574      |
| 080    | 15221-55470 | CIR-CLIP GOV. SLEEVE | 1    |       |     |         | 0.003        | 0.0066      |
| 090    | 15611-55690 | CASE GOVERNOR BALL   | 1    |       |     |         | 0.03         | 0.066       |
| 100    | 07715-03205 | BALL                 | 39   |       |     |         | 0.001        | 0.0022      |
| 110    | 15221-55740 | CIR-CLIP             | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 07715-00403 | BALL                 | 7    |       |     |         | 0.03         | 0.066       |
| 130    | 08240-00001 | BEARING BALL         | 1    |       |     |         | 0.19         | 0.418       |
| 140    | 15221-16320 | STOPPER FUEL C/SHAFT | 1    |       |     |         | 0.02         | 0.044       |
| 150    | 01123-60814 | BOLT                 | 2    |       |     |         | 0.008        | 0.0176      |






## ENGINE STOP LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15521-54090 | APPARATUS IDLING     | 1    |       |     |         | 0.045        | 0.099       |
| 020    | 15521-54100 | ASSY BOLT ADJUSTMENT | 1    |       |     |         | 0.015        | 0.033       |
| 025    | 15521-54260 | SPRING               | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 15401-92010 | NUT                  | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 15521-92330 | NUT                  | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 15021-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 15521-54270 | CAP                  | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 17331-57702 | ASSY LEVER ENG.STOP  | 1    |       |     |         | 0.19         | 0.418       |
| 080    | 15471-51652 | COVER INJECTION PUMP | 1    |       |     |         | 0.02         | 0.044       |
| 090    | 17331-57740 | SHAFT LEVER          | 1    |       |     |         | 0.04         | 0.088       |
| 100    | 17331-57720 | LEVER ENGINE STOP    | 1    |       |     |         | 0.05         | 0.11        |
| 110    | 15471-57980 | SEAL OIL             | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 05411-00420 | PIN SPRING           | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 15471-57920 | SPRING RETURN        | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 15296-51660 | GASKET PUMP COVER    | 1    |       |     |         | 0            | 0           |
| 140    | 1A021-51660 | GASKET PUMP COVER    | 1    |       | ↔   |         | 0.003        | 0.0066      |
| 150    | 01023-50618 | BOLT                 | 1    |       |     |         | 0.006        | 0.0132      |
| 160    | 01023-50622 | BOLT                 | 2    |       |     |         | 0.005        | 0.011       |
| 170    | 04012-50060 | WASHER PLAIN         | 2    |       |     |         | 0.001        | 0.0022      |
| 180    | 17394-60110 | SUPPORT SOLENOID     | 1    |       |     |         | 0.28         | 0.616       |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15401-95690 | JOINT EYE           | 1    |          |     |         | 0.04         | 0.088       |
| 020    | 1G762-51010 | ASSY PUMP INJECTION | 1    |          |     |         | 2.5          | 5.5         |
| 030    | 19077-52090 | SHIM INJECTION PUMP | 1    | <=2G4502 |     | 0.20mm  | 0.006        | 0.0132      |
| 030    | 19077-52092 | SHIM INJECTION PUMP | 1    | >=2J0001 | ≠   | 0.20mm  | 0.006        | 0.0132      |
| 030    | 19077-52110 | SHIM INJECTION PUMP | 1    | <=2G4502 |     | 0.25mm  | 0.002        | 0.0044      |
| 030    | 19077-52113 | SHIM INJECTION PUMP | 1    | >=2J0001 | ≠   | 0.25mm  | 0.002        | 0.0044      |
| 030    | 19077-52120 | SHIM INJECTION PUMP | 1    | <=2G4502 |     | 0.30mm  | 0.01         | 0.022       |
| 030    | 19077-52123 | SHIM INJECTION PUMP | 1    | >=2J0001 | ≠   | 0.30mm  | 0.01         | 0.022       |
| 040    | 01123-50822 | BOLT                | 4    |          |     |         | 0.012        | 0.0264      |
| 050    | 15221-91530 | STUD                | 2    |          |     |         | 0.011        | 0.0242      |
| 060    | 02156-50080 | NUT                 | 2    |          |     |         | 0.004        | 0.0088      |
| 070    | 04512-60080 | WASHER SPRING       | 2    |          |     |         | 0.002        | 0.0044      |
| 080    | 14311-60504 | ASSY COCK JET START | 1    |          |     |         | 0.034        | 0.0748      |
| 090    | 17121-52030 | ASSY PUMP FUEL      | 1    |          |     |         | 0.13         | 0.286       |
| 100    | 15263-52140 | GASKET FUEL PUMP    | 1    |          |     |         | 0            | 0           |
| 100    | 1A021-52140 | GASKET FUEL PUMP    | 1    |          | ↔   |         | 0.001        | 0.0022      |
| 110    | 01023-50616 | BOLT                | 2    |          |     |         | 0.005        | 0.011       |
| 120    | 32400-35510 | ASSY PIPE FUEL      | 1    |          |     |         | 0.035        | 0.077       |
| 130    | 14301-42750 | CLIP PIPE           | 2    |          |     |         | 0.005        | 0.011       |






## INJECTION PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 1G762-51010 | ASSY PUMP INJECTION | 1    |       |     |         | 2.5          | 5.5         |
| 020    | 16454-51050 | PLUNGER PUMP        | 4    |       |     |         | 0.05         | 0.11        |
| 030    | 16454-51030 | VALVE DELIVERY.     | 4    |       |     |         | 0.015        | 0.033       |
| 040    | 16454-51230 | SPRING DELIV.VALVE  | 4    |       |     |         | 0.005        | 0.011       |
| 050    | 15221-51240 | GASKET DELIV.VALVE  | 4    |       |     |         | 0.001        | 0.0022      |
| 060    | 16415-51220 | HOLDER DELIV.VALVE  | 4    |       |     |         | 0.07         | 0.154       |
| 070    | 16475-51610 | ASSY PLATE LOCK     | 2    |       |     |         | 0.06         | 0.132       |
| 080    | 15221-51070 | ASSY TAPPET         | 4    |       |     |         | 0.039        | 0.0858      |
| 090    | 14611-51250 | PIN TAPPET GUIDE    | 4    |       |     |         | 0.003        | 0.0066      |
| 100    | 14611-51440 | PLATE               | 2    |       |     |         | 0.005        | 0.011       |
| 110    | 15221-51280 | SPRING PLUNGER      | 4    |       |     |         | 0.015        | 0.033       |
| 120    | 15221-51270 | SEAT SPRING UPPER   | 4    |       |     |         | 0.004        | 0.0088      |
| 130    | 15221-51290 | SEAT SPRING LOWER   | 4    |       |     |         | 0.01         | 0.022       |
| 140    | 19077-51490 | SHIM                | 4    |       |     |         | 0.001        | 0.0022      |
| 150    | 15401-51060 | RACK CONTROL        | 1    |       |     |         | 0.05         | 0.11        |
| 160    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 170    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 180    | 15221-51382 | SLEEVE CONTROL      | 4    |       |     |         | 0.011        | 0.0242      |
| 190    | 15471-51320 | SCREW FOLLOW        | 1    |       |     |         | 0.032        | 0.0704      |
| 200    | 15401-96650 | GASKET              | 2    |       |     |         | 0.001        | 0.0022      |
| 210    | 14611-51200 | O RING              | 4    |       |     |         | 0.001        | 0.0022      |



16477-004-14

040 15021-5624-0


050 04512-60060



1G782-802-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15601-56020 | COMP.LEVER GOVERNOR | 1    |         |     |         | 0.055        | 0.121       |
| 020    | 1G785-56050 | ASSY LEVER FORK     | 1    |         |     |         | 0.405        | 0.891       |
| 025    | 1G785-56040 | COMP.LEVER FORK     | 1    |         |     |         | 0.19         | 0.418       |
| 026    | 17331-56130 | LEVER FORK          | 1    |         |     |         | 0.065        | 0.143       |
| 030    | 15221-56150 | SHAFT FORK LEVER    | 1    | ≤2A3094 |     |         | 0.1          | 0.22        |
| 030    | 1G911-56150 | SHAFT FORK LEVER    | 1    | ≥2C0001 | ≠   |         | 0.05         | 0.11        |
| 040    | 15021-56240 | BOLT LEVER SHAFT    | 1    | ≤2A3094 |     |         | 0.005        | 0.011       |
| 040    | 01754-50618 | BOLT FLANGE         | 1    | ≥2C0001 | ≠   |         | 0.01         | 0.022       |
| 050    | 04512-60060 | WASHER SPRING       | 2    | ≤2A3094 |     |         | 0.001        | 0.0022      |
| 050    | 04512-60060 | WASHER SPRING       | 1    | ≥2C0001 |     |         | 0.001        | 0.0022      |
| 060    | 15221-56230 | HOLDER FORK LEVER   | 1    |         |     |         | 0.1          | 0.22        |
| 070    | 15221-66410 | BOLT                | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 01123-50832 | BOLT                | 2    |         |     |         | 0.016        | 0.0352      |
| 090    | 01023-50628 | BOLT                | 1    |         |     |         | 0.015        | 0.033       |
| 100    | 04012-50080 | WASHER PLAIN        | 2    |         |     |         | 0.001        | 0.0022      |
| 110    | 04012-50060 | WASHER PLAIN        | 1    |         |     |         | 0.001        | 0.0022      |
| 120    | 15611-56480 | SPRING START        | 1    |         |     |         | 0.001        | 0.0022      |
| 130    | 19077-56412 | SPRING              | 1    |         |     |         | 0.01         | 0.022       |
| 140    | 16415-56420 | SPRING GOVERNOR     | 1    |         |     |         | 0.002        | 0.0044      |






## SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 005    | 1A021-54350 | ASSY BOLT ADJUSTMENT | 1    |         |     |         | 0.015        | 0.033       |
| 010    | 15601-54120 | BOLT ADJUSTING       | 1    | ≤1Y2848 |     |         | 0.011        | 0.0242      |
| 010    | 1A021-54120 | BOLT ADJUSTING       | 1    | ≥2A0001 | ←   |         | 0            | 0           |
| 020    | 15601-92012 | NUT                  | 1    |         |     |         | 0.006        | 0.0132      |
| 030    | 15601-96650 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 040    | 15841-14620 | NUT                  | 1    |         |     |         | 0.01         | 0.022       |
| 050    | 1G833-54290 | PIPE LOCK            | 1    |         |     |         | 0.012        | 0.0264      |
| 060    | 15471-57150 | LEVER SPEED CONTROL  | 1    |         |     |         | 0.05         | 0.11        |
| 070    | 05712-00408 | KEY FEATHER          | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | 04811-00120 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | 04817-00120 | O RING               | 1    |         | ←   |         | 0            | 0           |
| 090    | 04013-60080 | WASHER PLAIN         | 1    |         |     |         | 0.002        | 0.0044      |
| 100    | 02112-50080 | NUT                  | 2    |         |     |         | 0.003        | 0.0066      |
| 110    | 15521-57240 | COLLAR               | 1    |         |     |         | 0.002        | 0.0044      |
| 120    | 15521-57115 | PLATE SPEED CONTROL  | 1    |         |     |         | 0.1          | 0.22        |
| 130    | 15439-57210 | GASKET               | 1    |         |     |         | 0.005        | 0.011       |
| 140    | 01023-50625 | BOLT                 | 2    |         |     |         | 0.007        | 0.0154      |
| 150    | 15221-88210 | STUD                 | 2    |         |     |         | 0.005        | 0.011       |
| 160    | 04512-60060 | WASHER SPRING        | 2    |         |     |         | 0.001        | 0.0022      |
| 170    | 02056-50060 | NUT                  | 2    |         |     |         | 0.002        | 0.0044      |






## NOZZLE HOLDER AND GLOW PLUG

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16454-53900 | KIT HOLDER NOZZLE   | 4    |       |     |         | 0.14         | 0.308       |
| 020    | 15841-53622 | GASKET              | 4    |       |     |         | 0.002        | 0.0044      |
| 025    | 19077-53650 | SEAL HEAT           | 4    |       |     |         | 0.005        | 0.011       |
| 030    | 19077-53714 | PIPE INJECTION      | 1    |       |     |         | 0.14         | 0.308       |
| 040    | 19077-53723 | PIPE INJECTION      | 1    |       |     |         | 0.14         | 0.308       |
| 050    | 19077-53733 | PIPE INJECTION      | 1    |       |     |         | 0.12         | 0.264       |
| 060    | 19077-53743 | PIPE INJECTION      | 1    |       |     |         | 0.13         | 0.286       |
| 070    | 15841-53850 | CLAMP PIPE          | 3    |       |     |         | 0.01         | 0.022       |
| 080    | 15841-53860 | CLAMP PIPE          | 3    |       |     |         | 0.009        | 0.0198      |
| 090    | 03024-50520 | SCREW WITH WASHER   | 3    |       |     |         | 0.004        | 0.0088      |
| 100    | 19077-65510 | GLOW PLUG           | 4    |       |     |         | 0.03         | 0.066       |
| 110    | 16475-65560 | CORD GLOW PLUG      | 1    |       |     |         | 0.02         | 0.044       |
| 120    | 16454-42502 | ASSY PIPE OVER FLOW | 1    |       |     |         | 0.06         | 0.132       |
| 130    | 34070-42633 | ASSY TUBE FUEL      | 1    |       |     |         | 0.025        | 0.055       |
| 140    | 09661-40400 | TUBE FUEL           | 1    |       |     |         | 0.02         | 0.044       |
| 150    | 14971-42750 | CLIP PIPE           | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 02761-50040 | NUT FLANGE          | 4    |       |     |         | 0.002        | 0.0044      |






# NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16454-53900 | KIT HOLDER NOZZLE  | 4    |       |     |         | 0.14         | 0.308       |
| 020    | 15841-92030 | NUT                | 4    |       |     |         | 0.005        | 0.011       |
| 030    | 15841-53230 | WASHER ADJUSTING   | 4    |       |     |         | 0.001        | 0.0022      |
| 040    | 16475-53170 | SPRING NOZZLE      | 4    |       |     |         | 0.005        | 0.011       |
| 050    | 15841-53350 | PIECE DISTANCE     | 4    |       |     |         | 0.004        | 0.0088      |
| 060    | 15841-53160 | PUSH ROD           | 4    |       |     |         | 0.001        | 0.0022      |
| 070    | 16475-53280 | NUT NOZZLE         | 4    |       |     |         | 0.03         | 0.066       |
| 080    | 15841-94040 | WASHER             | 4    |       |     |         | 0.001        | 0.0022      |
| 090    | 16454-53610 | PIECE NOZZLE       | 4    |       |     |         | 0.024        | 0.0528      |
| 100    | 15841-98100 | ASSY WASHER ADJUST | 4    |       |     | OPTION  | 0.043        | 0.0946      |
| 110    | 15841-53230 | WASHER ADJUSTING   | 4    |       |     | 0.900mm | 0.001        | 0.0022      |
| 110    | 15841-98510 | WASHER ADJUSTING   | 4    |       |     | 0.925mm | 0.001        | 0.0022      |
| 110    | 15841-98520 | WASHER ADJUSTING   | 4    |       |     | 0.950mm | 0.001        | 0.0022      |
| 110    | 15841-98530 | WASHER ADJUSTING   | 4    |       |     | 0.975mm | 0.001        | 0.0022      |
| 110    | 15841-98540 | WASHER ADJUSTING   | 4    |       |     | 1.000mm | 0.001        | 0.0022      |
| 110    | 15841-98550 | WASHER ADJUSTING   | 4    |       |     | 1.025mm | 0.001        | 0.0022      |
| 110    | 15841-98560 | WASHER ADJUSTING   | 4    |       |     | 1.050mm | 0.001        | 0.0022      |
| 110    | 15841-98570 | WASHER ADJUSTING   | 4    |       |     | 1.075mm | 0.001        | 0.0022      |
| 110    | 15841-98580 | WASHER ADJUSTING   | 4    |       |     | 1.100mm | 0.001        | 0.0022      |
| 110    | 15841-98590 | WASHER ADJUSTING   | 4    |       |     | 1.125mm | 0.001        | 0.0022      |
| 110    | 15841-98600 | WASHER ADJUSTING   | 4    |       |     | 1.150mm | 0.001        | 0.0022      |
| 110    | 15841-98610 | WASHER ADJUSTING   | 4    |       |     | 1.175mm | 0.001        | 0.0022      |
| 110    | 15841-98620 | WASHER ADJUSTING   | 4    |       |     | 1.200mm | 0.001        | 0.0022      |
| 110    | 15841-98630 | WASHER ADJUSTING   | 4    |       |     | 1.225mm | 0.001        | 0.0022      |
| 110    | 15841-98640 | WASHER ADJUSTING   | 4    |       |     | 1.250mm | 0.001        | 0.0022      |
| 110    | 15841-98650 | WASHER ADJUSTING   | 4    |       |     | 1.275mm | 0.001        | 0.0022      |
| 110    | 15841-98660 | WASHER ADJUSTING   | 4    |       |     | 1.300mm | 0.001        | 0.0022      |
| 110    | 15841-98670 | WASHER ADJUSTING   | 4    |       |     | 1.325mm | 0.001        | 0.0022      |
| 110    | 15841-98680 | WASHER ADJUSTING   | 4    |       |     | 1.350mm | 0.001        | 0.0022      |
| 110    | 15841-98690 | WASHER ADJUSTING   | 4    |       |     | 1.375mm | 0.001        | 0.0022      |
| 110    | 15841-98700 | WASHER ADJUSTING   | 4    |       |     | 1.400mm | 0.001        | 0.0022      |
| 110    | 15841-98710 | WASHER ADJUSTING   | 4    |       |     | 1.425mm | 0.001        | 0.0022      |
| 110    | 15841-98720 | WASHER ADJUSTING   | 4    |       |     | 1.450mm | 0.001        | 0.0022      |
| 110    | 15841-98730 | WASHER ADJUSTING   | 4    |       |     | 1.475mm | 0.001        | 0.0022      |
| 110    | 15841-98740 | WASHER ADJUSTING   | 4    |       |     | 1.500mm | 0.001        | 0.0022      |
| 110    | 15841-98750 | WASHER ADJUSTING   | 4    |       |     | 1.525mm | 0.001        | 0.0022      |
| 110    | 15841-98760 | WASHER ADJUSTING   | 4    |       |     | 1.550mm | 0.001        | 0.0022      |
| 110    | 15841-98770 | WASHER ADJUSTING   | 4    |       |     | 1.575mm | 0.001        | 0.0022      |
| 110    | 15841-98780 | WASHER ADJUSTING   | 4    |       |     | 1.600mm | 0.002        | 0.0044      |
| 110    | 15841-98790 | WASHER ADJUSTING   | 4    |       |     | 1.625mm | 0.001        | 0.0022      |
| 110    | 15841-98800 | WASHER ADJUSTING   | 4    |       |     | 1.650mm | 0.001        | 0.0022      |
| 110    | 15841-98810 | WASHER ADJUSTING   | 4    |       |     | 1.675mm | 0.004        | 0.0088      |
| 110    | 15841-98820 | WASHER ADJUSTING   | 4    |       |     | 1.700mm | 0.001        | 0.0022      |
| 110    | 15841-98830 | WASHER ADJUSTING   | 4    |       |     | 1.725mm | 0.001        | 0.0022      |
| 110    | 15841-98840 | WASHER ADJUSTING   | 4    |       |     | 1.750mm | 0.001        | 0.0022      |
| 110    | 15841-98850 | WASHER ADJUSTING   | 4    |       |     | 1.775mm | 0.001        | 0.0022      |
| 110    | 15841-98860 | WASHER ADJUSTING   | 4    |       |     | 1.800mm | 0.001        | 0.0022      |
| 110    | 15841-98870 | WASHER ADJUSTING   | 4    |       |     | 1.825mm | 0.001        | 0.0022      |
| 110    | 15841-98880 | WASHER ADJUSTING   | 4    |       |     | 1.850mm | 0.001        | 0.0022      |
| 110    | 15841-98890 | WASHER ADJUSTING   | 4    |       |     | 1.875mm | 0.001        | 0.0022      |
| 110    | 15841-98900 | WASHER ADJUSTING   | 4    |       |     | 1.900mm | 0.001        | 0.0022      |
| 110    | 15841-98910 | WASHER ADJUSTING   | 4    |       |     | 1.925mm | 0.001        | 0.0022      |
| 110    | 15841-98920 | WASHER ADJUSTING   | 4    |       |     | 1.950mm | 0.001        | 0.0022      |
| 120    | 15841-53622 | GASKET             | 4    |       |     |         | 0.002        | 0.0044      |
| 130    | 19077-53650 | SEAL HEAT          | 4    |       |     |         | 0.005        | 0.011       |







## WATER FLANGE AND THERMOSTAT [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16415-72702 | COMP.FLANGE WATER   | 1    |         |     |         | 0.35         | 0.77        |
| 020    | 17331-73342 | PIPE WATER RETURN   | 1    |         |     |         | 0.01         | 0.022       |
| 030    | 15766-72920 | GASKET WATER FLANGE | 1    |         |     |         | 0            | 0           |
| 030    | 1A021-72920 | GASKET WATER FLANGE | 1    |         | ↔   |         | 0.002        | 0.0044      |
| 040    | 01123-50820 | BOLT                | 2    |         |     |         | 0.011        | 0.0242      |
| 050    | 15221-91530 | STUD                | 1    |         |     |         | 0.011        | 0.0242      |
| 060    | 01153-50875 | BOLT                | 1    |         |     |         | 0.028        | 0.0616      |
| 070    | 02156-50080 | NUT                 | 1    |         |     |         | 0.004        | 0.0088      |
| 080    | 04512-60080 | WASHER SPRING       | 2    |         |     |         | 0.002        | 0.0044      |
| 090    | 15521-73340 | PIPE WATER RETURN   | 1    |         |     |         | 0.025        | 0.055       |
| 100    | 15109-73360 | BAND PIPE           | 2    |         |     |         | 0.01         | 0.022       |
| 110    | 15321-73260 | COVER THERMOSTAT    | 1    |         |     |         | 0.107        | 0.2354      |
| 120    | 15313-73270 | GASKET THERMOSTAT   | 1    |         |     |         | 0            | 0           |
| 120    | 1A021-73270 | GASKET THERMO.COVER | 1    | ≤1E3576 | ↔   |         | 0.001        | 0.0022      |
| 120    | 16221-73270 | GASKET THERMOSTAT   | 1    | ≥1G0001 | ←   |         | 0.003        | 0.0066      |
| 130    | 01123-50835 | BOLT                | 2    |         |     |         | 0.02         | 0.044       |
| 140    | 19434-73010 | ASSY THERMOSTAT     | 1    | ≤1A3706 |     |         | 0            | 0           |
| 140    | 19434-73014 | ASSY THERMOSTAT     | 1    | ≥1C0001 | ←   |         | 0            | 0           |



040 16661-7351-0




1A012-801-10



## WATER PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16412-73030 | ASSY PUMP WATER      | 1    | <=1W2630 |     |         | 1.21         | 2.662       |
| 010    | 1A021-73030 | ASSY PUMP WATER      | 1    | >=1Y0001 | ←   |         | 0            | 0           |
| 020    | 17331-73410 | BODY WATER PUMP      | 1    |          |     |         | 0.51         | 1.122       |
| 030    | 15521-73550 | BEARING              | 1    |          |     |         | 0.235        | 0.517       |
| 040    | 16661-73510 | IMPELLER WATER PUMP  | 1    | <=1W2630 |     |         | 0.195        | 0.429       |
| 040    | 1A021-73510 | IMPELLER WATER PUMP  | 1    | >=1Y0001 | ←   |         | 0            | 0           |
| 050    | 16661-73050 | ASSY SEAL MECHANICAL | 1    |          |     |         | 0.025        | 0.055       |
| 060    | 15521-73520 | FLANGE WATER PUMP    | 1    |          |     |         | 0.25         | 0.55        |
| 070    | 17326-73430 | GASKET WATER PUMP    | 1    |          |     |         | 0            | 0           |
| 070    | 1A021-73430 | GASKET WATER PUMP    | 1    |          | ↔   |         | 0.007        | 0.0154      |
| 080    | 01123-50828 | BOLT                 | 3    |          |     |         | 0.014        | 0.0308      |
| 090    | 15521-91510 | STUD                 | 1    |          |     |         | 0.012        | 0.0264      |
| 100    | 04512-60080 | WASHER SPRING        | 1    |          |     |         | 0.002        | 0.0044      |
| 110    | 02156-50080 | NUT                  | 1    |          |     |         | 0.004        | 0.0088      |
| 120    | 15221-88210 | STUD                 | 1    |          |     |         | 0.005        | 0.011       |
| 130    | 01023-50618 | BOLT                 | 8    |          |     |         | 0.006        | 0.0132      |
| 140    | 02056-50060 | NUT                  | 1    |          |     |         | 0.002        | 0.0044      |
| 150    | 04512-60060 | WASHER SPRING        | 1    |          |     |         | 0.001        | 0.0022      |



18493-008-12

080 15401-1405-2  
090 03410-00808




180 04612-00140



16493-807-10


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16484-13110 | VALVE INLET         | 4    |         |     |         | 0.05         | 0.11        |
| 020    | 16484-13120 | VALVE EXHAUST       | 4    |         |     |         | 0.1          | 0.22        |
| 030    | 15221-13240 | SPRING VALVE        | 8    |         |     |         | 0.036        | 0.0792      |
| 040    | 15221-13330 | RETAINER VALVE SP.  | 8    |         |     |         | 0.03         | 0.066       |
| 050    | 15221-13360 | COLLET VALVE SPRING | 8    |         |     | SET     | 0            | 0           |
| 050    | 15221-13980 | COLLET VALVE SPRING | 8    |         | ↔   | SET     | 0.005        | 0.011       |
| 060    | 15221-13150 | SEAL VALVE STEM     | 8    |         |     |         | 0.001        | 0.0022      |
| 070    | 15221-13280 | CAP VALVE           | 8    |         |     |         | 0.006        | 0.0132      |
| 080    | 15401-14052 | ASSY SHAFT R-ARM    | 1    | ≤1Y2848 |     |         | 0.32         | 0.704       |
| 080    | 1A091-14260 | SHAFT ROCKER ARM    | 1    | ≥2A0001 | ≠   |         | 0.313        | 0.6886      |
| 090    | 03410-50808 | SCREW SET           | 2    | ≤1Y2848 |     |         | 0.002        | 0.0044      |
| 100    | 15221-14350 | BRACKET ROCKER ARM  | 4    |         |     |         | 0.044        | 0.0968      |
| 110    | 15521-91500 | STUD                | 4    |         |     |         | 0.035        | 0.077       |
| 120    | 02156-50080 | NUT                 | 4    |         |     |         | 0.004        | 0.0088      |
| 130    | 04512-60080 | WASHER SPRING       | 4    |         |     |         | 0.002        | 0.0044      |
| 140    | 04012-50080 | WASHER PLAIN        | 4    |         |     |         | 0.001        | 0.0022      |
| 150    | 05411-00528 | PIN SPRING          | 1    |         |     |         | 0.003        | 0.0066      |
| 160    | 15221-14430 | WASHER R-ARM.SHAFT  | 2    |         |     |         | 0.002        | 0.0044      |
| 170    | 15221-14310 | SPRING ROCKER ARM   | 3    |         |     |         | 0.005        | 0.011       |
| 175    | 04013-60080 | WASHER PLAIN        | 2    | ≥2A0001 |     |         | 0.002        | 0.0044      |
| 176    | 04512-60080 | WASHER SPRING       | 2    | ≥2A0001 |     |         | 0.002        | 0.0044      |
| 177    | 01153-50812 | BOLT                | 2    | ≥2A0001 |     |         | 0.008        | 0.0176      |
| 180    | 04612-00140 | CIR CLIP EXTERNAL   | 2    | ≤1Y2848 |     |         | 0.001        | 0.0022      |
| 190    | 15621-14030 | ASSY ROCKER ARM     | 8    |         |     |         | 0.1          | 0.22        |
| 200    | 15521-14230 | SCREW ADJUSTING     | 8    |         |     |         | 0.009        | 0.0198      |
| 210    | 15021-14240 | NUT                 | 8    |         |     |         | 0.003        | 0.0066      |




16493-011-11

**010 16475-1176-0**



**16493-808-10**









## UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 07916-27746 | KIT GASKET UPPER     | 1    |         |     |         | 0            | 0           |
| 010    | 07916-27747 | KIT GASKET UPPER     | 1    |         | ↔   |         | 0            | 0           |
| 020    | 15221-33700 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 030    | 19077-03310 | GASKET CYLINDER HEAD | 1    |         |     |         | 0.13         | 0.286       |
| 040    | 15221-13150 | SEAL VALVE STEM      | 8    |         |     |         | 0.001        | 0.0022      |
| 050    | 15841-53622 | GASKET               | 4    |         |     |         | 0.002        | 0.0044      |
| 060    | 19077-53650 | SEAL HEAT            | 4    |         |     |         | 0.005        | 0.011       |
| 070    | 15471-14520 | GASKET HEAD COVER    | 1    |         |     |         | 0.05         | 0.11        |
| 080    | 15021-33660 | GASKET               | 4    |         |     |         | 0.001        | 0.0022      |
| 090    | 16423-11820 | GASKET IN-MANIFOLUDO | 1    |         |     |         | 0.018        | 0.0396      |
| 100    | 15296-12350 | GASKET EX-MANIFOLD   | 1    |         |     |         | 0            | 0           |
| 100    | 1A091-12350 | GASKET EX-MANIFOLD   | 1    |         | ↔   |         | 0.02         | 0.044       |
| 110    | 15439-12350 | GASKET EX-MANIFOLD   | 1    |         |     |         | 0.02         | 0.044       |
| 110    | 1A091-12360 | GASKET EX-MANIFOLD   | 1    |         | ↔   |         | 0.02         | 0.044       |
| 120    | T0070-16420 | GASKET MUFFLER       | 1    |         |     |         | 0.016        | 0.0352      |
| 130    | 15766-72920 | GASKET WATER FLANGE  | 1    |         |     |         | 0            | 0           |
| 130    | 1A021-72920 | GASKET WATER FLANGE  | 1    |         | ↔   |         | 0.002        | 0.0044      |
| 140    | 15313-73270 | GASKET THERMOSTAT    | 1    |         |     |         | 0            | 0           |
| 140    | 1A021-73270 | GASKET THERMO.COVER  | 1    | ≤1E3576 | ↔   |         | 0.001        | 0.0022      |
| 140    | 16221-73270 | GASKET THERMOSTAT    | 1    | ≥1G0001 | ←   |         | 0.003        | 0.0066      |



**100 17118-0483-0**




**16493-806-10**



## LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-27755 | KIT GASKET LOWER     | 1    |       |     |         | 0.3          | 0.66        |
| 010    | 07916-27756 | KIT GASKET LOWER     | 1    |       | ↔   |         | 0            | 0           |
| 020    | 15021-33660 | GASKET               | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 15296-35150 | GASKET OIL PUMP      | 1    |       |     |         | 0            | 0           |
| 030    | 1A021-35150 | GASKET OIL PUMP      | 1    |       | ↔   |         | 0.001        | 0.0022      |
| 040    | 15815-01620 | GASKET OIL PAN       | 1    |       |     |         | 0.03         | 0.066       |
| 050    | 15109-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 04811-00160 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04817-00160 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 070    | 04811-10300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 19202-04140 | SEAL OIL             | 1    |       |     |         | 0.015        | 0.033       |
| 090    | 19077-04360 | GASKET BEARING CASE  | 1    |       |     |         | 0.004        | 0.0088      |
| 100    | 17118-04830 | GASKET BRG.CASE COV. | 1    |       |     |         | 0            | 0           |
| 100    | 1A091-04820 | GASKET CASE COVER    | 1    |       | ↔   |         | 0.006        | 0.0132      |
| 110    | 19202-04460 | SEAL OIL             | 1    |       |     |         | 0.055        | 0.121       |
| 120    | 15521-04790 | PACKING COVER        | 1    |       |     |         | 0.005        | 0.011       |
| 130    | 04811-00150 | O RING               | 3    |       |     |         | 0.001        | 0.0022      |
| 130    | 04817-00150 | O RING               | 2    |       | ←   |         | 0            | 0           |
| 140    | 04811-00200 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 04817-00200 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 150    | 04811-00360 | O RING               | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 04817-00360 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 160    | 17326-32620 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 170    | 19202-96830 | O RING               | 1    |       |     |         | 0.01         | 0.022       |
| 180    | 17326-04132 | GASKET GEAR CASE     | 1    |       |     |         | 0.03         | 0.066       |
| 190    | 1A021-73330 | GASKET WATER FLANGE  | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 1A021-73330 | GASKET RETURN FLANGE | 1    |       | ↔   |         | 0.001        | 0.0022      |
| 200    | 15296-88130 | GASKET H/METER UNIT  | 1    |       |     |         | 0.002        | 0.0044      |
| 210    | 17326-73430 | GASKET WATER PUMP    | 1    |       |     |         | 0            | 0           |
| 210    | 1A021-73430 | GASKET WATER PUMP    | 1    |       | ↔   |         | 0.007        | 0.0154      |
| 220    | 15263-52140 | GASKET FUEL PUMP     | 1    |       |     |         | 0            | 0           |
| 220    | 1A021-52140 | GASKET FUEL PUMP     | 1    |       | ↔   |         | 0.001        | 0.0022      |
| 230    | 15401-96650 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 240    | 15021-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 250    | 15471-57980 | SEAL OIL             | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 15296-51660 | GASKET PUMP COVER    | 1    |       |     |         | 0            | 0           |
| 260    | 1A021-51660 | GASKET PUMP COVER    | 1    |       | ↔   |         | 0.003        | 0.0066      |
| 270    | 15601-96650 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 280    | 04811-00120 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 280    | 04817-00120 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 290    | 15439-57210 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |



TA140-003-11

060 04512-50080

070 02156-50080




TA140-837-10



## EXHAUST MANIFOLD/MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 17377-12312 | MANIFOLD EXHAUST   | 1    |        |     |         | 2.95         | 6.49        |
| 020    | T0070-16420 | GASKET MUFFLER     | 1    |        |     |         | 0.016        | 0.0352      |
| 030    | 15221-91530 | STUD               | 8    |        |     |         | 0.011        | 0.0242      |
| 040    | 15296-12350 | GASKET EX-MANIFOLD | 1    |        |     |         | 0            | 0           |
| 040    | 1A091-12350 | GASKET EX-MANIFOLD | 1    |        | ↔   |         | 0.02         | 0.044       |
| 050    | 15439-12350 | GASKET EX-MANIFOLD | 1    |        |     |         | 0.02         | 0.044       |
| 050    | 1A091-12360 | GASKET EX-MANIFOLD | 1    |        | ↔   |         | 0.02         | 0.044       |
| 060    | 04512-60080 | WASHER SPRING      | 8    | ≤70404 |     |         | 0.002        | 0.0044      |
| 070    | 02156-50080 | NUT                | 8    | ≤70404 |     |         | 0.004        | 0.0088      |
| 070    | 16429-92010 | NUT                | 8    | ≥70405 | ←   |         | 0.007        | 0.0154      |
| 080    | TA140-16410 | MUFFLER            | 1    | ≤73628 |     |         | 5.9          | 12.98       |
| 080    | TA140-16414 | MUFFLER            | 1    | ≥73629 | ←   |         | 5.9          | 12.98       |
| 090    | 01123-50822 | BOLT               | 4    | ≤72557 |     |         | 0.012        | 0.0264      |
| 090    | 01128-50825 | BOLT               | 4    | ≥72558 | ←   |         | 0            | 0           |



**AIR CLEANER [ROPS TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-93202 | ASSY CLEANER AIR(W) | 1    |       |     |         | 1.6          | 3.52        |
| 020    | TA140-93210 | COMP.BODY A/C       | 1    |       |     |         | 0.425        | 0.935       |
| 030    | TA040-93220 | ASSY ELEMENT INNER  | 1    |       |     |         | 0.195        | 0.429       |
| 040    | TA040-93230 | ASSY ELEMENT OUTER  | 1    |       |     |         | 0.56         | 1.232       |
| 050    | TA140-93240 | ASSY COVER A/C      | 1    |       |     |         | 0.305        | 0.671       |
| 060    | TA040-93250 | VALVE EVACUATOR     | 1    |       |     |         | 0.011        | 0.0242      |
| 070    | 15831-11090 | ASSY INDICATOR      | 1    |       |     |         | 0.03         | 0.066       |
| 080    | 01754-50816 | BOLT FLANGE         | 2    |       |     |         | 0.011        | 0.0242      |
| 090    | TA150-16300 | HOSE                | 1    |       |     |         | 1.025        | 2.255       |
| 100    | 09318-89066 | CLAMP HOSE          | 1    |       |     |         | 0.036        | 0.0792      |
| 110    | 09318-89069 | CLAMP HOSE          | 1    |       |     |         | 0.04         | 0.088       |






## STOP SOLENOID/ENGINE STOP WIRE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15471-60010 | SOLENOID STOP     | 1    |       |     |         | 0.415        | 0.913       |
| 020    | 01125-60816 | BOLT              | 2    |       |     |         | 0.01         | 0.022       |
| 030    | 17331-60150 | LEVER STOP        | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 15471-60162 | LEVER STOP        | 1    |       |     |         | 0.007        | 0.0154      |
| 050    | 04012-50060 | WASHER PLAIN      | 3    |       |     |         | 0.001        | 0.0022      |
| 060    | 05525-60600 | PIN SNAP          | 3    |       |     |         | 0.001        | 0.0022      |
| 070    | T0070-44214 | WIRE ENGINE STOP  | 1    |       |     |         | 0.11         | 0.242       |
| 080    | T0070-44260 | SCREW             | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 34070-44220 | HOLDER WIRE       | 1    |       |     |         | 0.02         | 0.044       |
| 100    | 01023-50620 | BOLT              | 1    |       |     |         | 0.006        | 0.0132      |
| 110    | 34070-44240 | PIN JOINT         | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 04011-50100 | WASHER PLAIN      | 1    |       |     |         | 0.002        | 0.0044      |
| 130    | 34550-44220 | BREAKER STOP WIRE | 1    |       |     |         | 0.008        | 0.0176      |
| 140    | 53581-64150 | BAND CORD         | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 02771-60100 | NUT FLANGE        | 1    |       |     |         | 0.01         | 0.022       |
| 160    | 02012-60060 | NUT               | 1    |       |     |         | 0.005        | 0.011       |






ACCELERATOR LEVER [HST TYPE] [ROPS TYPE]  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-49873 | GRIP                | 1    |       |     |         | 0.024        | 0.0528      |
| 020    | TA040-42814 | SHAFT ACCEL.CONTROL | 1    |       |     |         | 0.42         | 0.924       |
| 030    | T0070-45910 | SUPPORT ACCEL.LEVER | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 01754-50816 | BOLT FLANGE         | 1    |       |     |         | 0.011        | 0.0242      |
| 050    | 04013-60120 | WASHER PLAIN        | 2    |       |     |         | 0.01         | 0.022       |
| 060    | 33251-10270 | CAP SPRING          | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 33251-10320 | SPRING ACCEL.LEVER  | 1    |       |     |         | 0.012        | 0.0264      |
| 080    | 02174-50120 | NUT                 | 2    |       |     |         | 0.01         | 0.022       |
| 090    | 34070-42820 | ROD CONNECTING      | 1    |       |     |         | 0.07         | 0.154       |
| 100    | 04012-50080 | WASHER PLAIN        | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 05511-50215 | PIN SPLIT           | 2    |       |     |         | 0.001        | 0.0022      |
| 120    | T0270-76400 | SPRING              | 1    |       |     |         | 0.018        | 0.0396      |
| 130    | T0270-76450 | LEVER ACCEL.LINK    | 1    |       |     |         | 0.175        | 0.385       |
| 140    | 67156-38220 | PIECE GUIDE         | 1    |       |     |         | 0.003        | 0.0066      |
| 150    | 36741-94450 | SPRING              | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 04011-50180 | WASHER PLAIN        | 1    |       |     |         | 0.012        | 0.0264      |
| 170    | 05511-50330 | PIN SPLIT           | 1    |       |     |         | 0.005        | 0.011       |






## ACCELERATOR ROD [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0320-76070 | ASSY ROD ACCEL. | 1    |       |     |         | 0.265        | 0.583       |
| 020    | 02112-50080 | NUT             | 2    |       |     |         | 0.003        | 0.0066      |
| 030    | 04012-50080 | WASHER PLAIN    | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04012-50060 | WASHER PLAIN    | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 05511-50218 | PIN SPLIT       | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 05511-51612 | PIN SPLIT       | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | T0070-76460 | CUSHION         | 1    |       |     |         | 0.006        | 0.0132      |



010 TA040-4200-4


010 TA040-4200-5

010 TA040-4200-6



150 34070-4211-5

150



TA150-806-10




## FUEL TANK [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS                      | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|------------------------------|--------------|-------------|
| 005    | TA040-94400 | KIT FUEL TANK      | 1    | ≤72028 |     |                              | 0            | 0           |
| 010    | TA040-42004 | ASSY TANK FUEL     | 1    | ≤71974 |     | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 010    | TA040-42005 | ASSY TANK FUEL     | 1    | ≥71975 | ←   | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 010    | TA040-42006 | ASSY TANK FUEL     | 1    | ≥72023 | ←   | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 010    | TA040-42007 | ASSY TANK FUEL     | 1    | ≥72029 | ←   | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 020    | 61191-54720 | ASSY CAP FUEL TANK | 1    |        |     |                              | 0.09         | 0.198       |
| 030    | 61191-54740 | GASKET TANK CAP    | 1    |        |     |                              | 0.01         | 0.022       |
| 040    | 31351-13820 | CUSHION BATTERY    | 1    |        |     |                              | 0.015        | 0.033       |
| 050    | 01754-50816 | BOLT FLANGE        | 2    |        |     |                              | 0.011        | 0.0242      |
| 060    | 04015-60080 | WASHER PLAIN       | 2    |        |     |                              | 0.01         | 0.022       |
| 070    | 04011-50140 | WASHER PLAIN       | 2    |        |     |                              | 0.007        | 0.0154      |
| 080    | 34070-42060 | CUSHION            | 2    |        |     |                              | 0.005        | 0.011       |
| 090    | 34070-42070 | SPACER             | 2    |        |     |                              | 0.07         | 0.154       |
| 100    | 01123-50875 | BOLT               | 2    |        |     |                              | 0.04         | 0.088       |
| 110    | T0070-42513 | SHUTTER            | 1    |        |     |                              | 0.03         | 0.066       |
| 120    | T0070-42523 | SHUTTER            | 1    |        |     |                              | 0.019        | 0.0418      |
| 130    | T0070-42532 | SHUTTER            | 1    |        |     |                              | 0.015        | 0.033       |
| 140    | T0120-42150 | PLATE FUEL TANK    | 1    |        |     |                              | 0.08         | 0.176       |
| 150    | 34070-42115 | PLATE SHUTTER      | 1    | ≤72028 |     | NOT SALE ORDER BY REF.No.005 | 3            | 6.6         |
| 150    | 34070-42116 | PLATE SHUTTER      | 1    | ≥72029 | ←   |                              | 0            | 0           |
| 160    | 34070-42260 | CUSHION            | 4    |        |     |                              | 0.005        | 0.011       |

Page:30


030 14301-4275-0



100 34530-4261-2

120 35080-3556-0

140 14301-4275-0




TA129-804-11



## FUEL PIPE AND FUEL FILTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 15521-43015 | ASSY FILTER FUEL | 1    |        |     |         | 0.59         | 1.298       |
| 020    | 34530-42620 | ASSY TUBE FUEL   | 1    |        |     |         | 0.055        | 0.121       |
| 030    | 14301-42750 | CLIP PIPE        | 2    | ≤71946 |     |         | 0.005        | 0.011       |
| 030    | 09318-88125 | CLAMP HOSE       | 2    | ≥71947 | ←   |         | 0.001        | 0.0022      |
| 040    | 34530-42670 | TUBE             | 1    |        |     |         | 0.01         | 0.022       |
| 050    | 09661-80300 | TUBE FUEL        | 1    |        |     |         | 0.04         | 0.088       |
| 060    | 32751-42640 | ASSY TUBE FUEL   | 1    |        |     |         | 0.06         | 0.132       |
| 070    | 09661-50750 | TUBE FUEL        | 1    |        |     |         | 0            | 0           |
| 080    | 14971-42750 | CLIP PIPE        | 2    |        |     |         | 0.001        | 0.0022      |
| 090    | 01123-50825 | BOLT             | 2    |        |     |         | 0.013        | 0.0286      |
| 100    | 34530-42612 | ASSY TUBE FUEL   | 1    |        |     |         | 0.08         | 0.176       |
| 110    | 09661-80450 | PIPE FUEL        | 1    |        |     |         | 0.055        | 0.121       |
| 120    | 35080-35560 | CLIP PIPE        | 1    | ≤72866 |     |         | 0.005        | 0.011       |
| 130    | 34530-42710 | TUBE             | 1    |        |     |         | 0.01         | 0.022       |
| 140    | 14301-42750 | CLIP PIPE        | 1    | ≤72866 |     |         | 0.005        | 0.011       |
| 140    | 14911-42750 | CLIP PIPE        | 2    | ≥72867 | ←   |         | 0.002        | 0.0044      |
| 150    | 34070-42633 | ASSY TUBE FUEL   | 1    |        |     |         | 0.025        | 0.055       |
| 160    | 09661-40400 | TUBE FUEL        | 1    |        |     |         | 0.02         | 0.044       |
| 170    | 14971-42750 | CLIP PIPE        | 2    |        |     |         | 0.001        | 0.0022      |




**FUEL FILTER [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15521-43015 | ASSY FILTER FUEL  | 1    |       |     |         | 0.59         | 1.298       |
| 020    | 15521-43114 | ASSY BODY         | 1    |       |     |         | 0.235        | 0.517       |
| 030    | 15521-43522 | HANDLE FILTER     | 1    |       |     |         | 0.04         | 0.088       |
| 040    | 15521-43672 | GASKET            | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 15521-43552 | RETAINER HANDLE   | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 15521-43542 | PLATE THRUST      | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 04811-10290 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 03054-50308 | SCREW PAN-HEAD    | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 15521-43150 | RING RETAINER     | 1    |       |     |         | 0.14         | 0.308       |
| 100    | 15521-43100 | ASSY CUP FILTER   | 1    |       |     |         | 0.05         | 0.11        |
| 105    | 15521-43130 | CUP FILTER        | 1    |       |     |         | 0.1          | 0.22        |
| 110    | 16873-88430 | LABEL FUEL FILTER | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 15521-43160 | ELEMENT FILTER    | 1    |       |     |         | 0.07         | 0.154       |
| 130    | 04811-50650 | O RING            | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 15521-43930 | SPRING            | 1    |       |     |         | 0.004        | 0.0088      |
| 150    | 04811-00160 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |















## RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-16000 | ASSY RADIATOR | 1    |       |     |         | 4.1          | 9.02        |
| 020    | TA140-16020 | SHROUD FAN    | 1    |       |     |         | 0.95         | 2.09        |
| 030    | 17580-16060 | CAP RADIATOR  | 1    |       |     |         | 0.04         | 0.088       |
| 040    | 34070-16070 | PLUG DRAIN    | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 34070-16090 | O RING        | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 01029-50616 | BOLT          | 4    |       |     |         | 0.01         | 0.022       |
| 070    | TA140-16040 | GUIDE         | 1    |       |     |         | 0.72         | 1.584       |
| 080    | 01754-50610 | BOLT FLANGE   | 4    |       |     |         | 0.006        | 0.0132      |
| 090    | TA140-16240 | NET RADIATOR  | 1    |       |     |         | 0.365        | 0.803       |
| 100    | 34070-16030 | RUBBER        | 4    |       |     |         | 0.015        | 0.033       |
| 110    | TA140-40660 | SPONGE        | 2    |       |     |         | 0.005        | 0.011       |
| 120    | TA140-42310 | SHUTTER       | 1    |       |     |         | 0.06         | 0.132       |
| 130    | 38430-29372 | CLIP BUTTON   | 2    |       |     |         | 0.001        | 0.0022      |
| 140    | T0180-42330 | SHIELD        | 1    |       |     |         | 0.085        | 0.187       |
| 150    | 34070-42340 | SHIELD        | 2    |       |     |         | 0.12         | 0.264       |








120 02056-50060

130 04512-60060




TA120-831-10



## ALTERNATOR [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-74020 | STAY ALTERNATOR  | 1    |        |     |         | 0.09         | 0.198       |
| 020    | 17371-74280 | PULLEY FAN DRIVE | 1    |        |     |         | 0.98         | 2.156       |
| 030    | 05712-00720 | KEY FEATHER      | 1    |        |     |         | 0.008        | 0.0176      |
| 040    | 34070-75602 | ASSY ALTERNATOR  | 1    | ≤72630 |     |         | 0            | 0           |
| 050    | 01173-51000 | BOLT             | 1    |        |     |         | 0.06         | 0.132       |
| 060    | 02116-50100 | NUT              | 1    |        |     |         | 0.004        | 0.0088      |
| 070    | 04512-60100 | WASHER SPRING    | 1    |        |     |         | 0.002        | 0.0044      |
| 080    | 04011-50100 | WASHER PLAIN     | 1    |        |     |         | 0.002        | 0.0044      |
| 090    | 01153-60830 | BOLT             | 1    |        |     |         | 0.025        | 0.055       |
| 100    | 04015-60080 | WASHER PLAIN     | 1    |        |     |         | 0.01         | 0.022       |
| 110    | 04512-60080 | WASHER SPRING    | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | 02056-50060 | NUT              | 1    | ≤73371 |     |         | 0.002        | 0.0044      |
| 120    | 12264-92020 | NUT              | 1    | ≥73372 | ←   |         | 0.05         | 0.11        |
| 130    | 04512-60060 | WASHER SPRING    | 1    | ≤73371 |     |         | 0.001        | 0.0022      |






**ALTERNATOR [COMPONENT PARTS] [ROPS TYPE]**  
[EXCEPT TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 34070-75602 | ASSY ALTERNATOR      | 1    | ≤72630 |     |          | 0            | 0           |
| 020    | 16427-64110 | PULLEY ALTERNATOR    | 1    |        |     |          | 0.2          | 0.44        |
| 030    | 15881-92010 | NUT                  | 1    |        |     |          | 0.02         | 0.044       |
| 040    | 15881-64150 | COLLAR               | 1    |        |     |          | 0.004        | 0.0088      |
| 050    | 15881-64040 | ROTOR                | 1    | ≤72630 |     | NOT SALE | 0            | 0           |
| 050    | 66436-64040 | ROTOR                | 1    | ≥72631 | ←   |          | 1.2          | 2.64        |
| 060    | 15881-64800 | COVER BEARING        | 1    |        |     |          | 0.001        | 0.0022      |
| 070    | 15881-64770 | BEARING BALL         | 1    | ≤72630 |     |          | 0.04         | 0.088       |
| 070    | 16652-64770 | BEARING BALL         | 1    | ≥72631 | ←   |          | 0.045        | 0.099       |
| 080    | 15881-64810 | WASHER THRUST        | 1    |        |     |          | 0.002        | 0.0044      |
| 090    | 15881-64020 | FRAME DRIVE END      | 1    | ≤72630 |     |          | 1.2          | 2.64        |
| 090    | 16678-64020 | ASSY FRAME DRIVE END | 1    | ≥72631 | ≠   |          | 0            | 0           |
| 100    | 15881-64710 | PLATE RETAINER       | 1    |        |     |          | 0.01         | 0.022       |
| 110    | 15881-93010 | SCREW ROUND HEAD     | 4    |        |     |          | 0.003        | 0.0066      |
| 120    | 15881-64260 | BOLT THROUGH         | 2    |        |     |          | 0.01         | 0.022       |
| 130    | 15881-64780 | BEARING BALL         | 1    | ≤72630 |     |          | 0.05         | 0.11        |
| 130    | 16652-64770 | BEARING BALL         | 1    | ≥72631 | ←   |          | 0.045        | 0.099       |
| 140    | 16241-64060 | FRAME END            | 1    |        |     |          | 0.2          | 0.44        |
| 150    | 16241-64230 | COVER END            | 1    | ≤72630 |     |          | 0.035        | 0.077       |
| 150    | 16231-64230 | COVER END            | 1    | ≥72631 | ≠   |          | 0.035        | 0.077       |
| 160    | 16241-64850 | ASSY RECTIFIER       | 1    |        |     |          | 0.16         | 0.352       |
| 170    | 16241-64900 | BUSH INSULATION      | 1    |        |     |          | 0.007        | 0.0154      |
| 180    | 15881-64310 | HOLDER BRUSH         | 1    | ≤72630 |     |          | 0.025        | 0.055       |
| 180    | 16652-64310 | HOLDER BRUSH         | 1    | ≥72631 | ≠   |          | 0.025        | 0.055       |
| 190    | 15881-64090 | BRUSH                | 2    |        |     |          | 0.002        | 0.0044      |
| 200    | 15881-64330 | SPRING BRUSH         | 2    |        |     |          | 0.002        | 0.0044      |
| 210    | 15881-93020 | SCREW ROUND HEAD     | 2    |        |     |          | 0.005        | 0.011       |
| 220    | 15881-93030 | SCREW ROUND HEAD     | 6    |        |     |          | 0.003        | 0.0066      |
| 230    | 15881-93040 | SCREW ROUND HEAD     | 1    |        |     |          | 0.003        | 0.0066      |
| 240    | 15881-91040 | BOLT                 | 3    |        |     |          | 0.005        | 0.011       |
| 250    | 15881-92020 | NUT                  | 2    |        |     |          | 0.02         | 0.044       |
| 260    | 15881-91050 | BOLT                 | 2    |        |     |          | 0.01         | 0.022       |
| 270    | 14182-92030 | NUT                  | 1    |        |     |          | 0.003        | 0.0066      |
| 280    | 66436-64600 | ASSY REGULATOR       | 1    |        |     |          | 0.08         | 0.176       |



TA040-DT5-11

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


|     |             |               |   |  |  |  |  |       |     |
|-----|-------------|---------------|---|--|--|--|--|-------|-----|
| 030 | 02176-50100 | NUT           | 1 |  |  |  |  | 0.005 | 0.0 |
| 040 | 01133-51030 | BOLT          | 1 |  |  |  |  | 0.025 | 0.0 |
| 050 | 04512-60100 | WASHER SPRING | 1 |  |  |  |  | 0.002 | 0.0 |



**STARTER [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 17341-63010 | ASSY STARTER         | 1    |       |     |         | 3.65         | 8.03        |
| 020    | 11197-63080 | ASSY YOKE            | 1    |       |     |         | 0.92         | 2.024       |
| 030    | 11197-63070 | ASSY ARMATURE        | 1    |       |     |         | 0.8          | 1.76        |
| 040    | 11460-63500 | BEARING              | 1    |       |     |         | 0.03         | 0.066       |
| 050    | 11460-63530 | BEARING              | 1    |       |     |         | 0.02         | 0.044       |
| 060    | 17341-63040 | CLUTCH OVER RUNNING  | 1    |       |     |         | 0.2          | 0.44        |
| 065    | 17381-63280 | PINION BEVEL         | 1    |       |     |         | 0.07         | 0.154       |
| 070    | 17341-63030 | FRAME DRIVE END      | 1    |       |     |         | 0.44         | 0.968       |
| 080    | 15621-63020 | ASSY SWITCH MAGNETIC | 1    |       |     |         | 1.17         | 2.574       |
| 090    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 100    | 17341-63200 | FRAME END            | 1    |       |     |         | 0.13         | 0.286       |
| 110    | 17381-63380 | ASSY HOLDER BRUSH    | 1    |       |     |         | 0.05         | 0.11        |
| 120    | 15401-63390 | SPRING BRUSH         | 4    |       |     |         | 0.003        | 0.0066      |
| 130    | 11460-63270 | GEAR                 | 1    |       |     |         | 0.04         | 0.088       |
| 140    | 11460-63110 | RETAINER             | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 19212-63100 | ROLLER               | 5    |       |     |         | 0.002        | 0.0044      |
| 160    | 19212-97130 | BALL                 | 1    |       |     |         | 0.003        | 0.0066      |
| 170    | 11460-63120 | SPRING               | 1    |       |     |         | 0.01         | 0.022       |
| 180    | 11460-93310 | BOLT                 | 2    |       |     |         | 0.01         | 0.022       |
| 190    | 15511-96660 | O RING               | 2    |       |     |         | 0.005        | 0.011       |
| 200    | 15511-63760 | ASSY BOLT            | 2    |       |     |         | 0.005        | 0.011       |
| 210    | 16285-63570 | PIPE DRAIN           | 1    |       |     |         | 0.005        | 0.011       |
| 220    | 13963-92010 | NUT HEXAGON          | 1    |       |     |         | 0.005        | 0.011       |
| 230    | 11197-63320 | BOLT                 | 2    |       |     |         | 0.02         | 0.044       |
| 240    | 04512-50080 | WASHER SPRING        | 1    |       |     |         | 0            | 0           |
| 250    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 260    | 16285-92010 | NUT HEXAGON          | 1    |       |     |         | 0.005        | 0.011       |
| 270    | 04512-60080 | WASHER SPRING        | 1    |       |     |         | 0.002        | 0.0044      |
| 280    | 11173-63130 | COVER TERMINAL       | 1    |       |     |         | 0.007        | 0.0154      |
| 290    | 16285-98050 | ASSY COVER           | 1    |       |     |         | 0.048        | 0.1056      |



**BATTERY [ROPS TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|-----------|--------------|-------------|
| 010    | 99999-99999 | BATTERY          | 1    |       |     | 80D26R-MF | 0            | 0           |
| 020    | TA040-30150 | LABEL BATTERY    | 1    |       |     | ENGLISH   | 0.002        | 0.0044      |
| 030    | TA040-30160 | CAP BATTERY      | 6    |       |     |           | 0.01         | 0.022       |
| 040    | TA240-30120 | CORD BATTERY     | 1    |       |     |           | 0.485        | 1.067       |
| 050    | T0070-30130 | CAP              | 1    |       |     |           | 0.015        | 0.033       |
| 060    | T0070-30140 | CAP              | 1    |       |     |           | 0.012        | 0.0264      |
| 070    | TA140-33340 | CORD EARTH       | 1    |       |     |           | 0.17         | 0.374       |
| 080    | 04015-60080 | WASHER PLAIN     | 1    |       |     |           | 0.01         | 0.022       |
| 090    | 55311-41260 | BAND CORD        | 2    |       |     |           | 0.007        | 0.0154      |
| 100    | 34070-40110 | RETAINER BATTERY | 1    |       |     |           | 0.285        | 0.627       |
| 110    | 38240-33295 | BOLT HOOK        | 2    |       |     |           | 0.05         | 0.11        |
| 120    | 04015-60060 | WASHER PLAIN     | 2    |       |     |           | 0.005        | 0.011       |
| 130    | 76611-56730 | NUT LOCK         | 2    |       |     |           | 0.005        | 0.011       |
| 130    | 02552-50060 | NUT LOCK         | 2    |       | ←   |           | 0.002        | 0.0044      |




**SWITCH 1 [HST TYPE] [ROPS TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0070-31410 | TIMER KEY STOP       | 1    |       |     |         | 0.065        | 0.143       |
| 020    | 16415-65660 | CONTROLLER           | 1    |       |     |         | 0.07         | 0.154       |
| 030    | 16415-65600 | RELAY GLOW           | 1    |       |     |         | 0.1          | 0.22        |
| 040    | 01754-50616 | BOLT FLANGE          | 2    |       |     |         | 0.006        | 0.0132      |
| 050    | 02751-50060 | NUT FLANGE           | 2    |       |     |         | 0.005        | 0.011       |
| 060    | 35800-75070 | RELAY STARTER        | 1    |       |     |         | 0.08         | 0.176       |
| 070    | 01754-50616 | BOLT FLANGE          | 1    |       |     |         | 0.006        | 0.0132      |
| 080    | 02751-50060 | NUT FLANGE           | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 3F240-75430 | UNIT FLASHER         | 1    |       |     |         | 0.06         | 0.132       |
| 100    | 34670-31822 | SWITCH MAIN          | 1    |       |     |         | 0.26         | 0.572       |
| 110    | 3A751-75010 | SWITCH COMBINATION   | 1    |       |     |         | 0.115        | 0.253       |
| 120    | TA140-30910 | SWITCH HAZARD        | 1    |       |     |         | 0.115        | 0.253       |
| 130    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 140    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |       |     |         | 0.02         | 0.044       |
| 150    | 37150-32240 | SWITCH SAFETY        | 1    |       |     |         | 0.12         | 0.264       |



110 67111-5583-0



110 67111-5583-0




TA150-800-10



## SWITCH 2 [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 15531-39010 | SWITCH OIL        | 1    |        |     |         | 0.032        | 0.0704      |
| 020    | 31351-32830 | SENSOR THERMO     | 1    |        |     |         | 0.02         | 0.044       |
| 030    | 16415-83040 | SENSOR THERMO     | 1    |        |     |         | 0.03         | 0.066       |
| 040    | 15109-33660 | GASKET            | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | TA040-43900 | SWITCH LEVER      | 2    |        |     |         | 0.008        | 0.0176      |
| 060    | 03024-50414 | SCREW WITH WASHER | 2    |        |     |         | 0.002        | 0.0044      |
| 070    | TA040-31202 | ASSY GAUGE FUEL   | 1    |        |     |         | 0.505        | 1.111       |
| 080    | 34070-31220 | GASKET            | 1    |        |     |         | 0.01         | 0.022       |
| 090    | 03024-50512 | SCREW WITH WASHER | 5    |        |     |         | 0.003        | 0.0066      |
| 100    | TA240-53900 | SWITCH SAFETY     | 1    |        |     |         | 0.062        | 0.1364      |
| 110    | 67111-55830 | NUT SAFETY SWITCH | 2    | ≤60009 |     |         | 0.035        | 0.077       |
| 110    | 67111-55830 | NUT SAFETY SWITCH | 1    | ≥70001 |     |         | 0.035        | 0.077       |
| 110    | 67111-55830 | NUT SAFETY SWITCH | 1    | ≤70404 |     |         | 0.035        | 0.077       |
| 120    | 67111-55840 | CAP SAFETY SWITCH | 1    |        |     |         | 0.002        | 0.0044      |






## PANEL BOARD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA140-30210 | ASSY PANEL          | 1    |        |     |         | 1.72         | 3.784       |
| 020    | TA040-30610 | ASSY CABLE FLEXIBLE | 1    |        |     |         | 0.25         | 0.55        |
| 030    | 04811-10080 | O RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 34070-30190 | PLATE PANEL         | 1    |        |     |         | 0.15         | 0.33        |
| 050    | 03514-50414 | SCREW TAPPING       | 6    |        |     |         | 0.001        | 0.0022      |
| 060    | 34070-99410 | SEAL PANEL          | 2    | ≤72515 |     |         | 0            | 0           |
| 060    | 34070-99412 | SEAL PANEL          | 2    | ≥72516 | ←   |         | 0            | 0           |
| 070    | 34070-41110 | BOLT SET            | 2    |        |     |         | 0.01         | 0.022       |
| 080    | 31391-31140 | SCREW               | 2    |        |     |         | 0.01         | 0.022       |
| 090    | 37410-54990 | SCREW               | 2    |        |     |         | 0.003        | 0.0066      |
| 100    | 04013-60040 | WASHER PLAIN        | 2    |        |     |         | 0.002        | 0.0044      |




TAKO-01B-10



## PANEL BOARD [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-30210 | ASSY PANEL         | 1    |       |     |         | 1.72         | 3.784       |
| 020    | TA040-76620 | HOOD PANEL         | 1    |       |     |         | 0.5          | 1.1         |
| 030    | TA040-30220 | ASSY TACHOMETER    | 1    |       |     |         | 0.22         | 0.484       |
| 040    | TA040-30230 | ASSY METER FUEL    | 1    |       |     |         | 0.08         | 0.176       |
| 050    | TA040-30240 | ASSY THERMOMETER   | 1    |       |     |         | 0.08         | 0.176       |
| 060    | TA140-30250 | CASE               | 1    |       |     |         | 0.846        | 1.8612      |
| 070    | 34070-30260 | GLASS              | 1    |       |     |         | 0.485        | 1.067       |
| 080    | TA040-30270 | ASSY PLATE         | 1    |       |     |         | 0.135        | 0.297       |
| 090    | 38240-31460 | ASSY LAMP ELECTRIC | 9    |       |     |         | 0.015        | 0.033       |
| 100    | 38240-31470 | BULB               | 9    |       |     | 3.4W    | 0.01         | 0.022       |
| 110    | 38240-31480 | SOCKET             | 9    |       |     |         | 0.001        | 0.0022      |
| 120    | 34070-30280 | PLATE WINDOW       | 1    |       |     |         | 0.21         | 0.462       |
| 130    | 34070-30170 | LENS               | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 66426-81100 | WASHER PLAIN       | 5    |       |     |         | 0.001        | 0.0022      |
| 150    | 04512-60040 | WASHER SPRING      | 5    |       |     |         | 0.002        | 0.0044      |
| 160    | 02054-50040 | NUT                | 5    |       |     |         | 0.001        | 0.0022      |
| 170    | 32530-94900 | SCREW WITH WASHER  | 2    |       |     |         | 0.002        | 0.0044      |
| 180    | 03514-50425 | SCREW TAPPING      | 10   |       |     |         | 0.001        | 0.0022      |
| 190    | 35533-76230 | SCREW WITH WASHER  | 1    |       |     |         | 0.002        | 0.0044      |
| 200    | 34070-30290 | SCREW TAPPING      | 2    |       |     |         | 0.01         | 0.022       |






**LIGHT 1 [ROPS TYPE] [OLD TYPE]**  
S.No.;<=73190

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-99060 | ASSY LIGHT HEAD   | 1    |       |     |         | 0.68         | 1.496       |
| 020    | 34070-99010 | BULB              | 2    |       |     | 25W     | 0.02         | 0.044       |
| 030    | T0270-99090 | ASSY WIRE HARNESS | 1    |       |     |         | 0.05         | 0.11        |
| 040    | TA140-99100 | UNIT LAMP         | 1    |       |     |         | 0.6          | 1.32        |
| 045    | TA140-49500 | MARK SYMBOL       | 1    |       |     |         | 0.013        | 0.0286      |
| 050    | T0270-99070 | GRILLE LIGHT RH   | 1    |       |     |         | 0.125        | 0.275       |
| 060    | T0270-99080 | GRILLE LIGHT LH   | 1    |       |     |         | 0.125        | 0.275       |
| 070    | 30400-19060 | BOLT FLANGE       | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | 02761-50050 | NUT FLANGE        | 4    |       |     |         | 0.005        | 0.011       |
| 090    | 02751-50060 | NUT FLANGE        | 2    |       |     |         | 0.005        | 0.011       |
| 100    | 32530-33610 | ASSY LIGHT HAZARD | 2    |       |     |         | 0.5          | 1.1         |
| 110    | 32530-91510 | LENS HAZARD LIGHT | 4    |       |     |         | 0.085        | 0.187       |
| 120    | 32530-91520 | SCREW TAPPING     | 12   |       |     |         | 0.001        | 0.0022      |
| 130    | 32530-91530 | BULB LIGHT        | 2    |       |     | 27W     | 0.02         | 0.044       |
| 140    | 02114-50100 | NUT               | 2    |       |     |         | 0.005        | 0.011       |
| 150    | 04411-50100 | WASHER TOOTHED    | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | TA040-30020 | LIGHT TAIL        | 2    |       |     |         | 0.5          | 1.1         |
| 170    | TA040-99110 | BULB LIGHT        | 2    |       |     | 8W      | 0.01         | 0.022       |
| 180    | TA040-99120 | CORD              | 2    |       |     |         | 0.03         | 0.066       |
| 190    | 03614-50614 | SCREW TAPPING     | 8    |       |     |         | 0.005        | 0.011       |







**LIGHT 1 [ROPS TYPE] [NEW TYPE]**  
S.No.;>=73191

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-99060 | ASSY LIGHT HEAD     | 1    |       |     |         | 0.68         | 1.496       |
| 020    | 34070-99010 | BULB                | 2    |       |     | 25W     | 0.02         | 0.044       |
| 030    | T0270-99090 | ASSY WIRE HARNESS   | 1    |       |     |         | 0.05         | 0.11        |
| 040    | TA140-99100 | UNIT LAMP           | 1    |       |     |         | 0.6          | 1.32        |
| 045    | TA140-49500 | MARK SYMBOL         | 1    |       |     |         | 0.013        | 0.0286      |
| 050    | T0270-99070 | GRILLE LIGHT RH     | 1    |       |     |         | 0.125        | 0.275       |
| 060    | T0270-99080 | GRILLE LIGHT LH     | 1    |       |     |         | 0.125        | 0.275       |
| 070    | 30400-19060 | BOLT FLANGE         | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | 02761-50050 | NUT FLANGE          | 4    |       |     |         | 0.005        | 0.011       |
| 090    | 02751-50060 | NUT FLANGE          | 2    |       |     |         | 0.005        | 0.011       |
| 100    | 32530-33610 | ASSY LIGHT HAZARD   | 2    |       |     |         | 0.5          | 1.1         |
| 110    | 32530-91510 | LENS HAZARD LIGHT   | 4    |       |     |         | 0.085        | 0.187       |
| 120    | 32530-91520 | SCREW TAPPING       | 12   |       |     |         | 0.001        | 0.0022      |
| 130    | 32530-91530 | BULB LIGHT          | 2    |       |     | 27W     | 0.02         | 0.044       |
| 140    | 02114-50100 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 150    | 04411-50100 | WASHER TOOTHED      | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 31301-34303 | ASSY LIGHT COMBI.RH | 1    |       |     |         | 0.4          | 0.88        |
| 170    | 31301-34320 | BODY RH             | 1    |       |     |         | 0.18         | 0.396       |
| 180    | 31301-34340 | LENS                | 1    |       |     |         | 0.105        | 0.231       |
| 190    | 31391-34350 | GASKET              | 1    |       |     |         | 0.002        | 0.0044      |
| 200    | 31391-34360 | BULB                | 1    |       |     | 23W     | 0.018        | 0.0396      |
| 210    | 31301-34370 | BULB                | 1    |       |     | 23W/8W  | 0.02         | 0.044       |
| 220    | 31391-34380 | SCREW               | 2    |       |     |         | 0.007        | 0.0154      |
| 230    | 31301-34313 | ASSY LIGHT COMBI.LH | 1    |       |     |         | 0.54         | 1.188       |
| 240    | 31301-34330 | BODY LH             | 1    |       |     |         | 0.21         | 0.462       |
| 250    | 31301-34340 | LENS                | 1    |       |     |         | 0.105        | 0.231       |
| 260    | 31391-34350 | GASKET              | 1    |       |     |         | 0.002        | 0.0044      |
| 270    | 31391-34360 | BULB                | 1    |       |     | 23W     | 0.018        | 0.0396      |
| 280    | 31301-34370 | BULB                | 1    |       |     | 23W/8W  | 0.02         | 0.044       |
| 290    | 31391-34380 | SCREW               | 2    |       |     |         | 0.007        | 0.0154      |
| 300    | 04512-60060 | WASHER SPRING       | 8    |       |     |         | 0.001        | 0.0022      |
| 310    | 03614-50614 | SCREW TAPPING       | 8    |       |     |         | 0.005        | 0.011       |
| 320    | 34040-68960 | HOLDER              | 2    |       |     |         | 0.23         | 0.506       |
| 330    | 02761-50050 | NUT FLANGE          | 4    |       |     |         | 0.005        | 0.011       |



**090 TA240-3033-3**




**TA150-817-10**




## ELECTRICAL WIRING [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-30315 | WIRE HARNESS HST  | 1    | ≤73190 |     |         | 0            | 0           |
| 010    | TA240-30316 | WIRE HARNESS HST  | 1    | ≥73191 | ←   |         | 1.1          | 2.42        |
| 020    | TA140-30400 | ASSY BOX FUSE     | 1    |        |     |         | 0.138        | 0.3036      |
| 030    | TA140-30410 | COVER FUSE BOX    | 1    |        |     |         | 0.02         | 0.044       |
| 040    | 35533-77350 | ASSY CASE FUSE    | 1    |        |     |         | 0.04         | 0.088       |
| 050    | 36730-75550 | FUSE              | 4    |        |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE              | 3    |        |     | 15A     | 0.002        | 0.0044      |
| 070    | 34670-34530 | FUSE              | 1    |        |     | 40A     | 0.003        | 0.0066      |
| 080    | TA140-30320 | WIRE HARNESS      | 1    |        |     |         | 0.25         | 0.55        |
| 090    | TA240-30333 | WIRE HARNESS HST  | 1    | ≤73190 |     |         | 0            | 0           |
| 090    | TA240-30334 | WIRE HARNESS HST  | 1    | ≥73191 | ←   |         | 0.21         | 0.462       |
| 100    | 03024-50520 | SCREW WITH WASHER | 2    |        |     |         | 0.004        | 0.0088      |
| 110    | 55311-41260 | BAND CORD         | 3    |        |     |         | 0.007        | 0.0154      |
| 120    | 32240-34460 | CLAMP CORD        | 3    |        |     |         | 0.011        | 0.0242      |
| 130    | 13816-67580 | CLAMP CORD        | 2    |        |     |         | 0.004        | 0.0088      |
| 140    | 53581-64150 | BAND CORD         | 2    |        |     |         | 0.002        | 0.0044      |
| 150    | 13816-67580 | CLAMP CORD        | 4    |        |     |         | 0.004        | 0.0088      |
| 160    | 15241-67580 | CLAMP CORD        | 1    |        |     |         | 0.004        | 0.0088      |
| 170    | 44366-68380 | BAND CORD         | 1    |        |     |         | 0.01         | 0.022       |








TA040-024-11



## CLUTCH LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-21172 | LEVER CLUTCH         | 1    |       |     |         | 1.3          | 2.86        |
| 020    | TA040-21100 | CASE PROPELLER SHAFT | 1    |       |     |         | 0.66         | 1.452       |
| 030    | 01123-50845 | BOLT                 | 4    |       |     |         | 0.02         | 0.044       |
| 040    | 05012-00818 | PIN STRAIGHT         | 2    |       |     |         | 0.008        | 0.0176      |
| 050    | TA040-21150 | HOLDER CLUTCH        | 1    |       |     |         | 0.4          | 0.88        |
| 060    | TA040-20700 | BEARING RELEASE      | 1    |       |     |         | 0.28         | 0.616       |
| 070    | TA040-21210 | PIN SNAP             | 2    |       |     |         | 0.002        | 0.0044      |
| 080    | TA040-21200 | FORK CLUTCH RELEASE  | 1    |       |     |         | 0.54         | 1.188       |
| 090    | 31150-14780 | KEY FORK             | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 01123-50825 | BOLT                 | 2    |       |     |         | 0.013        | 0.0286      |



**CLUTCH PEDAL [HST TYPE] [ROPS TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-44050 | COMP.PEDAL CLUTCH | 1    |       |     |         | 1.56         | 3.432       |
| 020    | 08511-02520 | BUSH              | 2    |       |     |         | 0.02         | 0.044       |
| 030    | 34070-44140 | SEAL OIL          | 2    |       |     |         | 0.005        | 0.011       |
| 040    | TA040-44160 | SPRING            | 1    |       |     |         | 0.108        | 0.2376      |
| 050    | 01073-51030 | BOLT              | 1    |       |     |         | 0.028        | 0.0616      |
| 060    | 02116-50100 | NUT               | 1    |       |     |         | 0.004        | 0.0088      |
| 070    | 37410-44120 | COVER PEDAL       | 1    |       |     |         | 0.08         | 0.176       |
| 080    | TA040-44462 | ROD CLUTCH        | 1    |       |     |         | 0.24         | 0.528       |
| 090    | 34070-44470 | U JOINT           | 1    |       |     |         | 0.08         | 0.176       |
| 100    | 02176-50100 | NUT               | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 05122-61028 | PIN JOINT         | 2    |       |     |         | 0.02         | 0.044       |
| 120    | 04013-60100 | WASHER PLAIN      | 2    |       |     |         | 0.004        | 0.0088      |
| 130    | 05511-50318 | PIN SPLIT         | 2    |       |     |         | 0.001        | 0.0022      |
| 140    | T0270-47490 | CUSHION           | 1    |       |     |         | 0.002        | 0.0044      |






## CLUTCH HOUSING [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA250-51150 | ASSY HOUSING CLUTCH | 1    |        |     |         | 0            | 0           |
| 015    | 08511-01915 | BUSH                | 3    |        |     |         | 0.01         | 0.022       |
| 020    | 15512-96010 | PLUG DRAIN          | 1    |        |     |         | 0.101        | 0.2222      |
| 030    | 04717-02150 | WASHER WITH RUBBER  | 1    |        |     |         | 0.004        | 0.0088      |
| 040    | 32430-14270 | KIT PLUG            | 1    |        |     |         | 0.04         | 0.088       |
| 050    | 05511-50430 | PIN SPLIT           | 1    |        |     |         | 0.004        | 0.0088      |
| 060    | 04512-60140 | WASHER SPRING       | 1    |        |     |         | 0.006        | 0.0132      |
| 070    | 32210-27580 | PLUG                | 6    |        |     |         | 0.001        | 0.0022      |
| 080    | 05012-01018 | PIN STRAIGHT        | 2    |        |     |         | 0.012        | 0.0264      |
| 090    | 01574-51265 | STUD                | 4    |        |     |         | 0.067        | 0.1474      |
| 100    | 01173-51295 | BOLT                | 2    |        |     |         | 0.086        | 0.1892      |
| 110    | 01574-51285 | STUD                | 2    |        |     |         | 0.085        | 0.187       |
| 120    | 01133-51265 | BOLT                | 2    |        |     |         | 0.065        | 0.143       |
| 130    | 04512-60120 | WASHER SPRING       | 8    |        |     |         | 0.005        | 0.011       |
| 140    | 02176-50120 | NUT                 | 6    |        |     |         | 0.01         | 0.022       |
| 150    | 31351-38720 | PLUG                | 1    |        |     |         | 0.005        | 0.011       |
| 160    | TA240-51250 | HOLDER BEARING      | 1    | ≤72464 |     |         | 1.66         | 3.652       |
| 160    | 32771-51250 | HOLDER BEARING      | 1    | ≥72465 | ←   |         | 0            | 0           |
| 170    | 05012-00818 | PIN STRAIGHT        | 2    |        |     |         | 0.008        | 0.0176      |
| 180    | 01123-50845 | BOLT                | 4    |        |     |         | 0.02         | 0.044       |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA250-50320 | CASE MID HST       | 1    |         |     |         | 34           | 74.8        |
| 020    | TA240-50330 | HOLDER BEARING     | 1    |         |     |         | 0.94         | 2.068       |
| 030    | 05012-00818 | PIN STRAIGHT       | 2    |         |     |         | 0.008        | 0.0176      |
| 040    | 01123-50850 | BOLT               | 4    |         |     |         | 0.02         | 0.044       |
| 050    | TA240-51350 | HOLDER MID-BRG.PTO | 1    |         |     |         | 2.4          | 5.28        |
| 060    | 05012-00818 | PIN STRAIGHT       | 2    |         |     |         | 0.008        | 0.0176      |
| 070    | 01133-51030 | BOLT               | 4    |         |     |         | 0.025        | 0.055       |
| 073    | TA150-90380 | GASKET MID CASE    | 1    |         |     |         | 0.047        | 0.1034      |
| 075    | TA250-50310 | GASKET             | 1    |         |     |         | 0.03         | 0.066       |
| 080    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |         | 0.012        | 0.0264      |
| 090    | TA240-50280 | STUD               | 5    |         |     |         | 0.066        | 0.1452      |
| 100    | 04512-60140 | WASHER SPRING      | 5    |         |     |         | 0.006        | 0.0132      |
| 110    | TA240-50240 | NUT                | 5    |         |     |         | 0.009        | 0.0198      |
| 120    | TA240-50210 | STUD               | 2    |         |     |         | 0.071        | 0.1562      |
| 130    | 01138-51240 | BOLT               | 2    |         |     |         | 0.05         | 0.11        |
| 140    | 04512-60120 | WASHER SPRING      | 2    |         |     |         | 0.005        | 0.011       |
| 150    | 35340-27360 | NUT                | 2    |         |     |         | 0.015        | 0.033       |
| 160    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |         | 0.012        | 0.0264      |
| 170    | TA240-50220 | STUD               | 4    |         |     |         | 0.062        | 0.1364      |
| 180    | 01138-51255 | BOLT               | 3    |         |     |         | 0.06         | 0.132       |
| 190    | TA240-50210 | STUD               | 1    |         |     |         | 0.071        | 0.1562      |
| 200    | 04512-60120 | WASHER SPRING      | 5    |         |     |         | 0.005        | 0.011       |
| 210    | 35340-27360 | NUT                | 5    |         |     |         | 0.015        | 0.033       |
| 220    | TA240-58004 | ASSY HST           | 1    | <=72663 |     |         | 0            | 0           |
| 220    | TA240-58005 | ASSY HST           | 1    | >=72664 | ≠   |         | 62           | 136.4       |



**850 TA240-5955-0**

**860 TA240-5935-0**

**870 01350-10520**




**TA150-818-10**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-58004 | ASSY HST             | 1    | ≤72663 |     |         | 0            | 0           |
| 010    | TA240-58005 | ASSY HST             | 1    | ≥72664 | ≠   |         | 62           | 136.4       |
| 020    | TA240-58110 | CASE HST             | 1    | ≤69999 |     |         | 27           | 59.4        |
| 020    | TA240-58114 | CASE HST             | 1    | ≥70001 | ≠   |         | 0            | 0           |
| 030    | TA240-58120 | SHAFT PUMP           | 1    |        |     |         | 0.995        | 2.189       |
| 040    | TA240-58130 | SHAFT MOTOR          | 1    |        |     |         | 0.85         | 1.87        |
| 050    | TA240-58500 | ASSY ROTARY PUMP     | 1    |        |     |         | 3            | 6.6         |
| 060    | 04611-00350 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | TA240-58600 | ASSY ROTARY MOTOR    | 1    |        |     |         | 3            | 6.6         |
| 080    | 04611-00350 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.003        | 0.0066      |
| 090    | TA240-58700 | ASSY SWASH PLATE     | 1    |        |     |         | 1.105        | 2.431       |
| 100    | TA240-58800 | ASSY BRACKET         | 1    |        |     |         | 0.785        | 1.727       |
| 110    | TA240-58820 | METAL                | 2    |        |     |         | 0.01         | 0.022       |
| 120    | 03056-50510 | SCREW CSK-HD         | 2    |        |     |         | 0.001        | 0.0022      |
| 130    | TA240-58140 | PLATE                | 1    |        |     |         | 0.166        | 0.3652      |
| 140    | TA240-58900 | ASSY COVER PORTBLOCK | 1    |        |     |         | 14           | 30.8        |
| 150    | TA240-59000 | ASSY VALVE HIGH      | 2    |        |     |         | 0.05         | 0.11        |
| 160    | 04611-00160 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 170    | 58700-11290 | SEAL OIL             | 1    |        |     |         | 0.012        | 0.0264      |
| 180    | 04611-00400 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.005        | 0.011       |
| 185    | TA240-58960 | ASSY PLUG            | 2    |        |     |         | 0            | 0           |
| 190    | 04810-00180 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 200    | TA240-58210 | ASSY PLUG            | 5    |        |     |         | 0.026        | 0.0572      |
| 210    | 04810-00140 | O RING               | 5    |        |     |         | 0.001        | 0.0022      |
| 220    | TA240-58310 | ASSY PLUG            | 1    |        |     |         | 0.018        | 0.0396      |
| 230    | 04810-00110 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 240    | 05012-00614 | PIN STRAIGHT         | 2    |        |     |         | 0.004        | 0.0088      |
| 250    | TA240-58150 | GUIDE                | 1    |        |     |         | 0.028        | 0.0616      |
| 260    | TA240-59100 | ASSY PISTON          | 1    |        |     |         | 2.64         | 5.808       |
| 270    | 02052-50080 | NUT                  | 2    |        |     |         | 0.004        | 0.0088      |
| 280    | 04611-00280 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.002        | 0.0044      |
| 290    | 01311-10825 | BOLT HEX-SOC-HD      | 6    |        |     |         | 0.02         | 0.044       |
| 300    | 04810-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 305    | TA240-59210 | GASKET               | 2    |        |     |         | 0            | 0           |
| 310    | TA240-58310 | ASSY PLUG            | 1    |        |     |         | 0.018        | 0.0396      |
| 320    | 04810-00110 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 330    | TA240-59300 | ASSY REGULATOR       | 1    | ≤72663 |     |         | 1.985        | 4.367       |
| 330    | TA240-59303 | ASSY REGULATOR       | 1    | ≥72664 | ≠   |         | 1.985        | 4.367       |
| 340    | 08101-06804 | BEARING BALL         | 1    |        |     |         | 0.01         | 0.022       |
| 350    | 01350-10545 | BOLT HEX-SOC-HD      | 4    |        |     |         | 0.008        | 0.0176      |
| 360    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 370    | 03650-50825 | SCREW SET            | 1    |        |     |         | 0            | 0           |
| 375    | TA240-59450 | O RING               | 1    |        |     |         | 0            | 0           |
| 380    | TA240-59280 | NUT                  | 1    |        |     |         | 0.007        | 0.0154      |
| 385    | TA240-59800 | ASSY CASE            | 1    |        |     |         | 0            | 0           |
| 386    | TA240-59820 | SEAL OIL             | 1    |        |     |         | 0.005        | 0.011       |
| 390    | 04811-00210 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 400    | TA240-58210 | ASSY PLUG            | 1    |        |     |         | 0.026        | 0.0572      |
| 410    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 420    | 04611-00400 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.005        | 0.011       |
| 430    | TA240-59290 | COLLAR               | 1    |        |     |         | 0.005        | 0.011       |
| 440    | 04612-00190 | CIR CLIP EXTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 450    | 38450-21980 | BEARING BALL         | 2    |        |     |         | 0.225        | 0.495       |
| 460    | 04612-00250 | CIR CLIP EXTERNAL    | 2    |        |     |         | 0.002        | 0.0044      |
| 470    | 04611-00400 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.005        | 0.011       |
| 480    | 58700-11290 | SEAL OIL             | 1    |        |     |         | 0.012        | 0.0264      |
| 490    | TA240-58160 | COVER DISTANCE PIECE | 1    |        |     |         | 0.34         | 0.748       |
| 500    | 04611-00650 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.011        | 0.0242      |
| 510    | TA240-58170 | GASKET               | 2    |        |     |         | 0.001        | 0.0022      |

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 520    | 04811-50650 | O RING               | 1    |        |     |          | 0.002        | 0.0044      |
| 530    | TA240-59500 | ASSY PUMP            | 1    |        |     |          | 0.495        | 1.089       |
| 540    | TA240-58310 | ASSY PLUG            | 1    |        |     |          | 0.018        | 0.0396      |
| 550    | 04810-00110 | O RING               | 1    |        |     |          | 0.001        | 0.0022      |
| 560    | 04811-50900 | O RING               | 1    |        |     |          | 0.003        | 0.0066      |
| 570    | 04811-00180 | O RING               | 1    |        |     |          | 0.001        | 0.0022      |
| 580    | TA240-58230 | PIN STRAIGHT         | 2    |        |     |          | 0.009        | 0.0198      |
| 590    | 05912-00510 | KEY STRAIGHT         | 1    |        |     |          | 0.002        | 0.0044      |
| 600    | 01311-10825 | BOLT HEX-SOC-HD      | 2    |        |     |          | 0.02         | 0.044       |
| 610    | TA240-58180 | PIPE PTO             | 2    |        |     |          | 0.17         | 0.374       |
| 620    | 04811-00280 | O RING               | 4    |        |     |          | 0.002        | 0.0044      |
| 630    | TA240-58190 | GASKET               | 1    |        |     |          | 0.013        | 0.0286      |
| 640    | TA240-58200 | GASKET               | 1    |        |     |          | 0.003        | 0.0066      |
| 650    | TA240-59600 | ASSY VALVE LOW       | 2    |        |     |          | 0.05         | 0.11        |
| 660    | TA240-59630 | SHIM                 | 2    |        |     | 0.5mm    | 0.001        | 0.0022      |
| 670    | TA240-58210 | ASSY PLUG            | 2    |        |     |          | 0.026        | 0.0572      |
| 680    | 04810-00140 | O RING               | 2    |        |     |          | 0.001        | 0.0022      |
| 690    | TA240-58220 | PLUG                 | 2    |        |     |          | 0.01         | 0.022       |
| 700    | TA240-58230 | PIN STRAIGHT         | 2    |        |     |          | 0.009        | 0.0198      |
| 710    | TA240-58240 | BOLT HEX-SOC-HD      | 8    |        |     |          | 0.051        | 0.1122      |
| 720    | TA240-58250 | BOLT HEX-SOC-HD      | 2    |        |     |          | 0.072        | 0.1584      |
| 730    | TA240-58260 | BOLT HEX-SOC-HD      | 1    |        |     |          | 0.044        | 0.0968      |
| 740    | TA240-58270 | PIPE                 | 1    | ≤69999 |     |          | 0.135        | 0.297       |
| 740    | TA240-58273 | PIPE                 | 1    | ≥70001 | ≠   |          | 0            | 0           |
| 750    | TA240-58280 | NIPPLE               | 2    |        |     |          | 0.036        | 0.0792      |
| 760    | 04810-00110 | O RING               | 2    |        |     |          | 0.001        | 0.0022      |
| 770    | TA240-58290 | ASSY PLUG            | 1    |        |     |          | 0.011        | 0.0242      |
| 780    | 04810-00080 | O RING               | 1    |        |     |          | 0.001        | 0.0022      |
| 790    | TA240-59700 | ASSY PLATE           | 1    |        |     |          | 0.003        | 0.0066      |
| 800    | TA240-58300 | PIPE                 | 1    |        |     |          | 0.095        | 0.209       |
| 810    | 04811-00150 | O RING               | 2    |        |     |          | 0.001        | 0.0022      |
| 820    | TA240-58310 | ASSY PLUG            | 3    |        |     |          | 0.018        | 0.0396      |
| 830    | 04810-00110 | O RING               | 3    |        |     |          | 0.001        | 0.0022      |
| 840    | TA240-58320 | PIN STRAIGHT         | 1    |        |     |          | 0.002        | 0.0044      |
| 850    | TA240-59550 | ASSY LEVER REGULATOR | 1    | ≤72663 |     |          | 0.05         | 0.11        |
| 860    | TA240-59350 | LEVER REGULATOR      | 1    | ≤72663 |     | NOT SALE | 0            | 0           |
| 870    | 01350-10520 | BOLT HEX-SOC-HD      | 1    | ≤72663 |     |          | 0.004        | 0.0088      |






## TRANSMISSION CASE [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA040-20402 | CASE TRANSMISSION  | 1    | <=73190 |     |         | 41           | 90.2        |
| 010    | TA040-20404 | CASE TRANSMISSION  | 1    | >=73191 | ←   |         | 41           | 90.2        |
| 020    | 31301-14230 | GAUGE OIL          | 1    |         |     |         | 0.005        | 0.011       |
| 030    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |         | 0.012        | 0.0264      |
| 040    | TA150-28910 | STUD               | 6    |         |     |         | 0.06         | 0.132       |
| 050    | 01138-51260 | BOLT               | 1    |         |     |         | 0.32         | 0.704       |
| 060    | 01138-51235 | BOLT               | 2    |         |     |         | 0.21         | 0.462       |
| 070    | 04512-60120 | WASHER SPRING      | 6    |         |     |         | 0.005        | 0.011       |
| 080    | 35340-27360 | NUT                | 6    |         |     |         | 0.015        | 0.033       |
| 090    | 15512-96010 | PLUG DRAIN         | 1    |         |     |         | 0.101        | 0.2222      |
| 100    | 04717-02150 | WASHER WITH RUBBER | 1    |         |     |         | 0.004        | 0.0088      |
| 110    | TA240-50450 | HOLDER BEARING     | 1    |         |     |         | 4.7          | 10.34       |
| 120    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |         | 0.012        | 0.0264      |
| 130    | 01133-51040 | BOLT               | 5    |         |     |         | 0.03         | 0.066       |
| 140    | 01133-51060 | BOLT               | 1    |         |     |         | 0.042        | 0.0924      |
| 150    | 34076-60470 | PLUG               | 1    |         |     |         | 0.005        | 0.011       |






## MAIN SHAFT [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-51400 | GEAR-SHAFT PTO | 1    |       |     | 24T     | 1.52         | 3.344       |
| 020    | 08101-06207 | BEARING BALL   | 1    |       |     |         | 0.282        | 0.6204      |
| 030    | 37410-14320 | BEARING BALL   | 1    |       |     |         | 0.145        | 0.319       |
| 040    | 09500-35529 | SEAL OIL       | 1    |       |     |         | 0.017        | 0.0374      |
| 050    | TA240-51410 | GEAR PTO       | 1    |       |     | 19T     | 0.28         | 0.616       |
| 060    | TA240-51420 | GEAR-SHAFT PTO | 1    |       |     | 20T     | 1.545        | 3.399       |
| 070    | 37410-14320 | BEARING BALL   | 1    |       |     |         | 0.145        | 0.319       |
| 080    | TA220-51432 | GEAR PTO       | 1    |       |     | 20T     | 0.355        | 0.781       |
| 090    | 37410-14320 | BEARING BALL   | 1    |       |     |         | 0.145        | 0.319       |



**INPUT SHAFT [HST TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-52100 | GEAR-SHAFT        | 1    |       |     | 18T     | 0.64         | 1.408       |
| 020    | 37150-21550 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.06         | 0.132       |
| 030    | TA040-22110 | GEAR              | 1    |       |     | 27T     | 0.425        | 0.935       |
| 040    | 37410-57190 | BEARING BALL      | 2    |       |     |         | 0.14         | 0.308       |
| 050    | 67121-56770 | BEARING BALL      | 1    |       |     |         | 0.127        | 0.2794      |
| 060    | TA240-52200 | GEAR              | 1    |       |     | 18T     | 0.43         | 0.946       |
| 070    | 08101-06007 | BEARING BALL      | 1    |       |     |         | 0.16         | 0.352       |
| 080    | 36920-40090 | BEARING BALL      | 1    |       |     |         | 0.1          | 0.22        |






## OUTPUT SHAFT [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-52400 | GEAR-SHAFT HST | 1    |       |     | 22T     | 1.43         | 3.146       |
| 020    | 33710-41310 | COUPLING       | 1    |       |     |         | 0.2          | 0.44        |
| 030    | 05411-00635 | PIN SPRING     | 1    |       |     |         | 0.005        | 0.011       |
| 040    | 08101-06205 | BEARING BALL   | 1    |       |     |         | 0.14         | 0.308       |
| 050    | 37410-57190 | BEARING BALL   | 1    |       |     |         | 0.14         | 0.308       |
| 060    | TA240-52500 | GEAR-SHAFT HST | 1    |       |     | 16T     | 1.08         | 2.376       |
| 070    | 08101-06205 | BEARING BALL   | 1    |       |     |         | 0.14         | 0.308       |
| 080    | 37410-57190 | BEARING BALL   | 1    |       |     |         | 0.14         | 0.308       |




TA140-049-11



## SPIRAL BEVEL PINION [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|--------------|--------------|-------------|
| 010    | TA150-15110 | GEAR 4WD             | 1    |        |     | 20T          | 0.3          | 0.66        |
| 020    | 04612-00350 | CIR CLIP EXTERNAL    | 1    |        |     |              | 0.01         | 0.022       |
| 030    | TA240-52600 | GEAR-SHAFT           | 1    |        |     | 13T          | 1.345        | 2.959       |
| 040    | 37150-21682 | COUPLING             | 1    |        |     |              | 0.24         | 0.528       |
| 050    | 08101-06305 | BEARING BALL         | 1    |        |     |              | 0.23         | 0.506       |
| 060    | 34076-62650 | COLLAR THRUST        | 1    |        |     |              | 0.01         | 0.022       |
| 070    | 37150-21790 | CIR-CLIP             | 1    |        |     |              | 0.001        | 0.0022      |
| 080    | TA240-52610 | GEAR                 | 1    | ≤73190 |     | 17T NOT SALE | 0.2          | 0.44        |
| 080    | TA240-52612 | GEAR                 | 1    | ≥73191 | ←   | 17T          | 0.2          | 0.44        |
| 090    | TA040-22630 | BEARING NEEDLE       | 1    |        |     |              | 0.02         | 0.044       |
| 100    | TA250-52620 | GEAR                 | 1    |        |     | 28T          | 0.63         | 1.386       |
| 110    | 37410-57190 | BEARING BALL         | 1    |        |     |              | 0.14         | 0.308       |
| 120    | 35260-23252 | NUT                  | 1    |        |     |              | 0.04         | 0.088       |
| 130    | 34070-22770 | CASE                 | 1    | ≤70846 |     |              | 0            | 0           |
| 130    | 34070-22772 | CASE                 | 1    | ≥70847 | ←   |              | 0            | 0           |
| 140    | 38240-22140 | BEARING TAPER-ROLLER | 1    |        |     |              | 0.56         | 1.232       |
| 150    | 01133-51040 | BOLT                 | 3    |        |     |              | 0.03         | 0.066       |
| 160    | 34070-22860 | SHIM                 | 2    |        |     | 0.5mm        | 0.015        | 0.033       |
| 160    | 34070-22870 | SHIM                 | 4    |        |     | 0.2mm        | 0.004        | 0.0088      |
| 160    | 34070-22880 | SHIM                 | 2    |        |     | 0.1mm        | 0.005        | 0.011       |
| 170    | 34070-22780 | COVER BEARING        | 1    |        |     |              | 0.21         | 0.462       |
| 180    | 32420-67662 | COLLAR THRUST        | 1    |        |     |              | 0.005        | 0.011       |
| 190    | TA250-52710 | GEAR                 | 1    |        |     | 32-21-18T    | 1.275        | 2.805       |
| 200    | 34070-22430 | BEARING NEEDLE       | 2    |        |     |              | 0.035        | 0.077       |
| 210    | TA240-52730 | COLLAR               | 1    |        |     |              | 0.046        | 0.1012      |
| 220    | TA240-52720 | COLLAR THRUST        | 1    |        |     |              | 0.01         | 0.022       |
| 230    | T0070-22810 | GEAR CREEP           | 1    |        |     | 46T          | 1.08         | 2.376       |
| 240    | 34070-22740 | BEARING ROLLER       | 1    |        |     |              | 0.51         | 1.122       |
| 250    | 37800-43870 | BOLT                 | 8    |        |     |              | 0.026        | 0.0572      |
| 260    | TA240-52700 | GEAR-SHAFT           | 1    |        |     | 6T           | 1.66         | 3.652       |
| 270    | TA240-99340 | ASSY GEAR BEVEL      | 1    |        |     |              | 0            | 0           |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 3A011-32204 | ASSY DIFFERENTIAL    | 1    |       |     |         | 6.2          | 13.64       |
| 020    | 3A011-32710 | CASE DIFFERENTIAL    | 1    |       |     |         | 3.35         | 7.37        |
| 030    | 3A011-32044 | COVER DIFF.CASE      | 1    |       |     |         | 0.795        | 1.749       |
| 040    | 37300-28170 | PIN STRAIGHT         | 2    |       |     |         | 0.025        | 0.055       |
| 050    | 01133-51025 | BOLT                 | 8    |       |     |         | 0.023        | 0.0506      |
| 060    | 35430-26340 | SHAFT DIFF.PINION    | 1    |       |     |         | 0.31         | 0.682       |
| 070    | 35430-26330 | SHAFT DIFF.PINION    | 2    |       |     |         | 0.136        | 0.2992      |
| 080    | 31220-26280 | KEY FEATHER          | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 35430-26350 | PINION DIFF.         | 4    |       |     |         | 0.16         | 0.352       |
| 100    | 31351-26390 | WASHER DIFF.PINION   | 4    |       |     |         | 0.012        | 0.0264      |
| 110    | 37300-26430 | GEAR DIFF.SIDE RH    | 1    |       |     |         | 0.475        | 1.045       |
| 120    | 37300-26440 | GEAR DIFF.SIDE LH    | 1    |       |     |         | 0.63         | 1.386       |
| 130    | 31351-26470 | WASHER SIDE GEAR     | 2    |       |     | 1.5mm   | 0.01         | 0.022       |
| 130    | 31351-26480 | WASHER SIDE GEAR     | 2    |       |     | 1.6mm   | 0.015        | 0.033       |
| 130    | 31351-26490 | WASHER SIDE GEAR     | 2    |       |     | 1.7mm   | 0.016        | 0.0352      |
| 130    | 3A011-32760 | COLLAR THRUST        | 2    |       |     | 1.8mm   | 0.01         | 0.022       |
| 130    | 3A011-32780 | COLLAR THRUST        | 2    |       |     | 2.0mm   | 0.01         | 0.022       |
| 140    | 31351-26610 | SHIFTER DIFF.LOCK    | 1    |       |     |         | 0.43         | 0.946       |
| 150    | 08711-32011 | BEARING TAPER-ROLLER | 1    |       |     |         | 0.538        | 1.1836      |
| 160    | 08711-30209 | BEARING TAPER-ROLLER | 1    |       |     |         | 0.458        | 1.0076      |
| 170    | 34070-28360 | SUPPORT DIFF.        | 1    |       |     |         | 0.405        | 0.891       |
| 180    | 01133-51025 | BOLT                 | 4    |       |     |         | 0.023        | 0.0506      |
| 190    | 04611-00900 | CIR CLIP INTERNAL    | 1    |       |     |         | 0.031        | 0.0682      |
| 200    | 37410-16810 | SHIM DIFFERENTIAL    | 1    |       |     | 0.4mm   | 0.01         | 0.022       |
| 200    | 37410-16820 | SHIM DIFFERENTIAL    | 1    |       |     | 0.5mm   | 0.01         | 0.022       |
| 200    | 37410-16830 | SHIM DIFFERENTIAL    | 1    |       |     | 0.6mm   | 0.01         | 0.022       |
| 200    | 37410-16840 | SHIM DIFFERENTIAL    | 1    |       |     | 0.7mm   | 0.01         | 0.022       |
| 200    | 37410-16850 | SHIM DIFFERENTIAL    | 1    |       |     | 0.8mm   | 0.008        | 0.0176      |
| 200    | 37410-16860 | SHIM DIFFERENTIAL    | 1    |       |     | 0.9mm   | 0.009        | 0.0198      |
| 200    | 37410-16870 | SHIM DIFFERENTIAL    | 1    |       |     | 1.0mm   | 0.01         | 0.022       |
| 200    | 37410-16880 | SHIM DIFFERENTIAL    | 1    |       |     | 1.2mm   | 0.011        | 0.0242      |
| 200    | 37410-16890 | SHIM DIFFERENTIAL    | 1    |       |     | 1.4mm   | 0.015        | 0.033       |
| 210    | 34070-28210 | SHIM                 | 1    |       |     | 0.4mm   | 0.01         | 0.022       |
| 210    | 34070-28230 | SHIM                 | 1    |       |     | 0.6mm   | 0.015        | 0.033       |
| 210    | 34070-28250 | SHIM                 | 1    |       |     | 0.8mm   | 0.015        | 0.033       |
| 210    | 34070-28270 | SHIM                 | 1    |       |     | 1.0mm   | 0.015        | 0.033       |
| 210    | 34070-28290 | SHIM                 | 1    |       |     | 1.2mm   | 0.02         | 0.044       |
| 210    | 34070-28310 | SHIM                 | 1    |       |     | 1.6mm   | 0.025        | 0.055       |






## PTO CLUTCH [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-53250 | COUNTERSHAFT PTO | 1    |        |     |         | 0.455        | 1.001       |
| 020    | 08101-06205 | BEARING BALL     | 1    |        |     |         | 0.14         | 0.308       |
| 030    | TA220-51443 | GEAR PTO         | 1    |        |     | 35T     | 0.9          | 1.98        |
| 040    | 67121-56770 | BEARING BALL     | 1    |        |     |         | 0.127        | 0.2794      |
| 050    | TA040-23410 | CAM CLUTCH       | 1    |        |     |         | 0.52         | 1.144       |
| 060    | TA240-51470 | SPRING           | 1    |        |     |         | 0.058        | 0.1276      |
| 070    | TA040-23450 | CAM CLUTCH       | 1    |        |     |         | 0.465        | 1.023       |
| 080    | 01779-51020 | BOLT UBS         | 1    | ≤70846 |     |         | 0.025        | 0.055       |
| 080    | TA140-23950 | BOLT             | 1    | ≥70847 | ←   |         | 0            | 0           |
| 090    | 41330-76120 | WASHER           | 1    |        |     |         | 0.025        | 0.055       |
| 100    | TA250-23560 | GEAR-SHAFT PTO   | 1    |        |     | 11T     | 0.68         | 1.496       |
| 110    | TA140-25000 | BEARING BALL     | 1    |        |     |         | 0.342        | 0.7524      |
| 120    | 36540-41130 | BEARING BALL     | 1    |        |     |         | 0.34         | 0.748       |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA150-15120 | GEAR              | 1    |        |     | 29-29T  | 1.55         | 3.41        |
| 020    | 38430-25232 | COLLAR THRUST     | 1    | ≤72026 |     |         | 0.02         | 0.044       |
| 020    | 38430-25233 | COLLAR THRUST     | 1    | ≥72027 | ←   |         | 0            | 0           |
| 030    | 08823-03526 | BEARING NEEDLE    | 2    |        |     |         | 0.035        | 0.077       |
| 040    | TA040-15130 | COLLAR            | 1    |        |     |         | 0.022        | 0.0484      |
| 050    | TA240-53680 | SHAFT PTO DRIVE   | 1    |        |     |         | 1.6          | 3.52        |
| 060    | 37410-57190 | BEARING BALL      | 1    |        |     |         | 0.14         | 0.308       |
| 070    | TA240-23610 | GEAR PTO          | 1    |        |     | 30T     | 1.51         | 3.322       |
| 080    | 37410-57330 | BEARING BALL      | 1    |        |     |         | 0.2          | 0.44        |
| 090    | 34550-62430 | CIR CLIP EXTERNAL | 1    | ≤72388 |     |         | 0            | 0           |
| 090    | 37410-15280 | CIR-CLIP          | 1    | ≥72389 | ←   |         | 0.005        | 0.011       |
| 100    | 34550-23360 | COLLAR THRUST     | 1    |        |     |         | 0.025        | 0.055       |
| 110    | 37410-57330 | BEARING BALL      | 1    |        |     |         | 0.2          | 0.44        |
| 120    | TA040-23700 | SHAFT PTO         | 1    |        |     |         | 2.1          | 4.62        |
| 130    | TA040-23660 | COUPLING PTO      | 1    |        |     |         | 0.165        | 0.363       |
| 140    | 35340-25350 | COLLAR OIL SEAL   | 1    |        |     |         | 0.03         | 0.066       |
| 150    | 38430-25330 | BEARING BALL      | 1    |        |     |         | 0.23         | 0.506       |
| 160    | 35340-25320 | NUT               | 1    |        |     |         | 0.05         | 0.11        |
| 170    | 31391-25410 | CASE BEARING      | 1    |        |     |         | 1.28         | 2.816       |
| 180    | 04611-00650 | CIR CLIP INTERNAL | 1    |        |     |         | 0.011        | 0.0242      |
| 190    | 35340-25360 | SEAL OIL          | 1    |        |     |         | 0.024        | 0.0528      |
| 200    | 38240-25370 | SLINGER           | 1    |        |     |         | 0.004        | 0.0088      |
| 210    | 04811-50800 | O RING            | 1    |        |     |         | 0.003        | 0.0066      |
| 220    | 01123-50840 | BOLT              | 4    |        |     |         | 0.018        | 0.0396      |
| 230    | 38430-25540 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.004        | 0.0088      |
| 240    | 31220-25820 | CAP               | 1    |        |     |         | 0.055        | 0.121       |







## RANGE GEAR SHIFT FORK [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-54402 | FORK RANGE SHIFT | 1    |       |     |         | 0.285        | 0.627       |
| 020    | TA240-54410 | ROD SHIFF        | 1    |       |     |         | 0.168        | 0.3696      |
| 030    | 62231-18530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 07715-01605 | BALL             | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | TA040-24420 | ARM RANGE SHIFT  | 1    |       |     |         | 0.215        | 0.473       |
| 060    | 04811-00200 | O RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04816-00200 | O RING           | 1    |       | ←   |         | 0.003        | 0.0066      |
| 070    | 34070-24350 | STOPPER          | 1    |       |     |         | 0.02         | 0.044       |
| 080    | 01754-50812 | BOLT FLANGE      | 1    |       |     |         | 0.01         | 0.022       |
| 090    | TA240-54502 | FORK SHIFT L     | 1    |       |     |         | 0.33         | 0.726       |
| 100    | TA040-24510 | ROD FORK         | 1    |       |     |         | 0.19         | 0.418       |
| 110    | 05411-00522 | PIN SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 62231-18530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 07715-01605 | BALL             | 1    |       |     |         | 0.003        | 0.0066      |
| 140    | 34070-24420 | ARM SHIFT        | 1    |       |     |         | 0.22         | 0.484       |
| 150    | 04811-00200 | O RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 04816-00200 | O RING           | 1    |       | ←   |         | 0.003        | 0.0066      |
| 160    | 34070-24350 | STOPPER          | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 01754-50812 | BOLT FLANGE      | 1    |       |     |         | 0.01         | 0.022       |





030 04013-60060



090 04012-50080

100 05511-50218

110 05515-50800




TA150-B13-10



**DIFFERENTIAL LOCK SHIFT FORK [HST TYPE][ROPS TYPE]**  
[EXCEPT TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 31351-26630 | FORK DIFF.LOCK SHIFT | 1    | ≤72760 |     | NOT SALE | 0.465        | 1.023       |
| 010    | 31351-26632 | FORK DIFF.LOCK SHIFT | 1    | ≥72761 | ←   |          | 0.465        | 1.023       |
| 020    | 31351-26620 | PIN JOINT            | 1    |        |     |          | 0.008        | 0.0176      |
| 030    | 04013-60060 | WASHER PLAIN         | 1    | ≤72326 |     |          | 0.001        | 0.0022      |
| 040    | 3A011-32870 | PIN SNAP             | 1    | ≤72326 |     |          | 0.001        | 0.0022      |
| 040    | 50080-34110 | PIN SNAP             | 1    | ≥72327 | ←   |          | 0.001        | 0.0022      |
| 050    | TA240-28400 | SHAFT FORK           | 1    |        |     |          | 0.555        | 1.221       |
| 060    | 09500-16287 | SEAL OIL             | 2    |        |     |          | 0.01         | 0.022       |
| 070    | 05411-00635 | PIN SPRING           | 2    |        |     |          | 0.005        | 0.011       |
| 080    | T0070-28414 | ROD DIFF.LOCK        | 1    |        |     |          | 0.08         | 0.176       |
| 090    | 04012-50080 | WASHER PLAIN         | 2    | ≤72237 |     |          | 0.001        | 0.0022      |
| 100    | 05511-50218 | PIN SPLIT            | 1    | ≤72237 |     |          | 0.001        | 0.0022      |
| 110    | 05515-60800 | PIN SNAP             | 1    | ≤72237 |     |          | 0.002        | 0.0044      |
| 110    | 05515-60800 | PIN SNAP             | 2    | ≥72238 |     |          | 0.002        | 0.0044      |
| 120    | 37150-15840 | SPRING               | 1    |        |     |          | 0.06         | 0.132       |





# REAR AXLE [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-26710 | SHAFT DIFF.GEAR RH | 1    |       |     | 11T     | 2            | 4.4         |
| 020    | TA040-26720 | SHAFT DIFF.GEAR LH | 1    |       |     | 11T     | 2.2          | 4.84        |
| 030    | 08101-06309 | BEARING BALL       | 2    |       |     |         | 0.82         | 1.804       |
| 040    | 04611-01000 | CIR CLIP INTERNAL  | 2    |       |     |         | 0.042        | 0.0924      |
| 050    | 04612-00450 | CIR CLIP EXTERNAL  | 2    |       |     |         | 0.007        | 0.0154      |
| 060    | 32430-27115 | AXLE REAR          | 2    |       |     |         | 11           | 24.2        |
| 070    | 32430-27144 | SPACER             | 2    |       |     |         | 1.7          | 3.74        |
| 080    | 08101-06210 | BEARING BALL       | 2    |       |     |         | 0.45         | 0.99        |
| 090    | 04611-00900 | CIR CLIP INTERNAL  | 2    |       |     |         | 0.031        | 0.0682      |
| 100    | 31359-44510 | SEAL OIL           | 2    |       |     |         | 0.18         | 0.396       |
| 110    | TA140-25000 | BEARING BALL       | 2    |       |     |         | 0.342        | 0.7524      |
| 120    | 70631-15730 | NUT                | 2    |       |     |         | 0.15         | 0.33        |
| 130    | 32440-26830 | GEAR               | 2    |       |     | 60T     | 6.6          | 14.52       |
| 140    | 32440-27334 | CASE REAR AXLE     | 2    |       |     |         | 19           | 41.8        |
| 150    | 37150-27370 | PIN STRAIGHT       | 4    |       |     |         | 0.009        | 0.0198      |
| 160    | 08100-00026 | BEARING BALL       | 2    |       |     |         | 0.495        | 1.089       |
| 165    | TA150-28880 | GASKET             | 2    |       |     |         | 0.017        | 0.0374      |
| 170    | 01133-51035 | BOLT               | 10   |       |     |         | 0.03         | 0.066       |
| 180    | 01133-51240 | BOLT               | 2    |       |     |         | 0.05         | 0.11        |
| 190    | 31220-14290 | PLUG               | 12   |       |     |         | 0.002        | 0.0044      |
| 200    | 32210-27580 | PLUG               | 8    |       |     |         | 0.001        | 0.0022      |
| 210    | 34070-20313 | STUD               | 8    |       |     |         | 0.045        | 0.099       |
| 220    | 37300-14190 | NUT                | 8    |       |     |         | 0.009        | 0.0198      |
| 230    | 04512-60100 | WASHER SPRING      | 8    |       |     |         | 0.002        | 0.0044      |



050 01173-51235

060 01173-51245


090 04512-60120



TA147-820-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA040-28617 | CASE BRAKE LH      | 1    | <=73628 |     | NOT SALE | 14.6         | 32.12       |
| 010    | TA040-28618 | CASE BRAKE LH      | 1    | >=73629 | ←   |          | 14.6         | 32.12       |
| 020    | TA040-28627 | CASE BRAKE RH      | 1    | <=73628 |     | NOT SALE | 14.6         | 32.12       |
| 020    | TA040-28628 | CASE BRAKE RH      | 1    | >=73629 | ←   |          | 14.6         | 32.12       |
| 030    | 05012-01018 | PIN STRAIGHT       | 4    |         |     |          | 0.012        | 0.0264      |
| 040    | 01574-61240 | STUD               | 14   |         |     |          | 0.045        | 0.099       |
| 050    | 01173-51235 | BOLT               | 2    | <=72399 |     |          | 0.04         | 0.088       |
| 050    | 01133-51235 | BOLT               | 2    | >=72400 | ←   |          | 0.05         | 0.11        |
| 060    | 01173-51245 | BOLT               | 6    | <=72399 |     |          | 0.049        | 0.1078      |
| 060    | 01133-51245 | BOLT               | 6    | >=72400 | ←   |          | 0.055        | 0.121       |
| 070    | 01574-51200 | STUD               | 2    |         |     |          | 0.1          | 0.22        |
| 080    | 01574-61260 | STUD               | 2    |         |     |          | 0.05         | 0.11        |
| 090    | 04512-60120 | WASHER SPRING      | 26   | <=72399 |     |          | 0.005        | 0.011       |
| 090    | 04512-60120 | WASHER SPRING      | 18   | >=72400 |     |          | 0.005        | 0.011       |
| 100    | 02176-50120 | NUT                | 18   |         |     |          | 0.01         | 0.022       |
| 105    | 04811-10120 | O RING             | 2    |         |     |          | 0.001        | 0.0022      |
| 110    | 06331-45010 | PLUG               | 2    |         |     |          | 0.02         | 0.044       |
| 120    | 04717-01000 | WASHER WITH RUBBER | 2    |         |     |          | 0.001        | 0.0022      |
| 130    | 34070-28715 | CAM BRAKE LH       | 1    |         |     |          | 0.285        | 0.627       |
| 140    | 34070-28725 | CAM BRAKE RH       | 1    |         |     |          | 0.285        | 0.627       |
| 150    | 04811-00220 | O RING             | 4    |         |     |          | 0.001        | 0.0022      |
| 150    | 04817-00220 | O RING             | 4    |         | ←   |          | 0.005        | 0.011       |
| 160    | 04015-60120 | WASHER PLAIN       | 2    |         |     |          | 0.022        | 0.0484      |
| 170    | 04512-60120 | WASHER SPRING      | 2    |         |     |          | 0.005        | 0.011       |
| 180    | 02174-50120 | NUT                | 2    |         |     |          | 0.01         | 0.022       |
| 190    | 34070-28770 | PLATE BRAKE CAM LH | 1    |         |     |          | 1.11         | 2.442       |
| 200    | 34070-28780 | PLATE BRAKE CAM RH | 1    |         |     |          | 1.09         | 2.398       |
| 210    | 07715-00805 | BALL               | 12   |         |     |          | 0.016        | 0.0352      |
| 220    | 37150-28200 | DISK BRAKE         | 4    |         |     |          | 0            | 0           |
| 220    | T1060-28200 | DISK BRAKE MAIN    | 4    |         | ↔   |          | 0.75         | 1.65        |
| 230    | 37720-28170 | PLATE              | 2    |         |     |          | 0.422        | 0.9284      |
| 240    | 34070-44615 | LEVER BRAKE CAM LH | 1    |         |     |          | 0.41         | 0.902       |
| 250    | 34070-44623 | LEVER BRAKE CAM RH | 1    |         |     |          | 0.41         | 0.902       |




**BRAKE ROD 1 [HST TYPE] [ROPS TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-44810 | ASSY LEVER BRAKE LH | 1    |       |     |         | 0            | 0           |
| 020    | 34070-44890 | BUSH                | 1    |       |     |         | 0.035        | 0.077       |
| 030    | 34070-44910 | ASSY LEVER BRAKE RH | 1    |       |     |         | 0            | 0           |
| 040    | 34070-44890 | BUSH                | 1    |       |     |         | 0.035        | 0.077       |
| 050    | 34070-44870 | SHAFT BRAKE LH      | 1    |       |     |         | 0.225        | 0.495       |
| 060    | 34070-44880 | SHAFT BRAKE RH      | 1    |       |     |         | 0.22         | 0.484       |
| 070    | 04011-50200 | WASHER PLAIN        | 2    |       |     |         | 0.015        | 0.033       |
| 080    | 04612-00200 | CIR CLIP EXTERNAL   | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 34070-44800 | ASSY ROD BRAKE      | 2    |       |     |         | 0.425        | 0.935       |
| 100    | 34070-44840 | ROD BRAKE LOWER     | 2    |       |     |         | 0.13         | 0.286       |
| 110    | 34070-44460 | ROD CLUTCH BRAKE    | 2    |       |     |         | 0.225        | 0.495       |
| 120    | 32350-28980 | TURNBUCKLE          | 2    |       |     |         | 0.124        | 0.2728      |
| 130    | 02116-50100 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 140    | 05122-51035 | PIN JOINT           | 1    |       |     |         | 0.023        | 0.0506      |
| 150    | 05122-61028 | PIN JOINT           | 3    |       |     |         | 0.02         | 0.044       |
| 160    | 04013-60100 | WASHER PLAIN        | 3    |       |     |         | 0.004        | 0.0088      |
| 165    | TA240-56470 | COLLAR BRAKE ROD    | 1    |       |     |         | 0.013        | 0.0286      |
| 170    | 05511-50318 | PIN SPLIT           | 4    |       |     |         | 0.001        | 0.0022      |










## CRUISE CONTROL LEVER [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-21270 | ROD            | 1    |       |     |         | 0.026        | 0.0572      |
| 020    | 99999-99999 | BLANK          | 0    |       |     |         | 0            | 0           |
| 030    | 45404-95770 | END ROD        | 1    |       |     |         | 0.05         | 0.11        |
| 040    | 54721-31850 | BALL LINK      | 1    |       |     |         | 0.065        | 0.143       |
| 050    | 37300-41330 | NUT            | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 02114-50080 | NUT            | 1    |       |     |         | 0.005        | 0.011       |
| 070    | 02751-50080 | NUT FLANGE     | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | TA240-21254 | SHAFT          | 1    |       |     |         | 0.78         | 1.716       |
| 090    | TA240-21260 | LEVER HST LINK | 1    |       |     |         | 0.23         | 0.506       |
| 095    | 67950-44170 | LEVER SPRING   | 1    |       |     |         | 0.013        | 0.0286      |
| 100    | 05411-00625 | PIN SPRING     | 1    |       |     |         | 0.004        | 0.0088      |
| 110    | 05411-00635 | PIN SPRING     | 2    |       |     |         | 0.005        | 0.011       |
| 120    | 09500-16267 | SEAL OIL       | 2    |       |     |         | 0.005        | 0.011       |
| 130    | TA240-55273 | BRACKET        | 1    |       |     |         | 0.695        | 1.529       |
| 140    | 01133-51020 | BOLT           | 2    |       |     |         | 0.02         | 0.044       |
| 150    | TA240-55280 | ASSY LEVER     | 1    |       |     |         | 0.265        | 0.583       |
| 160    | 08511-00806 | BUSH           | 2    |       |     |         | 0.001        | 0.0022      |
| 170    | 04013-60080 | WASHER PLAIN   | 1    |       |     |         | 0.002        | 0.0044      |
| 180    | 05511-50215 | PIN SPLIT      | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | TA240-55260 | SPRING         | 1    |       |     |         | 0.005        | 0.011       |




TA140-057-10



## CRUISE CONTROL CABLE [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description  | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-55300 | WIRE CONTROL | 1    |       |     |         | 0.205        | 0.451       |
| 020    | 04012-50060 | WASHER PLAIN | 2    |       |     |         | 0.001        | 0.0022      |
| 030    | 05525-60600 | PIN SNAP     | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 05511-51612 | PIN SPLIT    | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | TA240-55310 | LEVER        | 1    |       |     |         | 0.06         | 0.132       |
| 060    | 04015-60080 | WASHER PLAIN | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 05525-50800 | PIN SNAP     | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 6C040-41360 | GRIP LEVER   | 1    |       |     |         | 0.012        | 0.0264      |
| 090    | TA140-24650 | WIRE PTO     | 1    |       |     |         | 0.14         | 0.308       |
| 100    | 37410-51760 | GROMMET      | 1    |       |     |         | 0.003        | 0.0066      |
| 110    | 05122-50614 | PIN JOINT    | 1    |       |     |         | 0.004        | 0.0088      |
| 120    | 04012-50060 | WASHER PLAIN | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | 05511-51612 | PIN SPLIT    | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 05525-60600 | PIN SNAP     | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | TA240-75630 | GROMMET      | 1    |       |     |         | 0.02         | 0.044       |



TA140-068-14

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-55173 | BRACKET HST          | 1    |       |     |         | 1.09         | 2.398       |
| 020    | 01774-61020 | BOLT FLANGE          | 2    |       |     |         | 0.022        | 0.0484      |
| 030    | TA240-55503 | ASSY ARM             | 1    |       |     |         | 0.445        | 0.979       |
| 030    | TA240-55504 | ASSY ARM             | 1    |       | ↔   |         | 0            | 0           |
| 040    | 08511-01215 | BUSH                 | 2    |       |     |         | 0.005        | 0.011       |
| 050    | 04013-60120 | WASHER PLAIN         | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 04612-00120 | CIR CLIP EXTERNAL    | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 080    | TA240-55190 | ARM HOLDER           | 1    |       |     |         | 0.14         | 0.308       |
| 090    | 66204-43572 | BUSH                 | 1    |       |     |         | 0.003        | 0.0066      |
| 100    | 66204-43352 | SHAFT HOLDER         | 1    |       |     |         | 0.072        | 0.1584      |
| 110    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 120    | 01125-50830 | BOLT                 | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 08121-06000 | BEARING BALL         | 1    |       |     |         | 0.02         | 0.044       |
| 140    | 04011-50100 | WASHER PLAIN         | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 04612-00100 | CIR CLIP EXTERNAL    | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 76611-43320 | SPRING               | 1    |       |     |         | 0.067        | 0.1474      |
| 170    | TA240-55180 | BOLT ADJUSTING       | 1    |       |     |         | 0.02         | 0.044       |
| 180    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 190    | 02114-50080 | NUT                  | 2    |       |     |         | 0.005        | 0.011       |
| 200    | TA240-54720 | DAMPER HST           | 1    |       |     |         | 0.28         | 0.616       |
| 210    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 220    | 05122-50828 | PIN JOINT            | 1    |       |     |         | 0.012        | 0.0264      |
| 230    | 04012-50080 | WASHER PLAIN         | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 05511-50215 | PIN SPLIT            | 2    |       |     |         | 0.001        | 0.0022      |
| 250    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 260    | TA240-55150 | ROD                  | 1    |       |     |         | 0.046        | 0.1012      |
| 270    | 45404-95770 | END ROD              | 1    |       |     |         | 0.05         | 0.11        |
| 280    | 54721-31850 | BALL LINK            | 1    |       |     |         | 0.065        | 0.143       |
| 290    | 37300-41330 | NUT                  | 1    |       |     |         | 0.005        | 0.011       |
| 300    | 02114-50080 | NUT                  | 1    |       |     |         | 0.005        | 0.011       |
| 310    | 02751-50080 | NUT FLANGE           | 2    |       |     |         | 0.006        | 0.0132      |
| 320    | TA240-59550 | ASSY LEVER REGULATOR | 1    |       |     |         | 0.05         | 0.11        |
| 330    | 01350-10520 | BOLT HEX-SOC-HD      | 1    |       |     |         | 0.004        | 0.0088      |




TA140-069-12



**SPEED CONTROL PEDAL [HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-55160 | ROD                | 1    |       |     |         | 0.04         | 0.088       |
| 020    | 45404-95770 | END ROD            | 1    |       |     |         | 0.05         | 0.11        |
| 030    | 31351-24210 | SCREW ROD-END LH   | 1    |       |     |         | 0.04         | 0.088       |
| 040    | 37300-41330 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 02114-50080 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 01754-50825 | BOLT FLANGE        | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 02751-50080 | NUT FLANGE         | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | TA240-55100 | ASSY PEDAL         | 1    |       |     |         | 0.81         | 1.782       |
| 090    | TA240-55220 | BUSH               | 2    |       |     |         | 0.001        | 0.0022      |
| 100    | TA240-42560 | COVER HST PEDAL    | 1    |       |     |         | 0.23         | 0.506       |
| 110    | TA240-55200 | ASSY BRACKET PEDAL | 1    |       |     |         | 0.2          | 0.44        |
| 120    | 08511-01006 | BUSH               | 2    |       |     |         | 0.008        | 0.0176      |
| 130    | TA240-55130 | PIN HST PEDAL      | 1    |       |     |         | 0.023        | 0.0506      |
| 140    | 04011-50100 | WASHER PLAIN       | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 04612-00100 | CIR CLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 01123-50816 | BOLT               | 2    |       |     |         | 0.011        | 0.0242      |
| 170    | TA240-55320 | BOLT FLANGE        | 2    |       |     |         | 0.021        | 0.0462      |
| 180    | TA240-55330 | NUT                | 2    |       |     |         | 0.009        | 0.0198      |






**RANGE GEAR SHIFT LEVER [HST TYPE] [ROPS TYPE]**  
[EXCEPT TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-54603 | ASSY ARM          | 1    |       |     |         | 0.675        | 1.485       |
| 020    | 99999-99999 | BLANK             | 0    |       |     |         | 0            | 0           |
| 030    | 08511-01825 | BUSH              | 1    |       |     |         | 0.01         | 0.022       |
| 040    | TA240-54680 | ASSY ARM          | 1    |       |     |         | 0.435        | 0.957       |
| 050    | 99999-99999 | BLANK             | 0    |       |     |         | 0            | 0           |
| 060    | 08511-01825 | BUSH              | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 99999-99999 | BLANK             | 0    |       |     |         | 0            | 0           |
| 080    | TA240-54670 | SPRING            | 1    |       |     |         | 0.016        | 0.0352      |
| 090    | TA240-54642 | LEVER RANGE SHIFT | 1    |       |     |         | 0.375        | 0.825       |
| 100    | TA240-54752 | ASSY HOLDER RANGE | 1    |       |     |         | 0.15         | 0.33        |
| 110    | 08511-01825 | BUSH              | 1    |       |     |         | 0.01         | 0.022       |
| 120    | TA240-54660 | BOLT              | 1    |       |     |         | 0.045        | 0.099       |
| 130    | 02156-50080 | NUT               | 1    |       |     |         | 0.004        | 0.0088      |
| 140    | TA240-54652 | LEVER RANGE SHIFT | 1    |       |     |         | 0.44         | 0.968       |
| 150    | 01135-61025 | BOLT              | 2    |       |     |         | 0.04         | 0.088       |
| 160    | 6A100-18560 | CUSHION           | 1    |       |     |         | 0.005        | 0.011       |
| 170    | TA040-24490 | GRIP LEVER        | 1    |       |     |         | 0.033        | 0.0726      |
| 180    | TA040-24482 | SHAFT FULCRUM     | 1    |       |     |         | 0.255        | 0.561       |
| 190    | 04612-00180 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 04512-60120 | WASHER SPRING     | 1    |       |     |         | 0.005        | 0.011       |
| 210    | 04011-50180 | WASHER PLAIN      | 1    |       |     |         | 0.012        | 0.0264      |
| 220    | TA240-47102 | GUIDE HST CAHNGE  | 1    |       |     |         | 0.995        | 2.189       |
| 230    | 01754-50812 | BOLT FLANGE       | 4    |       |     |         | 0.01         | 0.022       |






# RANGE GEAR SHIFT ROD [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-24462 | LEVER RANGE SHIFT | 1    |       |     |         | 0.09         | 0.198       |
| 020    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 030    | 99999-99999 | BLANK             | 0    |       |     |         | 0            | 0           |
| 040    | TA240-54472 | ROD RANGE         | 1    |       |     |         | 0.072        | 0.1584      |
| 050    | TA240-54592 | ROD RANGE L       | 1    |       |     |         | 0.03         | 0.066       |
| 060    | TA240-54480 | TURNBUCKLE        | 1    |       |     |         | 0.031        | 0.0682      |
| 070    | 32350-28990 | NUT               | 1    |       |     |         | 0.009        | 0.0198      |
| 080    | 02116-50100 | NUT               | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | TA240-54562 | LEVER RANGE SHIFT | 1    |       |     |         | 0.305        | 0.671       |
| 110    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 120    | TA240-54582 | ROD RANGE R       | 1    |       |     |         | 0.03         | 0.066       |
| 130    | TA240-54592 | ROD RANGE L       | 1    |       |     |         | 0.03         | 0.066       |
| 140    | TA240-54480 | TURNBUCKLE        | 1    |       |     |         | 0.031        | 0.0682      |
| 150    | 32350-28990 | NUT               | 1    |       |     |         | 0.009        | 0.0198      |
| 160    | 02116-50100 | NUT               | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |






## PTO GEAR SHIFT LEVER [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-24600 | ARM PTO SHIFT  | 1    |       |     |         | 0.22         | 0.484       |
| 020    | TA040-24610 | SPRING         | 1    |       |     |         | 0.029        | 0.0638      |
| 030    | TA040-24620 | LEVER PTO      | 1    |       |     |         | 0.08         | 0.176       |
| 040    | 04811-00200 | O RING         | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04816-00200 | O RING         | 1    |       | ←   |         | 0.003        | 0.0066      |
| 050    | 34070-24350 | STOPPER        | 1    |       |     |         | 0.02         | 0.044       |
| 060    | 01754-50812 | BOLT FLANGE    | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 05411-00628 | PIN SPRING     | 1    |       |     |         | 0.004        | 0.0088      |
| 080    | TA240-24663 | STAY WIRE      | 1    |       |     |         | 0.315        | 0.693       |
| 090    | 01133-51020 | BOLT           | 2    |       |     |         | 0.02         | 0.044       |
| 100    | TA140-24650 | WIRE PTO       | 1    |       |     |         | 0.14         | 0.308       |
| 110    | 53226-54390 | GROMMET        | 1    |       |     |         | 0.004        | 0.0088      |
| 120    | 04012-50060 | WASHER PLAIN   | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | 05511-51612 | PIN SPLIT      | 2    |       |     |         | 0.001        | 0.0022      |
| 140    | TA040-69710 | LEVER I-PTO    | 1    |       |     |         | 0.053        | 0.1166      |
| 150    | 04013-60080 | WASHER PLAIN   | 1    |       |     |         | 0.002        | 0.0044      |
| 160    | 05511-50215 | PIN SPLIT      | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 36919-27820 | GRIP PTO LEVER | 1    |       |     |         | 0.015        | 0.033       |
| 180    | 33251-29630 | SPRING         | 1    |       |     |         | 0.013        | 0.0286      |






## FRONT WHEEL DRIVE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-15180 | LEVER SHIFT      | 1    |        |     |         | 0.405        | 0.891       |
| 020    | 04811-00200 | O RING           | 1    |        |     |         | 0.001        | 0.0022      |
| 020    | 04816-00200 | O RING           | 1    |        | ←   |         | 0.003        | 0.0066      |
| 030    | 34070-24350 | STOPPER          | 1    |        |     |         | 0.02         | 0.044       |
| 040    | 01754-50812 | BOLT FLANGE      | 1    |        |     |         | 0.01         | 0.022       |
| 050    | TA140-15470 | LEVER 4WD CHANGE | 1    | ≤73000 |     |         | 0.505        | 1.111       |
| 050    | TA140-15473 | LEVER 4WD CHANGE | 1    | ≥73001 | ←   |         | 0.505        | 1.111       |
| 060    | TA140-15490 | LEVER 4WD CHANGE | 1    |        |     |         | 0.086        | 0.1892      |
| 070    | 05411-00630 | PIN SPRING       | 1    |        |     |         | 0.004        | 0.0088      |
| 080    | TA040-15480 | GRIP LEVER       | 1    |        |     |         | 0.053        | 0.1166      |
| 090    | 02116-50100 | NUT              | 1    |        |     |         | 0.004        | 0.0088      |



**BRAKE PEDAL [HST TYPE] [ROPS TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-44010 | SHAFT PEDAL         | 1    |       |     |         | 1.81         | 3.982       |
| 020    | 04612-00250 | CIR CLIP EXTERNAL   | 1    |       |     |         | 0.002        | 0.0044      |
| 030    | 34070-44073 | SUPPORT PEDAL SHAFT | 1    |       |     |         | 0.255        | 0.561       |
| 040    | 01123-50816 | BOLT                | 2    |       |     |         | 0.011        | 0.0242      |
| 050    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 060    | TA240-44100 | ASSY PEDAL BRAKE RH | 1    |       |     |         | 1.25         | 2.75        |
| 070    | 34070-44140 | SEAL OIL            | 2    |       |     |         | 0.005        | 0.011       |
| 080    | 34070-44360 | BEARING NEEDLE      | 2    |       |     |         | 0.012        | 0.0264      |
| 090    | TA240-44110 | PEDAL BRAKE LH      | 1    |       |     |         | 1.2          | 2.64        |
| 100    | 05411-00840 | PIN SPRING          | 1    |       |     |         | 0.008        | 0.0176      |
| 110    | 34070-44170 | SPRING              | 2    |       |     |         | 0.08         | 0.176       |
| 120    | TA140-44000 | COMP.LOCK PARKING   | 1    |       |     |         | 1.005        | 2.211       |
| 130    | 01123-50816 | BOLT                | 1    |       |     |         | 0.011        | 0.0242      |
| 140    | 36330-83420 | SPRING LOCK         | 1    |       |     |         | 0.006        | 0.0132      |
| 150    | 37410-44120 | COVER PEDAL         | 2    |       |     |         | 0.08         | 0.176       |
| 160    | TA140-43560 | GRIP                | 1    |       |     |         | 0.022        | 0.0484      |
| 170    | TA240-43342 | ASSY LINK           | 1    |       |     |         | 0.105        | 0.231       |
| 180    | 05122-50816 | PIN JOINT           | 1    |       |     |         | 0.007        | 0.0154      |
| 190    | 04012-50080 | WASHER PLAIN        | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 05525-50800 | PIN SNAP            | 1    |       |     |         | 0.001        | 0.0022      |






## FRONT AXLE FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA150-14000 | COMP.FRAME F-AXLE | 1    | <=73371 |     |         | 39           | 85.8        |
| 010    | TA150-14003 | COMP.FRAME F-AXLE | 1    | >=73372 | ←   |         | 39           | 85.8        |
| 020    | 01138-51235 | BOLT              | 15   |         |     |         | 0.21         | 0.462       |
| 030    | 33300-90910 | PLUG              | 12   |         |     |         | 0.002        | 0.0044      |



110 01053-50510

120 04512-60050

130 04012-50050




TA120-834-10



## PROPELLER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-14640 | SHAFT PROPELLER   | 1    |        |     |         | 1.9          | 4.18        |
| 020    | TA040-14633 | SHAFT PROPELLER   | 1    |        |     |         | 0.79         | 1.738       |
| 030    | T0070-14710 | COUPLING          | 3    |        |     |         | 0.16         | 0.352       |
| 035    | TA040-82180 | O RING            | 2    |        |     |         | 0.001        | 0.0022      |
| 036    | TA040-14720 | SPACER            | 1    |        |     |         | 0.21         | 0.462       |
| 040    | 05411-00430 | PIN SPRING        | 2    |        |     |         | 0.002        | 0.0044      |
| 050    | 08101-06904 | BEARING BALL      | 1    |        |     |         | 0.02         | 0.044       |
| 060    | 34070-14650 | COLLAR            | 1    |        |     |         | 0.01         | 0.022       |
| 070    | 09500-25388 | SEAL OIL          | 2    |        |     |         | 0.01         | 0.022       |
| 080    | 53582-53520 | SLEEVE            | 2    |        |     |         | 0.015        | 0.033       |
| 090    | TA150-14570 | COVER SHAFT FRONT | 1    |        |     |         | 0.245        | 0.539       |
| 100    | TA150-14580 | COVER SHAFT REAR  | 1    |        |     |         | 0.26         | 0.572       |
| 110    | 01053-50510 | BOLT              | 2    | ≤72866 |     |         | 0.002        | 0.0044      |
| 110    | TC050-14590 | BOLT              | 2    | ≥72867 | ←   |         | 0            | 0           |
| 120    | 04512-60050 | WASHER SPRING     | 2    | ≤72866 |     |         | 0.002        | 0.0044      |
| 130    | 04012-50050 | WASHER PLAIN      | 2    | ≤72866 |     |         | 0.001        | 0.0022      |
| 140    | 04811-06330 | O RING            | 1    |        |     |         | 0.001        | 0.0022      |
| 140    | 04817-06330 | O RING            | 1    |        | ←   |         | 0            | 0           |
| 150    | 04811-10360 | O RING            | 1    |        |     |         | 0.001        | 0.0022      |






## FRONT WHEEL DRIVE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-15220 | SHAFT DRIVE    | 1    |       |     |         | 1.125        | 2.475       |
| 020    | 34070-22560 | BEARING BALL   | 1    |       |     |         | 0.1          | 0.22        |
| 030    | 37410-57190 | BEARING BALL   | 1    |       |     |         | 0.14         | 0.308       |
| 040    | 35260-24110 | SPRING         | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 07715-01605 | BALL           | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | TA040-15170 | GEAR 4WD SHIFT | 1    |       |     | 24T     | 0.625        | 1.375       |






## FRONT DIFFERENTIAL CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA150-12000 | CASE FRONT AXLE   | 1    |       |     |         | 0            | 0           |
| 020    | 16851-96010 | PLUG              | 1    |       |     |         | 0.015        | 0.033       |
| 030    | 06331-35020 | PLUG              | 1    |       |     |         | 0.068        | 0.1496      |
| 040    | 04724-00200 | GASKET            | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 04811-00490 | O RING            | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 04817-00490 | O RING            | 1    |       | ←   |         | 0            | 0           |
| 060    | 04811-50800 | O RING            | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | TA150-13500 | ASSY HOLDER FRONT | 1    |       |     |         | 2.2          | 4.84        |
| 080    | 3A021-41680 | BUSH              | 1    |       |     |         | 0.062        | 0.1364      |
| 090    | 06611-15010 | NIPPLE GREASE     | 1    |       |     |         | 0.01         | 0.022       |
| 100    | 06312-10010 | PLUG              | 1    |       |     |         | 0.007        | 0.0154      |
| 110    | 37410-56180 | COLLAR THRUST     | 1    |       |     |         | 0.07         | 0.154       |
| 120    | TA150-13600 | ASSY HOLDER REAR  | 1    |       |     |         | 3.1          | 6.82        |
| 130    | 3A021-41690 | BUSH              | 1    |       |     |         | 0.24         | 0.528       |
| 140    | 06611-15010 | NIPPLE GREASE     | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 01574-61235 | STUD              | 4    |       |     |         | 0.04         | 0.088       |
| 160    | 04512-60120 | WASHER SPRING     | 4    |       |     |         | 0.005        | 0.011       |
| 170    | 02176-50120 | NUT               | 4    |       |     |         | 0.01         | 0.022       |
| 180    | 01133-51235 | BOLT              | 4    |       |     |         | 0.05         | 0.11        |
| 190    | 01175-51645 | BOLT              | 1    |       |     |         | 0.09         | 0.198       |
| 200    | 34070-13620 | COLLAR THRUST     | 1    |       |     |         | 0.05         | 0.11        |
| 210    | 32580-44580 | NUT               | 1    |       |     |         | 0.1          | 0.22        |
| 220    | 38440-44750 | WASHER SEAL       | 1    |       |     |         | 0.003        | 0.0066      |



TA150-003-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA150-12010 | ASSY GEAR BEVEL      | 1    | ≤73628 |     |         | 1.9          | 4.18        |
| 010    | TC050-12010 | ASSY GEAR BEVEL      | 1    | ≥73629 | ←   |         | 0            | 0           |
| 020    | 34070-12200 | BEARING TAPER-ROLLER | 2    |        |     |         | 0.305        | 0.671       |
| 030    | 3A021-43010 | COLLAR               | 2    | ≤70015 |     | 5.8mm   | 0            | 0           |
| 030    | 3A221-43010 | COLLAR               | 2    | ≥70016 | ←   | 5.8mm   | 0.01         | 0.022       |
| 030    | 3A021-43020 | COLLAR               | 2    | ≤70015 |     | 5.9mm   | 0.012        | 0.0264      |
| 030    | 3A221-43020 | COLLAR               | 2    | ≥70016 | ←   | 5.9mm   | 0.01         | 0.022       |
| 030    | 3A021-43030 | COLLAR               | 2    | ≤70015 |     | 6.0mm   | 0            | 0           |
| 030    | 3A221-43030 | COLLAR               | 2    | ≥70016 | ←   | 6.0mm   | 0.015        | 0.033       |
| 030    | 3A021-43040 | COLLAR               | 2    | ≤70015 |     | 6.1mm   | 0            | 0           |
| 030    | 3A221-43040 | COLLAR               | 2    | ≥70016 | ←   | 6.1mm   | 0.01         | 0.022       |
| 030    | 3A021-43050 | COLLAR               | 2    | ≤70015 |     | 6.2mm   | 0.013        | 0.0286      |
| 030    | 3A221-43050 | COLLAR               | 2    | ≥70016 | ←   | 6.2mm   | 0.01         | 0.022       |
| 030    | 3A021-43070 | COLLAR               | 2    | ≤70015 |     | 6.4mm   | 0.017        | 0.0374      |
| 030    | 3A221-43070 | COLLAR               | 2    | ≥70016 | ←   | 6.4mm   | 0            | 0           |
| 030    | 3A021-43080 | COLLAR               | 2    | ≤70015 |     | 6.6mm   | 0.017        | 0.0374      |
| 030    | 3A021-43090 | COLLAR               | 2    | ≤70015 |     | 6.8mm   | 0.017        | 0.0374      |
| 040    | 34070-12130 | COLLAR               | 1    | ≤70015 |     | 9.8mm   | 0.03         | 0.066       |
| 040    | 34070-12140 | COLLAR               | 1    | ≤70015 |     | 9.9mm   | 0.02         | 0.044       |
| 040    | 34070-12150 | COLLAR               | 1    | ≤70015 |     | 10.0mm  | 0            | 0           |
| 040    | 3A221-43100 | COLLAR               | 1    | ≥70016 | ←   | 10.0mm  | 0.025        | 0.055       |
| 040    | 34070-12160 | COLLAR               | 1    | ≤70015 |     | 10.1mm  | 0.03         | 0.066       |
| 040    | 34070-12170 | COLLAR               | 1    | ≤70015 |     | 10.2mm  | 0.03         | 0.066       |
| 050    | 3A021-41300 | NUT                  | 1    |        |     |         | 0.044        | 0.0968      |
| 060    | 3A021-44120 | SEAL OIL             | 1    |        |     |         | 0.032        | 0.0704      |
| 070    | 04611-00580 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.005        | 0.011       |



TA150-004-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 3A021-43120 | CASE DIFF.           | 1    |       |     |         | 1.9          | 4.18        |
| 020    | 3A021-42410 | CASE DIFF.           | 1    |       |     |         | 0.99         | 2.178       |
| 030    | 31353-43413 | PIN STRAIGHT         | 2    |       |     |         | 0.01         | 0.022       |
| 040    | 01138-51075 | BOLT                 | 4    |       |     |         | 0.245        | 0.539       |
| 050    | 3A021-43330 | BEARING BALL         | 2    |       |     |         | 0.77         | 1.694       |
| 060    | 34070-12280 | CIR CLIP EXTERNAL    | 1    |       |     |         | 0.005        | 0.011       |
| 070    | 31353-43330 | SHAFT PINION         | 1    |       |     |         | 0.13         | 0.286       |
| 080    | 05012-00628 | PIN STRAIGHT         | 1    |       |     |         | 0.006        | 0.0132      |
| 090    | 31353-43343 | PINION DIFF.         | 2    |       |     | 12T     | 0.1          | 0.22        |
| 100    | 67121-56670 | COLLAR PINION THRUST | 2    |       |     |         | 0.006        | 0.0132      |
| 110    | 3A021-43140 | GEAR DIFF.SIDE       | 2    |       |     | 24T     | 0.22         | 0.484       |
| 120    | 67211-15160 | SHIM                 | 2    |       |     | 1.0mm   | 0.01         | 0.022       |
| 120    | 67211-15170 | SHIM                 | 2    |       |     | 0.8mm   | 0.008        | 0.0176      |
| 120    | 67211-15180 | SHIM                 | 2    |       |     | 1.2mm   | 0.01         | 0.022       |
| 120    | 31353-43360 | SHIM                 | 2    |       |     | 0.6mm   | 0.01         | 0.022       |
| 120    | 31353-43370 | SHIM                 | 2    |       |     | 0.4mm   | 0.01         | 0.022       |
| 130    | 34070-12300 | SHIM                 | 1    |       |     | 1.6mm   | 0.02         | 0.044       |
| 130    | 34070-12310 | SHIM                 | 1    |       |     | 1.8mm   | 0.03         | 0.066       |
| 130    | 34070-12320 | SHIM                 | 1    |       |     | 2.0mm   | 0.03         | 0.066       |
| 130    | 34070-12330 | SHIM                 | 1    |       |     | 2.2mm   | 0.03         | 0.066       |
| 130    | 34070-12340 | SHIM                 | 1    |       |     | 2.4mm   | 0.035        | 0.077       |






## FRONT AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 3A021-43300 | ASSY SUPPORT CASE  | 2    |         |     |         | 1.11         | 2.442       |
| 020    | 3A021-43370 | BUSH               | 2    |         |     |         | 0.1          | 0.22        |
| 030    | 3A021-43350 | SEAL OIL           | 2    |         |     |         | 0.017        | 0.0374      |
| 040    | 06611-15010 | NIPPLE GREASE      | 2    |         |     |         | 0.01         | 0.022       |
| 050    | 32701-52930 | BOLT UBS           | 4    |         |     |         | 0.05         | 0.11        |
| 060    | 3A022-43642 | CASE FRONT GEAR RH | 1    | <=60009 |     |         | 0            | 0           |
| 060    | 3A022-43643 | CASE FRONT GEAR RH | 1    | >=70001 | ←   |         | 12.3         | 27.06       |
| 070    | 3A022-43632 | CASE FRONT GEAR LH | 1    | <=60009 |     |         | 0            | 0           |
| 070    | 3A022-43633 | CASE FRONT GEAR LH | 1    | >=70001 | ←   |         | 12.3         | 27.06       |
| 080    | 06331-45010 | PLUG               | 4    |         |     |         | 0.02         | 0.044       |
| 090    | 04717-01000 | WASHER WITH RUBBER | 4    |         |     |         | 0.001        | 0.0022      |
| 100    | TA140-13040 | SEAL OIL           | 2    |         |     |         | 0.155        | 0.341       |
| 110    | 08101-06014 | BEARING BALL       | 2    |         |     |         | 0.6          | 1.32        |
| 120    | 04611-00950 | CIR CLIP INTERNAL  | 2    |         |     |         | 0.05         | 0.11        |
| 130    | 08101-06012 | BEARING BALL       | 2    |         |     |         | 0.41         | 0.902       |
| 140    | 04612-00600 | CIR CLIP EXTERNAL  | 2    |         |     |         | 0.012        | 0.0264      |
| 150    | 34550-13100 | PLUG               | 2    |         |     |         | 0.11         | 0.242       |
| 160    | 3A022-43520 | GEAR BEVEL         | 2    |         |     | 9T      | 0.605        | 1.331       |
| 170    | 32580-43550 | BEARING BALL       | 2    |         |     |         | 0.4          | 0.88        |
| 180    | 34550-12590 | SHIM               | 2    |         |     | 1.0mm   | 0.005        | 0.011       |
| 180    | 34550-12600 | SHIM               | 2    |         |     | 1.2mm   | 0.018        | 0.0396      |
| 180    | 34550-12620 | SHIM               | 2    |         |     | 1.6mm   | 0.025        | 0.055       |
| 180    | 34550-12630 | SHIM               | 2    |         |     | 1.8mm   | 0.025        | 0.055       |
| 180    | 34550-12640 | SHIM               | 2    |         |     | 2.0mm   | 0.03         | 0.066       |
| 190    | 04611-00850 | CIR CLIP INTERNAL  | 2    |         |     |         | 0.029        | 0.0638      |
| 200    | 3A021-43410 | SHAFT BEVEL GEAR   | 2    |         |     |         | 0.735        | 1.617       |



TA150-093-11

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA150-12450 | SHAFT YOKE RH     | 1    |       |     | (RH)    | 1.46         | 3.212       |
| 020    | TA150-12460 | SHAFT YOKE LH     | 1    |       |     | (LH)    | 2.23         | 4.906       |
| 030    | 3A021-43610 | CASE BEVEL GEAR   | 2    |       |     |         | 5.85         | 12.87       |
| 040    | 31353-43880 | PIN STRAIGHT      | 4    |       |     |         | 0.02         | 0.044       |
| 050    | 01138-51440 | BOLT              | 10   |       |     |         | 0.35         | 0.77        |
| 060    | 34150-27580 | PLUG              | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 04811-11050 | O RING            | 2    |       |     |         | 0.002        | 0.0044      |
| 080    | 01173-51030 | BOLT              | 2    |       |     |         | 0.023        | 0.0506      |
| 090    | 02176-50100 | NUT               | 2    |       |     |         | 0.005        | 0.011       |
| 100    | TA150-12520 | GEAR BEVEL        | 2    |       |     | 10T     | 0.61         | 1.342       |
| 110    | 08101-06308 | BEARING BALL      | 2    |       |     |         | 0.63         | 1.386       |
| 120    | 04611-00900 | CIR CLIP INTERNAL | 2    |       |     |         | 0.031        | 0.0682      |
| 130    | 3A021-44020 | SHIM              | 2    |       |     | 0.4mm   | 0.006        | 0.0132      |
| 130    | 3A021-44030 | SHIM              | 2    |       |     | 0.6mm   | 0.009        | 0.0198      |
| 130    | 3A021-44040 | SHIM              | 2    |       |     | 0.8mm   | 0.011        | 0.0242      |
| 130    | 3A021-44050 | SHIM              | 2    |       |     | 1.0mm   | 0.014        | 0.0308      |
| 130    | 3A021-44060 | SHIM              | 2    |       |     | 1.2mm   | 0.016        | 0.0352      |
| 140    | TA150-12530 | GEAR BEVEL        | 2    |       |     | 14T     | 0.805        | 1.771       |
| 150    | 35523-34430 | BEARING BALL      | 2    |       |     |         | 0.275        | 0.605       |






## FRONT AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34550-13330 | AXLE FRONT       | 2    |       |     |         | 3.75         | 8.25        |
| 020    | 08101-06208 | BEARING BALL     | 2    |       |     |         | 0.355        | 0.781       |
| 030    | 35533-43010 | SHIM             | 2    |       |     | 0.1mm   | 0.002        | 0.0044      |
| 030    | 35533-43020 | SHIM             | 2    |       |     | 0.2mm   | 0.003        | 0.0066      |
| 040    | 3A022-43720 | GEAR BEVEL       | 2    |       |     | 43T     | 8.9          | 19.58       |
| 050    | 34550-13350 | COLLAR           | 4    |       |     |         | 0.01         | 0.022       |
| 060    | 3A021-43360 | BEARING BALL     | 2    |       |     |         | 0.41         | 0.902       |
| 070    | 31393-43530 | SEAL OIL         | 2    |       |     |         | 0.105        | 0.231       |
| 080    | 3A021-43623 | COVER FRONT AXLE | 2    |       |     |         | 6.6          | 14.52       |
| 090    | 01128-50830 | BOLT             | 20   |       |     |         | 0.04         | 0.088       |
| 100    | 36530-24920 | STUD             | 4    |       |     |         | 0.012        | 0.0264      |
| 110    | 04512-60080 | WASHER SPRING    | 4    |       |     |         | 0.002        | 0.0044      |
| 120    | 02156-50080 | NUT              | 4    |       |     |         | 0.004        | 0.0088      |
| 130    | 34550-13152 | O RING           | 2    |       |     |         | 0.015        | 0.033       |






STEERING HANDLE [HST TYPE] [ROPS TYPE]  
[EXCEPT TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-43100 | COVER STEERING POST | 1    |       |     |         | 0.205        | 0.451       |
| 020    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 030    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 040    | 34070-43110 | BOLT FLANGE         | 2    |       |     |         | 0.02         | 0.044       |
| 050    | 30400-18870 | BOLT FLANGE         | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 34070-43140 | COVER HANDLE POST   | 1    |       |     |         | 0.005        | 0.011       |
| 065    | TA240-43150 | COVER SHUTTLE       | 1    |       |     |         | 0.015        | 0.033       |
| 070    | TA240-43600 | ASSY POST STEERING  | 1    |       |     |         | 1.725        | 3.795       |
| 080    | 08121-06004 | BEARING BALL        | 1    |       |     |         | 0.075        | 0.165       |
| 090    | 04611-00420 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.006        | 0.0132      |
| 100    | TA040-43680 | SHAFT STEERING      | 1    |       |     |         | 0.4          | 0.88        |
| 110    | 36919-30040 | CIR-CLIP            | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 37410-41340 | BUSH POST           | 1    |       |     |         | 0.015        | 0.033       |
| 130    | 34550-43690 | COUPLING STEERING   | 1    |       |     |         | 0.103        | 0.2266      |
| 140    | 05411-00425 | PIN SPRING          | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 35080-40170 | SHAFT JOINT         | 1    |       |     |         | 0.11         | 0.242       |
| 160    | 34070-43670 | BOLT                | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 02114-50080 | NUT                 | 1    |       |     |         | 0.005        | 0.011       |
| 175    | 02112-50080 | NUT                 | 1    |       |     |         | 0.003        | 0.0066      |
| 180    | 34070-43720 | LEVER TILT          | 1    |       |     |         | 0.065        | 0.143       |
| 190    | 34550-43750 | ASSY SHAFT SCREW    | 1    |       |     |         | 0.23         | 0.506       |
| 200    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 210    | 02172-50120 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |
| 220    | 34070-43640 | HOLDER TILT         | 1    |       |     |         | 0.03         | 0.066       |
| 230    | 61023-41630 | GRIP                | 1    |       |     |         | 0.015        | 0.033       |
| 240    | 31351-16063 | ASSY WHEEL STEERING | 1    |       |     |         | 2.4          | 5.28        |
| 250    | 31351-16082 | PAD STEERING        | 1    |       |     |         | 0.07         | 0.154       |
| 260    | 04512-60120 | WASHER SPRING       | 1    |       |     |         | 0.005        | 0.011       |
| 270    | 02176-50120 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |



090 02156-50080

100 04512-50080




TA140-857-10



## STEERING CONTROLLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA150-37000 | CONTROLLER STEERING | 1    | ≤73000 |     |         | 5            | 11          |
| 010    | TA150-37004 | CONTROLLER STEERING | 1    | ≥73001 | ←   |         | 5            | 11          |
| 020    | 09500-19387 | SEAL OIL            | 1    |        |     |         | 0.012        | 0.0264      |
| 030    | 35070-40840 | PLUG                | 1    |        |     |         | 0.042        | 0.0924      |
| 040    | 04810-00150 | O RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 04817-00150 | O RING              | 1    |        | ←   |         | 0            | 0           |
| 050    | TA150-40870 | COMP.VALVE RELIEF   | 1    |        |     |         | 0.02         | 0.044       |
| 060    | 56713-28140 | ADAPTER CYLINDER    | 2    |        |     |         | 0.03         | 0.066       |
| 070    | T0180-37300 | JOINT               | 1    |        |     |         | 0.06         | 0.132       |
| 080    | 31391-66810 | JOINT PIPE          | 1    |        |     |         | 0.04         | 0.088       |
| 090    | 02156-50080 | NUT                 | 4    | ≤72388 |     |         | 0.004        | 0.0088      |
| 090    | 16429-92010 | NUT                 | 4    | ≥72389 | ←   |         | 0.007        | 0.0154      |
| 100    | 04512-60080 | WASHER SPRING       | 4    | ≤72388 |     |         | 0.002        | 0.0044      |




TA 150-007-10



## STEERING CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA150-37800 | CYLINDER HYDRAULIC | 1    | ≤70015 |     |         | 0            | 0           |
| 010    | TA150-37802 | CYLINDER HYDRAULIC | 1    | ≥70016 | ←   |         | 0            | 0           |
| 020    | 04611-00680 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.016        | 0.0352      |
| 030    | 01123-50818 | BOLT               | 1    |        |     |         | 0.012        | 0.0264      |
| 040    | TA150-13700 | ASSY ROD TIE       | 2    |        |     |         | 1.4          | 3.08        |
| 050    | TA150-13710 | END TIE ROD        | 1    |        |     |         | 0            | 0           |
| 060    | 36280-62860 | CLIP               | 2    |        |     |         | 0.002        | 0.0044      |
| 070    | 35860-62852 | COVER DUST         | 2    |        |     |         | 0.014        | 0.0308      |
| 080    | 35080-44662 | JOINT TIE ROD      | 4    |        |     |         | 0.65         | 1.43        |
| 090    | 35080-44680 | COVER DUST         | 4    |        |     |         | 0.029        | 0.0638      |
| 100    | 35533-62860 | RING SET           | 4    |        |     |         | 0.005        | 0.011       |
| 110    | 35080-44690 | CLIP               | 4    |        |     |         | 0.002        | 0.0044      |
| 120    | 02172-50200 | NUT                | 2    |        |     |         | 0.03         | 0.066       |
| 130    | 35860-62750 | NUT                | 2    |        |     |         | 0.04         | 0.088       |
| 140    | 05511-50335 | PIN SPLIT          | 2    |        |     |         | 0.002        | 0.0044      |
| 150    | TA150-14310 | COVER              | 2    |        |     |         | 1.16         | 2.552       |
| 160    | 01135-61020 | BOLT               | 6    |        |     |         | 0.015        | 0.033       |






## STEERING CYLINDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA150-37800 | CYLINDER HYDRAULIC | 1    | ≤70015 |     |         | 0            | 0           |
| 010    | TA150-37802 | CYLINDER HYDRAULIC | 1    | ≥70016 | ←   |         | 0            | 0           |
| 020    | TA150-37810 | KIT HEAD HYD.CYL.  | 1    |        |     |         | 0            | 0           |
| 030    | 3A022-63820 | KIT SEAL           | 1    |        |     |         | 0.053        | 0.1166      |
| 040    | 68811-93370 | O RING             | 2    |        |     |         | 0.002        | 0.0044      |
| 050    | 3A121-63830 | SEAL               | 1    |        |     |         | 0.004        | 0.0088      |
| 060    | 3A121-63840 | O RING             | 1    |        |     |         | 0.002        | 0.0044      |
| 070    | 3A121-63890 | U-RING             | 2    |        |     |         | 0.005        | 0.011       |
| 080    | 3A121-63860 | RING WIPER         | 2    |        |     |         | 0.015        | 0.033       |
| 090    | 3A121-63870 | RING BACK UP       | 2    |        |     |         | 0.004        | 0.0088      |






## HYDRAULIC PUMP [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 34070-33612 | HOLDER PUMP         | 1    |        |     |         | 0.375        | 0.825       |
| 020    | 35370-37820 | COLLAR              | 1    |        |     |         | 0.015        | 0.033       |
| 030    | 15471-95360 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.004        | 0.0088      |
| 040    | 08241-05205 | BEARING BALL        | 1    |        |     |         | 0.177        | 0.3894      |
| 050    | 04612-00250 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.002        | 0.0044      |
| 060    | 04811-10850 | O RING              | 1    |        |     |         | 0.002        | 0.0044      |
| 070    | 04811-10500 | O RING              | 1    | ≤73000 |     |         | 0.001        | 0.0022      |
| 070    | T1060-36620 | O RING              | 1    | ≥73001 | ←   |         | 0.001        | 0.0022      |
| 080    | 01754-50840 | BOLT FLANGE         | 2    |        |     |         | 0.02         | 0.044       |
| 090    | 01754-50820 | BOLT FLANGE         | 1    |        |     |         | 0.015        | 0.033       |
| 100    | 38240-36330 | STUD                | 1    |        |     |         | 0.008        | 0.0176      |
| 110    | 02156-50080 | NUT                 | 3    |        |     |         | 0.004        | 0.0088      |
| 120    | 04512-60080 | WASHER SPRING       | 2    |        |     |         | 0.002        | 0.0044      |
| 130    | 01513-60820 | STUD                | 1    |        |     |         | 0.015        | 0.033       |
| 140    | 01123-50835 | BOLT                | 1    |        |     |         | 0.02         | 0.044       |
| 150    | TA150-72720 | GEAR                | 1    |        |     | 15T     | 0.14         | 0.308       |
| 160    | TA150-72710 | GEAR                | 1    |        |     | 36T     | 0.47         | 1.034       |
| 170    | TA240-36400 | ASSY PUMP HYDRAULIC | 1    |        |     |         | 3.4          | 7.48        |






## HYDRAULIC PUMP [COMPONENT PARTS] [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-36400 | ASSY PUMP HYDRAULIC | 1    |       |     |         | 3.4          | 7.48        |
| 020    | 31391-76302 | COMP.GEAR HYD.PUMP  | 1    |       |     |         | 0.51         | 1.122       |
| 030    | 35080-76500 | COMP.GEAR HYD.PUMP  | 1    |       |     |         | 0.29         | 0.638       |
| 040    | 38180-76172 | SQUARE RING         | 8    |       |     |         | 0.002        | 0.0044      |
| 050    | 31381-76390 | SEAL OIL            | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 37410-76470 | COUPLING            | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 01754-51090 | BOLT FLANGE         | 4    |       |     |         | 0.05         | 0.11        |
| 080    | 04611-00300 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 05012-00612 | PIN STRAIGHT        | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 04810-50550 | O RING              | 2    |       |     |         | 0.002        | 0.0044      |
| 110    | 04811-00220 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 04817-00220 | O RING              | 2    |       | ←   |         | 0.005        | 0.011       |






# HYDRAULIC OIL LINE(INLET) [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-33212 | BRACKET FILTER       | 1    |       |     |         | 0.525        | 1.155       |
| 020    | 01774-61020 | BOLT FLANGE          | 2    |       |     |         | 0.022        | 0.0484      |
| 030    | T0070-37710 | CARTRIDGE OIL FILTER | 1    |       |     |         | 0.725        | 1.595       |
| 040    | TA240-56310 | PIPE INLET HST       | 1    |       |     |         | 0.43         | 0.946       |
| 050    | 04810-07230 | RING                 | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 04817-07230 | O RING               | 2    |       | ←   |         | 0            | 0           |
| 060    | 01754-50812 | BOLT FLANGE          | 1    |       |     |         | 0.01         | 0.022       |
| 070    | TA240-56320 | PIPE INLET HST       | 1    |       |     |         | 0.47         | 1.034       |
| 080    | 04810-07230 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-07230 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 090    | 01754-50816 | BOLT FLANGE          | 2    |       |     |         | 0.011        | 0.0242      |
| 100    | TA040-33340 | HOSE INLET           | 1    |       |     |         | 0.103        | 0.2266      |
| 110    | 31351-38180 | BAND PIPE            | 2    |       |     |         | 0.02         | 0.044       |




TA150-020-11



## HYDRAULIC OIL LINE(DELIVERY) [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-56362 | COMP.PIPE DELIVERY | 1    |       |     |         | 0.69         | 1.518       |
| 020    | 04810-00180 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00180 | O RING             | 1    |       | ←   |         | 0.003        | 0.0066      |
| 030    | 01123-50820 | BOLT               | 2    |       |     |         | 0.011        | 0.0242      |
| 040    | 66591-36250 | JOINT              | 1    |       |     |         | 0.08         | 0.176       |
| 050    | 67111-37180 | GASKET             | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 67401-36720 | GASKET             | 1    |       |     |         | 0.005        | 0.011       |
| 070    | TA250-56372 | COMP.PIPE DELIVERY | 1    |       |     |         | 0.555        | 1.221       |
| 080    | 04810-00180 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-00180 | O RING             | 1    |       | ←   |         | 0.003        | 0.0066      |
| 090    | 01123-50820 | BOLT               | 2    |       |     |         | 0.011        | 0.0242      |
| 100    | 66591-36250 | JOINT              | 1    |       |     |         | 0.08         | 0.176       |
| 110    | 67111-37180 | GASKET             | 1    |       |     |         | 0.003        | 0.0066      |
| 120    | 67401-36720 | GASKET             | 1    |       |     |         | 0.005        | 0.011       |




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA220-33510 | HOSE DELIVERY    | 1    | ≤70846 |     |         | 0.435        | 0.957       |
| 010    | TA250-33510 | HOSE DELIVERY    | 1    | ≥70847 | ←   |         | 0.465        | 1.023       |
| 020    | 66591-36250 | JOINT            | 1    |        |     |         | 0.08         | 0.176       |
| 030    | 67111-37180 | GASKET           | 2    |        |     |         | 0.003        | 0.0066      |
| 040    | TA150-33520 | HOSE DELIVERY    | 2    | ≤70015 |     |         | 0            | 0           |
| 040    | TA150-33523 | HOSE DELIVERY    | 2    | ≥70016 | ←   |         | 0.23         | 0.506       |
| 050    | 56713-28130 | ADAPTER CYLINDER | 2    |        |     |         | 0.052        | 0.1144      |
| 060    | TA040-33300 | HOLDER HOSE      | 1    |        |     |         | 0.027        | 0.0594      |
| 070    | 01123-60814 | BOLT             | 1    | ≤72760 |     |         | 0.008        | 0.0176      |
| 070    | 01123-50816 | BOLT             | 1    | ≥72761 | ←   |         | 0.011        | 0.0242      |
| 080    | 55311-41260 | BAND CORD        | 1    |        |     |         | 0.007        | 0.0154      |
| 090    | TA240-33530 | ASSY HOSE RETURN | 1    | ≤60009 |     |         | 0.235        | 0.517       |
| 090    | TA240-33533 | ASSY HOSE RETURN | 1    | ≥70001 | ←   |         | 0.235        | 0.517       |
| 100    | 15109-73360 | BAND PIPE        | 2    |        |     |         | 0.01         | 0.022       |
| 110    | 31351-45330 | SPRING PROTECTOR | 1    |        |     |         | 0.055        | 0.121       |
| 120    | 34030-33530 | ASSY HOSE RETURN | 1    |        |     |         | 0.29         | 0.638       |
| 130    | 15109-73360 | BAND PIPE        | 2    |        |     |         | 0.01         | 0.022       |
| 140    | 31351-45330 | SPRING PROTECTOR | 1    |        |     |         | 0.055        | 0.121       |
| 150    | TA240-33550 | PIPE             | 1    |        |     |         | 0.04         | 0.088       |
| 160    | TA240-36910 | JOINT            | 1    |        |     |         | 0.06         | 0.132       |




190 TA250-5646-0



TA150-803-10


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA250-37500 | ASSY BLOCK FRONT HYD | 1    |        |     |         | 1.535        | 3.377       |
| 020    | TA040-37520 | SPOOL                | 1    |        |     |         | 0.067        | 0.1474      |
| 030    | 04810-06100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 030    | 04817-06100 | O RING               | 2    |        |     |         | 0            | 0           |
| 040    | 04612-00140 | CIR CLIP EXTERNAL    | 1    |        | ←   |         | 0.001        | 0.0022      |
| 050    | 05411-00320 | PIN SPRING           | 1    |        |     |         | 0.001        | 0.0022      |
| 060    | 05411-00310 | PIN SPRING           | 2    |        |     |         | 0.001        | 0.0022      |
| 070    | 06312-10030 | PLUG                 | 3    |        |     |         | 0.029        | 0.0638      |
| 080    | 31351-37910 | PLUG                 | 1    |        |     |         | 0.06         | 0.132       |
| 090    | 31351-37920 | SPRING RELIEF        | 1    |        |     |         | 0.02         | 0.044       |
| 100    | 31351-37930 | SEAT RELIEF VALVE    | 1    |        |     |         | 0.02         | 0.044       |
| 110    | 31351-37940 | POPPET               | 1    |        |     |         | 0.005        | 0.011       |
| 120    | 31351-37950 | SHIM                 | 5    |        |     | 0.4mm   | 0.001        | 0.0022      |
| 120    | 31351-37960 | SHIM                 | 2    |        |     | 0.2mm   | 0.001        | 0.0022      |
| 120    | 31351-37970 | SHIM                 | 2    |        |     | 0.1mm   | 0.001        | 0.0022      |
| 130    | 04013-60050 | WASHER PLAIN         | 2    |        |     |         | 0.001        | 0.0022      |
| 140    | 04811-10160 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 150    | TA040-37590 | CUSHION              | 2    |        |     |         | 0.006        | 0.0132      |
| 160    | 01123-50828 | BOLT                 | 2    |        |     |         | 0.014        | 0.0308      |
| 170    | TA040-37600 | COLLAR               | 2    |        |     |         | 0.009        | 0.0198      |
| 180    | 04015-60080 | WASHER PLAIN         | 2    |        |     |         | 0.01         | 0.022       |
| 190    | TA250-56460 | PIPE RETURN          | 1    | ≤70846 |     |         | 0            | 0           |
| 190    | TA250-56462 | PIPE RETURN          | 1    | ≥70847 | ←   |         | 0.48         | 1.056       |
| 200    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 210    | 06015-51533 | JOINT                | 1    |        |     |         | 0            | 0           |
| 220    | TA240-55210 | BRACKET HYD.BLOCK    | 1    |        |     |         | 0.94         | 2.068       |
| 230    | 06012-51533 | JOINT PIPE           | 1    |        |     |         | 0.066        | 0.1452      |
| 240    | 04811-00140 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 240    | 04817-00140 | O RING               | 2    |        | ←   |         | 0            | 0           |




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

|     |             |            |   |  |  |  |       |     |
|-----|-------------|------------|---|--|--|--|-------|-----|
| 030 | 54516-36560 | FILTER     | 1 |  |  |  | 0.21  | 0.4 |
| 040 | 04810-00220 | O RING     | 2 |  |  |  | 0.001 | 0.0 |
| 040 | 04817-00220 | O RING     | 2 |  |  |  | 0.005 | 0.0 |
| 050 | 67810-37710 | BOLT JOINT | 1 |  |  |  | 0.1   | 0.2 |
| 060 | 58700-11530 | ADAPTER    | 1 |  |  |  | 0.063 | 0.1 |
| 070 | TA240-59900 | FILTER OIL | 1 |  |  |  | 0.955 | 2.1 |




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-55370 | COOLER OIL           | 1    |        |     |         | 0.72         | 1.584       |
| 020    | 01153-50814 | BOLT                 | 2    |        |     |         | 0.009        | 0.0198      |
| 030    | 02114-50080 | NUT                  | 2    |        |     |         | 0.005        | 0.011       |
| 040    | 04512-60080 | WASHER SPRING        | 2    |        |     |         | 0.002        | 0.0044      |
| 050    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 060    | TA240-21113 | COMP.PIPE OIL COOLER | 1    | ≤70846 |     |         | 0.78         | 1.716       |
| 060    | TA240-21115 | COMP.PIPE OIL COOLER | 1    | ≥70847 | ←   |         | 0.78         | 1.716       |
| 070    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 080    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 090    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 100    | 34550-33290 | TUBE                 | 1    |        |     |         | 0.01         | 0.022       |
| 110    | 06015-51543 | JOINT                | 1    |        |     |         | 0.15         | 0.33        |
| 120    | 04811-00180 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 120    | 04817-00180 | O RING               | 1    |        | ←   |         | 0.003        | 0.0066      |
| 130    | TA240-21150 | HOSE OIL COOLER      | 2    |        |     |         | 0.08         | 0.176       |
| 140    | 66204-36280 | BAND PIPE            | 2    |        |     |         | 0.02         | 0.044       |
| 150    | TA240-21133 | COMP.PIPE OIL COOLER | 1    | ≤70846 |     |         | 0.415        | 0.913       |
| 150    | TA240-21135 | COMP.PIPE OIL COOLER | 1    | ≥70847 | ←   |         | 0.78         | 1.716       |
| 160    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 170    | 34550-33290 | TUBE                 | 1    |        |     |         | 0.01         | 0.022       |
| 180    | 3A011-82930 | JOINT PIPE           | 1    |        |     |         | 0.09         | 0.198       |
| 190    | 04810-00180 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 190    | 04817-00180 | O RING               | 1    |        | ←   |         | 0.003        | 0.0066      |
| 200    | 66204-36280 | BAND PIPE            | 2    |        |     |         | 0.02         | 0.044       |
| 210    | TA240-55473 | HOLDER OIL COOLER    | 1    |        |     |         | 0.033        | 0.0726      |
| 220    | 01754-50630 | BOLT FLANGE          | 1    |        |     |         | 0.01         | 0.022       |
| 230    | TA240-21910 | HOLDER OIL COOLER    | 1    |        |     |         | 0.05         | 0.11        |
| 240    | TA240-21920 | HOLDER OIL COOLER    | 1    |        |     |         | 0.059        | 0.1298      |
| 250    | 01123-50840 | BOLT                 | 1    |        |     |         | 0.018        | 0.0396      |
| 260    | 31351-34320 | RUBBER PROTECTOR     | 2    |        |     |         | 0.003        | 0.0066      |




010 TA150-3411-0

010



010 TA040-3411-4


010



010 TA150-9935-0

010 TA150-9935-3

010



010 { A  
040  
FIG. No. H320  
090 • 100


TA150-801-11



## HYDRAULIC CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------|--------------|-------------|
| 010    | TA150-34110 | CASE HYD.CYLINDER    | 1    | ≤60009 |     | NOT SALE  | 0            | 0           |
| 010    | TA040-34114 | CASE HYD.CYLINDER    | 1    | ≥70001 | ≠   | NOT SALE  | 21.3         | 46.86       |
| 010    | TA150-99350 | ASSY CASE HYD.CYLIN. | 1    | ≥70847 | ←   |           | 0            | 0           |
| 010    | TA150-99353 | ASSY CASE CYLINDER   | 1    | ≥72027 | ←   |           | 0            | 0           |
| 010    | TC050-99360 | ASSY CASE CYLINDER   | 1    | ≥73629 | ←   |           | 0            | 0           |
| 020    | 37150-36730 | PLUG                 | 1    |        |     |           | 0.03         | 0.066       |
| 030    | 37150-36720 | GASKET               | 1    |        |     |           | 0.01         | 0.022       |
| 040    | 31351-37150 | PLUG                 | 2    |        |     |           | 0.007        | 0.0154      |
| 050    | 36200-21610 | BREATHER             | 1    |        |     |           | 0.008        | 0.0176      |
| 060    | 31351-37140 | BREATHER             | 1    |        |     |           | 0.01         | 0.022       |
| 070    | 38240-21410 | PLUG                 | 1    |        |     |           | 0.015        | 0.033       |
| 080    | 04811-50300 | O RING               | 1    |        |     |           | 0.001        | 0.0022      |
| 080    | 04817-50300 | O RING               | 1    |        | ←   |           | 0.001        | 0.0022      |
| 085    | TA150-37120 | GASKET               | 1    |        |     |           | 0.1          | 0.22        |
| 090    | 01574-51245 | STUD                 | 1    |        |     |           | 0.051        | 0.1122      |
| 100    | 01574-51245 | STUD                 | 1    |        |     |           | 0.051        | 0.1122      |
| 110    | 01133-51245 | BOLT                 | 4    |        |     |           | 0.055        | 0.121       |
| 120    | 02176-50120 | NUT                  | 2    |        |     |           | 0.01         | 0.022       |
| 130    | 04512-60120 | WASHER SPRING        | 2    |        |     |           | 0.005        | 0.011       |
| 140    | 01133-51260 | BOLT                 | 2    |        |     |           | 0.06         | 0.132       |
| 150    | 01133-51255 | BOLT                 | 2    |        |     |           | 0.08         | 0.176       |
| 160    | 66591-51130 | PLUG                 | 2    |        |     | W/O DRAFT | 0.001        | 0.0022      |
| 170    | TA040-36620 | ASSY COVER CYLINDER  | 1    |        |     |           | 0.3          | 0.66        |
| 180    | 31351-37150 | PLUG                 | 1    |        |     |           | 0.007        | 0.0154      |
| 190    | 04810-00140 | O RING               | 1    |        |     |           | 0.001        | 0.0022      |
| 190    | 04817-00140 | O RING               | 1    |        | ←   |           | 0            | 0           |
| 200    | 04810-00100 | O RING               | 2    |        |     |           | 0.001        | 0.0022      |
| 200    | 04817-00100 | O RING               | 2    |        | ←   |           | 0            | 0           |
| 210    | 01123-50835 | BOLT                 | 3    |        |     |           | 0.02         | 0.044       |
| 220    | TA040-36650 | PLUG                 | 1    |        |     |           | 0.005        | 0.011       |
| 230    | 13816-67580 | CLAMP CORD           | 1    |        |     |           | 0.004        | 0.0088      |



TA040-111-12


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS                      | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|------------------------------|--------------|-------------|
| 010    | 34070-34213 | PISTON HYD.        | 1    | ≤71688 |     |                              | 0            | 0           |
| 010    | 34070-34214 | PISTON HYD.        | 1    | ≥71689 | ←   |                              | 0            | 0           |
| 020    | 04810-00800 | O RING             | 1    |        |     |                              | 0.009        | 0.0198      |
| 030    | 31391-37330 | RING BACK UP       | 1    |        |     |                              | 0.005        | 0.011       |
| 040    | 31351-37320 | ROD HYD.           | 1    |        |     |                              | 0.605        | 1.331       |
| 050    | 04810-00240 | O RING             | 1    |        |     |                              | 0.001        | 0.0022      |
| 050    | 04817-00240 | O RING             | 1    |        | ←   |                              | 0            | 0           |
| 060    | 05411-00656 | PIN SPRING         | 1    |        |     |                              | 0.006        | 0.0132      |
| 065    | TA150-37420 | ASSY SHAFT HYD.ARM | 1    | ≥72558 |     |                              | 2.3          | 5.06        |
| 070    | TA150-37430 | SHAFT HYD.ARM      | 1    | ≤72557 |     |                              | 2.2          | 4.84        |
| 070    | TA150-37434 | SHAFT HYD.ARM      | 1    | ≥72558 | ≠   | NOT SALE ORDER BY REF.No.065 | 0            | 0           |
| 080    | TA040-34232 | ARM HYDRAULIC      | 1    | ≤72399 |     | NOT SALE                     | 1.94         | 4.268       |
| 080    | TA040-34234 | ARM HYDRAULIC      | 1    | ≥72400 | ←   |                              | 0            | 0           |
| 090    | 30400-37450 | BUSH               | 1    |        |     |                              | 0.09         | 0.198       |
| 100    | 30400-37460 | BUSH               | 1    |        |     |                              | 0.065        | 0.143       |
| 110    | 34150-37490 | COLLAR             | 1    |        |     |                              | 0.002        | 0.0044      |
| 120    | 34150-37480 | COLLAR             | 1    |        |     |                              | 0.005        | 0.011       |
| 130    | 04811-06400 | O RING             | 1    |        |     |                              | 0.001        | 0.0022      |
| 130    | 04817-06400 | O RING             | 1    |        | ←   |                              | 0            | 0           |
| 140    | 04811-50450 | O RING             | 1    |        |     |                              | 0.002        | 0.0044      |
| 140    | 04817-50450 | O RING             | 1    |        | ←   |                              | 0            | 0           |
| 150    | TA040-34610 | ARM LIFT           | 2    |        |     |                              | 2.22         | 4.884       |
| 160    | 04612-00400 | CIR CLIP EXTERNAL  | 1    |        |     |                              | 0.005        | 0.011       |
| 170    | T0070-36010 | LINK CONTROL       | 1    | ≤72557 |     |                              | 0.07         | 0.154       |
| 170    | TA150-37720 | LINK CONTROL       | 1    | ≥72558 | ≠   |                              | 0.035        | 0.077       |
| 180    | 01754-50812 | BOLT FLANGE        | 2    |        |     |                              | 0.01         | 0.022       |
| 190    | 30442-37690 | PIN LIFT ROD       | 2    |        |     |                              | 0.205        | 0.451       |
| 200    | 04011-50180 | WASHER PLAIN       | 2    |        |     |                              | 0.012        | 0.0264      |
| 210    | 04512-60160 | WASHER SPRING      | 2    |        |     |                              | 0.01         | 0.022       |
| 220    | 02174-50160 | NUT                | 2    |        |     |                              | 0.022        | 0.0484      |
| 230    | 34150-37640 | PIN SET            | 2    |        |     |                              | 0.06         | 0.132       |



060 31351-3765-0


090 01123-60816




TA049-870-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67531-38280 | JOINT SPOOL       | 1    |        |     |         | 0.17         | 0.374       |
| 020    | 37150-36420 | JOINT SPOOL       | 1    |        |     |         | 0.02         | 0.044       |
| 030    | 02112-50080 | NUT               | 1    |        |     |         | 0.003        | 0.0066      |
| 040    | 04613-50060 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 31351-37640 | LEVER SPOOL DRIVE | 1    |        |     |         | 0.05         | 0.11        |
| 060    | 31351-37650 | ARM CONTROL       | 1    | ≤71692 |     |         | 0.16         | 0.352       |
| 060    | TA140-37650 | ARM CONTROL       | 1    | ≥71693 | ≠   |         | 0            | 0           |
| 070    | 04811-00140 | O RING            | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING            | 1    |        | ←   |         | 0            | 0           |
| 080    | 31351-37660 | SET PLATE         | 1    | ≤71692 |     |         | 0.01         | 0.022       |
| 080    | 31351-37660 | SET PLATE         | 2    | ≥71693 |     |         | 0.01         | 0.022       |
| 090    | 01123-50816 | BOLT              | 1    | ≤71692 |     |         | 0.011        | 0.0242      |
| 090    | 01123-50830 | BOLT              | 1    | ≥71693 | ≠   |         | 0.015        | 0.033       |
| 100    | 04013-60140 | WASHER PLAIN      | 2    |        |     |         | 0.01         | 0.022       |
| 110    | 34260-36880 | SPRING PLATE      | 2    |        |     |         | 0.006        | 0.0132      |
| 120    | 02174-50140 | NUT               | 1    |        |     |         | 0.014        | 0.0308      |
| 130    | 02172-50140 | NUT               | 1    |        |     |         | 0.01         | 0.022       |
| 140    | 31351-37750 | SHAFT BACK LEVER  | 1    |        |     |         | 0.1          | 0.22        |
| 150    | 04811-00120 | O RING            | 1    |        |     |         | 0.001        | 0.0022      |
| 150    | 04816-00120 | O RING            | 1    |        | ←   |         | 0.001        | 0.0022      |
| 160    | 38240-36890 | SET PLATE         | 1    |        |     |         | 0.013        | 0.0286      |
| 170    | 01123-50816 | BOLT              | 1    |        |     |         | 0.011        | 0.0242      |
| 180    | 31351-37760 | LEVER FEED BACK   | 1    |        |     |         | 0.08         | 0.176       |
| 190    | 05411-00525 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 200    | 31321-37770 | ROD FEED BACK     | 1    |        |     |         | 0.12         | 0.264       |
| 210    | 31351-37780 | ROD CONTROL       | 1    |        |     |         | 0.03         | 0.066       |
| 220    | 02114-50080 | NUT               | 2    |        |     |         | 0.005        | 0.011       |
| 230    | 04013-60080 | WASHER PLAIN      | 1    |        |     |         | 0.002        | 0.0044      |
| 240    | 05511-50218 | PIN SPLIT         | 1    |        |     |         | 0.001        | 0.0022      |
| 250    | 04013-60080 | WASHER PLAIN      | 1    |        |     |         | 0.002        | 0.0044      |
| 260    | 05511-50215 | PIN SPLIT         | 1    |        |     |         | 0.001        | 0.0022      |
| 270    | TA040-99800 | ASSY JOINT        | 1    |        |     | OPTION  | 0.019        | 0.0418      |
| 280    | TA140-36900 | SPACER            | 1    | ≥71693 |     |         | 0            | 0           |
| 290    | 05411-00528 | PIN SPRING        | 1    | ≥71693 |     |         | 0.003        | 0.0066      |
| 300    | TA140-36920 | PLATE FRICTION    | 1    | ≥71693 |     |         | 0            | 0           |
| 310    | TA140-36930 | SPACER            | 1    | ≥71693 |     |         | 0            | 0           |



160 31351-3960-3




TA040-918-10



## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-34500 | ASSY VALVE         | 1    |        |     |         | 0.215        | 0.473       |
| 015    | 31351-37210 | COVER CYL.FRONT    | 1    |        |     |         | 0.315        | 0.693       |
| 020    | 04810-00220 | O RING             | 1    |        |     |         | 0.001        | 0.0022      |
| 020    | 04817-00220 | O RING             | 1    |        | ←   |         | 0.005        | 0.011       |
| 030    | 04810-06250 | O RING             | 1    |        |     |         | 0.001        | 0.0022      |
| 030    | 04817-06250 | O RING             | 1    |        | ←   |         | 0            | 0           |
| 040    | 38240-37250 | COLLAR ADJUSTING   | 1    |        |     |         | 0.01         | 0.022       |
| 050    | 04611-00160 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.001        | 0.0022      |
| 060    | T0070-34510 | SHAFT              | 1    |        |     |         | 0.04         | 0.088       |
| 070    | TA040-34570 | PIPE               | 1    |        |     |         | 0.035        | 0.077       |
| 080    | 05411-00414 | PIN SPRING         | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 05511-50425 | PIN SPLIT          | 1    |        |     |         | 0.003        | 0.0066      |
| 100    | 04810-00100 | O RING             | 2    |        |     |         | 0.001        | 0.0022      |
| 100    | 04817-00100 | O RING             | 2    |        | ←   |         | 0            | 0           |
| 110    | T0070-34560 | GRIP               | 1    |        |     |         | 0.011        | 0.0242      |
| 120    | 34150-37260 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.001        | 0.0022      |
| 130    | 04012-50080 | WASHER PLAIN       | 2    |        |     |         | 0.001        | 0.0022      |
| 140    | 30812-37360 | SPRING             | 1    |        |     |         | 0.005        | 0.011       |
| 150    | 01123-50825 | BOLT               | 2    |        |     |         | 0.013        | 0.0286      |
| 160    | 31351-39603 | ASSY VALVE CONTROL | 1    | ≤71974 |     |         | 0            | 0           |
| 160    | 31351-39604 | ASSY VALVE CONTROL | 1    | ≥71975 | ←   |         | 0            | 0           |
| 170    | 99999-99999 | BLANK              | 0    |        |     |         | 0            | 0           |
| 180    | TA040-36400 | BOLT               | 3    |        |     |         | 0.02         | 0.044       |
| 190    | 04810-00120 | O RING             | 2    |        |     |         | 0.001        | 0.0022      |
| 190    | 04817-00120 | O RING             | 2    |        | ←   |         | 0            | 0           |
| 200    | 31351-39700 | ASSY BOLT C/V      | 1    | ≤71974 |     |         | 0            | 0           |
| 200    | 31351-39702 | ASSY BOLT C/V      | 1    | ≥71975 | ←   |         | 0            | 0           |
| 210    | TC050-39000 | ASSY VALVE SAFETY  | 1    | ≥73629 |     |         | 0            | 0           |
| 220    | 04810-00160 | O RING             | 1    | ≥73629 |     |         | 0.001        | 0.0022      |
| 220    | 04817-00160 | O RING             | 1    |        | ←   |         | 0            | 0           |
| 230    | 04815-06280 | O RING             | 1    | ≥73629 |     |         | 0.001        | 0.0022      |
| 230    | 04817-06280 | O RING             | 1    |        | ←   |         | 0.002        | 0.0044      |
| 240    | 33770-94040 | RING BACK UP       | 1    | ≥73629 |     |         | 0.002        | 0.0044      |






CONTROL VALVE [COMPONENT PARTS] [OLD TYPE]  
S.No.;<=71974

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-39603 | ASSY VALVE CONTROL | 1    |       |     |         | 0            | 0           |
| 020    | 31351-39630 | SPRING SPOOL       | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 31351-39640 | HOLDER SPRING      | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 01311-10814 | BOLT HEX-SOC-HD    | 1    |       |     |         | 0.012        | 0.0264      |
| 050    | 31351-39650 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 060    | 31351-39150 | POPPET             | 1    |       |     |         | 0.02         | 0.044       |
| 070    | 67531-38470 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-00140 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 31351-39660 | PLATE              | 1    |       |     |         | 0.05         | 0.11        |
| 100    | 31351-39670 | POPPET             | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 31351-39680 | SPRING             | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 04811-00160 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 01023-50614 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 31351-39690 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 150    | 31391-39180 | POPPET             | 1    |       |     |         | 0.015        | 0.033       |
| 160    | 31391-39190 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 04810-00090 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 31351-39720 | PIN FULCRUM        | 1    |       |     |         | 0.025        | 0.055       |
| 190    | 04811-00080 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 31351-39730 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 210    | 31351-39180 | POPPET             | 1    |       |     |         | 0.025        | 0.055       |
| 220    | 31351-39190 | SPRING             | 1    |       |     |         | 0.008        | 0.0176      |
| 230    | 04810-06100 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 04811-00050 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 31351-39290 | RING BACK UP       | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 31351-39740 | RETAINER ROD       | 1    |       |     |         | 0.005        | 0.011       |
| 270    | 31351-39750 | PLATE JOINT        | 1    |       |     |         | 0.05         | 0.11        |
| 280    | 02156-50080 | NUT                | 2    |       |     |         | 0.004        | 0.0088      |
| 290    | 04111-50080 | WASHER             | 2    |       |     |         | 0.001        | 0.0022      |
| 300    | 03650-50816 | SCREW SET          | 1    |       |     |         | 0.01         | 0.022       |







CONTROL VALVE [COMPONENT PARTS] [NEW TYPE]  
S.No.;>=71975

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-39604 | ASSY VALVE CONTROL | 1    |       |     |         | 0            | 0           |
| 020    | 31351-39630 | SPRING SPOOL       | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 31351-39640 | HOLDER SPRING      | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 01311-10814 | BOLT HEX-SOC-HD    | 1    |       |     |         | 0.012        | 0.0264      |
| 050    | 31351-39650 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 060    | 31351-39150 | POPPET             | 1    |       |     |         | 0.02         | 0.044       |
| 070    | 67531-38470 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-00140 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-00140 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 090    | 31351-39660 | PLATE              | 1    |       |     |         | 0.05         | 0.11        |
| 100    | 31351-39670 | POPPET             | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 31351-39680 | SPRING             | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 04811-00160 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 04817-00160 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 130    | 01023-50616 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 06331-35010 | PLUG               | 1    |       |     |         | 0.012        | 0.0264      |
| 150    | T0430-37600 | SLEEVE             | 1    |       |     |         | 0            | 0           |
| 160    | T0430-37580 | POPPET             | 1    |       |     |         | 0            | 0           |
| 170    | 31391-39190 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | T0430-37530 | SEAT CHECK VALVE   | 1    |       |     |         | 0            | 0           |
| 190    | 31351-37670 | PLUG               | 1    |       |     |         | 0            | 0           |
| 200    | 04811-00120 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 04817-00120 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 210    | 31351-37620 | PLUG               | 1    |       |     |         | 0            | 0           |
| 220    | T0430-37610 | POPPET             | 1    |       |     |         | 0            | 0           |
| 230    | T0430-37620 | SPRING             | 1    |       |     |         | 0            | 0           |
| 240    | 04811-05120 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 04817-05120 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 250    | 04811-05110 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 04817-05110 | O RING             | 1    |       | ←   |         | 0.005        | 0.011       |
| 260    | 04811-00050 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 04816-00050 | O RING             | 1    |       | ←   |         | 0.001        | 0.0022      |
| 270    | 31351-39290 | RING BACK UP       | 1    |       |     |         | 0.001        | 0.0022      |
| 280    | T0430-37640 | WASHER PLAIN       | 1    |       |     |         | 0            | 0           |
| 290    | 04613-50060 | CIR CLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 300    | 31351-39750 | PLATE JOINT        | 1    |       |     |         | 0.05         | 0.11        |
| 310    | 02014-50060 | NUT                | 1    |       |     |         | 0.003        | 0.0066      |
| 320    | 02114-50080 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 330    | 03650-50622 | SCREW SET          | 1    |       |     |         | 0.004        | 0.0088      |



100 01125-60816




TA140-865-10



**POSITION CONTROL LEVER [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------|--------------|-------------|
| 010    | TA040-36110 | LEVER POSITION       | 1    | ≤71962 |     | W/O DRAFT | 0.276        | 0.6072      |
| 010    | TA140-36110 | LEVER POSITION       | 1    | ≥71963 | ≠   | W/O DRAFT | 0            | 0           |
| 020    | 05411-00525 | PIN SPRING           | 1    |        |     | W/O DRAFT | 0.002        | 0.0044      |
| 030    | TA040-36120 | LEVER POSITION       | 1    |        |     | W/O DRAFT | 0.21         | 0.462       |
| 040    | TA040-36132 | TUBE LEVER           | 1    |        |     | W/O DRAFT | 0.01         | 0.022       |
| 050    | 01754-50616 | BOLT FLANGE          | 2    |        |     | W/O DRAFT | 0.006        | 0.0132      |
| 060    | 52300-32640 | GRIP LEVER           | 1    |        |     | W/O DRAFT | 0.04         | 0.088       |
| 070    | TA140-47610 | ASSY GUIDE HYD.LEVER | 1    |        |     |           | 0.91         | 2.002       |
| 075    | 01754-50816 | BOLT FLANGE          | 2    |        |     |           | 0.011        | 0.0242      |
| 080    | 01754-50812 | BOLT FLANGE          | 5    |        |     |           | 0.01         | 0.022       |
| 090    | 34070-36130 | STOPPER              | 1    |        |     |           | 0.015        | 0.033       |
| 100    | 01125-60816 | BOLT                 | 1    | ≤73000 |     |           | 0.01         | 0.022       |
| 100    | 01123-50816 | BOLT                 | 1    | ≥73001 | ←   |           | 0.011        | 0.0242      |
| 105    | 02751-50080 | NUT FLANGE           | 1    |        |     |           | 0.006        | 0.0132      |
| 110    | 34070-36140 | STOPPER              | 1    |        |     |           | 0            | 0           |
| 120    | 01820-50620 | BOLT KNOB            | 1    |        |     |           | 0.015        | 0.033       |
| 130    | 04512-60060 | WASHER SPRING        | 1    |        |     |           | 0.001        | 0.0022      |
| 140    | 31351-18860 | WASHER               | 1    |        |     |           | 0.002        | 0.0044      |




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35080-71100 | ASSY LINK TOP  | 1    |       |     |         | 3.6          | 7.92        |
| 020    | 35340-71113 | LINK TOP       | 1    |       |     |         | 1.265        | 2.783       |
| 030    | 67211-42940 | NIPPLE GREASE  | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 35340-71210 | JOINT TOP LINK | 1    |       |     |         | 1.06         | 2.332       |
| 050    | 35340-71220 | JOINT TOP LINK | 1    |       |     |         | 1.06         | 2.332       |
| 060    | 32244-71180 | NUT TOP LINK   | 1    |       |     |         | 0.057        | 0.1254      |
| 070    | 05411-00430 | PIN SPRING     | 2    |       |     |         | 0.002        | 0.0044      |
| 080    | 31150-71360 | PIN JOINT      | 2    |       |     |         | 0.166        | 0.3652      |
| 090    | 34150-37640 | PIN SET        | 2    |       |     |         | 0.06         | 0.132       |




010 TA140-7131-2



110 TA140-3981-0

120 04013-50120

130 67516-3434-0




TA150-809-10



3-POINT LINKAGE 1(LOWER LINK) [OLD TYPE]  
S.No.;<=72663

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-71312 | COMP.LINK LOWER     | 2    | <=72557 |     |         | 0            | 0           |
| 010    | TA140-71313 | COMP.LINK LOWER     | 2    | >=72558 | ←   |         | 0            | 0           |
| 020    | 34150-37640 | PIN SET             | 2    |         |     |         | 0.06         | 0.132       |
| 030    | TA140-39600 | ASSY STABILIZER     | 2    | <=69999 |     |         | 0            | 0           |
| 030    | TA140-39604 | ASSY STABILIZER     | 2    | >=70001 | ←   |         | 2.85         | 6.27        |
| 040    | TA140-39610 | COMP.STAB.FRONT     | 2    |         |     |         | 1.17         | 2.574       |
| 050    | TA140-39620 | COMP.STAB.BEAR      | 2    |         |     |         | 0.895        | 1.969       |
| 060    | TA140-39630 | COMP.JOINT          | 2    |         |     |         | 0.23         | 0.506       |
| 070    | TA140-39643 | COMP.JOINT          | 2    |         |     |         | 0.48         | 1.056       |
| 080    | 05122-51265 | PIN JOINT           | 2    | <=69999 |     |         | 0.06         | 0.132       |
| 080    | TA140-39820 | PIN STABILIZER REAR | 2    | >=70001 | ←   |         | 0.064        | 0.1408      |
| 090    | 05511-50428 | PIN SPLIT           | 2    |         |     |         | 0.004        | 0.0088      |
| 100    | 04011-50120 | WASHER PLAIN        | 2    |         |     |         | 0.005        | 0.011       |
| 110    | TA140-39810 | PIN STABILIZER      | 2    | <=70015 |     |         | 0            | 0           |
| 110    | TA140-39850 | BOLT STABILIZER     | 2    | >=70016 | ←   |         | 0.06         | 0.132       |
| 120    | 04013-60120 | WASHER PLAIN        | 2    | <=70015 |     |         | 0.01         | 0.022       |
| 130    | 67156-34340 | RING SNAP           | 2    | <=70015 |     |         | 0.01         | 0.022       |
| 130    | 02576-50120 | NUT LOCK            | 2    | >=70016 | ≠   |         | 0.011        | 0.0242      |
| 140    | TA140-39820 | PIN STABILIZER REAR | 2    |         |     |         | 0.064        | 0.1408      |
| 150    | 04011-50120 | WASHER PLAIN        | 4    |         |     |         | 0.005        | 0.011       |
| 160    | 05511-50425 | PIN SPLIT           | 2    |         |     |         | 0.003        | 0.0066      |
| 170    | 05515-61200 | PIN SNAP            | 2    |         |     |         | 0.005        | 0.011       |




**3-POINT LINKAGE 1 (LOWER LINK) [NEW TYPE]**

S.No.;&gt;=72664

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-71360 | COMP.LINK LOWER LH  | 1    |         |     |         | 7.3          | 16.06       |
| 020    | TA140-71350 | BRACKET             | 1    |         |     |         | 0.65         | 1.43        |
| 030    | 04512-60160 | WASHER SPRING       | 1    |         |     |         | 0.01         | 0.022       |
| 040    | 02074-50160 | NUT                 | 1    |         |     |         | 0.029        | 0.0638      |
| 050    | TA140-71380 | LINK LOWER REAR LH  | 1    |         |     |         | 1.85         | 4.07        |
| 060    | 05122-50645 | PIN JOINT           | 1    |         |     |         | 0.01         | 0.022       |
| 070    | 05511-51615 | PIN SPLIT           | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | TA140-71400 | PIN                 | 1    |         |     |         | 0.085        | 0.187       |
| 090    | 05511-50530 | PIN SPLIT           | 1    |         |     |         | 0.006        | 0.0132      |
| 100    | TA140-71410 | LEVER               | 1    |         |     |         | 0.34         | 0.748       |
| 110    | 33660-92170 | SPRING              | 1    |         |     |         | 0.02         | 0.044       |
| 120    | TA140-71370 | COMP.LINK LOWER RH  | 1    |         |     |         | 7.3          | 16.06       |
| 130    | TA140-71350 | BRACKET             | 1    |         |     |         | 0.65         | 1.43        |
| 140    | 04512-60160 | WASHER SPRING       | 1    |         |     |         | 0.01         | 0.022       |
| 150    | 02074-50160 | NUT                 | 1    |         |     |         | 0.029        | 0.0638      |
| 160    | TA140-71390 | LINK LOWER REAR RH  | 1    |         |     |         | 1.85         | 4.07        |
| 170    | 05122-50645 | PIN JOINT           | 1    |         |     |         | 0.01         | 0.022       |
| 180    | 05511-51615 | PIN SPLIT           | 1    |         |     |         | 0.001        | 0.0022      |
| 190    | TA140-71400 | PIN                 | 1    |         |     |         | 0.085        | 0.187       |
| 200    | 05511-50530 | PIN SPLIT           | 1    |         |     |         | 0.006        | 0.0132      |
| 210    | TA140-71410 | LEVER               | 1    |         |     |         | 0.34         | 0.748       |
| 220    | 33660-92170 | SPRING              | 1    |         |     |         | 0.02         | 0.044       |
| 230    | 34150-37640 | PIN SET             | 2    |         |     |         | 0.06         | 0.132       |
| 240    | TA140-39604 | ASSY STABILIZER     | 2    |         |     |         | 2.85         | 6.27        |
| 250    | TA140-39610 | COMP.STAB.FRONT     | 2    |         |     |         | 1.17         | 2.574       |
| 260    | TA140-39620 | COMP.STAB.BEAR      | 2    |         |     |         | 0.895        | 1.969       |
| 270    | TA140-39630 | COMP.JOINT          | 2    |         |     |         | 0.23         | 0.506       |
| 280    | TA140-39643 | COMP.JOINT          | 2    |         |     |         | 0.48         | 1.056       |
| 290    | TA140-39820 | PIN STABILIZER REAR | 2    |         |     |         | 0.064        | 0.1408      |
| 300    | 05511-50428 | PIN SPLIT           | 2    |         |     |         | 0.004        | 0.0088      |
| 310    | 04011-50120 | WASHER PLAIN        | 2    |         |     |         | 0.005        | 0.011       |
| 320    | TA140-39850 | BOLT STABILIZER     | 2    |         |     |         | 0.06         | 0.132       |
| 330    | 02576-50120 | NUT LOCK            | 2    | <=73371 |     |         | 0.011        | 0.0242      |
| 330    | 02572-50120 | NUT SELF-LOCKING    | 2    | >=73372 | ←   |         | 0.014        | 0.0308      |
| 340    | TA140-39820 | PIN STABILIZER REAR | 2    |         |     |         | 0.064        | 0.1408      |
| 350    | 04011-50120 | WASHER PLAIN        | 4    |         |     |         | 0.005        | 0.011       |
| 360    | 05511-50425 | PIN SPLIT           | 2    |         |     |         | 0.003        | 0.0066      |
| 370    | 05515-61200 | PIN SNAP            | 2    | <=73190 |     |         | 0.005        | 0.011       |
| 370    | TC050-51200 | PIN SNAP            | 2    | >=73191 | ←   |         | 0            | 0           |




TA140-094-12




### 3-POINT LINKAGE 2(LIFT ROD)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-39500 | ASSY ROD            | 1    |       |     |         | 3.5          | 7.7         |
| 020    | TA140-39520 | ROD LIFT LOWER      | 1    |       |     |         | 0.96         | 2.112       |
| 030    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 040    | 31351-71570 | JOINT GEAR CASE     | 1    |       |     |         | 0.475        | 1.045       |
| 050    | TA140-39550 | PIN LIFT ROD        | 1    |       |     |         | 0.11         | 0.242       |
| 060    | 05411-00532 | PIN SPRING          | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 31351-71710 | CASE LIFT ROD GEAR  | 1    |       |     |         | 0.85         | 1.87        |
| 080    | 31351-71660 | HANDLE LIFT ROD     | 1    |       |     |         | 0.235        | 0.517       |
| 090    | TA140-39530 | GEAR LIFT ROD       | 1    |       |     |         | 0.345        | 0.759       |
| 100    | TA140-39540 | GEAR LIFT ROD       | 1    |       |     |         | 0.1          | 0.22        |
| 110    | 31351-71670 | WASHER PLAIN        | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 05411-00622 | PIN SPRING          | 2    |       |     |         | 0.003        | 0.0066      |
| 130    | 31220-71720 | SHIM                | 3    |       |     |         | 0.001        | 0.0022      |
| 140    | 32294-71770 | BEARING THRUST BALL | 1    |       |     |         | 0.073        | 0.1606      |
| 150    | 06311-75045 | PLUG EXPANSION      | 1    |       |     |         | 0.026        | 0.0572      |
| 160    | 32244-71730 | STOPPER HANDLE      | 1    |       |     |         | 0.027        | 0.0594      |
| 170    | 06613-10675 | NIPPLE GREASE       | 2    |       |     |         | 0.003        | 0.0066      |
| 180    | 31351-71700 | PIPE                | 1    |       |     |         | 0.2          | 0.44        |
| 190    | 01202-50612 | BOLT                | 1    |       |     |         | 0.005        | 0.011       |
| 200    | 05411-00320 | PIN SPRING          | 1    |       |     |         | 0.001        | 0.0022      |
| 210    | 35080-71540 | ROD LIFT LH         | 1    |       |     |         | 1.6          | 3.52        |
| 220    | 38747-71582 | PIN LIFT ROD        | 2    |       |     |         | 0.1          | 0.22        |
| 230    | 67156-34340 | RING SNAP           | 2    |       |     |         | 0.01         | 0.022       |



030 01176-51430  
040 04512-60140




TA150-815-10



## DRAWBAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|-----------|--------------|-------------|
| 010    | 35070-29710 | DRAWBAR            | 1    |        |     |           | 6.7          | 14.74       |
| 020    | TA040-29730 | FRAME DRAWBAR      | 1    |        |     |           | 6.2          | 13.64       |
| 030    | 01176-51430 | BOLT               | 4    | ≤72399 |     |           | 0.052        | 0.1144      |
| 030    | 01138-51430 | BOLT               | 4    | ≥72400 | ←   |           | 0            | 0           |
| 040    | 04512-60140 | WASHER SPRING      | 4    | ≤72399 |     |           | 0.006        | 0.0132      |
| 050    | 05122-52070 | PIN JOINT          | 1    |        |     |           | 0.186        | 0.4092      |
| 060    | 05515-51600 | PIN SNAP           | 1    |        |     |           | 0.007        | 0.0154      |
| 070    | 01133-51230 | BOLT               | 2    |        |     |           | 0.04         | 0.088       |
| 080    | TA040-39410 | PIN LOWER LINK     | 2    | ≤72630 |     |           | 0            | 0           |
| 080    | TA040-39412 | PIN LOWER LINK     | 2    | ≥72631 | ←   |           | 0            | 0           |
| 090    | 01133-51020 | BOLT               | 2    |        |     |           | 0.02         | 0.044       |
| 100    | 99571-22140 | HOLDER TOP LINK RH | 1    |        |     | W/O DRAFT | 0.99         | 2.178       |
| 110    | 99571-22150 | HOLDER TOP LINK LH | 1    |        |     | W/O DRAFT | 0.99         | 2.178       |
| 120    | 01133-51230 | BOLT               | 6    |        |     | W/O DRAFT | 0.04         | 0.088       |






## PTO PROTECTOR [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-99570 | KIT COVER PTO (A) | 1    |       |     | ENGLISH | 2.1          | 4.62        |
| 015    | TA141-99570 | KIT COVER PTO (B) | 1    |       |     | FRENCH  | 2.1          | 4.62        |
| 020    | TA040-23752 | STAY              | 1    |       |     |         | 0.19         | 0.418       |
| 030    | TA040-23762 | STAY              | 1    |       |     |         | 0.19         | 0.418       |
| 040    | 01173-51025 | BOLT              | 2    |       |     |         | 0.021        | 0.0462      |
| 050    | 04013-60100 | WASHER PLAIN      | 2    |       |     |         | 0.004        | 0.0088      |
| 060    | 62151-42412 | SPRING PLATE      | 4    |       |     |         | 0.002        | 0.0044      |
| 070    | 02116-50100 | NUT               | 2    |       |     |         | 0.004        | 0.0088      |
| 080    | 01133-51225 | BOLT              | 2    |       |     |         | 0.038        | 0.0836      |
| 090    | TA040-49590 | LABEL PTO WARNING | 1    |       |     | ENGLISH | 0.002        | 0.0044      |
| 100    | TA041-49590 | LABEL PTO WARNING | 1    |       |     | FRENCH  | 0.005        | 0.011       |






## FRONT GRILLE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-40642 | SPONGE             | 1    |       |     |         | 0.01         | 0.022       |
| 020    | T0270-41014 | GRILLE FRONT       | 1    |       |     |         | 2.8          | 6.16        |
| 030    | 36330-83120 | CUSHION            | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 66591-54580 | RUBBER RELEASE ROD | 2    |       |     |         | 0.003        | 0.0066      |
| 050    | TA040-41062 | COVER FRONT        | 1    |       |     |         | 0.25         | 0.55        |
| 060    | TA040-41070 | NET                | 1    |       |     |         | 0.115        | 0.253       |
| 070    | 55611-44190 | NUT                | 14   |       |     |         | 0.004        | 0.0088      |
| 080    | 01125-60816 | BOLT               | 4    |       |     |         | 0.01         | 0.022       |
| 090    | TA140-41830 | GRILLE RADIATOR    | 1    |       |     |         | 0.62         | 1.364       |
| 100    | 02751-50060 | NUT FLANGE         | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 38240-29250 | NUT SPRING         | 2    |       |     |         | 0.005        | 0.011       |
| 120    | 30400-19060 | BOLT FLANGE        | 3    |       |     |         | 0.006        | 0.0132      |
| 130    | 01754-50612 | BOLT FLANGE        | 2    |       |     |         | 0.005        | 0.011       |
| 140    | T0270-41910 | SPACER             | 2    |       |     |         | 0.006        | 0.0132      |
| 150    | 01754-50670 | BOLT FLANGE        | 2    |       |     |         | 0.015        | 0.033       |



**020 01123-50820**

**030 04012-50080**




**TA150-820-10**



FRONT GRILLE SUPPORT [HST TYPE] [ROPS TYPE]  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-40016 | SUPPORT FRONT | 1    | ≤70404 |     |         | 0            | 0           |
| 010    | TA240-40017 | SUPPORT FRONT | 1    | ≥70405 | ←   |         | 0            | 0           |
| 020    | 01123-50820 | BOLT          | 2    | ≤72515 |     |         | 0.011        | 0.0242      |
| 020    | 01754-50820 | BOLT FLANGE   | 2    | ≥72516 | ←   |         | 0.015        | 0.033       |
| 030    | 04012-50080 | WASHER PLAIN  | 1    | ≤72515 |     |         | 0.001        | 0.0022      |
| 040    | TA040-40024 | SHUTTER       | 1    |        |     |         | 0.25         | 0.55        |
| 050    | TA040-40033 | SPRING        | 2    |        |     |         | 0.005        | 0.011       |
| 060    | TA040-14213 | SUPPORT       | 1    |        |     |         | 1.3          | 2.86        |
| 070    | 01123-50820 | BOLT          | 4    |        |     |         | 0.011        | 0.0242      |



**HOOD(BONNET) [ROPS TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-41210 | STRIKER FRONT GRILLE | 1    |       |     |         | 0.05         | 0.11        |
| 020    | 01125-60816 | BOLT                 | 2    |       |     |         | 0.01         | 0.022       |
| 025    | 33740-83290 | SUSPENDER            | 1    |       |     |         | 0.03         | 0.066       |
| 030    | TA040-41313 | COMP.BONNET          | 1    |       |     |         | 5.9          | 12.98       |
| 040    | TA040-18620 | CUSHION              | 4    |       |     |         | 0.01         | 0.022       |
| 050    | 34070-41463 | COVER BONNET         | 2    |       |     |         | 0.21         | 0.462       |
| 051    | 30400-94080 | SPRING BONNET COVER  | 2    |       |     |         | 0.012        | 0.0264      |
| 052    | 30400-94092 | SPRING BONNET COVER  | 2    |       |     |         | 0.015        | 0.033       |
| 053    | 01754-50616 | BOLT FLANGE          | 4    |       |     |         | 0.006        | 0.0132      |
| 060    | 36330-83120 | CUSHION              | 4    |       |     |         | 0.001        | 0.0022      |
| 070    | T0070-41560 | HANDLE MASCOT        | 1    |       |     |         | 0.085        | 0.187       |
| 080    | 33251-83850 | WASHER HANDLE        | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 33251-83950 | WASHER SPRING        | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 34070-41220 | LOCK FRONT GRILLE    | 1    |       |     |         | 0.05         | 0.11        |
| 110    | 04012-50080 | WASHER PLAIN         | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 02114-50080 | NUT                  | 2    |       |     |         | 0.005        | 0.011       |
| 130    | 36330-83420 | SPRING LOCK          | 1    |       |     |         | 0.006        | 0.0132      |
| 140    | 34070-41610 | NUT CUSHION          | 2    |       |     |         | 0.01         | 0.022       |
| 150    | 01754-50820 | BOLT FLANGE          | 4    |       |     |         | 0.015        | 0.033       |
| 160    | 34070-41630 | CUSHION RUBBER       | 2    |       |     |         | 0.005        | 0.011       |
| 170    | 02751-50080 | NUT FLANGE           | 2    |       |     |         | 0.006        | 0.0132      |






## HOOD(BONNET) SIDE RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0070-40250 | HOLDER            | 1    |       |     |         | 0.053        | 0.1166      |
| 020    | 34070-41162 | BOLT              | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 04012-50080 | WASHER PLAIN      | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04512-60080 | WASHER SPRING     | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 02114-50080 | NUT               | 1    |       |     |         | 0.005        | 0.011       |
| 060    | T0070-40260 | GRIP HANDLE       | 1    |       |     |         | 0.075        | 0.165       |
| 070    | T0270-40270 | HOOK BONNET       | 1    |       |     |         | 0.055        | 0.121       |
| 080    | 33251-83950 | WASHER SPRING     | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 04012-50080 | WASHER PLAIN      | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 33251-83850 | WASHER HANDLE     | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 04512-60080 | WASHER SPRING     | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 02114-50080 | NUT               | 1    |       |     |         | 0.005        | 0.011       |
| 130    | T0320-41320 | BONNET SIDE RH    | 1    |       |     |         | 5            | 11          |
| 140    | TA140-40680 | SHIELD SIDE COVER | 1    |       |     |         | 0.017        | 0.0374      |
| 150    | TA140-41890 | GLILLE RH         | 1    |       |     |         | 0.51         | 1.122       |
| 160    | 55611-44190 | NUT               | 8    |       |     |         | 0.004        | 0.0088      |
| 170    | 30400-65040 | PLATE WASHER      | 8    |       |     |         | 0.001        | 0.0022      |






## HOOD(BONNET) SIDE LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0320-40250 | HOLDER             | 1    |       |     |         | 0.08         | 0.176       |
| 020    | 34070-41162 | BOLT               | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 04012-50080 | WASHER PLAIN       | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04512-60080 | WASHER SPRING      | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 02114-50080 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 060    | T0070-40260 | GRIP HANDLE        | 1    |       |     |         | 0.075        | 0.165       |
| 070    | T0270-40280 | HOOK BONNET        | 1    |       |     |         | 0.055        | 0.121       |
| 080    | 33251-83950 | WASHER SPRING      | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 04012-50080 | WASHER PLAIN       | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 33251-83850 | WASHER HANDLE      | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 04512-60080 | WASHER SPRING      | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 02114-50080 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 130    | T0120-40530 | COVER MUFFLER PIPE | 1    |       |     |         | 0.14         | 0.308       |
| 140    | 01023-50610 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 150    | T0320-41330 | BONNET SIDE LH     | 1    |       |     |         | 5            | 11          |
| 160    | TA140-40680 | SHIELD SIDE COVER  | 1    |       |     |         | 0.017        | 0.0374      |
| 170    | TA140-41880 | GLILLE LH          | 1    |       |     |         | 0.51         | 1.122       |
| 180    | 55611-44190 | NUT                | 8    |       |     |         | 0.004        | 0.0088      |
| 190    | 30400-65040 | PLATE WASHER       | 8    |       |     |         | 0.001        | 0.0022      |



**SIDE COVER LOWER [ROPS TYPE]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA150-41360 | COVER RH            | 1    |       |     |         | 0            | 0           |
| 020    | TA140-99560 | KIT COVER LH(A)     | 1    |       |     | ENGLISH | 2.2          | 4.84        |
| 025    | TA141-99560 | KIT COVER LH(B)     | 1    |       |     | FRENCH  | 2.2          | 4.84        |
| 030    | 34070-41130 | BOLT FLANGE         | 4    |       |     |         | 0.015        | 0.033       |
| 040    | 01754-50816 | BOLT FLANGE         | 4    |       |     |         | 0.011        | 0.0242      |
| 050    | 30400-17980 | RUBBER BLOCK        | 4    |       |     |         | 0.01         | 0.022       |
| 060    | TA040-49650 | LABEL START CAUTION | 1    |       |     | ENGLISH | 0.004        | 0.0088      |
| 070    | TA041-49650 | LABEL START CAUTION | 1    |       |     | FRENCH  | 0.004        | 0.0088      |



**070 34070-4211-5**

070




**TA147-802-10**



## SHUTTER PLATE [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS                      | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|------------------------------|--------------|-------------|
| 010    | TA140-42135 | SUPPORT BONNET REAR | 1    |        |     |                              | 4.6          | 10.12       |
| 020    | T0270-42140 | SPACER              | 4    |        |     |                              | 0.056        | 0.1232      |
| 030    | 01779-51060 | BOLT UBS            | 2    |        |     |                              | 0.005        | 0.011       |
| 040    | 01774-51060 | BOLT FLANGE         | 2    |        |     |                              | 0.04         | 0.088       |
| 050    | TA140-42160 | SUPPORT             | 1    |        |     |                              | 0.275        | 0.605       |
| 060    | 01754-50816 | BOLT FLANGE         | 2    |        |     |                              | 0.011        | 0.0242      |
| 065    | TA040-94400 | KIT FUEL TANK       | 1    | ≤72028 |     |                              | 0            | 0           |
| 070    | 34070-42115 | PLATE SHUTTER       | 1    | ≤72028 |     | NOT SALE ORDER BY REF.No.065 | 3            | 6.6         |
| 070    | 34070-42116 | PLATE SHUTTER       | 1    | ≥72029 | ←   |                              | 0            | 0           |
| 080    | 04015-60080 | WASHER PLAIN        | 4    |        |     |                              | 0.01         | 0.022       |
| 090    | 01754-50812 | BOLT FLANGE         | 4    |        |     |                              | 0.01         | 0.022       |
| 100    | 34070-42260 | CUSHION             | 4    |        |     |                              | 0.005        | 0.011       |
| 110    | 34070-42270 | CUSHION             | 4    |        |     |                              | 0.005        | 0.011       |
| 120    | 34070-42223 | SHIELD              | 1    |        |     |                              | 0.33         | 0.726       |






## PANEL FRAME [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 34070-43010 | BONNET              | 1    |        |     |         | 2            | 4.4         |
| 020    | 34070-99160 | NUT SPRING          | 4    |        |     |         | 0.005        | 0.011       |
| 030    | 37410-54930 | NUT SPRING          | 2    |        |     |         | 0.025        | 0.055       |
| 040    | 30400-18870 | BOLT FLANGE         | 5    |        |     |         | 0.01         | 0.022       |
| 050    | 01754-50816 | BOLT FLANGE         | 1    |        |     |         | 0.011        | 0.0242      |
| 060    | 34070-43032 | COVER PANEL UNDER   | 1    |        |     |         | 0.28         | 0.616       |
| 070    | 30400-18870 | BOLT FLANGE         | 1    |        |     |         | 0.01         | 0.022       |
| 080    | 30400-19060 | BOLT FLANGE         | 2    |        |     |         | 0.006        | 0.0132      |
| 090    | TA240-43200 | ASSY FRAME PANEL    | 1    | ≤60009 |     |         | 0            | 0           |
| 090    | TA240-43203 | ASSY FRAME PANEL    | 1    | ≥70001 | ←   |         | 0            | 0           |
| 100    | 34070-44360 | BEARING NEEDLE      | 2    |        |     |         | 0.012        | 0.0264      |
| 110    | 34070-44140 | SEAL OIL            | 2    |        |     |         | 0.005        | 0.011       |
| 120    | 99999-99999 | BLANK               | 0    |        |     |         | 0            | 0           |
| 130    | 99999-99999 | BLANK               | 0    |        |     |         | 0            | 0           |
| 140    | T0270-43230 | STAY.PANEL FRAME    | 1    |        |     |         | 0.063        | 0.1386      |
| 150    | 01754-50816 | BOLT FLANGE         | 2    |        |     |         | 0.011        | 0.0242      |
| 160    | 01754-50812 | BOLT FLANGE         | 8    |        |     |         | 0.01         | 0.022       |
| 170    | 34550-43240 | BRACKET PANEL COVER | 1    |        |     |         | 0.135        | 0.297       |
| 180    | 35880-04570 | CAP                 | 1    |        |     |         | 0.01         | 0.022       |
| 190    | 01123-50816 | BOLT                | 2    |        |     |         | 0.011        | 0.0242      |
| 200    | 38240-29570 | PLUG                | 6    |        |     |         | 0.001        | 0.0022      |
| 210    | 34550-43335 | GROMMET             | 1    |        |     |         | 0.06         | 0.132       |
| 220    | 34070-43280 | COVER PANEL FRAME   | 1    |        |     |         | 0.12         | 0.264       |
| 230    | TA140-33590 | CUSHION P/STRG HOSE | 1    | ≥71201 |     |         | 0.125        | 0.275       |




TA140-171-12

060 34070-4706-0

070 34070-4707-0

080 31351-9355-0




TA140-863-10



## FENDER [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-99510 | KIT FENDER RH(A)     | 1    |        |     | ENGLISH | 10           | 22          |
| 015    | TA241-99510 | KIT FENDER RH(B)     | 1    |        |     | FRENCH  | 10           | 22          |
| 020    | TA140-99530 | KIT FENDER LH(A)     | 1    |        |     | ENGLISH | 10           | 22          |
| 025    | TA141-99530 | KIT FENDER LH(B)     | 1    |        |     | FRENCH  | 10           | 22          |
| 030    | 01754-50812 | BOLT FLANGE          | 28   | ≤72866 |     |         | 0.01         | 0.022       |
| 030    | T1060-47370 | BOLT                 | 28   | ≥72867 | ←   |         | 0.011        | 0.0242      |
| 040    | 02751-50080 | NUT FLANGE           | 2    |        |     |         | 0.006        | 0.0132      |
| 050    | 32150-29180 | CAP RUBBER           | 2    |        |     |         | 0.002        | 0.0044      |
| 060    | 34070-47060 | PLATE FENDER LH      | 1    | ≤73190 |     |         | 0.025        | 0.055       |
| 070    | 34070-47070 | PLATE FENDER RH      | 1    | ≤73190 |     |         | 0.025        | 0.055       |
| 080    | 31351-93550 | NUT                  | 4    | ≤73190 |     |         | 0.001        | 0.0022      |
| 090    | 30810-29170 | PLUG                 | 2    |        |     |         | 0.003        | 0.0066      |
| 100    | T0270-29442 | GRIP                 | 2    |        |     |         | 0.3          | 0.66        |
| 110    | 04013-60100 | WASHER PLAIN         | 2    |        |     |         | 0.004        | 0.0088      |
| 120    | 02771-60100 | NUT FLANGE           | 2    |        |     |         | 0.01         | 0.022       |
| 130    | T0180-83590 | BOLT FLANGE          | 2    |        |     |         | 0.022        | 0.0484      |
| 140    | 02771-60100 | NUT FLANGE           | 2    |        |     |         | 0.01         | 0.022       |
| 150    | TA040-49320 | LABEL ROPS WARNING   | 1    |        |     | ENGLISH | 0.001        | 0.0022      |
| 160    | TA240-49330 | LABEL PARKING        | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 170    | TA040-49150 | LABEL ROPS WARNING   | 1    |        |     | FRENCH  | 0.003        | 0.0066      |
| 180    | TA241-49330 | LABEL PARKING WARNIN | 1    |        |     | FRENCH  | 0.005        | 0.011       |
| 190    | 35260-34913 | LABEL SAFETY         | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 200    | TA041-65700 | LABEL SAFETY         | 1    |        |     | FRENCH  | 0.01         | 0.022       |
| 210    | 34040-68980 | PLATE FENDER LH      | 1    | ≥73191 |     |         | 0.02         | 0.044       |
| 220    | 34040-68990 | PLATE FENDER RH      | 1    | ≥73191 |     |         | 0.025        | 0.055       |






## FLOOR SEAT [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA240-99550 | KIT FLOOR SEAT(A)    | 1    |         |     | ENGLISH | 7.7          | 16.94       |
| 015    | TA241-99550 | KIT FLOOR SEAT(B)    | 1    |         |     | FRENCH  | 0            | 0           |
| 020    | 01754-50816 | BOLT FLANGE          | 5    |         |     |         | 0.011        | 0.0242      |
| 030    | TA140-99580 | KIT FLOOR SEAT R.(A) | 1    |         |     | ENGLISH | 3.15         | 6.93        |
| 035    | TA141-99580 | KIT FLOOR SEAT R.(B) | 1    |         |     | FRENCH  | 3.15         | 6.93        |
| 040    | 01754-50812 | BOLT FLANGE          | 5    |         |     |         | 0.01         | 0.022       |
| 050    | 34070-47260 | COVER TOOLS BOX      | 1    |         |     |         | 0.77         | 1.694       |
| 060    | 01754-50812 | BOLT FLANGE          | 2    |         |     |         | 0.01         | 0.022       |
| 070    | 50400-51210 | SPRING CORD STRAIGHT | 1    |         |     |         | 0.015        | 0.033       |
| 080    | 36330-83120 | CUSHION              | 3    |         |     |         | 0.001        | 0.0022      |
| 090    | 34070-47280 | COVER FLOOR SEAT     | 1    |         |     |         | 1.14         | 2.508       |
| 100    | 01754-50812 | BOLT FLANGE          | 4    |         |     |         | 0.01         | 0.022       |
| 110    | TA040-29420 | HOLDER               | 1    |         |     |         | 0.043        | 0.0946      |
| 120    | 04015-60080 | WASHER PLAIN         | 2    |         |     |         | 0.01         | 0.022       |
| 130    | 02114-50080 | NUT                  | 1    |         |     |         | 0.005        | 0.011       |
| 140    | 02112-50080 | NUT                  | 1    |         |     |         | 0.003        | 0.0066      |
| 150    | 01754-50825 | BOLT FLANGE          | 1    |         |     |         | 0.01         | 0.022       |
| 160    | 04512-60080 | WASHER SPRING        | 1    |         |     |         | 0.002        | 0.0044      |
| 170    | TA040-29430 | BRACKET SMV          | 1    |         |     |         | 0.25         | 0.55        |
| 180    | 01123-50816 | BOLT                 | 2    |         |     |         | 0.011        | 0.0242      |
| 190    | TA047-29450 | STAY WORKING LIGHT   | 1    |         |     |         | 0.035        | 0.077       |
| 200    | TA040-47210 | SUPPORT FLOOR SEAT   | 1    |         |     |         | 1.55         | 3.41        |
| 210    | TA040-47220 | SUPPORT FLOOR SEAT   | 1    |         |     |         | 1.55         | 3.41        |
| 220    | 01133-51230 | BOLT                 | 4    |         |     |         | 0.04         | 0.088       |
| 230    | T0270-47310 | CUSHION              | 2    |         |     |         | 0.131        | 0.2882      |
| 240    | 34070-47320 | WASHER               | 2    |         |     |         | 0.015        | 0.033       |
| 250    | 01173-51660 | BOLT                 | 2    |         |     |         | 0.114        | 0.2508      |
| 260    | 04512-60160 | WASHER SPRING        | 2    |         |     |         | 0.01         | 0.022       |
| 270    | 02176-50160 | NUT                  | 2    |         |     |         | 0.021        | 0.0462      |
| 280    | TA040-49340 | LABEL M-PTO WARNING  | 1    | <=72557 |     | ENGLISH | 0.001        | 0.0022      |
| 280    | TA040-49342 | LABEL M-PTO WARNING  | 1    | >=72558 | ←   | ENGLISH | 0            | 0           |
| 290    | TA041-49340 | LABEL M-PTO WARNING  | 1    | <=72557 |     | FRENCH  | 0.003        | 0.0066      |
| 290    | TA041-49342 | LABEL M-PTO WARNING  | 1    | >=72558 | ←   | FRENCH  | 0            | 0           |
| 300    | TA040-49350 | LABEL DRAWBAR        | 1    |         |     | ENGLISH | 0.002        | 0.0044      |
| 310    | TA041-49350 | LABEL DRAWBAR        | 1    |         |     | FRENCH  | 0.003        | 0.0066      |






## SEAT [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | TA140-47700 | ASSY SEAT            | 1    |        |     |          | 9.6          | 21.12       |
| 020    | TA140-47710 | CUSHION SEAT         | 1    |        |     |          | 3.9          | 8.58        |
| 030    | TA140-47720 | BACK SEAT            | 1    |        |     |          | 3.85         | 8.47        |
| 040    | TA140-47730 | HINGE                | 1    |        |     |          | 1.03         | 2.266       |
| 050    | TA140-47740 | HINGE                | 1    |        |     |          | 0.305        | 0.671       |
| 060    | TA140-47750 | KNOB                 | 1    |        |     |          | 0.02         | 0.044       |
| 070    | TA140-47760 | SCREW                | 1    |        |     |          | 0.002        | 0.0044      |
| 080    | TA140-47770 | BOLT                 | 8    |        |     |          | 0.01         | 0.022       |
| 090    | TA140-47780 | CUSHION              | 2    |        |     |          | 0.043        | 0.0946      |
| 100    | TA140-47790 | SCREW                | 2    |        |     |          | 0.01         | 0.022       |
| 110    | TA140-47800 | BRACKET SEAT         | 1    |        |     |          | 0.185        | 0.407       |
| 120    | TA140-47810 | BOLT                 | 2    |        |     |          | 0.01         | 0.022       |
| 130    | 56811-35462 | PIN                  | 1    |        |     |          | 0.1          | 0.22        |
| 140    | 05525-50800 | PIN SNAP             | 1    |        |     |          | 0.001        | 0.0022      |
| 150    | TA140-11800 | ASSY SUSPENSION      | 1    |        |     |          | 9.4          | 20.68       |
| 160    | 01754-50820 | BOLT FLANGE          | 4    |        |     |          | 0.015        | 0.033       |
| 170    | 6C040-72252 | ASSY BELT SEAT       | 1    | ≤73190 |     | NOT SALE | 0.9          | 1.98        |
| 170    | 6C040-72253 | ASSY BELT SEAT       | 1    | ≥73191 | ←   |          | 0.9          | 1.98        |
| 180    | TA140-18482 | BRACKET SEAT BELT RH | 1    |        |     |          | 0.16         | 0.352       |
| 190    | TA140-18492 | BRACKET SEAT BELT LH | 1    |        |     |          | 0.175        | 0.385       |
| 200    | 02763-50080 | NUT FLANGE           | 2    |        |     |          | 0.005        | 0.011       |
| 210    | 01774-51025 | BOLT FLANGE          | 2    |        |     |          | 0.02         | 0.044       |
| 220    | 02116-50100 | NUT                  | 2    |        |     |          | 0.004        | 0.0088      |






## SEAT SUSPENSION [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-11800 | ASSY SUSPENSION   | 1    |       |     |         | 9.4          | 20.68       |
| 020    | TA140-11810 | ASSY SUSPENSION   | 1    |       |     |         | 5.5          | 12.1        |
| 030    | TA140-11820 | FRAME SUSPENSION  | 1    |       |     |         | 2.7          | 5.94        |
| 040    | TA140-11830 | COMP.LINK         | 2    |       |     |         | 0.62         | 1.364       |
| 050    | TA140-11840 | SPACER SUSPENSION | 4    |       |     |         | 0.005        | 0.011       |
| 060    | TA140-11990 | SHAFT             | 1    |       |     |         | 0.23         | 0.506       |
| 070    | TA140-11860 | SPRING SUSPENSION | 2    |       |     |         | 0.24         | 0.528       |
| 080    | TA140-11870 | BOLT              | 4    |       |     |         | 0.015        | 0.033       |
| 090    | TA140-11880 | NUT ADJUST        | 1    |       |     |         | 0.095        | 0.209       |
| 100    | TA140-11890 | KNOB ADJUST       | 1    |       |     |         | 0.105        | 0.231       |
| 110    | TA140-11900 | LABEL ADJUST      | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | TA140-11910 | PIN SPRING        | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | TA140-11920 | CUSHION           | 2    |       |     |         | 0.006        | 0.0132      |
| 140    | TA140-11930 | WASHER PLAIN      | 1    |       |     |         | 0.01         | 0.022       |
| 150    | TA140-11940 | SHIM              | 4    |       |     |         | 0.001        | 0.0022      |
| 160    | TA140-11950 | PIN SPRING        | 1    |       |     |         | 0.002        | 0.0044      |
| 170    | TA140-11960 | BUSH SUSPENSION   | 4    |       |     |         | 0.003        | 0.0066      |
| 180    | TA140-11980 | PLATE             | 2    |       |     |         | 0.205        | 0.451       |
| 190    | TA140-11710 | BUSH PLATE        | 4    |       |     |         | 0.003        | 0.0066      |
| 200    | TA140-11720 | SCREW             | 4    |       |     |         | 0.006        | 0.0132      |
| 210    | TA140-18370 | PLATE             | 2    |       |     |         | 0.395        | 0.869       |
| 220    | 99999-99999 | BLANK             | 0    |       |     |         | 0            | 0           |
| 230    | TA140-18310 | NUT FLANGE        | 6    |       |     |         | 0.006        | 0.0132      |
| 240    | TA140-18320 | BOLT FLANGE       | 4    |       |     |         | 0.012        | 0.0264      |
| 250    | TA140-18330 | RAIL RH           | 1    |       |     |         | 1.38         | 3.036       |
| 260    | TA140-18340 | RAIL LH           | 1    |       |     |         | 0.925        | 2.035       |
| 270    | TA140-18350 | BRACKET           | 1    |       |     |         | 0.725        | 1.595       |
| 280    | TA140-18390 | SPACER            | 4    |       |     |         | 0.009        | 0.0198      |
| 290    | TA140-18410 | BUSH              | 4    |       |     |         | 0.006        | 0.0132      |






STEP [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | T0270-47310 | CUSHION           | 2    |        |     |         | 0.131        | 0.2882      |
| 020    | 34070-47320 | WASHER            | 2    |        |     |         | 0.015        | 0.033       |
| 030    | 01173-51660 | BOLT              | 2    |        |     |         | 0.114        | 0.2508      |
| 040    | 04512-60160 | WASHER SPRING     | 2    |        |     |         | 0.01         | 0.022       |
| 050    | 02176-50160 | NUT               | 2    |        |     |         | 0.021        | 0.0462      |
| 060    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 070    | TA240-47405 | STEP              | 1    |        |     |         | 0            | 0           |
| 080    | TA140-47470 | STEP AID LH       | 1    |        |     |         | 0.985        | 2.167       |
| 090    | 01754-50812 | BOLT FLANGE       | 4    | ≤60009 |     |         | 0.01         | 0.022       |
| 090    | 01754-50816 | BOLT FLANGE       | 4    | ≥70001 | ←   |         | 0.011        | 0.0242      |
| 100    | TA240-47450 | MAT               | 1    |        |     |         | 1.55         | 3.41        |
| 110    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 120    | 30400-17980 | RUBBER BLOCK      | 2    |        |     |         | 0.01         | 0.022       |
| 125    | TA140-47480 | CLAMP STEP MAT    | 2    |        |     |         | 0.05         | 0.11        |
| 126    | 01754-50816 | BOLT FLANGE       | 4    |        |     |         | 0.011        | 0.0242      |
| 130    | TA240-47410 | BRACKET STEP RH   | 1    |        |     |         | 1.05         | 2.31        |
| 140    | TA240-47420 | BRACKET STEP LH   | 1    |        |     |         | 1.05         | 2.31        |
| 150    | 01133-51230 | BOLT              | 2    |        |     |         | 0.04         | 0.088       |
| 155    | 01133-51240 | BOLT              | 2    |        |     |         | 0.05         | 0.11        |
| 160    | 01073-51030 | BOLT              | 2    |        |     |         | 0.028        | 0.0616      |
| 170    | 34070-47490 | CUSHION           | 2    |        |     |         | 0.005        | 0.011       |
| 180    | 02118-50100 | NUT               | 2    |        |     |         | 0.005        | 0.011       |
| 190    | TA150-47490 | CLAMP STEP MAT LH | 1    |        |     |         | 0.155        | 0.341       |
| 200    | 02751-50080 | NUT FLANGE        | 2    |        |     |         | 0.006        | 0.0132      |






**ROPS [ROPS TYPE] [OLD TYPE]**  
S.No.;<=72093 [TYPE VIEUX]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA150-48010 | ASSY ROPS       | 1    |       |     |         | 0            | 0           |
| 011    | 99999-99999 | COMP.FRAME LH   | 1    |       |     |         | 0            | 0           |
| 012    | 99999-99999 | COMP.FRAME RH   | 1    |       |     |         | 0            | 0           |
| 020    | 01176-51430 | BOLT            | 12   |       |     |         | 0.052        | 0.1144      |
| 030    | 75599-33016 | WASHER SPRING   | 12   |       |     |         | 0.08         | 0.176       |
| 040    | 01173-51230 | BOLT            | 2    |       |     |         | 0.037        | 0.0814      |
| 050    | 04512-60120 | WASHER SPRING   | 2    |       |     |         | 0.005        | 0.011       |
| 051    | 99999-99999 | CONNECTOR ROPS  | 1    |       |     |         | 0            | 0           |
| 060    | 75599-04625 | HEX.BOLT        | 2    |       |     |         | 0            | 0           |
| 070    | 75599-33016 | WASHER SPRING   | 2    |       |     |         | 0.08         | 0.176       |
| 080    | TA140-48493 | MANUAL ASSEMBLY | 1    |       |     |         | 0            | 0           |






**ROPS [ROPS TYPE] [NEW TYPE]**  
S.No.;>=72094 [TYPE NOUVEAU]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA150-48442 | KIT ROPS REPLACEMENT | 1    | <=73190 |     |          | 0            | 0           |
| 010    | TA150-48442 | KIT ROPS REPLACEMENT | 1    | >=73191 | ←   |          | 0            | 0           |
| 020    | 99999-99999 | COMP.FRAME LH        | 1    |         |     |          | 0            | 0           |
| 030    | 99999-99999 | COMP.FRAME RH        | 1    |         |     |          | 0            | 0           |
| 040    | 01176-51430 | BOLT                 | 12   |         |     |          | 0.052        | 0.1144      |
| 050    | 0Y450-50090 | WASHER SPRING        | 12   |         |     |          | 0            | 0           |
| 060    | 01073-51230 | BOLT                 | 2    |         |     |          | 0.041        | 0.0902      |
| 070    | 04512-60120 | WASHER SPRING        | 2    |         |     |          | 0.005        | 0.011       |
| 080    | 04013-60120 | WASHER PLAIN         | 2    |         |     |          | 0.01         | 0.022       |
| 090    | 99999-99999 | CONNECTOR ROPS       | 1    |         |     |          | 0            | 0           |
| 100    | 0Y109-50920 | BOLT                 | 2    |         |     |          | 0            | 0           |
| 110    | 0Y450-50090 | WASHER SPRING        | 2    |         |     |          | 0            | 0           |
| 120    | 99999-99999 | MANUAL INSTRUCTION   | 1    |         |     |          | 0            | 0           |
| 130    | 6C140-47460 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH  | 0.001        | 0.0022      |
| 130    | 6C141-47460 | LABEL ROPS WARNING   | 1    |         |     | FRENCH   | 0            | 0           |
| 140    | TA040-49320 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH  | 0.001        | 0.0022      |
| 140    | TA040-49150 | LABEL ROPS WARNING   | 1    |         |     | FRENCH   | 0.003        | 0.0066      |
| 150    | 6C140-54990 | REFLECTOR LABEL      | 2    | >=73191 |     |          | 0.003        | 0.0066      |
| 160    | 6C040-72252 | ASSY BELT SEAT       | 1    | <=73190 |     | NOT SALE | 0.9          | 1.98        |
| 160    | 6C040-72253 | ASSY BELT SEAT       | 1    | >=73191 | ←   |          | 0.9          | 1.98        |
| 170    | 01774-51025 | BOLT FLANGE          | 2    |         |     |          | 0.02         | 0.044       |
| 180    | 02116-50100 | NUT                  | 2    |         |     |          | 0.004        | 0.0088      |




TA140-2DB-11



## SMV EMBLEM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS    | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|------------|--------------|-------------|
| 010    | 99999-99999 | SMV SIGN KIT     | 1    |       |     |            | 0            | 0           |
| 020    | 7L500-89910 | SIGN SMV         | 1    |       |     |            | 0            | 0           |
| 030    | 7L500-89920 | SOCKET SMV SIGN  | 1    |       |     |            | 0            | 0           |
| 040    | 7L500-89940 | BOLT SQUARE NECK | 2    |       |     |            | 0            | 0           |
| 050    | 7L500-89950 | NUT              | 2    |       |     |            | 0            | 0           |
| 060    | 7L500-89960 | SPADE SMV SIGN   | 1    |       |     |            | 0            | 0           |
| 070    | 7L500-89980 | VIS              | 2    |       |     |            | 0            | 0           |
| 080    | 7L500-89990 | NUT              | 2    |       |     |            | 0            | 0           |
| 090    | 7L500-89810 | BOLT SQUARE NECK | 2    |       |     | OUT OF USE | 0            | 0           |






## FRONT WHEEL (8.3-16)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66434-17610 | ASSY TIRE     | 1    |        |     |         | 0            | 0           |
| 020    | 66434-17620 | ASSY TIRE LH  | 1    |        |     |         | 0            | 0           |
| 030    | 66434-17640 | WHEEL         | 1    |        |     |         | 0            | 0           |
| 040    | 66434-17650 | TIRE          | 1    |        |     |         | 0            | 0           |
| 050    | 66434-17660 | LABEL TIRE LH | 1    |        |     |         | 0            | 0           |
| 060    | 66434-17630 | ASSY TIRE RH  | 1    |        |     |         | 0            | 0           |
| 070    | 66434-17640 | WHEEL         | 1    |        |     |         | 0            | 0           |
| 080    | 66434-17650 | TIRE          | 1    |        |     |         | 0            | 0           |
| 090    | 66434-17670 | LABEL TIRE RH | 1    |        |     |         | 0            | 0           |
| 100    | 35450-49160 | STUD          | 12   | ≤70846 |     |         | 0.05         | 0.11        |
| 100    | TA150-49160 | STUD WHEEL    | 12   | ≥70847 | ≠   |         | 0            | 0           |
| 110    | 35340-11390 | NUT           | 12   |        |     |         | 0.03         | 0.066       |






## FRONT WHEEL (10-16.5)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-10900 | ASSY FRONT WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | TA040-10910 | ASSY FRONT WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | 35080-11930 | TIRE                | 1    |        |     |         | 0            | 0           |
| 040    | TA040-42420 | WHEEL               | 1    |        |     |         | 0            | 0           |
| 050    | TA040-10950 | LABEL TIRE RH       | 1    |        |     |         | 0            | 0           |
| 060    | TA040-10920 | ASSY FRONT WHEEL LH | 1    |        |     |         | 0            | 0           |
| 070    | 35080-11930 | TIRE                | 1    |        |     |         | 0            | 0           |
| 080    | TA040-42420 | WHEEL               | 1    |        |     |         | 0            | 0           |
| 090    | TA040-10960 | LABEL TIRE LH       | 1    |        |     |         | 0            | 0           |
| 100    | 35450-49160 | STUD                | 12   | ≤70846 |     |         | 0.05         | 0.11        |
| 100    | TA150-49160 | STUD WHEEL          | 12   | ≥70847 | ≠   |         | 0            | 0           |
| 110    | 35340-11390 | NUT                 | 12   |        |     |         | 0.03         | 0.066       |



**FRONT WHEEL (27\*8.5-15)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-10500 | ASSY FRONT WHEEL | 2    |        |     |         | 0            | 0           |
| 020    | 67002-17630 | TIRE             | 2    |        |     |         | 0            | 0           |
| 030    | TA040-10550 | WHEEL            | 2    |        |     |         | 0            | 0           |
| 040    | TA040-10560 | LABEL TIRE       | 2    |        |     |         | 0            | 0           |
| 050    | 35450-49160 | STUD             | 12   | ≤70846 |     |         | 0.05         | 0.11        |
| 050    | TA150-49160 | STUD WHEEL       | 12   | ≥70847 | ≠   |         | 0            | 0           |
| 060    | 35340-11390 | NUT              | 12   |        |     |         | 0.03         | 0.066       |



**FRONT WHEEL (29\*12.50-15)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35080-11500 | ASSY TIRE   | 1    |        |     |         | 0            | 0           |
| 020    | 35080-11510 | TIRE ASSY   | 2    |        |     |         | 0            | 0           |
| 030    | 35080-11530 | TIRE        | 2    |        |     |         | 0            | 0           |
| 040    | 35080-11540 | WHEEL       | 2    |        |     |         | 0            | 0           |
| 050    | 35080-11550 | LABEL TIRE  | 2    |        |     |         | 0            | 0           |
| 060    | 35450-49160 | STUD        | 12   | ≤70846 |     |         | 0.05         | 0.11        |
| 060    | TA150-49160 | STUD WHEEL  | 12   | ≥70847 | ≠   |         | 0            | 0           |
| 070    | 35340-11390 | NUT         | 12   |        |     |         | 0.03         | 0.066       |



TA040-087-11

240 01073-51630

270 04512-60160




TA120-826-11




# REAR WHEEL (13.6-24)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35070-27800 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | 35070-27810 | ASSY REAR WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | 35070-27870 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 040    | 35070-27820 | TIRE               | 1    |        |     |         | 0            | 0           |
| 050    | 35070-27830 | TUBE               | 1    |        |     |         | 0            | 0           |
| 060    | 35070-27850 | RIM                | 1    |        |     |         | 0            | 0           |
| 070    | 35070-27650 | ASSY DISK          | 1    |        |     |         | 0            | 0           |
| 080    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 090    | 31220-27680 | BOLT               | 4    |        |     |         | 0.09         | 0.198       |
| 100    | 04512-60160 | WASHER SPRING      | 4    |        |     |         | 0.01         | 0.022       |
| 110    | 02174-50160 | NUT                | 4    |        |     |         | 0.022        | 0.0484      |
| 120    | 35070-27980 | LABEL TIRE RH      | 1    |        |     |         | 0            | 0           |
| 130    | 35070-27910 | ASSY REAR WHEEL LH | 1    |        |     |         | 0            | 0           |
| 140    | 35070-27870 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 150    | 35070-27820 | TIRE               | 1    |        |     |         | 0            | 0           |
| 160    | 35070-27830 | TUBE               | 1    |        |     |         | 0            | 0           |
| 170    | 35070-27850 | RIM                | 1    |        |     |         | 0            | 0           |
| 180    | 35070-27650 | ASSY DISK          | 1    |        |     |         | 0            | 0           |
| 190    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 200    | 31220-27680 | BOLT               | 4    |        |     |         | 0.09         | 0.198       |
| 210    | 04512-60160 | WASHER SPRING      | 4    |        |     |         | 0.01         | 0.022       |
| 220    | 02174-50160 | NUT                | 4    |        |     |         | 0.022        | 0.0484      |
| 230    | 35070-27970 | LABEL TIRE LH      | 1    |        |     |         | 0            | 0           |
| 240    | 01073-51630 | BOLT               | 8    | ≤72093 |     |         | 0.079        | 0.1738      |
| 240    | 01033-51630 | BOLT               | 8    | ≥72094 | ←   |         | 0            | 0           |
| 250    | 02076-50160 | NUT                | 4    |        |     |         | 0.03         | 0.066       |
| 260    | 01517-51632 | STUD               | 4    | ≤72760 |     |         | 0.076        | 0.1672      |
| 260    | 01517-51635 | STUD               | 4    | ≥72761 | ←   |         | 0.08         | 0.176       |
| 270    | 04512-60160 | WASHER SPRING      | 12   | ≤72093 |     |         | 0.01         | 0.022       |
| 270    | 04512-60160 | WASHER SPRING      | 4    | ≥72094 |     |         | 0.01         | 0.022       |




180 01073-51630  
210 04512-60160




TA140-855-11

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-27802 | ASSY FRONT WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | TA040-27812 | ASSY FRONT WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | 32550-40410 | ASSY TIRE           | 1    |        |     |         | 0            | 0           |
| 040    | 35070-27850 | RIM                 | 1    |        |     |         | 0            | 0           |
| 045    | 35070-27650 | ASSY DISK           | 1    |        |     |         | 0            | 0           |
| 050    | 35080-27660 | DISK                | 1    |        |     |         | 0            | 0           |
| 060    | 31220-27680 | BOLT                | 4    | ≤72093 |     |         | 0.09         | 0.198       |
| 060    | T1150-27680 | BOLT RIM            | 4    | ≥72094 | ←   |         | 0            | 0           |
| 070    | 04512-60160 | WASHER SPRING       | 4    |        |     |         | 0.01         | 0.022       |
| 080    | 02174-50160 | NUT                 | 4    | ≤72093 |     |         | 0.022        | 0.0484      |
| 080    | 02176-50160 | NUT                 | 4    | ≥72094 | ←   |         | 0.021        | 0.0462      |
| 090    | TA040-27980 | LABEL TIRE RH       | 1    |        |     |         | 0            | 0           |
| 100    | TA040-27912 | ASSY FRONT WHEEL LH | 1    |        |     |         | 0            | 0           |
| 110    | 32550-40410 | ASSY TIRE           | 1    |        |     |         | 0            | 0           |
| 120    | 35070-27850 | RIM                 | 1    |        |     |         | 0            | 0           |
| 125    | 35070-27650 | ASSY DISK           | 1    |        |     |         | 0            | 0           |
| 130    | 35080-27660 | DISK                | 1    |        |     |         | 0            | 0           |
| 140    | 31220-27680 | BOLT                | 4    | ≤72093 |     |         | 0.09         | 0.198       |
| 140    | T1150-27680 | BOLT RIM            | 4    | ≥72094 | ←   |         | 0            | 0           |
| 150    | 04512-60160 | WASHER SPRING       | 4    |        |     |         | 0.01         | 0.022       |
| 160    | 02174-50160 | NUT                 | 4    | ≤72093 |     |         | 0.022        | 0.0484      |
| 160    | 02176-50160 | NUT                 | 4    | ≥72094 | ←   |         | 0.021        | 0.0462      |
| 170    | TA040-27970 | LABEL TIRE LH       | 1    |        |     |         | 0            | 0           |
| 180    | 01073-51630 | BOLT                | 8    | ≤72093 |     |         | 0.079        | 0.1738      |
| 180    | 01033-51630 | BOLT                | 8    | ≥72094 | ←   |         | 0            | 0           |
| 190    | 02076-50160 | NUT                 | 4    |        |     |         | 0.03         | 0.066       |
| 200    | 01517-51632 | STUD                | 4    | ≤72760 |     |         | 0.076        | 0.1672      |
| 200    | 01517-51635 | STUD                | 4    | ≥72761 | ←   |         | 0.08         | 0.176       |
| 210    | 04512-60160 | WASHER SPRING       | 12   | ≤72093 |     |         | 0.01         | 0.022       |
| 210    | 04512-60160 | WASHER SPRING       | 4    | ≥72094 |     |         | 0.01         | 0.022       |




180 01073-51630  
210 04512-60160



TA140-855-11


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-27700 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | TA040-27710 | ASSY REAR WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | TA040-27730 | TIRE               | 1    |        |     |         | 0            | 0           |
| 040    | 35060-27840 | RIM                | 1    |        |     |         | 0            | 0           |
| 050    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 060    | 75599-07760 | HEXAGONE BOLT      | 4    |        |     |         | 0            | 0           |
| 070    | 70070-02009 | WASHER             | 4    |        |     |         | 0            | 0           |
| 080    | 75599-31013 | HEX.NUT            | 4    |        |     |         | 0            | 0           |
| 090    | TA040-27750 | LABEL TIRE RH      | 1    |        |     |         | 0            | 0           |
| 100    | TA040-27720 | ASSY REAR WHEEL LH | 1    |        |     |         | 0            | 0           |
| 110    | TA040-27730 | TIRE               | 1    |        |     |         | 0            | 0           |
| 120    | 35060-27840 | RIM                | 1    |        |     |         | 0            | 0           |
| 130    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 140    | 75599-07760 | HEXAGONE BOLT      | 4    |        |     |         | 0            | 0           |
| 150    | 70070-02009 | WASHER             | 4    |        |     |         | 0            | 0           |
| 160    | 75599-31013 | HEX.NUT            | 4    |        |     |         | 0            | 0           |
| 170    | TA040-27760 | LABEL TIRE LH      | 1    |        |     |         | 0            | 0           |
| 180    | 01073-51630 | BOLT               | 8    | ≤72093 |     |         | 0.079        | 0.1738      |
| 180    | 01033-51630 | BOLT               | 8    | ≥72094 | ←   |         | 0            | 0           |
| 190    | 02076-50160 | NUT                | 4    |        |     |         | 0.03         | 0.066       |
| 200    | 01517-51632 | STUD               | 4    | ≤72760 |     |         | 0.076        | 0.1672      |
| 200    | 01517-51635 | STUD               | 4    | ≥72761 | ←   |         | 0.08         | 0.176       |
| 210    | 04512-60160 | WASHER SPRING      | 12   | ≤72093 |     |         | 0.01         | 0.022       |
| 210    | 04512-60160 | WASHER SPRING      | 4    | ≥72094 |     |         | 0.01         | 0.022       |



060 01073-51630

090 04512-60160




TA120-828-10

**REAR WHEEL (41\*14.00-20)**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35080-27900 | ASSY REAR WHEEL | 1    |        |     |         | 0            | 0           |
| 020    | 35080-27910 | ASSY REAR WHEEL | 2    |        |     |         | 0            | 0           |
| 030    | 35998-01880 | ASSY TIRE REAR  | 2    |        |     |         | 0            | 0           |
| 040    | 35080-27950 | WHEEL           | 2    |        |     |         | 0            | 0           |
| 050    | 35080-27870 | LABEL TIRE      | 2    |        |     |         | 0            | 0           |
| 060    | 01073-51630 | BOLT            | 8    | ≤72093 |     |         | 0.079        | 0.1738      |
| 060    | 01133-51630 | BOLT            | 8    | ≥72094 | ←   |         | 0.42         | 0.924       |
| 070    | 02076-50160 | NUT             | 4    |        |     |         | 0.03         | 0.066       |
| 080    | 01517-51632 | STUD            | 4    | ≤72760 |     |         | 0.076        | 0.1672      |
| 080    | 01517-51635 | STUD            | 4    | ≥72761 | ←   |         | 0.08         | 0.176       |
| 090    | 04512-60160 | WASHER SPRING   | 12   | ≤72093 |     |         | 0.01         | 0.022       |
| 090    | 04512-60160 | WASHER SPRING   | 4    | ≥72094 |     |         | 0.01         | 0.022       |



050 01073-51630

080 04512-60160




TA120-827-10

**REAR WHEEL (21.5L-16.1)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA140-27700 | ASSY TIRE     | 2    |        |     |         | 0            | 0           |
| 020    | 32550-42510 | ASSY TIRE     | 2    |        |     |         | 0            | 0           |
| 030    | 35080-27720 | WHEEL         | 2    |        |     |         | 0            | 0           |
| 040    | 35080-27730 | LABEL TIRE    | 2    |        |     |         | 0            | 0           |
| 050    | 01073-51630 | BOLT          | 8    | ≤72093 |     |         | 0.079        | 0.1738      |
| 050    | 01033-51630 | BOLT          | 8    | ≥72094 | ←   |         | 0            | 0           |
| 060    | 02076-50160 | NUT           | 4    |        |     |         | 0.03         | 0.066       |
| 070    | 01517-51632 | STUD          | 4    | ≤72760 |     |         | 0.076        | 0.1672      |
| 070    | 01517-51635 | STUD          | 4    | ≥72761 | ←   |         | 0.08         | 0.176       |
| 080    | 04512-60160 | WASHER SPRING | 12   | ≤72093 |     |         | 0.01         | 0.022       |
| 080    | 04512-60160 | WASHER SPRING | 4    | ≥72094 |     |         | 0.01         | 0.022       |






## LABEL 1 [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | T0270-65240 | LABEL FRONT GRILLE   | 2    |        |     |          | 0.002        | 0.0044      |
| 020    | TA040-30150 | LABEL BATTERY        | 1    |        |     | ENGLISH  | 0.002        | 0.0044      |
| 020    | TA041-30150 | LABEL BATTERY        | 1    |        |     | FRENCH   | 0.005        | 0.011       |
| 030    | TA040-49650 | LABEL START CAUTION  | 1    |        |     | ENGLISH  | 0.004        | 0.0088      |
| 030    | TA041-49650 | LABEL START CAUTION  | 1    |        |     | FRENCH   | 0.004        | 0.0088      |
| 040    | 35080-65280 | LABEL KEY STOP       | 1    |        |     | ENGLISH  | 0.001        | 0.0022      |
| 040    | 35081-65280 | LABEL KEY STOP       | 1    |        |     | FRENCH   | 0.02         | 0.044       |
| 050    | 32751-49580 | LABEL FAN BELT       | 2    |        |     |          | 0.001        | 0.0022      |
| 060    | TA040-49580 | LABEL MUFFLER        | 1    |        |     |          | 0.001        | 0.0022      |
| 070    | TA040-49562 | LABEL FUEL           | 1    |        |     |          | 0.002        | 0.0044      |
| 075    | TA140-49500 | MARK SYMBOL          | 1    |        |     |          | 0.013        | 0.0286      |
| 080    | TA040-49440 | MARK HANDLE          | 2    |        |     |          | 0.001        | 0.0022      |
| 090    | 99999-99999 | NAME PLATE           | 1    |        |     | NOT SALE | 0            | 0           |
| 100    | TA140-49400 | ASSY LACE RH         | 1    |        |     |          | 0.27         | 0.594       |
| 110    | TA140-49410 | ASSY LACE LH         | 1    |        |     |          | 0.27         | 0.594       |
| 120    | 30400-65040 | PLATE WASHER         | 14   |        |     |          | 0.001        | 0.0022      |
| 130    | 55611-44190 | NUT                  | 14   |        |     |          | 0.004        | 0.0088      |
| 140    | TA150-49422 | MARK MODEL           | 2    |        |     |          | 0            | 0           |
| 150    | TA140-49360 | MARK MAIN SWITCH     | 1    |        |     |          | 0.002        | 0.0044      |
| 160    | TA040-49450 | MARK TILT            | 1    |        |     |          | 0.001        | 0.0022      |
| 170    | TA040-49460 | LABEL PARKING        | 1    |        |     |          | 0.001        | 0.0022      |
| 180    | TA040-49370 | MARK ACCEL.GRIP      | 1    |        |     |          | 0.001        | 0.0022      |
| 190    | 6C050-47310 | LABEL HST            | 1    | ≤72326 |     |          | 0            | 0           |
| 190    | 6C050-47312 | LABEL HST            | 1    | ≥72327 | ←   |          | 0            | 0           |
| 200    | 99999-99999 | BLANK                | 0    |        |     |          | 0            | 0           |
| 210    | TA140-30430 | LABEL FUSE           | 1    |        |     | FRENCH   | 0.001        | 0.0022      |
| 220    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     | ENGLISH  | 0.06         | 0.132       |
| 220    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |        |     | FRENCH   | 0.04         | 0.088       |




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-------------------|--------------|-------------|
| 010    | TA040-49500 | MARK POSITION        | 1    |        |     |                   | 0.002        | 0.0044      |
| 020    | 99999-99999 | BLANK                | 0    |        |     |                   | 0            | 0           |
| 030    | 99999-99999 | BLANK                | 0    |        |     |                   | 0            | 0           |
| 040    | 34550-49700 | LABEL                | 1    |        |     |                   | 0.001        | 0.0022      |
| 050    | TA040-49320 | LABEL ROPS WARNING   | 1    |        |     | ENGLISH           | 0.001        | 0.0022      |
| 050    | TA040-49150 | LABEL ROPS WARNING   | 1    |        |     | FRENCH            | 0.003        | 0.0066      |
| 060    | TA040-49350 | LABEL DRAWBAR        | 1    |        |     | ENGLISH           | 0.002        | 0.0044      |
| 060    | TA041-49350 | LABEL DRAWBAR        | 1    |        |     | FRENCH            | 0.003        | 0.0066      |
| 070    | 35260-34913 | LABEL SAFETY         | 1    |        |     | ENGLISH           | 0.005        | 0.011       |
| 070    | TA041-65700 | LABEL SAFETY         | 1    |        |     | FRENCH            | 0.01         | 0.022       |
| 080    | TA040-49590 | LABEL PTO WARNING    | 1    |        |     | ENGLISH           | 0.002        | 0.0044      |
| 080    | TA041-49590 | LABEL PTO WARNING    | 1    |        |     | FRENCH            | 0.005        | 0.011       |
| 090    | TA240-49330 | LABEL PARKING        | 1    |        |     | ENGLISH           | 0.005        | 0.011       |
| 090    | TA241-49330 | LABEL PARKING WARNIN | 1    |        |     | FRENCH            | 0.005        | 0.011       |
| 095    | 6C070-47332 | LABEL                | 1    | ≤72326 |     |                   | 0.001        | 0.0022      |
| 095    | TA240-49350 | LABEL                | 1    | ≥72327 | ←   |                   | 0            | 0           |
| 100    | TA240-49210 | MARK HST CHANGE      | 1    |        |     |                   | 0.02         | 0.044       |
| 110    | TA040-49310 | LABEL PTO CAUTION    | 1    |        |     |                   | 0.002        | 0.0044      |
| 120    | TA240-48470 | MARK HST RH          | 1    |        |     |                   | 0.01         | 0.022       |
| 130    | TA240-48480 | MARK HST LH          | 1    |        |     |                   | 0.01         | 0.022       |
| 140    | TA040-49550 | MARK 4WD             | 1    |        |     |                   | 0.001        | 0.0022      |
| 150    | TA040-49760 | MARK DIFF.LOCK       | 1    |        |     |                   | 0.001        | 0.0022      |
| 160    | TA040-49510 | MARK HYD.ADJUST.     | 1    |        |     |                   | 0.001        | 0.0022      |
| 170    | 32430-65790 | LABEL HYD.BLOCK      | 1    |        |     |                   | 0.01         | 0.022       |
| 180    | TA040-49160 | MARK REAR PTO        | 1    |        |     |                   | 0.001        | 0.0022      |
| 190    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     | ENGLISH           | 0.06         | 0.132       |
| 190    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |        |     | FRENCH            | 0.04         | 0.088       |
| 200    | TA140-49330 | LABEL SHUTTLE        | 1    |        |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 200    | TA141-49330 | LABEL SHUTTLE        | 1    |        |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 210    | TA140-49920 | LABEL SHUTTLE        | 1    |        |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 210    | TA141-49920 | LABEL SHUTTLE        | 1    |        |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 220    | TA040-49020 | LABEL CAB WARNING    | 1    |        |     | NOT SHOWN IN FIG. | 0.002        | 0.0044      |
| 220    | TA043-49020 | LABEL CAB WARNING    | 1    |        |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 230    | TA040-49340 | LABEL M-PTO WARNING  | 1    | ≤72557 |     | NOT SHOWN IN FIG. | 0.001        | 0.0022      |
| 230    | TA040-49342 | LABEL M-PTO WARNING  | 1    | ≥72558 | ←   | NOT SHOWN IN FIG. | 0            | 0           |
| 230    | TA041-49340 | LABEL M-PTO WARNING  | 1    | ≤72557 |     | NOT SHOWN IN FIG. | 0.003        | 0.0066      |
| 230    | TA041-49342 | LABEL M-PTO WARNING  | 1    | ≥72558 | ←   | NOT SHOWN IN FIG. | 0            | 0           |

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS         | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------------|--------------|-------------|
| 010    | TA140-19715 | MANUAL INSTRUCTION   | 1    |        |     | ENGLISH         | 0.15         | 0.33        |
| 010    | TA140-19723 | MANUAL INSTRUCTION   | 1    |        |     | FRENCH          | 0            | 0           |
| 015    | 1G511-89810 | STATEMENT WARRANTY   | 1    |        |     |                 | 0.01         | 0.022       |
| 030    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |        |     | ROPS TYPE       | 0.02         | 0.044       |
| 040    | 01073-51630 | BOLT                 | 8    | ≤72093 |     | FOR REAR WHEEL  | 0.079        | 0.1738      |
| 040    | 01033-51630 | BOLT                 | 8    | ≥72094 | ←   | FOR REAR WHEEL  | 0            | 0           |
| 050    | 02076-50160 | NUT                  | 4    |        |     | FOR REAR WHEEL  | 0.03         | 0.066       |
| 060    | 01517-51632 | STUD                 | 4    | ≤72760 |     | FOR REAR WHEEL  | 0.076        | 0.1672      |
| 060    | 01517-51635 | STUD                 | 4    | ≥72761 | ←   | FOR REAR WHEEL  | 0.08         | 0.176       |
| 070    | 04512-60160 | WASHER SPRING        | 12   | ≤72093 |     | FOR REAR WHEEL  | 0.01         | 0.022       |
| 070    | 04512-60160 | WASHER SPRING        | 4    | ≥72094 |     | FOR REAR WHEEL  | 0.01         | 0.022       |
| 080    | 35450-49160 | STUD                 | 12   | ≤70846 |     | FOR FRONT WHEEL | 0.05         | 0.11        |
| 080    | TA150-49160 | STUD WHEEL           | 12   | ≥70847 | ≠   | FOR FRONT WHEEL | 0            | 0           |
| 090    | 35340-11390 | NUT                  | 12   |        |     | FOR FRONT WHEEL | 0.03         | 0.066       |




010  
020  
050




050

TA140-297-10





**010 TA040-3831-2**




**TA129-805-11**



**POSITION CONTROL LEVER (WITH DRAFT) [OPTION]**  
(AVEC TYPE D'EFFORT) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-38312 | LINK CONTROL      | 1    | ≤71692 |     |         | 0.15         | 0.33        |
| 010    | TA140-38310 | LINK CONTROL      | 1    | ≥71693 | ≠   |         | 0            | 0           |
| 020    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 030    | 05411-00525 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 08511-01615 | BUSH              | 1    |        |     |         | 0.01         | 0.022       |
| 050    | TA040-38122 | SHAFT DRAFT       | 1    |        |     |         | 0.14         | 0.308       |
| 060    | 04013-60140 | WASHER PLAIN      | 2    |        |     |         | 0.01         | 0.022       |
| 070    | 34260-36880 | SPRING PLATE      | 2    |        |     |         | 0.006        | 0.0132      |
| 080    | 02174-50140 | NUT               | 1    |        |     |         | 0.014        | 0.0308      |
| 090    | 02172-50140 | NUT               | 1    |        |     |         | 0.01         | 0.022       |
| 100    | TA040-38142 | LINK DRAFT        | 1    |        |     |         | 0.065        | 0.143       |
| 110    | 05411-00525 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 115    | 04714-00300 | GASKET            | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | TA040-38150 | LINK DRAFT        | 1    |        |     |         | 0.065        | 0.143       |
| 130    | 08511-01612 | BUSH              | 1    |        |     |         | 0.005        | 0.011       |
| 140    | TA040-38160 | LINK DRAFT        | 1    |        |     |         | 0.07         | 0.154       |
| 150    | 08511-01612 | BUSH              | 1    |        |     |         | 0.005        | 0.011       |
| 160    | 04011-60160 | WASHER PLAIN      | 1    |        |     |         | 0.01         | 0.022       |
| 170    | 04612-00160 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.001        | 0.0022      |
| 180    | TA040-38170 | LINK DRAFT        | 1    |        |     |         | 0.095        | 0.209       |
| 190    | 04012-50080 | WASHER PLAIN      | 1    |        |     |         | 0.001        | 0.0022      |
| 200    | 05511-50215 | PIN SPLIT         | 1    |        |     |         | 0.001        | 0.0022      |
| 210    | TA040-38190 | COLLAR            | 1    |        |     |         | 0.02         | 0.044       |
| 220    | 04011-50100 | WASHER PLAIN      | 2    |        |     |         | 0.002        | 0.0044      |
| 230    | 05511-50320 | PIN SPLIT         | 1    |        |     |         | 0.002        | 0.0044      |
| 240    | TA040-38212 | LEVER POSITION    | 1    |        |     |         | 0.13         | 0.286       |
| 250    | 05411-00525 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 260    | TA040-38322 | ROD CONTROL       | 1    |        |     |         | 0.045        | 0.099       |
| 270    | 05525-50800 | PIN SNAP          | 2    |        |     |         | 0.001        | 0.0022      |
| 280    | 36919-27830 | SPRING            | 1    |        |     |         | 0.01         | 0.022       |
| 290    | TA040-38262 | HOLDER            | 1    |        |     |         | 0.06         | 0.132       |
| 300    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 310    | TA040-38282 | ROD DRAFT         | 1    |        |     |         | 0.145        | 0.319       |
| 320    | 04012-50080 | WASHER PLAIN      | 3    |        |     |         | 0.001        | 0.0022      |
| 330    | 05525-50800 | PIN SNAP          | 2    |        |     |         | 0.001        | 0.0022      |
| 340    | TA040-38230 | LEVER POSITION    | 1    |        |     |         | 0.18         | 0.396       |
| 350    | 52300-32640 | GRIP LEVER        | 1    |        |     |         | 0.04         | 0.088       |
| 360    | 01754-50612 | BOLT FLANGE       | 2    |        |     |         | 0.005        | 0.011       |
| 370    | TA040-36132 | TUBE LEVER        | 1    |        |     |         | 0.01         | 0.022       |
| 380    | 99999-99999 | MANUAL ASSEMBLY   | 1    |        |     |         | 0            | 0           |




T4040-110-12



# DRAFT CONTROL LEVER (WITH DRAFT) [OPTION] [OPTION]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description  | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-38114 | STAY         | 1    |       |     |         | 0.255        | 0.561       |
| 020    | 01123-50822 | BOLT         | 2    |       |     |         | 0.012        | 0.0264      |
| 030    | 08511-01615 | BUSH         | 2    |       |     |         | 0.01         | 0.022       |
| 040    | TA040-38132 | SHAFT DRAFT  | 1    |       |     |         | 0.22         | 0.484       |
| 050    | 04714-00300 | GASKET       | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 04013-60140 | WASHER PLAIN | 2    |       |     |         | 0.01         | 0.022       |
| 070    | 34260-36880 | SPRING PLATE | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | 02174-50140 | NUT          | 1    |       |     |         | 0.014        | 0.0308      |
| 090    | 02172-50140 | NUT          | 1    |       |     |         | 0.01         | 0.022       |
| 100    | TA040-38182 | LEVER CAM    | 1    |       |     |         | 0.085        | 0.187       |
| 110    | 04012-50080 | WASHER PLAIN | 2    |       |     |         | 0.001        | 0.0022      |
| 120    | 05511-50215 | PIN SPLIT    | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | TA040-38222 | LEVER DRAFT  | 1    |       |     |         | 0.095        | 0.209       |
| 140    | 05411-00525 | PIN SPRING   | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | TA040-49520 | MARK DRAFT   | 1    |       |     |         | 0.003        | 0.0066      |
| 160    | TA040-38240 | LEVER DRAFT  | 1    |       |     |         | 0.16         | 0.352       |
| 170    | 37410-43560 | GRIP LEVER   | 1    |       |     |         | 0.025        | 0.055       |
| 180    | 01754-50612 | BOLT FLANGE  | 2    |       |     |         | 0.005        | 0.011       |
| 190    | TA040-36132 | TUBE LEVER   | 1    |       |     |         | 0.01         | 0.022       |



060 04012-50080

070 05511-50218




TA150-819-10



**TOP LINK HOLDER (WITH DRAFT) [OPTION]**  
(AVEC TYPE D'EFFORT) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-38360 | ROD DRAFT            | 1    |        |     |         | 0.192        | 0.4224      |
| 020    | TA040-38350 | HOLDER               | 1    |        |     |         | 0.033        | 0.0726      |
| 030    | 02116-50100 | NUT                  | 2    |        |     |         | 0.004        | 0.0088      |
| 040    | 05525-50800 | PIN SNAP             | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 05122-50818 | PIN JOINT            | 1    |        |     |         | 0.008        | 0.0176      |
| 060    | 04012-50080 | WASHER PLAIN         | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 05511-50218 | PIN SPLIT            | 1    | ≤73371 |     |         | 0.001        | 0.0022      |
| 070    | 05525-50800 | PIN SNAP             | 1    | ≥73372 | ≠   |         | 0.001        | 0.0022      |
| 080    | 35080-41400 | COMP HOLDER TOP LINK | 1    |        |     |         | 6.85         | 15.07       |
| 090    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 100    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 110    | 37300-41440 | PIN STRAIGHT         | 2    |        |     |         | 0.055        | 0.121       |
| 120    | 06613-10010 | NIPPLE GREASE        | 2    |        |     |         | 0.006        | 0.0132      |
| 130    | 37300-41450 | BUSH                 | 3    |        |     |         | 0.03         | 0.066       |
| 140    | 01133-51230 | BOLT                 | 6    |        |     |         | 0.04         | 0.088       |



TA040-131-11

020 01176-51430

030 04512-60140




TA150-807-10



# SWINGING DRAWBAR/CLEVIS DRAWBAR [OPTION] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-29830 | FRAME SWING DRAWBAR | 1    | ≤72760 |     |         | 7.9          | 17.38       |
| 010    | TA040-29832 | FRAME SWING DRAWBAR | 1    | ≥72761 | ←   |         | 7.9          | 17.38       |
| 020    | 01176-51430 | BOLT                | 4    | ≤72388 |     |         | 0.052        | 0.1144      |
| 020    | 01138-51430 | BOLT                | 4    | ≥72389 | ←   |         | 0            | 0           |
| 030    | 04512-60140 | WASHER SPRING       | 4    | ≤72388 |     |         | 0.006        | 0.0132      |
| 040    | 05122-52070 | PIN JOINT           | 3    |        |     |         | 0.186        | 0.4092      |
| 050    | 05515-51600 | PIN SNAP            | 3    |        |     |         | 0.007        | 0.0154      |
| 060    | 01133-51230 | BOLT                | 2    |        |     |         | 0.04         | 0.088       |
| 070    | TA040-98520 | MANUAL ASSEMBLY     | 1    |        |     |         | 0.005        | 0.011       |
| 080    | 35080-29710 | DRAWBAR             | 1    |        |     |         | 7            | 15.4        |
| 090    | 35080-29720 | HITCH DRAWBAR       | 1    |        |     |         | 2.8          | 6.16        |
| 100    | 99533-78250 | PIN                 | 1    |        |     |         | 0.61         | 1.342       |
| 110    | 70515-16330 | PIN SPRING          | 1    |        |     |         | 0.028        | 0.0616      |
| 120    | 01170-51680 | BOLT                | 2    |        |     |         | 0.14         | 0.308       |
| 130    | 04512-60160 | WASHER SPRING       | 2    |        |     |         | 0.01         | 0.022       |
| 140    | 02174-50160 | NUT                 | 2    |        |     |         | 0.022        | 0.0484      |






REMOTE CONTROL VALVE LEVER 1 [ROPS TYPE] [OPTION]  
[EXCEPT TYPE CABINE] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-96500 | ASSY VALVE AUX.CON.  | 1    |        |     |         | 3.3          | 7.26        |
| 020    | TA040-96122 | COVER AUX.CON.VALVE  | 1    | ≤73533 |     |         | 0.475        | 1.045       |
| 020    | TA040-96123 | COVER AUX.CON.VALVE  | 1    | ≥73534 | ←   |         | 0.475        | 1.045       |
| 030    | TA040-96142 | ASSY PIPE CONT.VALVE | 1    |        |     |         | 1.4          | 3.08        |
| 040    | 04811-50400 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 04817-50400 | O RING               | 1    |        | ←   |         | 0.003        | 0.0066      |
| 050    | 01153-50870 | BOLT                 | 3    |        |     |         | 0.026        | 0.0572      |
| 060    | 04512-60080 | WASHER SPRING        | 3    |        |     |         | 0.002        | 0.0044      |
| 070    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 080    | 04810-00100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-00100 | O RING               | 2    |        | ←   |         | 0            | 0           |
| 090    | 01123-50835 | BOLT                 | 3    |        |     |         | 0.02         | 0.044       |
| 100    | TA040-96150 | PIPE RETURN          | 1    |        |     |         | 0.045        | 0.099       |
| 110    | 04811-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04817-00110 | O RING               | 2    |        | ←   |         | 0.001        | 0.0022      |
| 120    | TA040-96220 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.11         | 0.242       |
| 130    | TA040-96250 | TUBE LEVER           | 1    |        |     |         | 0.007        | 0.0154      |
| 140    | 68021-32790 | PIN                  | 2    |        |     |         | 0.004        | 0.0088      |
| 150    | 04012-50050 | WASHER PLAIN         | 4    |        |     |         | 0.001        | 0.0022      |
| 160    | 05511-51210 | PIN SPLIT            | 2    |        |     |         | 0.001        | 0.0022      |
| 170    | 31355-82290 | GRIP LEVER           | 1    |        |     |         | 0.015        | 0.033       |
| 180    | TA040-96160 | STAY AUX.CONT.VALVE  | 1    |        |     |         | 0.25         | 0.55        |
| 190    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 200    | 01133-51235 | BOLT                 | 2    |        |     |         | 0.05         | 0.11        |
| 210    | TA040-49610 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 220    | TA040-98140 | MANUAL ASSEMBLY      | 1    | ≤73371 |     |         | 0.015        | 0.033       |
| 220    | TA040-98142 | MANUAL ASSEMBLY      | 1    | ≥73372 | ←   |         | 0.015        | 0.033       |






REMOTE CONTROL VALVE LEVER 2 [ROPS TYPE] [OPTION]  
[EXCEPT TYPE CABINE] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-96102 | ASSY VALVE AUX.CON.  | 1    |        |     |         | 4.7          | 10.34       |
| 020    | TA040-96122 | COVER AUX.CON.VALVE  | 1    | ≤73533 |     |         | 0.475        | 1.045       |
| 020    | TA040-96123 | COVER AUX.CON.VALVE  | 1    | ≥73534 | ←   |         | 0.475        | 1.045       |
| 030    | TA040-96142 | ASSY PIPE CONT.VALVE | 1    |        |     |         | 1.4          | 3.08        |
| 040    | 04811-50400 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 04817-50400 | O RING               | 1    |        | ←   |         | 0.003        | 0.0066      |
| 050    | 01153-50800 | BOLT                 | 3    |        |     |         | 0.036        | 0.0792      |
| 060    | 04512-60080 | WASHER SPRING        | 3    |        |     |         | 0.002        | 0.0044      |
| 070    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 080    | 04810-00100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-00100 | O RING               | 2    |        | ←   |         | 0            | 0           |
| 090    | 01123-50835 | BOLT                 | 3    |        |     |         | 0.02         | 0.044       |
| 100    | TA040-96150 | PIPE RETURN          | 1    |        |     |         | 0.045        | 0.099       |
| 110    | 04811-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04817-00110 | O RING               | 2    |        | ←   |         | 0.001        | 0.0022      |
| 120    | TA040-96220 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.11         | 0.242       |
| 130    | TA040-96234 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.1          | 0.22        |
| 140    | TA040-96250 | TUBE LEVER           | 2    |        |     |         | 0.007        | 0.0154      |
| 150    | 68021-32790 | PIN                  | 4    |        |     |         | 0.004        | 0.0088      |
| 160    | 04012-50050 | WASHER PLAIN         | 8    |        |     |         | 0.001        | 0.0022      |
| 170    | 05511-51210 | PIN SPLIT            | 4    |        |     |         | 0.001        | 0.0022      |
| 180    | 31355-82290 | GRIP LEVER           | 2    |        |     |         | 0.015        | 0.033       |
| 190    | TA040-96160 | STAY AUX.CONT.VALVE  | 1    |        |     |         | 0.25         | 0.55        |
| 200    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 210    | 01133-51235 | BOLT                 | 2    |        |     |         | 0.05         | 0.11        |
| 220    | TA040-49610 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 230    | TA040-98140 | MANUAL ASSEMBLY      | 1    | ≤73371 |     |         | 0.015        | 0.033       |
| 230    | TA040-98142 | MANUAL ASSEMBLY      | 1    | ≥73372 | ←   |         | 0.015        | 0.033       |






REMOTE CONTROL VALVE LEVER 3 [ROPS TYPE] [OPTION]  
[EXCEPT TYPE CABINE] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-96300 | ASSY VALVE AUX.CON.  | 1    |        |     |         | 6.1          | 13.42       |
| 020    | TA040-96122 | COVER AUX.CON.VALVE  | 1    | ≤73533 |     |         | 0.475        | 1.045       |
| 020    | TA040-96123 | COVER AUX.CON.VALVE  | 1    | ≥73534 | ←   |         | 0.475        | 1.045       |
| 030    | TA040-96142 | ASSY PIPE CONT.VALVE | 1    |        |     |         | 1.4          | 3.08        |
| 040    | 04811-50400 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 04817-50400 | O RING               | 1    |        | ←   |         | 0.003        | 0.0066      |
| 050    | 45404-95180 | BOLT                 | 3    |        |     |         | 0.05         | 0.11        |
| 060    | 04512-60080 | WASHER SPRING        | 3    |        |     |         | 0.002        | 0.0044      |
| 070    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 080    | 04810-00100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-00100 | O RING               | 2    |        | ←   |         | 0            | 0           |
| 090    | 01123-50835 | BOLT                 | 3    |        |     |         | 0.02         | 0.044       |
| 100    | TA040-96150 | PIPE RETURN          | 1    |        |     |         | 0.045        | 0.099       |
| 110    | 04811-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04817-00110 | O RING               | 2    |        | ←   |         | 0.001        | 0.0022      |
| 120    | TA040-96220 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.11         | 0.242       |
| 130    | TA040-96234 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.1          | 0.22        |
| 140    | TA040-96240 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.105        | 0.231       |
| 150    | TA040-96250 | TUBE LEVER           | 3    |        |     |         | 0.007        | 0.0154      |
| 160    | 68021-32790 | PIN                  | 6    |        |     |         | 0.004        | 0.0088      |
| 170    | 04012-50050 | WASHER PLAIN         | 12   |        |     |         | 0.001        | 0.0022      |
| 180    | 05511-51210 | PIN SPLIT            | 6    |        |     |         | 0.001        | 0.0022      |
| 190    | 31355-82290 | GRIP LEVER           | 3    |        |     |         | 0.015        | 0.033       |
| 200    | TA040-96160 | STAY AUX.CONT.VALVE  | 1    |        |     |         | 0.25         | 0.55        |
| 210    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 220    | 01133-51235 | BOLT                 | 2    |        |     |         | 0.05         | 0.11        |
| 230    | TA040-49610 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 240    | TA040-49630 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 250    | TA040-98140 | MANUAL ASSEMBLY      | 1    | ≤73371 |     |         | 0.015        | 0.033       |
| 250    | TA040-98142 | MANUAL ASSEMBLY      | 1    | ≥73372 | ←   |         | 0.015        | 0.033       |




TA010-124-11



## REMOTE CONTROL VALVE COUPLER 1 [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 70726-61130 | ADAPTER             | 2    |       |     |         | 0.055        | 0.121       |
| 020    | 04811-00140 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00140 | O RING              | 2    |       | ←   |         | 0            | 0           |
| 030    | TA040-96410 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.308        | 0.6776      |
| 040    | TA040-96420 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.314        | 0.6908      |
| 050    | 99063-93410 | ADAPTER             | 2    |       |     |         | 0.07         | 0.154       |
| 060    | 35861-82032 | ASSY COUPLER FEMALE | 2    |       |     |         | 0.32         | 0.704       |
| 070    | 35861-94510 | O RING              | 2    |       |     |         | 0.002        | 0.0044      |
| 080    | 35861-94520 | PLUG COUPLER        | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 35893-82610 | SUPPORT COUPLER     | 1    |       |     |         | 0.715        | 1.573       |
| 100    | 04611-00380 | CIR CLIP INTERNAL   | 2    |       |     |         | 0.004        | 0.0088      |
| 110    | 01153-50865 | BOLT                | 2    |       |     |         | 0.025        | 0.055       |
| 120    | 02156-50080 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 130    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 140    | 35861-82190 | ASSY COUPLER MALE   | 2    |       |     |         | 0.086        | 0.1892      |
| 145    | 35861-94530 | CAP                 | 2    |       |     |         | 0.007        | 0.0154      |
| 150    | TA040-96480 | STAY COUPLER        | 1    |       |     |         | 1.12         | 2.464       |
| 160    | TA040-96490 | STAY COUPLER        | 1    |       |     |         | 0.073        | 0.1606      |
| 170    | 01123-50820 | BOLT                | 4    |       |     |         | 0.011        | 0.0242      |
| 180    | 02114-50080 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 190    | TA040-49670 | MARK COUPLER        | 1    |       |     |         | 0.001        | 0.0022      |






## REMOTE CONTROL VALVE COUPLER 2 [OPTION]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 70726-61130 | ADAPTER             | 4    |       |     |         | 0.055        | 0.121       |
| 020    | 04811-00140 | O RING              | 4    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00140 | O RING              | 4    |       | ←   |         | 0            | 0           |
| 030    | TA040-96410 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.308        | 0.6776      |
| 040    | TA040-96420 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.314        | 0.6908      |
| 050    | TA040-96430 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.295        | 0.649       |
| 060    | TA040-96440 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.302        | 0.6644      |
| 070    | 99063-93410 | ADAPTER             | 4    |       |     |         | 0.07         | 0.154       |
| 080    | 35861-82032 | ASSY COUPLER FEMALE | 4    |       |     |         | 0.32         | 0.704       |
| 090    | 35861-94510 | O RING              | 4    |       |     |         | 0.002        | 0.0044      |
| 100    | 35861-94520 | PLUG COUPLER        | 4    |       |     |         | 0.005        | 0.011       |
| 110    | 35893-82610 | SUPPORT COUPLER     | 2    |       |     |         | 0.715        | 1.573       |
| 120    | 04611-00380 | CIR CLIP INTERNAL   | 4    |       |     |         | 0.004        | 0.0088      |
| 130    | 01153-50802 | BOLT                | 2    |       |     |         | 0.045        | 0.099       |
| 140    | 02156-50080 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 150    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 160    | 35861-82190 | ASSY COUPLER MALE   | 4    |       |     |         | 0.086        | 0.1892      |
| 165    | 35861-94530 | CAP                 | 4    |       |     |         | 0.007        | 0.0154      |
| 170    | TA040-96480 | STAY COUPLER        | 1    |       |     |         | 1.12         | 2.464       |
| 180    | TA040-96490 | STAY COUPLER        | 1    |       |     |         | 0.073        | 0.1606      |
| 190    | 01123-50820 | BOLT                | 4    |       |     |         | 0.011        | 0.0242      |
| 200    | 02114-50080 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 210    | TA040-49620 | MARK COUPLER        | 1    |       |     |         | 0.001        | 0.0022      |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 70726-61130 | ADAPTER             | 6    |       |     |         | 0.055        | 0.121       |
| 020    | 04811-00140 | O RING              | 6    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00140 | O RING              | 6    |       | ←   |         | 0            | 0           |
| 030    | 99063-93410 | ADAPTER             | 6    |       |     |         | 0.07         | 0.154       |
| 040    | TA040-96410 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.308        | 0.6776      |
| 050    | TA040-96420 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.314        | 0.6908      |
| 060    | TA040-96430 | HOSE AUX.CONT.VALVE | 2    |       |     |         | 0.295        | 0.649       |
| 070    | TA040-96440 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.302        | 0.6644      |
| 080    | TA040-96450 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.3          | 0.66        |
| 090    | 35861-82032 | ASSY COUPLER FEMALE | 6    |       |     |         | 0.32         | 0.704       |
| 100    | 35861-94510 | O RING              | 6    |       |     |         | 0.002        | 0.0044      |
| 110    | 35861-94520 | PLUG COUPLER        | 6    |       |     |         | 0.005        | 0.011       |
| 120    | 35893-82610 | SUPPORT COUPLER     | 3    |       |     |         | 0.715        | 1.573       |
| 130    | 04611-00380 | CIR CLIP INTERNAL   | 6    |       |     |         | 0.004        | 0.0088      |
| 140    | 35340-99540 | BOLT                | 2    |       |     |         | 0.06         | 0.132       |
| 150    | 02156-50080 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 160    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 170    | 35861-82190 | ASSY COUPLER MALE   | 6    |       |     |         | 0.086        | 0.1892      |
| 175    | 35861-94530 | CAP                 | 6    |       |     |         | 0.007        | 0.0154      |
| 180    | TA040-96480 | STAY COUPLER        | 1    |       |     |         | 1.12         | 2.464       |
| 190    | TA040-96490 | STAY COUPLER        | 1    |       |     |         | 0.073        | 0.1606      |
| 200    | 01123-50820 | BOLT                | 4    |       |     |         | 0.011        | 0.0242      |
| 210    | 02114-50080 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 220    | TA040-49640 | MARK COUPLER        | 1    |       |     |         | 0.002        | 0.0044      |






ROPS [ROPS TYPE] [OPTION] [OLD TYPE]  
[TYPE VIEUX] [OPTION] S.No.;<=72093

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA250-48010 | ASSY ROPS          | 1    |       |     |         | 0            | 0           |
| 011    | 99999-99999 | COMP.FRAME LH      | 1    |       |     |         | 0            | 0           |
| 012    | 99999-99999 | COMP.FRAME RH      | 1    |       |     |         | 0            | 0           |
| 013    | 99999-99999 | COMP.UPPER FRAME U | 1    |       |     |         | 0            | 0           |
| 020    | 01176-51430 | BOLT               | 12   |       |     |         | 0.052        | 0.1144      |
| 025    | 75599-33016 | WASHER SPRING      | 12   |       |     |         | 0.08         | 0.176       |
| 030    | 01173-51230 | BOLT               | 2    |       |     |         | 0.037        | 0.0814      |
| 035    | TA240-48464 | ASSY BOLT SET      | 2    |       |     |         | 0            | 0           |
| 040    | 04512-60120 | WASHER SPRING      | 2    |       |     |         | 0.005        | 0.011       |
| 050    | 04013-60160 | WASHER PLAIN       | 2    |       |     |         | 0.01         | 0.022       |
| 060    | 75599-32015 | WASHER PLAIN       | 2    |       |     |         | 0            | 0           |
| 070    | TA240-48362 | NUT                | 2    |       |     |         | 0            | 0           |
| 080    | 75599-53194 | PIN COTTER         | 2    |       |     |         | 0            | 0           |
| 090    | 75599-32017 | WASHER PLAIN       | 4    |       |     |         | 0            | 0           |
| 100    | TA240-48495 | MANUAL INSTRUCTION | 1    |       |     |         | 0            | 0           |
| 110    | 3A111-95540 | LABEL ROPS CAUTION | 1    |       |     |         | 0            | 0           |
| 120    | TA240-98480 | LABEL ROPS WARNING | 1    |       |     |         | 0.005        | 0.011       |





↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA250-48442 | KIT ROPS REPLACEMENT | 1    | <=73190 |     |          | 0            | 0           |
| 010    | TA250-48442 | KIT ROPS REPLACEMENT | 1    | >=73191 | ←   |          | 0            | 0           |
| 020    | 99999-99999 | COMP.FRAME LH        | 1    |         |     |          | 0            | 0           |
| 030    | 99999-99999 | COMP.FRAME RH        | 1    |         |     |          | 0            | 0           |
| 040    | 99999-99999 | COMP.UPPER FRAME U   | 1    |         |     |          | 0            | 0           |
| 050    | 01176-51430 | BOLT                 | 12   |         |     |          | 0.052        | 0.1144      |
| 060    | 0Y450-50090 | WASHER SPRING        | 12   |         |     |          | 0            | 0           |
| 070    | 01073-51230 | BOLT                 | 2    |         |     |          | 0.041        | 0.0902      |
| 080    | 04512-60120 | WASHER SPRING        | 2    |         |     |          | 0.005        | 0.011       |
| 090    | 04013-60120 | WASHER PLAIN         | 2    |         |     |          | 0.01         | 0.022       |
| 100    | TA240-48750 | SET BOLT             | 2    | <=72326 |     |          | 0.435        | 0.957       |
| 100    | TA240-48752 | SET BOLT             | 2    | >=72327 | ←   |          | 0            | 0           |
| 110    | 04013-60160 | WASHER PLAIN         | 2    |         |     |          | 0.01         | 0.022       |
| 120    | 02254-50160 | NUT                  | 2    |         |     |          | 0.04         | 0.088       |
| 130    | 04013-60160 | WASHER PLAIN         | 4    |         |     |          | 0.01         | 0.022       |
| 140    | 05511-50430 | PIN SPLIT            | 2    |         |     |          | 0.004        | 0.0088      |
| 150    | 99999-99999 | MANUAL INSTRUCTION   | 1    |         |     |          | 0            | 0           |
| 160    | 3A111-95540 | LABEL ROPS CAUTION   | 1    |         |     | ENGLISH  | 0            | 0           |
| 160    | 3A112-95540 | LABEL ROPS CAUTION   | 1    |         |     | FRENCH   | 0.003        | 0.0066      |
| 170    | TA240-98480 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH  | 0.005        | 0.011       |
| 170    | 3A112-98480 | LABEL ROPS WARNING   | 1    |         |     | FRENCH   | 0.004        | 0.0088      |
| 180    | 6C140-54990 | REFLECTOR LABEL      | 2    | >=73191 |     |          | 0.003        | 0.0066      |
| 190    | 6C040-72252 | ASSY BELT SEAT       | 1    | <=73190 |     | NOT SALE | 0.9          | 1.98        |
| 190    | 6C040-72253 | ASSY BELT SEAT       | 1    | >=73191 | ←   |          | 0.9          | 1.98        |
| 200    | 01774-51025 | BOLT FLANGE          | 2    |         |     |          | 0.02         | 0.044       |
| 210    | 02116-50100 | NUT                  | 2    |         |     |          | 0.004        | 0.0088      |
| 220    | TA240-48680 | MANUAL INSTRUCTION   | 1    |         |     |          | 0.025        | 0.055       |