


ALL PRODUCT INDEX  
B1550D



LABELS


ACCESSORIES

| Item                 | Part No. | Description                           | Book     |
|----------------------|----------|---------------------------------------|----------|
| ENGINE               | 01T001   | CRANKCASE                             | 100K0193 |
|                      | 01T002   | OIL PAN                               | 100K0193 |
|                      | 01T003   | PISTON/CRANKSHAFT                     | 100K0193 |
|                      | 01T004   | MAIN BEARING CASE                     | 100K0193 |
|                      | 01T005   | FLYWHEEL                              | 100K0193 |
|                      | 01T006   | CYLINDER HEAD                         | 100K0193 |
|                      | 01T007   | VALVE/ROCKER ARM                      | 100K0193 |
|                      | 01T008   | NOZZLE HOLDER                         | 100K0193 |
|                      | 01T009   | NOZZLE HOLDER [COMPONENT PARTS]       | 100K0193 |
|                      | 01T010   | CYLINDER HEAD COVER                   | 100K0193 |
|                      | 01T011   | INLET MANIFOLD                        | 100K0193 |
|                      | 01T013   | EXHAUST MANIFOLD                      | 100K0193 |
|                      | 01T015   | CAMSHAFT                              | 100K0193 |
|                      | 01T016   | GEAR CASE                             | 100K0193 |
|                      | 01T017   | WATER PUMP                            | 100K0193 |
|                      | 01T018   | TENSION PULLEY [CA]                   | 100K0193 |
|                      | 01T019   | WATER FLANGE                          | 100K0193 |
|                      | 01T020   | FUEL PUMP                             | 100K0193 |
|                      | 01T021   | INJECTION PUMP                        | 100K0193 |
|                      | 01T022   | INJECTION PUMP [COMPONENT PARTS]      | 100K0193 |
|                      | 01T023   | ENGINE STOP LEVER                     | 100K0193 |
|                      | 01T024   | SPEED CONTROL PLATE                   | 100K0193 |
|                      | 01T025   | GOVERNOR                              | 100K0193 |
|                      | 01T026   | UPPER GASKET KIT                      | 100K0193 |
|                      | 01T027   | LOWER GASKET KIT                      | 100K0193 |
| ELECTRICAL SYSTEM    | 01T03501 | DYNAMO [A AU]                         | 100K0193 |
|                      | 01T03502 | ALTERNATOR [CA]                       | 100K0193 |
|                      | 01T03601 | DYNAMO [A AU] [COMPONENT PARTS]       | 100K0193 |
|                      | 01T03602 | ALTERNATOR [CA] [COMPONENT PARTS]     | 100K0193 |
| CLUTCH               | 01T045   | CLUTCH                                | 100K0193 |
| HYDRAULIC SYSTEM     | 01T094   | HYDRAULIC GEAR PUMP                   | 100K0193 |
|                      | 01T095   | HYDRAULIC GEAR PUMP [COMPONENT PARTS] | 100K0193 |
| ENGINE               | 02T012   | AIR CLEANER                           | 100K0193 |
|                      | 02T01401 | MUFFLER                               | 100K0193 |
|                      | 02T01402 | HORIZONTAL MUFFLER [OPTION]           | 100K0193 |
|                      | 02T028   | ENGINE STOP ROD                       | 100K0193 |
|                      | 02T029   | ACCELERATOR LEVER                     | 100K0193 |
| FUEL SYSTEM          | 02T030   | FUEL TANK                             | 100K0193 |
|                      | 02T031   | FUEL PIPE                             | 100K0193 |
|                      | 02T032   | FUEL FILTER [COMPONENT PARTS]         | 100K0193 |
| COOLING WATER SYSTEM | 02T03301 | WATER PIPE                            | 100K0193 |
|                      | 02T03401 | RADIATOR                              | 100K0193 |
| ELECTRICAL SYSTEM    | 02T037   | STARTER                               | 100K0193 |
|                      | 02T038   | STARTER [COMPONENT PARTS]             | 100K0193 |
|                      | 02T039   | BATTERY                               | 100K0193 |
|                      | 02T040   | LIGHT                                 | 100K0193 |
|                      | 02T041   | WORKING LIGHT [OPTION]                | 100K0193 |
|                      | 02T04201 | PANEL / SWITCH [A AU]                 | 100K0193 |
|                      | 02T04202 | PANEL / SWITCH [CA]                   | 100K0193 |
|                      | 02T043   | PANEL BOARD [COMPONENT PARTS]         | 100K0193 |
|                      | 02T04401 | WIRE HARNESS [A AU]                   | 100K0193 |
|                      | 02T04402 | WIRE HARNESS [CA]                     | 100K0193 |
|                      | 02T046   | CLUTCH ROD                            | 100K0193 |
| CLUTCH               | 02T047   | CLUTCH PEDAL                          | 100K0193 |
|                      | 02T048   | CLUTCH HOUSING                        | 100K0193 |

| Item                   | Part No. | Description                                | Book     |
|------------------------|----------|--------------------------------------------|----------|
| TRANSMISSION           | 02T049   | TRANSMISSION CASE                          | 100K0193 |
|                        | 02T050   | TRANSMISSION CASE COVER                    | 100K0193 |
|                        | 02T051   | PROPELLER SHAFT                            | 100K0193 |
|                        | 02T052   | 1ST SHAFT                                  | 100K0193 |
|                        | 02T053   | 2ND SHAFT                                  | 100K0193 |
|                        | 02T054   | 3RD SHAFT/5TH SHAFT                        | 100K0193 |
|                        | 02T055   | 4TH SHAFT                                  | 100K0193 |
|                        | 02T056   | PINION SHAFT GEAR                          | 100K0193 |
|                        | 02T057   | REVERSE SHAFT                              | 100K0193 |
|                        | 02T058   | REAR PTO                                   | 100K0193 |
| SPEED CHANGE LEVER     | 02T059   | MID PTO                                    | 100K0193 |
|                        | 02T060   | FRONT PTO [OPTION]                         | 100K0193 |
|                        | 02T061   | MAIN GEAR SHIFT LEVER                      | 100K0193 |
|                        | 02T062   | MAIN GEAR SHIFT FORK                       | 100K0193 |
|                        | 02T063   | RANGE GEAR SHIFT LEVER                     | 100K0193 |
| REAR AXLE/REAR WHEEL   | 02T064   | PTO GEAR SHIFT LEVER                       | 100K0193 |
|                        | 02T065   | REAR DIFFERENTIAL                          | 100K0193 |
|                        | 02T066   | DIFF.LOCK PEDAL                            | 100K0193 |
|                        | 02T067   | REAR AXLE                                  | 100K0193 |
|                        | 02T068   | REAR AXLE CASE                             | 100K0193 |
| BRAKE                  | 02T06902 | REAR WHEEL (8-16)                          | 100K0193 |
|                        | 02T06904 | REAR WHEEL (29 X 12.00-15)                 | 100K0193 |
|                        | 02T06906 | REAR WHEEL (31 X 13.5-15 BAR) [A]          | 100K0193 |
|                        | 02T070   | BRAKE                                      | 100K0193 |
|                        | 02T071   | BRAKE ROD                                  | 100K0193 |
| FRONT AXLE/FRONT WHEEL | 02T072   | BRAKE PEDAL                                | 100K0193 |
|                        | 02T07601 | FRONT WHEEL HUB [WITHOUT BI-SPEED TURN]    | 100K0193 |
|                        | 02T07602 | FRONT WHEEL HUB                            | 100K0193 |
|                        | 02T07701 | FRONT GEAR CASE [WITHOUT BI-SPEED TURN]    | 100K0193 |
|                        | 02T07702 | FRONT GEAR CASE                            | 100K0193 |
|                        | 02T078   | BEVEL GEAR CASE                            | 100K0193 |
|                        | 02T07901 | FRONT AXLE CASE [WITHOUT BI-SPEED TURN]    | 100K0193 |
|                        | 02T07903 | FRONT AXLE CASE [WITH BI-SPEED TURN]       | 100K0193 |
|                        | 02T08001 | FRONT DIFFERENTIAL [WITHOUT BI-SPEED TURN] | 100K0193 |
|                        | 02T08003 | FRONT DIFFERENTIAL [WITH BI-SPEED TURN]    | 100K0193 |
| STEERING               | 02T081   | BEVEL GEAR [WITH BI-SPEED TURN]            | 100K0193 |
|                        | 02T082   | CLUTCH DISK [WITH BI-SPEED TURN]           | 100K0193 |
|                        | 02T083   | FRONT DRIVE SHAFT                          | 100K0193 |
|                        | 02T084   | FRONT DRIVE LEVER                          | 100K0193 |
|                        | 02T085   | SHIFT FORK [WITH BI-SPEED TURN]            | 100K0193 |
|                        | 02T086   | SHIFT LEVER [WITH BI-SPEED TURN]           | 100K0193 |
|                        | 02T087   | BI-SPEED TURN ROD [WITH BI-SPEED TURN]     | 100K0193 |
|                        | 02T088   | BI-SPEED TURN LEVER [WITH BI-SPEED TURN]   | 100K0193 |
|                        | 02T08901 | FRONT WHEEL (6-12B)                        | 100K0193 |
|                        | 02T08903 | FRONT WHEEL (20.5 X 8.00-10)               | 100K0193 |
| HYDRAULIC SYSTEM       | 02T090   | FRONT AXEL FRAME                           | 100K0193 |
|                        | 02T09101 | KNUCKLE ARM [WITHOUT BI-SPEED TURN]        | 100K0193 |
|                        | 02T09103 | KNUCKLE ARM [WITH BI-SPEED TURN]           | 100K0193 |
|                        | 02T09201 | MANUAL STEERING                            | 100K0193 |
|                        | 02T09202 | POWER STEERING                             | 100K0193 |
|                        | 02T09301 | MANUAL STEERING [COMPONENT PARTS]          | 100K0193 |
|                        | 02T09302 | POWER STEERING [COMPONENT PARTS]           | 100K0193 |
|                        | 02T096   | HYDRAULIC PIPE (PS)                        | 100K0193 |

| Item                 | Part No. | Description                            | Book     |
|----------------------|----------|----------------------------------------|----------|
| HYDRAULIC SYSTEM     | 02T097   | HYDRAULIC PIPE (FRONT)                 | 100K0193 |
|                      | 02T098   | HYDRAULIC PIPE (REAR)                  | 100K0193 |
|                      | 02T09901 | HYDRAULIC BLOCK (MS) [COMPONENT PARTS] | 100K0193 |
|                      | 02T09902 | HYDRAULIC BLOCK (PS) [COMPONENT PARTS] | 100K0193 |
|                      | 02T100   | LIFT ARM                               | 100K0193 |
|                      | 02T10101 | HYD.CYLINDER CAP [COMPONENT PARTS]     | 100K0193 |
|                      | 02T10102 | HYD.CYLINDER CAP [COMPONENT PARTS]     | 100K0193 |
|                      | 02T10103 | HYD.CYLINDER CAP [COMPONENT PARTS]     | 100K0193 |
|                      | 02T102   | CONTROL VALVE                          | 100K0193 |
|                      | 02T103   | CONTROL VALVE [COMPONENT PARTS]        | 100K0193 |
|                      | 02T104   | TOP LINK                               | 100K0193 |
|                      | 02T105   | LOWER LINK                             | 100K0193 |
|                      | 02T106   | LIFTING ROD                            | 100K0193 |
| HOOD(BONNET)/CHASSIS | 02T107   | HOOD (BONNET)                          | 100K0193 |
|                      | 02T108   | LACE                                   | 100K0193 |
|                      | 02T109   | HOOD COVER REAR                        | 100K0193 |
|                      | 02T110   | SKIRT (FRONT)                          | 100K0193 |
|                      | 02T111   | SKIRT (SIDE)                           | 100K0193 |
|                      | 02T112   | DUST COVER                             | 100K0193 |
|                      | 02T113   | TANK SUPPORT                           | 100K0193 |
|                      | 02T114   | FENDER                                 | 100K0193 |
|                      | 02T115   | SEAT                                   | 100K0193 |
|                      | 02T116   | STEP                                   | 100K0193 |
|                      | 02T11701 | ROPS [A CA]                            | 100K0193 |
|                      | 02T11702 | ROPS [A CA]                            | 100K0193 |
| LABELS               | 02T118   | LABEL 1                                | 100K0193 |
|                      | 02T119   | LABEL 2                                | 100K0193 |
| ACCESSORIES          | 02T120   | ACCESSORIES AND SERVICE PARTS          | 100K0193 |

# CRANKCASE






## CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15655-01010 | COMP.CRANKCASE      | 1    |         |     |         | 28.5         | 62.7        |
| 020    | 15261-96170 | PLUG                | 3    |         |     |         | 0.005        | 0.011       |
| 030    | 15261-96160 | PLUG                | 1    |         |     |         | 0.02         | 0.044       |
| 040    | 15321-96260 | CAP SEALING         | 5    |         |     |         | 0.014        | 0.0308      |
| 050    | 15221-03490 | CAP SEALING         | 1    |         |     |         | 0.02         | 0.044       |
| 060    | 15261-96010 | PLUG                | 6    |         |     |         | 0.002        | 0.0044      |
| 070    | 15521-96020 | PLUG                | 3    |         |     |         | 0.003        | 0.0066      |
| 080    | 15521-96030 | PLUG                | 1    |         |     |         | 0.007        | 0.0154      |
| 090    | 05012-00609 | PIN STRAIGHT        | 2    |         |     |         | 0.003        | 0.0066      |
| 100    | 05012-00814 | PIN STRAIGHT        | 2    |         |     |         | 0.006        | 0.0132      |
| 110    | 15221-33650 | PIN PIPE            | 1    |         |     |         | 0.004        | 0.0088      |
| 120    | 15231-33960 | PIN PIPE            | 2    |         |     |         | 0.001        | 0.0022      |
| 130    | 15901-02310 | LINER CYLINDER      | 3    | ≤755814 |     |         | 0.398        | 0.8756      |
| 140    | 15221-33700 | O RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 150    | 15261-73910 | COVER WATER         | 1    |         |     |         | 0.13         | 0.286       |
| 160    | 15261-73920 | GASKET WATER COVER  | 1    | ≤945299 |     |         | 0            | 0           |
| 160    | 15263-73920 | GASKET WATER COVER  | 1    | ≥945300 | ↔   |         | 0.002        | 0.0044      |
| 170    | 01023-50618 | BOLT                | 2    |         |     |         | 0.006        | 0.0132      |
| 180    | 15531-73170 | JOINT DRAIN PIPE    | 1    |         |     |         | 0.145        | 0.319       |
| 190    | 15261-35010 | ASSY PUMP OIL       | 1    |         |     |         | 0.32         | 0.704       |
| 200    | 15261-35150 | GASKET OIL PUMP     | 1    | ≤945299 |     |         | 0            | 0           |
| 200    | 15263-35150 | GASKET OIL PUMP     | 1    | ≥945300 | ↔   |         | 0.001        | 0.0022      |
| 210    | 15261-91022 | BOLT                | 4    |         |     |         | 0.012        | 0.0264      |
| 220    | 15954-35662 | GEAR OIL PUMP DRIVE | 1    |         |     |         | 0.14         | 0.308       |
| 230    | 05712-00410 | KEY FEATHER         | 1    |         |     |         | 0.001        | 0.0022      |
| 240    | 02771-60100 | NUT FLANGE          | 1    |         |     |         | 0.01         | 0.022       |
| 250    | 15531-39010 | SWITCH OIL          | 1    |         |     |         | 0.032        | 0.0704      |

## OIL PAN



15656-002-11

100 15655-3642-0




15656-803-10



## OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15371-01614 | OIL PAN              | 1    |         |     |         | 1.1          | 2.42        |
| 020    | 15381-01620 | GASKET OIL PAN       | 1    | ≤945299 |     |         | 0            | 0           |
| 020    | 15679-01620 | GASKET OIL PAN       | 1    | ≥945300 | ↔   |         | 0.025        | 0.055       |
| 030    | 15381-91092 | BOLT                 | 18   |         |     |         | 0.002        | 0.0044      |
| 040    | 15221-33750 | PLUG                 | 1    |         |     |         | 0.032        | 0.0704      |
| 050    | 15109-33660 | GASKET               | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 15531-32110 | FILTER OIL           | 1    |         |     |         | 0.185        | 0.407       |
| 070    | 01123-60816 | BOLT                 | 1    |         |     |         | 0.01         | 0.022       |
| 080    | 04811-00140 | RING                 | 1    |         |     |         | 0.001        | 0.0022      |
| 090    | 15655-36410 | GAUGE OIL            | 1    |         |     |         | 0.03         | 0.066       |
| 100    | 15655-36420 | GUIDE OIL GAUGE      | 1    | ≤907383 |     |         | 0.1          | 0.22        |
| 100    | 15655-36500 | ASSY GUIDE OIL GAUGE | 1    | ≥907384 | ←   |         | 0.102        | 0.2244      |
| 110    | 04814-00090 | O RING               | 1    | ≥907384 |     |         | 0.001        | 0.0022      |






# PISTON/CRANKSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS    | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|------------|--------------|-------------|
| 010    | 15956-21110 | PISTON              | 3    |         |     | STD        | 0.32         | 0.704       |
| 010    | 15956-21910 | PISTON              | 3    |         |     | +0.5MM     | 0.33         | 0.726       |
| 030    | 15901-21050 | ASSY PISTON RING    | 3    |         |     | STD        | 0.03         | 0.066       |
| 030    | 15901-21090 | ASSY PISTON RING    | 3    |         |     | +0.5MM     | 0.033        | 0.0726      |
| 040    | 15261-21310 | PIN PISTON          | 3    |         |     |            | 0.102        | 0.2244      |
| 050    | 15261-21330 | CIRCLIP PISTON PIN  | 6    |         |     |            | 0.001        | 0.0022      |
| 060    | 15381-22010 | ASSY CONNECTING ROD | 3    | ≤755815 |     |            | 0            | 0           |
| 060    | 15694-22010 | ASSY CONNECTING ROD | 3    | ≥755816 | ↔   |            | 0.5          | 1.1         |
| 070    | 15261-21980 | BUSH PISTON PIN     | 3    |         |     |            | 0.012        | 0.0264      |
| 080    | 15381-22140 | BOLT CONNECTING ROD | 6    |         |     |            | 0.02         | 0.044       |
| 090    | 15531-22310 | METAL CRANKPIN      | 3    | ≤755815 |     | STD SET    | 0            | 0           |
| 090    | 15694-22310 | METAL CRANKPIN      | 3    | ≥755816 | ↔   | STD SET    | 0.02         | 0.044       |
| 090    | 15531-22970 | METAL CRANKPIN      | 3    | ≤755815 |     | -0.2MM SET | 0            | 0           |
| 090    | 15694-22970 | METAL CRANKPIN      | 3    | ≥755816 | ↔   | -0.2MM SET | 0.025        | 0.055       |
| 090    | 15531-22980 | METAL CRANKPIN      | 3    | ≤755815 |     | -0.4MM SET | 0            | 0           |
| 090    | 15694-22980 | METAL CRANKPIN      | 3    | ≥755816 | ↔   | -0.4MM SET | 0.02         | 0.044       |
| 100    | 15752-23010 | COMP.CRANKSHAFT     | 1    |         |     |            | 8            | 17.6        |
| 110    | 07715-00401 | BALL                | 3    |         |     |            | 0.001        | 0.0022      |
| 120    | 09400-14247 | SEAL OIL            | 1    |         |     |            | 0.004        | 0.0088      |
| 130    | 66621-14120 | BEARING DRY         | 1    |         |     |            | 0.006        | 0.0132      |
| 140    | 19215-23280 | SLEEVE CRANKSHAFT   | 1    |         |     |            | 0.05         | 0.11        |
| 150    | 15752-24110 | GEAR CRANKSHAFT     | 1    |         |     |            | 0.046        | 0.1012      |
| 160    | 05712-00515 | KEY FEATHER         | 1    |         |     |            | 0.003        | 0.0066      |
| 170    | 15752-23310 | SLINGER OIL         | 1    |         |     |            | 0.002        | 0.0044      |
| 180    | 15752-23250 | COLLAR CRANKSHAFT   | 1    |         |     |            | 0.043        | 0.0946      |
| 190    | 04811-05230 | RING                | 1    |         |     |            | 0.001        | 0.0022      |
| 200    | 15261-23470 | METAL CRANKSHAFT    | 1    | ≤755815 |     | STD        | 0            | 0           |
| 200    | 15694-23470 | METAL CRANKSHAFT    | 1    | ≥755816 | ↔   | STD        | 0.035        | 0.077       |
| 200    | 15261-23910 | METAL CRANKSHAFT    | 1    | ≤755815 |     | -0.2MM     | 0            | 0           |
| 200    | 15694-23910 | METAL CRANKSHAFT    | 1    | ≥755816 | ↔   | -0.2MM     | 0.04         | 0.088       |
| 200    | 15261-23920 | METAL CRANKSHAFT    | 1    | ≤755815 |     | -0.4MM     | 0            | 0           |
| 200    | 15694-23920 | METAL CRANKSHAFT    | 1    | ≥755816 | ↔   | -0.4MM     | 0.045        | 0.099       |
| 210    | 15261-23480 | METAL CRANKSHAFT    | 3    | ≤755815 |     | STD SET    | 0            | 0           |
| 210    | 15694-23480 | METAL CRANKSHAFT    | 3    | ≥755816 | ↔   | STD SET    | 0.04         | 0.088       |
| 210    | 15261-23930 | METAL CRANKSHAFT    | 3    | ≤755815 |     | -0.2MM SET | 0            | 0           |
| 210    | 15694-23930 | METAL CRANKSHAFT    | 3    | ≥755816 | ↔   | -0.2MM SET | 0.05         | 0.11        |
| 210    | 15261-23940 | METAL CRANKSHAFT    | 3    | ≤755815 |     | -0.4MM SET | 0            | 0           |
| 210    | 15694-23940 | METAL CRANKSHAFT    | 3    | ≥755816 | ↔   | -0.4MM SET | 0.046        | 0.1012      |
| 220    | 15261-23530 | METAL SIDE          | 2    |         |     | STD        | 0.006        | 0.0132      |
| 220    | 15261-23950 | METAL SIDE          | 2    |         |     | +0.2MM     | 0.006        | 0.0132      |
| 220    | 15261-23960 | METAL SIDE          | 2    |         |     | +0.4MM     | 0.007        | 0.0154      |
| 230    | 15261-23540 | METAL SIDE          | 2    |         |     | STD        | 0.007        | 0.0154      |
| 230    | 15261-23970 | METAL SIDE          | 2    |         |     | +0.2MM     | 0.006        | 0.0132      |
| 230    | 15261-23980 | METAL SIDE          | 2    |         |     | +0.4MM     | 0.007        | 0.0154      |
| 240    | 07916-28260 | KIT PISTON AND RING | 3    |         |     | STD        | 0.2          | 0.44        |
| 240    | 07916-28480 | KIT PISTON AND RING | 3    |         |     | +0.5MM     | 0.11         | 0.242       |
| 260    | 07916-28090 | KIT METAL ENGINE    | 1    |         |     | STD        | 0.25         | 0.55        |

## MAIN BEARING CASE






## MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15261-04090 | ASSY CASE MAIN BRG.  | 1    |         |     |         | 0.8          | 1.76        |
| 020    | 15381-04540 | BOLT BEARING CASE    | 6    |         |     |         | 0.02         | 0.044       |
| 030    | 15261-04360 | GASKET BRG.CASE      | 1    | ≤945299 |     |         | 0            | 0           |
| 030    | 15263-04360 | GASKET BRG.CASE      | 1    | ≥945300 | ↔   |         | 0.005        | 0.011       |
| 040    | 15549-04810 | COVER BEARING CASE   | 1    |         |     |         | 0.2          | 0.44        |
| 050    | 15261-04820 | GASKET BRG.CASE COV. | 1    | ≤945299 |     |         | 0            | 0           |
| 050    | 15263-04820 | GASKET BRG.CASE COV. | 1    | ≥945300 | ↔   |         | 0.001        | 0.0022      |
| 060    | 01023-50620 | BOLT                 | 9    |         |     |         | 0.006        | 0.0132      |
| 070    | 01023-50625 | BOLT                 | 8    |         |     |         | 0.007        | 0.0154      |
| 080    | 19215-04460 | SEAL OIL             | 1    |         |     |         | 0.03         | 0.066       |
| 090    | 15261-04040 | ASSY CASE MAIN BRG.  | 1    |         |     |         | 0.687        | 1.5114      |
| 100    | 15381-04560 | BOLT BEARING CASE    | 2    |         |     |         | 0.02         | 0.044       |
| 110    | 15381-04050 | ASSY CASE MAIN BRG.  | 1    |         |     |         | 0.688        | 1.5136      |




15656-005-10

FLYWHEEL

030 15533-2516-0

040 15531-2517-0



15656-800-10




## FLYWHEEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15541-25012 | COMP.FLYWHEEL   | 1    |         |     |         | 12           | 26.4        |
| 020    | 15261-63820 | GEAR RING       | 1    | ≤715532 |     |         | 0            | 0           |
| 020    | 15262-63820 | GEAR RING       | 1    | ≥715533 | ↔   |         | 0.65         | 1.43        |
| 030    | 15533-25160 | BOLT FLYWHEEL   | 5    | ≤682801 |     |         | 0            | 0           |
| 030    | 15533-25162 | BOLT FLYWHEEL   | 5    | ≥682802 | ≠   |         | 0.03         | 0.066       |
| 040    | 15531-25170 | WASHER FLYWHEEL | 1    | ≤682801 |     |         | 0.04         | 0.088       |
| 050    | 15541-04620 | PLATE REAR END  | 1    |         |     |         | 2.76         | 6.072       |
| 060    | 05012-00814 | PIN STRAIGHT    | 1    |         |     |         | 0.006        | 0.0132      |
| 070    | 15261-91190 | BOLT            | 8    |         |     |         | 0.03         | 0.066       |

## CYLINDER HEAD






## CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15221-01750 | HOOK ENGINE          | 1    |       |     |         | 0.04         | 0.088       |
| 020    | 01513-50816 | STUD                 | 1    |       |     |         | 0.009        | 0.0198      |
| 030    | 01123-60816 | BOLT                 | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 02156-50080 | NUT                  | 1    |       |     |         | 0.004        | 0.0088      |
| 050    | 04512-50080 | WASHER SPRING        | 1    |       |     |         | 0            | 0           |
| 060    | 19267-03040 | COMP.CYLINDER HEAD   | 1    |       |     |         | 9.5          | 20.9        |
| 070    | 15261-03370 | CAP SEALING          | 5    |       |     |         | 0.005        | 0.011       |
| 080    | 15321-96260 | CAP SEALING          | 1    |       |     |         | 0.014        | 0.0308      |
| 090    | 15261-96010 | PLUG                 | 2    |       |     |         | 0.002        | 0.0044      |
| 100    | 15261-13540 | GUIDE INLET VALVE    | 3    |       |     |         | 0.02         | 0.044       |
| 110    | 15261-13560 | GUIDE EXHAUST VALVE  | 3    |       |     |         | 0.02         | 0.044       |
| 120    | 19215-03450 | BOLT CYLINDER HEAD   | 14   |       |     |         | 0.047        | 0.1034      |
| 130    | 15582-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0            | 0           |
| 140    | 15381-03320 | SHIM CYL.HEAD GASKET | 1    |       |     |         | 0.03         | 0.066       |
| 150    | 38240-32830 | SWITCH THERMOMETER   | 1    |       |     |         | 0.03         | 0.066       |






## VALVE/ROCKER ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15393-13110 | VALVE INLET          | 3    |         |     |         | 0.048        | 0.1056      |
| 020    | 15393-13120 | VALVE EXHAUST        | 3    |         |     |         | 0.048        | 0.1056      |
| 030    | 15261-13240 | SPRING VALVE         | 6    |         |     |         | 0.02         | 0.044       |
| 040    | 16241-13330 | RETAINER VALVE SP.   | 6    |         |     |         | 0.012        | 0.0264      |
| 050    | 15261-13360 | COLLET VALVE SPRING  | 6    |         |     | SET     | 0.004        | 0.0088      |
| 060    | 15261-13150 | SEAL VALVE STEM      | 6    |         |     |         | 0.001        | 0.0022      |
| 070    | 15261-13280 | CAP VALVE            | 6    | ≤821125 |     |         | 0            | 0           |
| 070    | 16241-13280 | CAP VALVE            | 6    | ≥821126 | ↔   |         | 0.005        | 0.011       |
| 080    | 15381-14053 | ASSY SHAFT R-ARM     | 1    |         |     |         | 0.135        | 0.297       |
| 090    | 15381-93610 | SCREW SET            | 2    |         |     |         | 0.001        | 0.0022      |
| 100    | 15381-14350 | BRACKET ROCKER ARM   | 3    |         |     |         | 0.05         | 0.11        |
| 110    | 15952-14410 | STUD                 | 3    |         |     |         | 0            | 0           |
| 120    | 15261-92010 | NUT                  | 3    |         |     |         | 0.005        | 0.011       |
| 130    | 15261-94010 | WASHER PLAIN         | 3    |         |     |         | 0.002        | 0.0044      |
| 140    | 15261-14420 | SCREW SET.ROCKER ARM | 1    |         |     |         | 0.002        | 0.0044      |
| 150    | 15261-14430 | WASHER R-ARM.SHAFT   | 6    |         |     |         | 0.001        | 0.0022      |
| 160    | 15261-14310 | SPRING ROCKER ARM    | 2    |         |     |         | 0.003        | 0.0066      |
| 170    | 04612-00110 | CIRCLIP EXTERNAL     | 2    |         |     |         | 0.001        | 0.0022      |
| 180    | 15381-14030 | ASSY ROCKER ARM      | 6    | ≤778923 |     |         | 0.05         | 0.11        |
| 180    | 15382-14030 | ASSY ROCKER ARM      | 6    | ≥778924 | →   |         | 0.05         | 0.11        |
| 190    | 15261-14232 | SCREW ADJUSTING      | 6    |         |     |         | 0.006        | 0.0132      |
| 200    | 15261-14240 | NUT                  | 6    |         |     |         | 0.002        | 0.0044      |
| 210    | 07916-27360 | KIT ENG.VALVE TRAIN  | 1    |         |     |         | 0.68         | 1.496       |



15656-008-10




## NOZZLE HOLDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------------------------------------|--------------|-------------|
| 010    | 15261-53020 | ASSY HOLDER NOZZLE  | 3    | <=821125 |     | REFER TO L.No.0B05-R0 FOR COMPONENTS. | 0            | 0           |
| 010    | 19202-53020 | ASSY HOLDER NOZZLE  | 3    | >=821126 | ↔   | REFER TO L.No.0B05-R0 FOR COMPONENTS. | 0.25         | 0.55        |
| 020    | 17011-53620 | GASKET              | 3    |          |     |                                       | 0.003        | 0.0066      |
| 030    | 15727-53710 | PIPE INJECTION      | 1    |          |     |                                       | 0.1          | 0.22        |
| 040    | 15727-53720 | PIPE INJECTION      | 1    |          |     |                                       | 0.1          | 0.22        |
| 050    | 15727-53730 | PIPE INJECTION      | 1    |          |     |                                       | 0.1          | 0.22        |
| 060    | 15841-53850 | CLAMP PIPE          | 2    |          |     |                                       | 0.01         | 0.022       |
| 070    | 15841-53860 | CLAMP PIPE          | 2    |          |     |                                       | 0.009        | 0.0198      |
| 080    | 03024-50520 | SCREW WITH WASHER   | 2    |          |     |                                       | 0.004        | 0.0088      |
| 090    | 15694-65510 | PLUG GLOW           | 3    |          |     |                                       | 0.02         | 0.044       |
| 100    | 15261-65560 | CORD GLOW PLUG      | 2    |          |     |                                       | 0.005        | 0.011       |
| 110    | 15531-42500 | ASSY PIPE OVER FLOW | 1    |          |     |                                       | 0.065        | 0.143       |

# NOZZLE HOLDER [COMPONENT PARTS]






# NOZZLE HOLDER [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15261-53020 | ASSY HOLDER NOZZLE | 3    | ≤821125 |     |         | 0            | 0           |
| 010    | 19202-53020 | ASSY HOLDER NOZZLE | 3    | ≥821126 | ↔   |         | 0.25         | 0.55        |
| 020    | 15221-92020 | NUT                | 3    |         |     |         | 0.011        | 0.0242      |
| 030    | 15221-94020 | WASHER PLAIN       | 3    |         |     |         | 0.002        | 0.0044      |
| 040    | 15221-53170 | SPRING NOZZLE      | 3    |         |     |         | 0.01         | 0.022       |
| 050    | 15221-53350 | PIECE DISTANCE     | 3    |         |     |         | 0.016        | 0.0352      |
| 060    | 15221-53160 | PUSH ROD           | 3    |         |     |         | 0.003        | 0.0066      |
| 070    | 15221-53280 | NUT NOZZLE         | 3    |         |     |         | 0.068        | 0.1496      |
| 080    | 15021-53610 | PIECE NOZZLE       | 3    | ≤821125 |     |         | 0            | 0           |
| 080    | 19202-53610 | PIECE NOZZLE       | 3    | ≥821126 | ↔   |         | 0.045        | 0.099       |
| 090    | 15221-98110 | WASHER ADJUSTING   | 3    |         |     | 1.00MM  | 0.001        | 0.0022      |
| 090    | 15221-98120 | WASHER ADJUSTING   | 3    |         |     | 1.05MM  | 0.001        | 0.0022      |
| 090    | 15221-98130 | WASHER ADJUSTING   | 3    |         |     | 1.10MM  | 0.001        | 0.0022      |
| 090    | 15221-98140 | WASHER ADJUSTING   | 3    |         |     | 1.15MM  | 0.001        | 0.0022      |
| 090    | 15221-98150 | WASHER ADJUSTING   | 3    |         |     | 1.20MM  | 0.001        | 0.0022      |
| 090    | 15221-98160 | WASHER ADJUSTING   | 3    |         |     | 1.25MM  | 0.001        | 0.0022      |
| 090    | 15221-98170 | WASHER ADJUSTING   | 3    |         |     | 1.30MM  | 0.001        | 0.0022      |
| 090    | 15221-98180 | WASHER ADJUSTING   | 3    |         |     | 1.35MM  | 0.001        | 0.0022      |
| 090    | 15221-98190 | WASHER ADJUSTING   | 3    |         |     | 1.40MM  | 0.002        | 0.0044      |
| 090    | 15221-98200 | WASHER ADJUSTING   | 3    |         |     | 1.45MM  | 0.001        | 0.0022      |
| 090    | 15221-98210 | WASHER ADJUSTING   | 3    |         |     | 1.50MM  | 0.001        | 0.0022      |
| 090    | 15221-98220 | WASHER ADJUSTING   | 3    |         |     | 1.55MM  | 0.003        | 0.0066      |
| 090    | 15221-98230 | WASHER ADJUSTING   | 3    |         |     | 1.60MM  | 0.003        | 0.0066      |
| 090    | 15221-98240 | WASHER ADJUSTING   | 3    |         |     | 1.65MM  | 0.002        | 0.0044      |
| 090    | 15221-98250 | WASHER ADJUSTING   | 3    |         |     | 1.70MM  | 0.002        | 0.0044      |
| 090    | 15221-98260 | WASHER ADJUSTING   | 3    |         |     | 1.75MM  | 0.002        | 0.0044      |
| 090    | 15221-98270 | WASHER ADJUSTING   | 3    |         |     | 1.80MM  | 0.002        | 0.0044      |
| 090    | 15221-98280 | WASHER ADJUSTING   | 3    |         |     | 1.85MM  | 0.002        | 0.0044      |
| 090    | 15221-98290 | WASHER ADJUSTING   | 3    |         |     | 1.90MM  | 0.002        | 0.0044      |
| 090    | 15221-98300 | WASHER ADJUSTING   | 3    |         |     | 1.95MM  | 0.003        | 0.0066      |
| 100    | 15221-98100 | ASSY WASHER ADJUST | 3    |         |     | OPTION  | 0.03         | 0.066       |

## CYLINDER HEAD COVER



010 15656-1451-0



15656-802-10




## CYLINDER HEAD COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15656-14510 | COVER CYL.HEAD       | 1    | ≤682801 |     |         | 0.8          | 1.76        |
| 010    | 15534-14510 | COVER CYL.HEAD       | 1    | ≥682802 | ↔   |         | 0.6          | 1.32        |
| 020    | 15381-14520 | GASKET HEAD COVER    | 1    |         |     |         | 0.005        | 0.011       |
| 030    | 15952-92330 | NUT CAP              | 3    |         |     |         | 0.01         | 0.022       |
| 040    | 15951-96660 | GASKET               | 3    |         |     |         | 0.001        | 0.0022      |
| 050    | 15221-33140 | PLUG OIL FILLER      | 1    | ≤834110 |     |         | 0.038        | 0.0836      |
| 050    | 15852-33140 | PLUG OIL FILLER      | 1    | ≥834111 | ↔   |         | 0.038        | 0.0836      |
| 060    | 04811-50300 | RING                 | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 15951-05140 | PLATE B/THER ELEMENT | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 15521-05150 | PLATE B/THER ELEMENT | 1    |         |     |         | 0.01         | 0.022       |
| 090    | 15521-05670 | ELEMENT BREATHER     | 1    |         |     |         | 0.01         | 0.022       |
| 100    | 15951-05370 | OIL SHIELD BREATHER  | 1    |         |     |         | 0.005        | 0.011       |
| 110    | 03024-50510 | SCREW WITH WASHER    | 2    |         |     |         | 0.002        | 0.0044      |
| 120    | 15521-05550 | JOINT BREATHER PIPE  | 1    |         |     |         | 0.04         | 0.088       |
| 130    | 15261-05510 | PIPE BREATHER        | 1    |         |     |         | 0.069        | 0.1518      |
| 140    | 15531-05580 | CLAMP PIPE           | 1    |         |     |         | 0.019        | 0.0418      |

## INLET MANIFOLD



15656-011-10




## INLET MANIFOLD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15727-11760 | MANIFOLD INLET     | 1    |         |     |         | 0.6          | 1.32        |
| 020    | 15261-11820 | GASKET IN-MANIFOLD | 1    | ≤945299 |     |         | 0            | 0           |
| 020    | 15263-11820 | GASKET IN-MANIFOLD | 1    | ≥945300 | ↔   |         | 0.001        | 0.0022      |
| 030    | 15261-11830 | GASKET IN-MANIFOLD | 2    | ≤945299 |     |         | 0            | 0           |
| 030    | 15263-11830 | GASKET IN-MANIFOLD | 2    | ≥945300 | ↔   |         | 0.001        | 0.0022      |
| 040    | 01023-50620 | BOLT               | 4    |         |     |         | 0.006        | 0.0132      |
| 050    | 01053-50660 | BOLT               | 1    |         |     |         | 0.014        | 0.0308      |
| 060    | 15381-91070 | BOLT               | 1    |         |     |         | 0.016        | 0.0352      |
| 070    | 04512-60060 | WASHER SPRING      | 2    |         |     |         | 0.001        | 0.0022      |

## EXHAUST MANIFOLD



15656-012-10








## CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15381-16010 | ASSY CAMSHAFT      | 1    |       |     |         | 1.045        | 2.299       |
| 020    | 15381-16110 | COMP. CAMSHAFT     | 1    |       |     |         | 0.965        | 2.123       |
| 030    | 15261-96880 | PLUG BLIND         | 2    |       |     |         | 0.002        | 0.0044      |
| 040    | 15261-16510 | GEAR CAMSHAFT      | 1    |       |     |         | 0.354        | 0.7788      |
| 050    | 05712-00515 | KEY FEATHER        | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 15261-16270 | STOPPER CAMSHAFT   | 1    |       |     |         | 0.034        | 0.0748      |
| 070    | 04612-00180 | CIRCLIP EXTERNAL   | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 01023-50614 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 15741-24010 | COMP GEAR IDLE     | 1    |       |     |         | 0.64         | 1.408       |
| 100    | 15741-24980 | BUSH IDLE GEAR     | 1    |       |     |         | 0.03         | 0.066       |
| 110    | 15741-24360 | COLLAR IDLE GEAR   | 1    |       |     |         | 0.04         | 0.088       |
| 120    | 15741-24370 | COLLAR IDLE GEAR   | 1    |       |     |         | 0.015        | 0.033       |
| 130    | 15741-24320 | CIR CLIP IDLE GEAR | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 15741-24250 | SHAFT IDLE GEAR    | 1    |       |     |         | 0.35         | 0.77        |
| 150    | 01023-50616 | BOLT               | 3    |       |     |         | 0.005        | 0.011       |
| 160    | 15261-15550 | TAPPET             | 6    |       |     |         | 0.03         | 0.066       |
| 170    | 15261-15110 | PUSH ROD           | 6    |       |     |         | 0.022        | 0.0484      |

## GEAR CASE






## GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15532-04022 | COMP.CASE GEAR      | 1    | <=755814 |     |         | 0            | 0           |
| 010    | 15532-04023 | COMP.CASE GEAR      | 1    | >=755815 | ←   |         | 1.9          | 4.18        |
| 020    | 15261-96020 | PLUG                | 2    | <=775308 |     |         | 0            | 0           |
| 020    | 16851-96010 | PLUG                | 2    | >=775309 | ↔   |         | 0.015        | 0.033       |
| 030    | 04811-06130 | RING                | 3    |          |     |         | 0.001        | 0.0022      |
| 040    | 15221-56280 | PIN START SPRING    | 1    |          |     |         | 0.006        | 0.0132      |
| 050    | 15531-04132 | GASKET GEAR CASE    | 1    | <=945299 |     |         | 0            | 0           |
| 050    | 15676-04130 | GASKET GEAR CASE    | 1    | >=945300 | ↔   |         | 0.01         | 0.022       |
| 060    | 01023-50660 | BOLT                | 7    |          |     | [A][AU] | 0.01         | 0.022       |
| 060    | 01023-50660 | BOLT                | 5    |          |     | [CA]    | 0.01         | 0.022       |
| 070    | 01023-50665 | BOLT                | 5    |          |     | [A][AU] | 0.015        | 0.033       |
| 070    | 01023-50665 | BOLT                | 7    |          |     | [CA]    | 0.015        | 0.033       |
| 080    | 01023-60670 | BOLT                | 1    |          |     |         | 0.015        | 0.033       |
| 090    | 01023-50675 | BOLT                | 1    |          |     |         | 0.01         | 0.022       |
| 100    | 15241-32290 | JOINT PIPE          | 1    |          |     |         | 0.053        | 0.1166      |
| 110    | 15841-04140 | SEAL OIL            | 1    |          |     |         | 0.012        | 0.0264      |
| 120    | 15241-32090 | ASSY FILTER         | 1    |          |     |         | 0.35         | 0.77        |
| 130    | 15261-36070 | ASSY VALVE RELIEF   | 1    |          |     |         | 0.078        | 0.1716      |
| 140    | 04810-00150 | RING                | 1    |          |     |         | 0.001        | 0.0022      |
| 150    | 15531-32310 | SUPPORT OIL FILTER  | 1    |          |     |         | 0.215        | 0.473       |
| 160    | 15531-33640 | PLUG BLIND          | 2    |          |     |         | 0.006        | 0.0132      |
| 170    | 04811-05140 | RING                | 2    |          |     |         | 0.001        | 0.0022      |
| 180    | 15221-88210 | STUD                | 1    |          |     |         | 0.005        | 0.011       |
| 190    | 02056-50060 | NUT                 | 2    |          |     |         | 0.002        | 0.0044      |
| 200    | 04512-60060 | WASHER SPRING       | 2    |          |     |         | 0.001        | 0.0022      |
| 210    | 01023-50630 | BOLT                | 1    |          |     |         | 0.008        | 0.0176      |
| 220    | 15531-91490 | STUD                | 1    |          |     |         | 0.007        | 0.0154      |
| 230    | 38240-34660 | ASSY GEAR CASE H/M  | 1    |          |     |         | 0.335        | 0.737       |
| 240    | 15221-88130 | GASKET H/METER UNIT | 1    |          |     |         | 0            | 0           |
| 250    | 15221-88210 | STUD                | 4    |          |     |         | 0.005        | 0.011       |
| 260    | 02056-50060 | NUT                 | 4    |          |     |         | 0.002        | 0.0044      |
| 270    | 04512-60060 | WASHER SPRING       | 4    |          |     |         | 0.001        | 0.0022      |
| 280    | 15531-72960 | CLAMP PIPE          | 1    |          |     |         | 0.005        | 0.011       |

# WATER PUMP






# WATER PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15752-73033 | ASSY PUMP WATER      | 1    | ≤651889 |     |         | 0            | 0           |
| 010    | 15534-73030 | ASSY PUMP WATER      | 1    | ≥651890 | ↔   |         | 0.7          | 1.54        |
| 020    | 15752-73520 | FLANGE WATER PUMP    | 1    | ≤651889 |     |         | 0            | 0           |
| 020    | 15534-73520 | FLANGE WATER PUMP    | 1    | ≥651890 | ≠   |         | 0.16         | 0.352       |
| 030    | 15752-73550 | BEARING              | 1    | ≤651889 |     |         | 0            | 0           |
| 030    | 15534-73550 | BEARING              | 1    | ≥651890 | ≠   |         | 0.15         | 0.33        |
| 040    | 19298-73050 | ASSY SEAL MECHANICAL | 1    | ≤651889 |     |         | 0.016        | 0.0352      |
| 040    | 15852-73050 | ASSY SEAL MECHANICAL | 1    | ≥651890 | ≠   |         | 0.005        | 0.011       |
| 050    | 15531-73510 | IMPELLER WATER PUMP  | 1    | ≤651889 |     |         | 0.112        | 0.2464      |
| 050    | 15443-73510 | IMPELLER WATER PUMP  | 1    | ≥651890 | ≠   |         | 0.12         | 0.264       |
| 060    | 16241-73340 | PIPE WATER RETURN    | 1    | ≤651889 |     |         | 0.006        | 0.0132      |
| 060    | 15852-73340 | PIPE WATER RETURN    | 1    | ≥651890 | ≠   |         | 0.02         | 0.044       |
| 070    | 15531-73430 | GASKET WATER PUMP    | 1    | ≤945299 |     |         | 0            | 0           |
| 070    | 15676-73430 | GASKET WATER PUMP    | 1    | ≥945300 | ↔   |         | 0.005        | 0.011       |
| 080    | 01023-50625 | BOLT                 | 4    |         |     |         | 0.007        | 0.0154      |
| 090    | 15694-74110 | FAN                  | 1    |         |     |         | 0.34         | 0.748       |
| 100    | 01754-50665 | BOLT FLANGE          | 4    |         |     |         | 0.01         | 0.022       |
| 110    | 15656-74250 | PULLEY FAN           | 1    |         |     |         | 0.24         | 0.528       |
| 120    | 15656-74152 | COLLAR FAN           | 1    |         |     |         | 0.23         | 0.506       |
| 130    | 15752-74280 | PULLEY FAN DRIVE     | 1    |         |     |         | 1.2          | 2.64        |
| 140    | 15752-23360 | NUT CRANKSHAFT       | 1    |         |     |         | 0.04         | 0.088       |
| 150    | 15752-23380 | WASHER CRANKSHAFT    | 1    |         |     |         | 0.01         | 0.022       |
| 160    | 15531-72530 | BELT FAN             | 1    |         |     | [A][AU] | 0.085        | 0.187       |
| 160    | 66426-64210 | V BELT               | 1    |         |     | [CA]    | 0.08         | 0.176       |






## TENSION PULLEY [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67820-64100 | ASSY PULLEY TENSION | 1    |         |     |         | 0.85         | 1.87        |
| 020    | 67820-64113 | PULLEY TENSION      | 1    |         |     |         | 0.58         | 1.276       |
| 030    | 67820-64125 | SHAFT PULLEY        | 1    |         |     |         | 0.109        | 0.2398      |
| 040    | 02118-50100 | NUT                 | 1    |         |     |         | 0.005        | 0.011       |
| 050    | 04512-60100 | WASHER SPRING       | 1    |         |     |         | 0.002        | 0.0044      |
| 060    | 04013-50100 | WASHER PLAIN        | 1    |         |     |         | 0            | 0           |
| 070    | 08141-06301 | BEARING BALL        | 2    |         |     |         | 0.05         | 0.11        |
| 080    | 04611-00370 | CIR CLIP INTERNAL   | 1    |         |     |         | 0.004        | 0.0088      |
| 090    | 02118-50100 | NUT                 | 1    |         |     |         | 0.005        | 0.011       |
| 100    | 04512-60100 | WASHER SPRING       | 1    |         |     |         | 0.002        | 0.0044      |
| 110    | 67820-64230 | COLLAR              | 1    |         |     |         | 0.008        | 0.0176      |
| 120    | 67820-64140 | RETAINER SPRING     | 1    |         |     |         | 0.07         | 0.154       |
| 130    | 67820-64150 | BOLT ADJUSTING      | 1    |         |     |         | 0.035        | 0.077       |
| 140    | 66426-64130 | STAY PULLEY         | 1    |         |     |         | 1.3          | 2.86        |
| 150    | 01133-51045 | BOLT                | 1    |         |     |         | 0.034        | 0.0748      |
| 160    | 04013-50100 | WASHER PLAIN        | 1    |         |     |         | 0            | 0           |
| 170    | 66426-64200 | V BELT              | 1    | ≤723497 |     |         | 0.04         | 0.088       |
| 170    | 66426-64202 | V BELT              | 1    | ≥723498 | ≠   |         | 0.05         | 0.11        |




15656-016-10



## WATER FLANGE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15582-72700 | COMP.FLANGE WATER   | 1    |         |     |         | 0.25         | 0.55        |
| 020    | 15261-72920 | GASKET WATER FLANGE | 1    | ≤945299 |     |         | 0            | 0           |
| 020    | 15263-72920 | GASKET WATER FLANGE | 1    | ≥945300 | ↔   |         | 0.003        | 0.0066      |
| 030    | 01023-50616 | BOLT                | 5    |         |     |         | 0.005        | 0.011       |
| 040    | 01513-50655 | STUD                | 1    |         |     |         | 0.013        | 0.0286      |
| 050    | 02056-50060 | NUT                 | 1    |         |     |         | 0.002        | 0.0044      |
| 060    | 04512-60060 | WASHER SPRING       | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 16241-73340 | PIPE WATER RETURN   | 1    | ≤801709 |     |         | 0.006        | 0.0132      |
| 070    | 16241-73370 | PIPE WATER RETURN   | 1    | ≥801710 | ≠   |         | 0.007        | 0.0154      |
| 080    | 15531-73350 | PIPE WATER RETURN   | 1    |         |     |         | 0.02         | 0.044       |
| 090    | 15531-73360 | BAND PIPE           | 2    | ≤669962 |     |         | 0.007        | 0.0154      |
| 090    | 16241-73360 | BAND PIPE           | 2    | ≥669963 | ↔   |         | 0.003        | 0.0066      |
| 100    | 15531-73010 | ASSY THERMOSTAT     | 1    |         |     |         | 0.07         | 0.154       |
| 110    | 15531-73260 | COVER THERMOSTAT    | 1    |         |     |         | 0.068        | 0.1496      |
| 120    | 15531-73270 | GASKET              | 1    | ≤805384 |     |         | 0            | 0           |
| 120    | 15676-73270 | GASKET THERMOSTAT   | 1    | ≥805385 | ↔   |         | 0.005        | 0.011       |
| 130    | 01023-50635 | BOLT                | 2    |         |     |         | 0.01         | 0.022       |
| 140    | 06311-25030 | PLUG                | 1    |         |     |         | 0.051        | 0.1122      |
| 150    | 04724-00170 | GASKET              | 1    |         |     |         | 0.005        | 0.011       |




15656-017-10

**FUEL PUMP**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15263-42010 | ASSY PIPE FUEL       | 1    |         |     |         | 0.04         | 0.088       |
| 020    | 14301-42750 | CLIP PIPE            | 2    |         |     |         | 0.005        | 0.011       |
| 030    | 66591-54250 | SPRING PIPE PROTECT. | 1    |         |     |         | 0.01         | 0.022       |
| 040    | 14111-42410 | JOINT EYE            | 1    |         |     |         | 0.025        | 0.055       |
| 050    | 15381-52030 | ASSY PUMP FUEL       | 1    | ≤945299 |     |         | 0            | 0           |
| 050    | 15263-52030 | ASSY PUMP FUEL       | 1    | ≥945300 | ↔   |         | 0.23         | 0.506       |
| 060    | 15381-52040 | COMP.DIAPHRAGM       | 1    | ≤945299 |     |         | 0            | 0           |
| 060    | 15263-52040 | COMP.DIAPHRAGM       | 1    | ≥945300 | ↔   |         | 0.02         | 0.044       |
| 070    | 15241-52140 | GASKET FUEL PUMP     | 1    | ≤945299 |     |         | 0            | 0           |
| 070    | 15263-52140 | GASKET FUEL PUMP     | 1    | ≥945300 | ↔   |         | 0            | 0           |
| 080    | 01513-50616 | STUD                 | 2    |         |     |         | 0.004        | 0.0088      |
| 090    | 02056-50060 | NUT                  | 2    |         |     |         | 0.002        | 0.0044      |
| 100    | 04512-60060 | WASHER SPRING        | 2    |         |     |         | 0.001        | 0.0022      |






## INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------------------------------------|--------------|-------------|
| 010    | 15531-51010 | ASSY PUMP INJECTION  | 1    |          |     | REFER TO L.No.0B13-R0 FOR COMPONENTS. | 2.1          | 4.62        |
| 020    | 19491-52100 | ASSY SHIM INJECTION  | 1    |          |     |                                       | 0.035        | 0.077       |
| 030    | 16414-52090 | SHIM INJECTION PUMP  | 1    |          |     | 0.20MM                                | 0.001        | 0.0022      |
| 040    | 15531-52110 | SHIM INJECTION PUMP  | 3    |          |     | 0.30MM                                | 0.005        | 0.011       |
| 050    | 01123-50822 | BOLT                 | 2    |          |     |                                       | 0.012        | 0.0264      |
| 060    | 15221-91530 | STUD                 | 2    |          |     |                                       | 0.011        | 0.0242      |
| 070    | 02156-50080 | NUT                  | 2    |          |     |                                       | 0.004        | 0.0088      |
| 080    | 04512-50080 | WASHER SPRING        | 2    |          |     |                                       | 0            | 0           |
| 090    | 14311-60504 | ASSY COCK JET START  | 1    |          |     |                                       | 0.034        | 0.0748      |
| 100    | 15532-16020 | ASSY CAMSHAFT FUEL   | 1    |          |     |                                       | 1.2          | 2.64        |
| 110    | 15532-16170 | CAMSHAFT FUEL        | 1    |          |     |                                       | 0.53         | 1.166       |
| 120    | 08153-06004 | BEARING BALL         | 1    |          |     |                                       | 0.07         | 0.154       |
| 130    | 15261-51150 | GEAR INJECTION PUMP  | 1    |          |     |                                       | 0.463        | 1.0186      |
| 140    | 05712-00520 | KEY FEATHER          | 1    |          |     |                                       | 0.004        | 0.0088      |
| 150    | 15261-55450 | SLEEVE GOVERNOR      | 1    |          |     |                                       | 0.058        | 0.1276      |
| 160    | 15261-55470 | CIR-CLIP GOV. SLEEVE | 1    |          |     |                                       | 0.002        | 0.0044      |
| 170    | 15261-55690 | CASE GOVERNOR BALL   | 1    | <=778923 |     |                                       | 0            | 0           |
| 170    | 15549-55690 | CASE GOVERNOR BALL   | 1    | >=778924 | ↔   |                                       | 0.62         | 1.364       |
| 180    | 07715-03205 | BALL                 | 30   |          |     |                                       | 0.001        | 0.0022      |
| 190    | 15261-55740 | CIR-CLIP             | 1    |          |     |                                       | 0.002        | 0.0044      |
| 200    | 07715-03217 | BALL                 | 8    |          |     |                                       | 0.01         | 0.022       |
| 210    | 04612-00180 | CIRCLIP EXTERNAL     | 1    |          |     |                                       | 0.001        | 0.0022      |
| 220    | 08103-06004 | BEARING BALL         | 1    |          |     |                                       | 0.066        | 0.1452      |
| 240    | 15261-16320 | STOPPER FUEL C/SHAFT | 1    |          |     |                                       | 0.037        | 0.0814      |
| 250    | 01023-50612 | BOLT                 | 2    |          |     |                                       | 0.005        | 0.011       |
| 260    | 15531-42870 | ASSY PIPE JET START  | 1    |          |     |                                       | 0.02         | 0.044       |
| 270    | 10244-42320 | CLIP PIPE            | 2    |          |     |                                       | 0.001        | 0.0022      |



15656-019-10




## INJECTION PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15531-51010 | ASSY PUMP INJECTION | 1    |       |     |         | 2.1          | 4.62        |
| 020    | 15261-51050 | PLUNGER PUMP        | 3    |       |     |         | 0.04         | 0.088       |
| 030    | 15261-51030 | VALVE DELIVERY      | 3    |       |     |         | 0.011        | 0.0242      |
| 040    | 15331-51230 | SPRING DELIV.VALVE  | 3    |       |     |         | 0.001        | 0.0022      |
| 050    | 15331-51240 | GASKET DELIV.VALVE  | 3    |       |     |         | 0.001        | 0.0022      |
| 060    | 15331-51220 | HOLDER DELIV.VALVE  | 3    |       |     |         | 0.053        | 0.1166      |
| 070    | 15331-96760 | O RING              | 3    |       |     |         | 0.001        | 0.0022      |
| 080    | 15331-51070 | ASSY TAPPET         | 3    |       |     |         | 0.036        | 0.0792      |
| 090    | 15331-51250 | PIN TAPPET GUIDE    | 3    |       |     |         | 0.001        | 0.0022      |
| 100    | 15331-51430 | PIN CLAMP           | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 17331-51280 | SPRING PLUNGER      | 3    |       |     |         | 0.017        | 0.0374      |
| 120    | 15331-51270 | SEAT SPRING UPPER   | 3    |       |     |         | 0.001        | 0.0022      |
| 130    | 15331-51290 | SEAT SPRING LOWER   | 3    |       |     |         | 0.001        | 0.0022      |
| 140    | 15381-51490 | SHIM                | 3    |       |     |         | 0.008        | 0.0176      |
| 150    | 15331-51062 | RACK CONTROL        | 1    |       |     |         | 0.04         | 0.088       |
| 160    | 15331-51380 | SLEEVE CONTROL      | 3    |       |     |         | 0.012        | 0.0264      |
| 170    | 15531-51320 | SCREW FOLLOW        | 1    |       |     |         | 0.034        | 0.0748      |
| 180    | 15331-96650 | GASKET              | 2    |       |     |         | 0.001        | 0.0022      |
| 190    | 15331-51480 | COLLAR              | 2    |       |     |         | 0.005        | 0.011       |
| 200    | 15381-94090 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 210    | 15381-51390 | PLATE ADJUSTING     | 1    |       |     |         | 0.008        | 0.0176      |
| 220    | 15331-91010 | BOLT                | 2    |       |     |         | 0.034        | 0.0748      |

## ENGINE STOP LEVER



15656-020-10




## ENGINE STOP LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15752-54092 | ASSY APPARATUS I/D.  | 1    |         |     |         | 0.03         | 0.066       |
| 020    | 15752-54102 | ASSY BOLT ADJUSTING  | 1    |         |     |         | 0.01         | 0.022       |
| 030    | 15261-92020 | NUT                  | 1    |         |     |         | 0.004        | 0.0088      |
| 040    | 15261-92330 | NUT CAP              | 1    |         |     |         | 0.01         | 0.022       |
| 050    | 15021-33660 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 060    | 15261-54270 | CAP                  | 1    |         |     |         | 0.002        | 0.0044      |
| 070    | 15738-57702 | ASSY LEVER ENG.STOP  | 1    | ≤732040 |     |         | 0            | 0           |
| 070    | 15738-57706 | ASSY LEVER ENG.STOP  | 1    | ≥732041 | ←   |         | 0.15         | 0.33        |
| 080    | 15949-51650 | COVER INJECTION PUMP | 1    | ≤732040 |     |         | 0            | 0           |
| 080    | 15949-51654 | COVER INJECTION PUMP | 1    | ≥732041 | ←   |         | 0.1          | 0.22        |
| 090    | 15471-57980 | SEAL OIL             | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 05411-00420 | PIN SPRING           | 1    |         |     |         | 0.001        | 0.0022      |
| 110    | 15738-57920 | SPRING RETURN        | 1    |         |     |         | 0.002        | 0.0044      |
| 120    | 15949-57740 | SHAFT LEVER          | 1    |         |     |         | 0.04         | 0.088       |
| 130    | 15231-05130 | GASKET BREATHER      | 1    | ≤945299 |     |         | 0            | 0           |
| 130    | 15263-05130 | GASKET BREATHER      | 1    | ≥945300 | ↔   |         | 0.001        | 0.0022      |
| 140    | 01023-50618 | BOLT                 | 4    |         |     |         | 0.006        | 0.0132      |

## SPEED CONTROL PLATE






## SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15531-54120 | BOLT ADJUSTING      | 1    |         |     |         | 0.009        | 0.0198      |
| 020    | 15531-92030 | NUT                 | 1    |         |     |         | 0.005        | 0.011       |
| 030    | 15601-96650 | GASKET              | 2    |         |     |         | 0.001        | 0.0022      |
| 040    | 15601-54220 | NUT CAP             | 1    | ≤697417 |     |         | 0            | 0           |
| 040    | 15841-14620 | NUT CAP             | 1    | ≥697418 | ↔   |         | 0.01         | 0.022       |
| 050    | 16241-54420 | CAP                 | 1    | ≤924784 |     |         | 0.004        | 0.0088      |
| 050    | 16221-54420 | CAP                 | 1    | ≥924785 | ↔   |         | 0.001        | 0.0022      |
| 060    | 15656-57150 | LEVER SPEED CONTROL | 1    | ≤633345 |     |         | 0.035        | 0.077       |
| 060    | 15656-57152 | LEVER SPEED CONTROL | 1    | ≥633346 | ≠   |         | 0.07         | 0.154       |
| 070    | 15261-95010 | KEY FEATHER         | 1    | ≤633345 |     |         | 0.001        | 0.0022      |
| 070    | 05712-00410 | KEY FEATHER         | 1    | ≥633346 | ≠   |         | 0.001        | 0.0022      |
| 080    | 04811-00070 | RING                | 1    |         |     |         | 0.001        | 0.0022      |
| 090    | 04013-50060 | WASHER PLAIN        | 1    |         |     |         | 0            | 0           |
| 100    | 02012-60060 | NUT                 | 2    |         |     |         | 0.005        | 0.011       |
| 110    | 15261-57380 | DISK FRICTION       | 1    | ≤633345 |     |         | 0            | 0           |
| 110    | 15261-94010 | WASHER PLAIN        | 1    | ≥633346 | ≠   |         | 0.002        | 0.0044      |
| 120    | 15531-57110 | PLATE SPEED CONTROL | 1    |         |     |         | 0.06         | 0.132       |
| 130    | 15261-57210 | GASKET              | 1    | ≤945299 |     |         | 0            | 0           |
| 130    | 15263-57210 | GASKET              | 1    | ≥945300 | ↔   |         | 0.001        | 0.0022      |
| 140    | 01023-50620 | BOLT                | 4    |         |     |         | 0.006        | 0.0132      |






# GOVERNOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15531-56020 | COMP.LEVER GOVERNOR | 1    | ≤633345 |     |         | 0.026        | 0.0572      |
| 010    | 15531-56022 | COMP.LEVER GOVERNOR | 1    | ≥633346 | ≠   |         | 0.02         | 0.044       |
| 020    | 15694-56050 | ASSY LEVER FORK     | 1    |         |     |         | 0.3          | 0.66        |
| 030    | 15694-56040 | COMP.LEVER FORK     | 1    |         |     |         | 0.16         | 0.352       |
| 040    | 15531-56130 | LEVER FORK          | 1    |         |     |         | 0.075        | 0.165       |
| 050    | 15261-56150 | SHAFT FORK LEVER    | 1    |         |     |         | 0.032        | 0.0704      |
| 060    | 01053-50516 | BOLT                | 1    |         |     |         | 0.003        | 0.0066      |
| 070    | 04512-50050 | WASHER SPRING       | 2    |         |     |         | 0            | 0           |
| 080    | 15261-56230 | HOLDER FORK LEVER   | 1    |         |     |         | 0.038        | 0.0836      |
| 090    | 15261-66410 | BOLT                | 1    |         |     |         | 0.003        | 0.0066      |
| 100    | 01023-50628 | BOLT                | 2    |         |     |         | 0.015        | 0.033       |
| 110    | 15221-56480 | SPRING START        | 1    |         |     |         | 0.008        | 0.0176      |
| 120    | 15531-56410 | SPRING GOVERNOR     | 1    |         |     |         | 0.007        | 0.0154      |
| 130    | 15531-56420 | SPRING GOVERNOR     | 1    |         |     |         | 0.003        | 0.0066      |

UPPER GASKET KIT






## UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|--------------|--------------|-------------|
| 010    | 07916-24405 | UPPER GASKET KIT     | 1    | ≤945299 |     | ASBESTOS     | 0.28         | 0.616       |
| 010    | 07916-24405 | KIT GASKET UPPER     | 1    | ≥945300 | ↔   | NON ASBESTOS | 0.28         | 0.616       |
| 020    | 15582-03310 | GASKET CYLINDER HEAD | 1    | ≤945299 |     |              | 0            | 0           |
| 020    | 15583-03310 | GASKET CYLINDER HEAD | 1    | ≥945300 | ↔   | NON ASBESTOS | 0.078        | 0.1716      |
| 030    | 15381-03320 | SHIM CYL.HEAD GASKET | 1    |         |     |              | 0.03         | 0.066       |
| 040    | 15231-05130 | GASKET BREATHER      | 1    | ≤945299 |     |              | 0            | 0           |
| 040    | 15263-05130 | GASKET BREATHER      | 1    | ≥945300 | ↔   |              | 0.001        | 0.0022      |
| 050    | 15261-13150 | SEAL VALVE STEM      | 6    |         |     |              | 0.001        | 0.0022      |
| 060    | 15381-14520 | GASKET HEAD COVER    | 1    |         |     |              | 0.005        | 0.011       |
| 070    | 15261-11830 | GASKET IN-MANIFOLD   | 2    | ≤945299 |     |              | 0            | 0           |
| 070    | 15263-11830 | GASKET IN-MANIFOLD   | 2    | ≥945300 | ↔   |              | 0.001        | 0.0022      |
| 080    | 15261-11820 | GASKET IN-MANIFOLD   | 1    | ≤945299 |     |              | 0            | 0           |
| 080    | 15263-11820 | GASKET IN-MANIFOLD   | 1    | ≥945300 | ↔   |              | 0.001        | 0.0022      |
| 090    | 15381-12360 | GASKET EX-MANIFOLD   | 1    | ≤945299 |     |              | 0            | 0           |
| 090    | 15676-12350 | GASKET EX-MANIFOLD   | 1    | ≥945300 | ↔   |              | 0.017        | 0.0374      |
| 100    | 15676-73270 | GASKET THERMOSTAT    | 1    |         |     |              | 0.005        | 0.011       |
| 110    | 15261-72920 | GASKET WATER FLANGE  | 1    | ≤945299 |     |              | 0            | 0           |
| 110    | 15263-72920 | GASKET WATER FLANGE  | 1    | ≥945300 | ↔   |              | 0.003        | 0.0066      |
| 120    | 15221-33700 | O RING               | 1    |         |     |              | 0.001        | 0.0022      |
| 130    | 04811-50300 | O RING               | 1    |         |     |              | 0.001        | 0.0022      |
| 140    | 17011-53620 | GASKET               | 3    |         |     |              | 0.003        | 0.0066      |
| 150    | 15951-96660 | GASKET               | 3    |         |     |              | 0.001        | 0.0022      |
| 160    | 15263-12370 | GASKET MUFFLER       | 1    | ≥945300 |     |              | 0.015        | 0.033       |

## LOWER GASKET KIT




15655-002-20




# LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|--------------|--------------|-------------|
| 010    | 07916-29990 | KIT GASKET LOWER     | 1    | ≤945299 |     | ASBESTOS     | 0            | 0           |
| 010    | 07916-29995 | KIT GASKET LOWER     | 1    | ≥945300 | ↔   | NON ASBESTOS | 0.22         | 0.484       |
| 020    | 15261-73920 | GASKET WATER COVER   | 1    | ≤945299 |     |              | 0            | 0           |
| 020    | 15263-73920 | GASKET WATER COVER   | 1    | ≥945300 | ↔   |              | 0.002        | 0.0044      |
| 030    | 15261-35150 | GASKET OIL PUMP      | 1    | ≤945299 |     |              | 0            | 0           |
| 030    | 15263-35150 | GASKET OIL PUMP      | 1    | ≥945300 | ↔   |              | 0.001        | 0.0022      |
| 040    | 15381-01620 | GASKET OIL PAN       | 1    | ≤945299 |     |              | 0            | 0           |
| 040    | 15679-01620 | GASKET OIL PAN       | 1    | ≥945300 | ↔   |              | 0.025        | 0.055       |
| 050    | 15261-04360 | GASKET BRG.CASE      | 1    | ≤945299 |     |              | 0            | 0           |
| 050    | 15263-04360 | GASKET BRG.CASE      | 1    | ≥945300 | ↔   |              | 0.005        | 0.011       |
| 060    | 15261-04820 | GASKET BRG.CASE COV. | 1    | ≤945299 |     |              | 0            | 0           |
| 060    | 15263-04820 | GASKET BRG.CASE COV. | 1    | ≥945300 | ↔   |              | 0.001        | 0.0022      |
| 070    | 19215-04460 | SEAL OIL             | 1    |         |     |              | 0.03         | 0.066       |
| 080    | 15231-05130 | GASKET BREATHER      | 1    | ≤945299 |     |              | 0            | 0           |
| 080    | 15263-05130 | GASKET BREATHER      | 1    | ≥945300 | ↔   |              | 0.001        | 0.0022      |
| 090    | 15221-88130 | GASKET H/METER UNIT  | 1    | ≤945299 |     |              | 0            | 0           |
| 090    | 15296-88130 | GASKET H/METER UNIT  | 1    | ≥945300 | ↔   |              | 0.002        | 0.0044      |
| 100    | 15531-04130 | GASKET GEAR CASE     | 1    | ≤945299 |     |              | 0            | 0           |
| 100    | 15676-04130 | GASKET GEAR CASE     | 1    | ≥945300 | ↔   |              | 0.01         | 0.022       |
| 110    | 15263-52140 | GASKET FUEL PUMP     | 1    |         |     |              | 0            | 0           |
| 120    | 15261-57210 | GASKET               | 1    | ≤945299 |     |              | 0            | 0           |
| 120    | 15263-57210 | GASKET               | 1    | ≥945300 | ↔   |              | 0.001        | 0.0022      |
| 130    | 66591-51160 | GASKET               | 1    | ≤945299 |     |              | 0            | 0           |
| 130    | 66905-51160 | GASKET               | 1    | ≥945300 | ↔   |              | 0.002        | 0.0044      |
| 140    | 04714-00100 | GASKET               | 2    |         |     |              | 0.002        | 0.0044      |
| 150    | 15109-33660 | GASKET               | 1    |         |     |              | 0.001        | 0.0022      |
| 160    | 15601-96650 | GASKET               | 2    |         |     |              | 0.001        | 0.0022      |
| 170    | 15021-33660 | GASKET               | 2    |         |     |              | 0.001        | 0.0022      |
| 180    | 04811-00140 | O RING               | 1    |         |     |              | 0.001        | 0.0022      |
| 190    | 04811-05140 | O RING               | 2    |         |     |              | 0.001        | 0.0022      |
| 200    | 04811-06130 | O RING               | 3    |         |     |              | 0.001        | 0.0022      |
| 210    | 04810-00150 | O RING               | 1    |         |     |              | 0.001        | 0.0022      |
| 220    | 04811-00070 | O RING               | 1    |         |     |              | 0.001        | 0.0022      |
| 230    | 04811-05230 | O RING               | 1    |         |     |              | 0.001        | 0.0022      |
| 240    | 09400-14247 | SEAL OIL             | 1    |         |     |              | 0.004        | 0.0088      |
| 250    | 15471-57980 | SEAL OIL             | 1    |         |     |              | 0.001        | 0.0022      |
| 260    | 15841-04140 | SEAL OIL             | 1    |         |     |              | 0.012        | 0.0264      |
| 270    | 15231-87130 | GASKET HYD.PUMP      | 1    | ≤945299 |     |              | 0            | 0           |
| 270    | 15263-87130 | GASKET HYD.PUMP      | 1    | ≥945300 | ↔   |              | 0.005        | 0.011       |
| 280    | 15531-73430 | GASKET WATER PUMP    | 1    | ≤945299 |     |              | 0            | 0           |
| 280    | 15676-73430 | GASKET WATER PUMP    | 1    | ≥945300 | ↔   |              | 0.005        | 0.011       |
| 290    | 66385-36420 | GASKET               | 1    | ≥945300 | ↔   |              | 0.01         | 0.022       |








15892-002-10



## ALTERNATOR [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS                                  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|------------------------------------------|--------------|-------------|
| 010    | 16241-64010 | ASSY<br>ALTERNATOR | 1    |       |     | REFER TO L.No.0C06-R0 FOR<br>COMPONENTS. | 0            | 0           |
| 020    | 15451-64420 | STAY DYNAMO        | 1    |       |     |                                          | 0.15         | 0.33        |
| 030    | 01133-51030 | BOLT               | 1    |       |     |                                          | 0.025        | 0.055       |
| 040    | 04013-50100 | WASHER PLAIN       | 1    |       |     |                                          | 0            | 0           |
| 050    | 01123-50845 | BOLT               | 1    |       |     |                                          | 0.02         | 0.044       |
| 060    | 02056-50080 | NUT                | 1    |       |     |                                          | 0.005        | 0.011       |
| 070    | 04013-50080 | WASHER PLAIN       | 1    |       |     |                                          | 0            | 0           |
| 080    | 01123-50835 | BOLT               | 1    |       |     |                                          | 0.02         | 0.044       |
| 090    | 04015-60080 | WASHER PLAIN       | 1    |       |     |                                          | 0.01         | 0.022       |
| 100    | 66426-64140 | COLLAR             | 1    |       |     |                                          | 0.02         | 0.044       |



**DYNAMO [A AU] [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15531-64010 | ASSY DYNAMO      | 1    |       |     |         | 0            | 0           |
| 020    | 15531-64122 | COMP.STATOR      | 1    |       |     |         | 0.76         | 1.672       |
| 030    | 15531-64110 | PULLEY           | 1    |       |     |         | 0.15         | 0.33        |
| 040    | 15531-64040 | ROTOR            | 1    |       |     |         | 0.5          | 1.1         |
| 050    | 15531-64140 | COLLAR           | 1    |       |     |         | 0.025        | 0.055       |
| 060    | 15531-74180 | BEARING BALL     | 2    |       |     |         | 0.04         | 0.088       |
| 070    | 15531-74140 | SHAFT FAN        | 1    |       |     |         | 0.075        | 0.165       |
| 080    | 15531-64363 | COMP.STATOR      | 1    |       |     |         | 0.555        | 1.221       |
| 090    | 15261-93010 | SCREW ROUND HEAD | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 15531-64292 | STATOR           | 1    |       |     |         | 0.29         | 0.638       |
| 110    | 15531-64072 | PLATE            | 1    |       |     |         | 0.3          | 0.66        |
| 120    | 15531-74180 | BEARING BALL     | 1    |       |     |         | 0.04         | 0.088       |
| 130    | 15531-93010 | SCREW ROUND HEAD | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 15531-64190 | CLAMP CORD       | 1    |       |     |         | 0.005        | 0.011       |
| 150    | 15261-64150 | COLLAR           | 1    |       |     |         | 0.02         | 0.044       |
| 160    | 15261-92030 | NUT              | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 15261-94070 | WASHER SPRING    | 1    |       |     |         | 0.003        | 0.0066      |
| 180    | 15261-94020 | WASHER PLAIN     | 1    |       |     |         | 0.007        | 0.0154      |






## ALTERNATOR [CA] [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16241-64010 | ASSY ALTERNATOR  | 1    |       |     |         | 0            | 0           |
| 020    | 15881-64110 | PULLEY DYNAMO    | 1    |       |     |         | 0.16         | 0.352       |
| 030    | 15881-92010 | NUT              | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 15881-64150 | COLLAR           | 1    |       |     |         | 0.004        | 0.0088      |
| 050    | 15881-64040 | ROTOR            | 1    |       |     |         | 1.2          | 2.64        |
| 060    | 15881-64800 | COVER BEARING    | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 15881-64770 | BEARING BALL     | 1    |       |     |         | 0.04         | 0.088       |
| 080    | 15881-64810 | WASHER THRUST    | 1    |       |     |         | 0.002        | 0.0044      |
| 090    | 15881-64020 | FRAME DRIVE END  | 1    |       |     |         | 1.2          | 2.64        |
| 100    | 15881-64710 | PLATE RETAINER   | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 15881-93010 | SCREW ROUND HEAD | 4    |       |     |         | 0.003        | 0.0066      |
| 120    | 15881-64260 | BOLT THROUGH     | 2    |       |     |         | 0.01         | 0.022       |
| 130    | 15881-64780 | BEARING BALL     | 1    |       |     |         | 0.05         | 0.11        |
| 140    | 16241-64060 | FRAME END        | 1    |       |     |         | 0.2          | 0.44        |
| 150    | 16241-64230 | COVER END        | 1    |       |     |         | 0.035        | 0.077       |
| 160    | 16241-64850 | ASSY RECTIFIER   | 1    |       |     |         | 0.16         | 0.352       |
| 170    | 16241-64900 | BUSH INSULATION  | 1    |       |     |         | 0.007        | 0.0154      |
| 180    | 15881-64310 | HOLDER BRUSH     | 1    |       |     |         | 0.025        | 0.055       |
| 190    | 15881-64090 | BRUSH            | 2    |       |     |         | 0.002        | 0.0044      |
| 200    | 15881-64330 | SPRING BRUSH     | 2    |       |     |         | 0.002        | 0.0044      |
| 210    | 15881-93020 | SCREW ROUND HEAD | 2    |       |     |         | 0.005        | 0.011       |
| 220    | 15881-93030 | SCREW ROUND HEAD | 6    |       |     |         | 0.003        | 0.0066      |
| 230    | 15881-93040 | SCREW ROUND HEAD | 1    |       |     |         | 0.003        | 0.0066      |
| 240    | 15881-91040 | BOLT             | 3    |       |     |         | 0.005        | 0.011       |
| 250    | 15881-92020 | NUT              | 2    |       |     |         | 0.02         | 0.044       |
| 260    | 15881-91050 | BOLT             | 2    |       |     |         | 0.01         | 0.022       |
| 270    | 14182-92030 | NUT              | 1    |       |     |         | 0.003        | 0.0066      |
| 280    | 15881-64600 | ASSY REGULATOR   | 1    |       |     |         | 0.1          | 0.22        |




15656-023-10



## CLUTCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 67401-13400 | ASSY DISK CLUTCH    | 1    | <=870440 |     |         | 0            | 0           |
| 010    | 66436-13400 | ASSY DISK CLUTCH    | 1    | >=870441 | ↔   |         | 0            | 0           |
| 010    | 67980-13400 | COMP.DISK CLUTCH    | 1    | >=941203 | ↔   |         | 0.88         | 1.936       |
| 020    | 67211-13300 | ASSY PLATE PRESSURE | 1    |          |     |         | 2.7          | 5.94        |
| 030    | 01123-60816 | BOLT                | 6    |          |     |         | 0.01         | 0.022       |
| 040    | 05012-00814 | PIN STRAIGHT        | 3    |          |     |         | 0.006        | 0.0132      |




15656-024-10



## HYDRAULIC GEAR PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------------------------------------|--------------|-------------|
| 010    | 67810-76100 | ASSY PUMP HYDRAULIC | 1    |         |     | REFER TO L.No.0F05-R0 FOR COMPONENTS. | 1.59         | 3.498       |
| 020    | 15231-87130 | GASKET HYD.PUMP     | 1    |         |     |                                       | 0            | 0           |
| 030    | 01123-50825 | BOLT                | 2    |         |     |                                       | 0.013        | 0.0286      |
| 040    | 01513-50825 | STUD                | 2    |         |     |                                       | 0            | 0           |
| 050    | 04512-50080 | WASHER SPRING       | 2    |         |     |                                       | 0            | 0           |
| 060    | 02156-50080 | NUT                 | 2    |         |     |                                       | 0.004        | 0.0088      |
| 070    | 67810-36410 | HOLDER GEAR PUMP    | 1    |         |     |                                       | 1.1          | 2.42        |
| 080    | 06331-35010 | PLUG                | 2    |         |     |                                       | 0.012        | 0.0264      |
| 090    | 04714-00100 | GASKET              | 2    |         |     |                                       | 0.002        | 0.0044      |
| 100    | 67810-36430 | COLLAR              | 1    |         |     |                                       | 0.05         | 0.11        |
| 110    | 67810-36480 | BUSH                | 1    |         |     |                                       | 0.1          | 0.22        |
| 120    | 66416-83510 | GEAR                | 1    |         |     | 27T                                   | 0.21         | 0.462       |
| 130    | 67810-36490 | BEARING NEEDLE      | 1    | ≤870440 |     |                                       | 0            | 0           |
| 130    | 67850-36490 | BEARING NEEDLE      | 1    | ≥870441 | ↔   |                                       | 0.022        | 0.0484      |
| 140    | 66621-14640 | COLLAR              | 1    |         |     |                                       | 0.006        | 0.0132      |
| 150    | 66416-83520 | SHAFT GEAR          | 1    |         |     | 20T                                   | 0.19         | 0.418       |
| 160    | 08101-06204 | BEARING BALL        | 1    |         |     |                                       | 0.102        | 0.2244      |
| 170    | 67810-36470 | RETAINER            | 1    |         |     |                                       | 0.025        | 0.055       |
| 180    | 04612-00190 | CIRCLIP EXTERNAL    | 1    |         |     |                                       | 0.001        | 0.0022      |
| 190    | 01123-50822 | BOLT                | 4    | ≤687695 |     |                                       | 0.012        | 0.0264      |
| 190    | 01123-50822 | BOLT                | 3    | ≥687696 |     |                                       | 0.012        | 0.0264      |
| 200    | 67810-36420 | GASKET              | 1    |         |     |                                       | 0            | 0           |
| 210    | 01513-50822 | STUD                | 1    | ≥687696 |     |                                       | 0.01         | 0.022       |
| 220    | 04512-50080 | WASHER SPRING       | 1    | ≥687696 |     |                                       | 0            | 0           |
| 230    | 02156-50080 | NUT                 | 1    | ≥687696 |     |                                       | 0.004        | 0.0088      |



060 67211-7624-0

070 04512-50080



15656-801-10




## HYDRAULIC GEAR PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67810-76100 | ASSY PUMP HYDRAULIC | 1    |         |     |         | 1.59         | 3.498       |
| 020    | 67211-76120 | COVER HYD.PUMP      | 1    |         |     |         | 0.18         | 0.396       |
| 030    | 04810-50500 | RING                | 1    |         |     |         | 0.005        | 0.011       |
| 040    | 04810-00220 | RING                | 4    |         |     |         | 0.001        | 0.0022      |
| 050    | 04810-00050 | RING                | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 67211-76240 | BOLT                | 6    | ≤828344 |     |         | 0.014        | 0.0308      |
| 060    | 01123-50825 | BOLT                | 6    | ≥828345 | ←   |         | 0.013        | 0.0286      |
| 070    | 04512-50080 | WASHER SPRING       | 6    | ≤828344 |     |         | 0            | 0           |
| 080    | 31381-76190 | SEAL OIL            | 1    |         |     |         | 0.007        | 0.0154      |
| 090    | 04611-00280 | CIR CLIP INTERNAL   | 1    |         |     |         | 0.002        | 0.0044      |

## AIR CLEANER






## AIR CLEANER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 66416-58200 | ASSY CLEANER AIR     | 1    |        |     |          | 1.15         | 2.53        |
| 020    | 67401-54290 | BAND AIR CLEANER     | 1    |        |     |          | 0.06         | 0.132       |
| 030    | 66416-58210 | SUPPORT AIR CLEANER  | 1    |        |     | [A] [AU] | 0.83         | 1.826       |
| 030    | 66426-58210 | SUPPORT AIR CLEANER  | 1    |        |     | [CA]     | 0.82         | 1.804       |
| 040    | 01123-60816 | BOLT                 | 2    |        |     | [A] [AU] | 0.01         | 0.022       |
| 040    | 01123-60816 | BOLT                 | 1    |        |     | [CA]     | 0.01         | 0.022       |
| 050    | 01123-50820 | BOLT                 | 1    |        |     |          | 0.011        | 0.0242      |
| 060    | 15694-11130 | PIPE INLET           | 1    |        |     |          | 0.18         | 0.396       |
| 070    | 15221-11720 | BAND PIPE            | 1    |        |     |          | 0.03         | 0.066       |
| 080    | 15694-11130 | PIPE INLET           | 1    |        |     |          | 0.18         | 0.396       |
| 090    | 15221-11720 | BAND PIPE            | 2    |        |     |          | 0.03         | 0.066       |
| 100    | 66416-58220 | ASSY CASE            | 1    |        |     |          | 0.74         | 1.628       |
| 110    | 15852-11080 | ASSY ELEMENT CLEANER | 1    |        |     |          | 0.45         | 0.99        |
| 120    | 16853-11220 | ASSY ELEMENT CLEANER | 1    |        |     |          | 0.44         | 0.968       |
| 130    | 15227-87480 | LABEL ELEMENT A/C    | 1    |        |     |          | 0.004        | 0.0088      |
| 140    | 15221-92620 | BOLT WING            | 1    |        |     |          | 0.04         | 0.088       |
| 150    | 15221-94430 | WASHER WITH RUBBER   | 1    |        |     |          | 0.004        | 0.0088      |
| 160    | 15852-11470 | VALVE                | 1    |        |     |          | 0.03         | 0.066       |
| 170    | 67401-54280 | CUSHION              | 1    | ≥50549 |     |          | 0.01         | 0.022       |
| 180    | 01023-50616 | BOLT                 | 1    |        |     | [CA]     | 0.005        | 0.011       |

## MUFFLER






## MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15751-12010 | COMP.MUFFLER     | 1    |       |     |         | 2.7          | 5.94        |
| 020    | 15263-12370 | GASKET MUFFLER   | 1    |       |     |         | 0.015        | 0.033       |
| 030    | 66416-54520 | COVER MUFFLER LH | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 66416-54530 | COVER MUFFLER RH | 1    |       |     |         | 0.025        | 0.055       |
| 050    | 02156-50080 | NUT              | 4    |       |     |         | 0.004        | 0.0088      |
| 060    | 04512-50080 | WASHER SPRING    | 4    |       |     |         | 0            | 0           |
| 070    | 67800-53410 | PIPE MUFFLER     | 1    |       |     |         | 0.57         | 1.254       |
| 080    | 67800-53420 | BAND PIPE        | 1    |       |     |         | 0.04         | 0.088       |
| 090    | 01153-50865 | BOLT             | 1    |       |     |         | 0.025        | 0.055       |
| 100    | 04013-50080 | WASHER PLAIN     | 2    |       |     |         | 0            | 0           |
| 110    | 04512-50080 | WASHER SPRING    | 1    |       |     |         | 0            | 0           |
| 120    | 02114-50080 | NUT              | 1    |       |     |         | 0.005        | 0.011       |

# HORIZONTAL MUFFLER [OPTION]






## HORIZONTAL MUFFLER [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15541-12110 | MUFFLER              | 1    |       |     |         | 3            | 6.6         |
| 030    | 67211-54520 | MARK                 | 1    |       |     |         | 0.69         | 1.518       |
| 040    | 01202-50612 | BOLT                 | 4    |       |     |         | 0.005        | 0.011       |
| 050    | 04013-50060 | WASHER PLAIN         | 4    |       |     |         | 0            | 0           |
| 060    | 66711-54410 | PIPE EXHAUST         | 1    |       |     |         | 0.137        | 0.3014      |
| 070    | 66711-54420 | BAND PIPE            | 1    |       |     |         | 0.038        | 0.0836      |
| 080    | 01153-50865 | BOLT                 | 1    |       |     |         | 0.025        | 0.055       |
| 090    | 04013-50080 | WASHER PLAIN         | 2    |       |     |         | 0            | 0           |
| 100    | 04512-50080 | WASHER SPRING        | 1    |       |     |         | 0            | 0           |
| 110    | 02114-50080 | NUT                  | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 67111-53430 | COVER MUFFLER FLANGE | 1    |       |     |         | 0.2          | 0.44        |
| 130    | 67111-53440 | COVER MUFFLER FLANGE | 1    |       |     |         | 0.185        | 0.407       |
| 140    | 01202-50612 | BOLT                 | 4    |       |     |         | 0.005        | 0.011       |
| 150    | 04013-50060 | WASHER PLAIN         | 4    |       |     |         | 0            | 0           |
| 160    | 67401-85412 | MANUAL INSTRUCTION   | 1    |       |     |         | 0.003        | 0.0066      |


## ENGINE STOP ROD



020 66375-5395-0

030 66375-5397-0

040 01125-50612



66417-800-10




## ENGINE STOP ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 15471-60010 | SOLENOID STOP      | 1    |        |     |         | 0.415        | 0.913       |
| 020    | 66375-53950 | SUPPORT SOLENOID   | 1    | ≤50784 |     |         | 0.13         | 0.286       |
| 020    | 66375-53953 | SUPPORT SOLENOID   | 1    | ≥50785 | ←   |         | 0.14         | 0.308       |
| 030    | 66375-53970 | SUPPORT STOP ROD   | 1    | ≤50784 |     |         | 0.03         | 0.066       |
| 040    | 01125-50612 | BOLT               | 2    | ≤50784 |     |         | 0            | 0           |
| 050    | 66375-53960 | COLLAR ENG.STOP    | 1    |        |     |         | 0.009        | 0.0198      |
| 060    | 01125-50820 | BOLT               | 3    |        |     |         | 0            | 0           |
| 070    | 66375-53940 | LEVER STOP         | 1    |        |     |         | 0.016        | 0.0352      |
| 080    | 15471-60162 | LEVER STOP         | 1    |        |     |         | 0.007        | 0.0154      |
| 090    | 04013-50060 | WASHER PLAIN       | 3    |        |     |         | 0            | 0           |
| 100    | 15471-94810 | PIN SNAP           | 3    | ≤52160 |     |         | 0            | 0           |
| 100    | 05525-50600 | PIN SNAP           | 3    | ≥52161 | ↔   |         | 0            | 0           |
| 110    | 66416-53920 | ROD ENGINE STOP    | 1    |        |     |         | 0.18         | 0.396       |
| 120    | 35260-17160 | KNOB               | 1    |        |     |         | 0.015        | 0.033       |
| 130    | 02014-50060 | NUT                | 1    |        |     |         | 0.003        | 0.0066      |
| 140    | 66591-54580 | RUBBER RELEASE ROD | 2    | ≤52345 |     |         | 0.003        | 0.0066      |
| 140    | 66591-54580 | RUBBER RELEASE ROD | 1    | ≥52346 |     |         | 0.003        | 0.0066      |
| 150    | 15471-60250 | SPRING             | 1    |        |     |         | 0.005        | 0.011       |
| 160    | 04012-50060 | WASHER PLAIN       | 2    |        |     |         | 0.001        | 0.0022      |
| 170    | 04015-60060 | WASHER PLAIN       | 1    |        |     |         | 0.005        | 0.011       |
| 180    | 02012-60060 | NUT                | 2    |        |     |         | 0.005        | 0.011       |
| 190    | 38430-17180 | SPRING             | 1    |        |     |         | 0.1          | 0.22        |
| 200    | 01023-50610 | BOLT               | 1    |        |     |         | 0.005        | 0.011       |
| 210    | 04013-50060 | WASHER PLAIN       | 1    |        |     |         | 0            | 0           |
| 220    | 66591-54580 | RUBBER RELEASE ROD | 1    | ≥52346 |     |         | 0.003        | 0.0066      |

ACCELERATOR LEVER






## ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-43202 | ASSY ROD RELEASE     | 1    |       |     |         | 0.26         | 0.572       |
| 020    | 66021-43220 | STAY L               | 1    |       |     |         | 0.013        | 0.0286      |
| 030    | 02014-50060 | NUT                  | 2    |       |     |         | 0.003        | 0.0066      |
| 040    | 04013-50060 | WASHER PLAIN         | 2    |       |     |         | 0            | 0           |
| 050    | 05511-51612 | PIN SPLIT            | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 66416-43310 | LEVER RELEASE        | 1    |       |     |         | 0.22         | 0.484       |
| 070    | 67156-43320 | GRIP                 | 1    |       |     |         | 0.026        | 0.0572      |
| 080    | 04011-50100 | WASHER PLAIN         | 1    |       |     |         | 0.002        | 0.0044      |
| 090    | 05511-50320 | PIN SPLIT            | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 67156-43354 | ARM RELEASE          | 1    |       |     |         | 0.1          | 0.22        |
| 110    | 04013-50100 | WASHER PLAIN         | 1    |       |     |         | 0            | 0           |
| 120    | 05511-50320 | PIN SPLIT            | 1    |       |     |         | 0.002        | 0.0044      |
| 130    | 67156-43370 | CAP LEVER            | 1    |       |     |         | 0.006        | 0.0132      |
| 140    | 67111-54920 | BUSH                 | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 67156-43382 | FULCRUM LEVER        | 1    |       |     |         | 0.026        | 0.0572      |
| 160    | 67156-43410 | SHAFT RELEASE HOLDER | 1    |       |     |         | 0.032        | 0.0704      |
| 170    | 05411-00425 | PIN SPRING           | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 67156-43422 | HOLDER RELEASE       | 1    |       |     |         | 0.04         | 0.088       |
| 190    | 04015-60080 | WASHER PLAIN         | 2    |       |     |         | 0.01         | 0.022       |
| 200    | 66116-51530 | SPRING PLATE         | 2    |       |     |         | 0.004        | 0.0088      |
| 210    | 02112-50080 | NUT                  | 1    |       |     |         | 0.003        | 0.0066      |
| 220    | 02114-50080 | NUT                  | 1    |       |     |         | 0.005        | 0.011       |

## FUEL TANK






## FUEL TANK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-54700 | ASSY TANK FUEL     | 1    |       |     |         | 2.05         | 4.51        |
| 020    | 38240-35200 | ASSY CAP FUEL TANK | 1    |       |     |         | 0.06         | 0.132       |
| 040    | 66416-54730 | UNIT FUEL          | 1    |       |     |         | 0.23         | 0.506       |
| 050    | 67401-54740 | GASKET             | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04013-50050 | WASHER PLAIN       | 5    |       |     |         | 0            | 0           |
| 070    | 02054-50050 | NUT                | 5    |       |     |         | 0.002        | 0.0044      |
| 080    | 66416-54742 | DISH FUEL          | 1    |       |     |         | 0.07         | 0.154       |
| 090    | 66416-54750 | PLATE              | 2    |       |     |         | 0.068        | 0.1496      |
| 100    | 01025-50620 | BOLT               | 6    |       |     |         | 0.02         | 0.044       |
| 110    | 66416-54760 | CUSHION TANK       | 2    |       |     |         | 0.02         | 0.044       |
| 120    | 34150-35240 | SPONGE             | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 34150-35230 | GASKET             | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 34150-35180 | GASKET             | 1    |       |     |         | 0.001        | 0.0022      |

## FUEL PIPE






## FUEL PIPE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------------------------------------|--------------|-------------|
| 010    | 66416-54310 | BRACKET FILTER       | 1    |        |     |                                       | 0.09         | 0.198       |
| 020    | 01123-50818 | BOLT                 | 2    |        |     |                                       | 0.012        | 0.0264      |
| 030    | 15751-43010 | ASSY FILTER FUEL     | 1    |        |     | REFER TO L.No.0C02-R0 FOR COMPONENTS. | 0.41         | 0.902       |
| 040    | 01153-50865 | BOLT                 | 1    |        |     |                                       | 0.025        | 0.055       |
| 050    | 04512-50080 | WASHER SPRING        | 1    |        |     |                                       | 0            | 0           |
| 060    | 66416-58300 | ASSY PIPE OVER FLOW  | 1    |        |     |                                       | 0.02         | 0.044       |
| 065    | 09661-40340 | TUBE FUEL            | 1    |        |     |                                       | 0.02         | 0.044       |
| 070    | 16241-42320 | BAND PIPE            | 2    |        |     |                                       | 0.005        | 0.011       |
| 080    | 66416-58320 | ASSY PIPE OVER FLOW  | 1    |        |     |                                       | 0.035        | 0.077       |
| 085    | 09661-40480 | TUBE FUEL            | 1    |        |     |                                       | 0.02         | 0.044       |
| 090    | 14911-42750 | CLIP PIPE            | 2    |        |     |                                       | 0.002        | 0.0044      |
| 100    | 67211-58342 | ASSY PIPE FUEL       | 1    |        |     |                                       | 0.06         | 0.132       |
| 105    | 09661-80360 | TUBE FUEL            | 1    | ≤51660 |     |                                       | 0.045        | 0.099       |
| 105    | 09661-70360 | TUBE FUEL            | 1    | ≥51661 | ≠   |                                       | 0.04         | 0.088       |
| 110    | 14911-42750 | CLIP PIPE            | 2    |        |     |                                       | 0.002        | 0.0044      |
| 120    | 67111-58320 | SPRING PIPE PROTECT. | 1    |        |     |                                       | 0.02         | 0.044       |
| 130    | 67061-58350 | ASSY PIPE FUEL       | 1    |        |     |                                       | 0.04         | 0.088       |
| 135    | 09661-70190 | TUBE FUEL            | 1    |        |     |                                       | 0.02         | 0.044       |
| 140    | 14911-42750 | CLIP PIPE            | 2    |        |     |                                       | 0.002        | 0.0044      |
| 150    | 67111-53790 | SPRING PIPE PROTECT. | 1    |        |     |                                       | 0.01         | 0.022       |







## FUEL FILTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15751-43010 | ASSY FILTER FUEL  | 1    |         |     |         | 0.41         | 0.902       |
| 020    | 15531-43110 | COMP.BODY COCK    | 1    |         |     |         | 0.255        | 0.561       |
| 030    | 14301-43522 | LEVER COCK        | 1    |         |     |         | 0.024        | 0.0528      |
| 040    | 14301-43820 | SPRING VALVE      | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 14301-43830 | SCREW             | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 14301-43840 | O RING LEVER      | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 19204-43100 | ASSY CUP FILTER   | 1    | >=52641 |     |         | 0.02         | 0.044       |
| 075    | 15000-34832 | CUP FILTER        | 1    | <=52640 |     |         | 0.07         | 0.154       |
| 075    | 15393-43580 | CUP FILTER        | 1    | >=52641 | ↔   |         | 0.01         | 0.022       |
| 080    | 14301-43590 | RING RETAINING    | 1    |         |     |         | 0.054        | 0.1188      |
| 090    | 14301-43650 | O RING FILTER     | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 15231-43560 | ASSY ELEMENT      | 1    |         |     |         | 0.03         | 0.066       |
| 110    | 04811-00100 | O RING FILTER     | 1    |         |     |         | 0.001        | 0.0022      |
| 120    | 66706-58310 | LABEL FUEL FILTER | 1    | <=52640 |     |         | 0.001        | 0.0022      |
| 120    | 16689-88430 | LABEL FUEL        | 1    | >=52641 | ↔   |         | 0.001        | 0.0022      |



040 66416-5876-0



66415-800-10




## WATER PIPE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15531-72860 | PIPE WATER  | 1    |         |     |         | 0.11         | 0.242       |
| 020    | 15531-72870 | PIPE WATER  | 1    |         |     |         | 0.052        | 0.1144      |
| 030    | 15261-72780 | BAND        | 2    |         |     |         | 0.024        | 0.0528      |
| 040    | 66416-58760 | PIPE WATER  | 1    | <=51772 |     |         | 0.2          | 0.44        |
| 040    | 66418-72942 | PIPE WATER  | 1    | >=51773 | ≠   |         | 0.16         | 0.352       |
| 050    | 66416-58750 | PIPE WATER  | 1    |         |     |         | 0.06         | 0.132       |
| 060    | 15261-72780 | BAND        | 4    | <=51810 |     |         | 0.024        | 0.0528      |
| 060    | 15261-72780 | BAND        | 3    | >=51811 |     |         | 0.024        | 0.0528      |
| 065    | 36200-82720 | CLAMP       | 1    | >=51811 |     |         | 0.025        | 0.055       |
| 065    | 67955-58630 | CLAMP HOSE  | 1    | >=52630 | ↔   |         | 0.025        | 0.055       |
| 070    | 76611-58630 | PIPE DRAIN  | 1    |         |     |         | 0.063        | 0.1386      |
| 080    | 15109-73360 | BAND PIPE   | 2    |         |     |         | 0.01         | 0.022       |
| 090    | 15241-67580 | CLAMP CORD  | 1    |         |     |         | 0.004        | 0.0088      |


## RADIATOR




# RADIATOR

010 66416-5146-0

100 66416-5149-0



080 66416-5870-0




66415-801-10



## RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66416-51460 | NET DUSTPROOF       | 1    | <=51772 |     |         | 0.34         | 0.748       |
| 010    | 66424-53510 | NET DUSTPROOF       | 1    | >=51773 | ≠   |         | 0.2          | 0.44        |
| 020    | 66424-53520 | NET DUSTPROOF       | 1    | >=51773 |     |         | 0.1          | 0.22        |
| 030    | 67111-58710 | BOLT RADIATOR       | 2    |         |     |         | 0.027        | 0.0594      |
| 040    | 04013-50100 | WASHER PLAIN        | 2    |         |     |         | 0            | 0           |
| 050    | 15111-72200 | WASHER              | 4    |         |     |         | 0.013        | 0.0286      |
| 060    | 15111-72180 | CUSHION             | 2    |         |     |         | 0.015        | 0.033       |
| 070    | 05515-51000 | PIN SNAP            | 2    |         |     |         | 0            | 0           |
| 080    | 66416-58700 | ASSY RADIATOR       | 1    | <=51772 |     |         | 6.5          | 14.3        |
| 080    | 66424-58703 | ASSY RADIATOR       | 1    | >=51773 | ≠   |         | 6.6          | 14.52       |
| 090    | 67511-54520 | TAPE                | 2    |         |     |         | 0.004        | 0.0088      |
| 100    | 66416-51490 | TAPE DUSTPROOF      | 2    | <=51772 |     |         | 0.001        | 0.0022      |
| 100    | 66416-51490 | TAPE DUSTPROOF      | 4    | >=51773 |     |         | 0.001        | 0.0022      |
| 110    | 66416-58720 | SHROUD FAN          | 1    |         |     |         | 1.4          | 3.08        |
| 120    | 66416-58730 | ASSY CAP            | 1    | <=52636 |     |         | 0            | 0           |
| 120    | 34070-16060 | CAP RADIATOR        | 1    | >=52637 | ↔   |         | 0.055        | 0.121       |
| 130    | 15231-73110 | COCK DRAIN          | 1    |         |     |         | 0.006        | 0.0132      |
| 140    | 15231-96690 | GASKET              | 1    |         |     |         | 0.001        | 0.0022      |
| 150    | 15371-72710 | PIPE WATER OVERFLOW | 1    |         |     |         | 0.048        | 0.1056      |
| 160    | 67800-54110 | BLOCK               | 1    |         |     |         | 0.005        | 0.011       |
| 170    | 67800-54590 | TAPE                | 1    | >=51773 |     |         | 0.003        | 0.0066      |






## STARTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | 15231-63015 | ASSY        | 1    |       |     | REFER TO L.No.0C07-R0 FOR COMPONENTS. | 4.7          | 10.34       |
| 020    | 66591-51160 | STARTER     | 1    |       |     |                                       | 0            | 0           |
| 030    | 01123-50828 | GASKET      | 2    |       |     |                                       | 0.014        | 0.0308      |
|        |             | BOLT        |      |       |     |                                       |              |             |






## STARTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15231-63015 | ASSY STARTER        | 1    |       |     |         | 4.7          | 10.34       |
| 020    | 14278-63080 | YOKE                | 1    |       |     |         | 1.42         | 3.124       |
| 030    | 14278-63070 | ARMATURE            | 1    |       |     |         | 1.25         | 2.75        |
| 040    | 14278-63040 | CLUTCH OVER RUNNING | 1    |       |     |         | 0.32         | 0.704       |
| 050    | 15231-63032 | ASSY HOUSING        | 1    |       |     |         | 0.39         | 0.858       |
| 060    | 14278-63200 | ASSY FRAME END      | 1    |       |     |         | 0.2          | 0.44        |
| 070    | 14278-63250 | BUSH                | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 14278-63380 | ASSY HOLDER BRUSH   | 1    |       |     |         | 0.06         | 0.132       |
| 090    | 14278-63390 | SPRING BRUSH        | 4    |       |     |         | 0.003        | 0.0066      |
| 100    | 14278-63050 | LEVER DRIVE         | 1    |       |     |         | 0.06         | 0.132       |
| 110    | 15231-63022 | SWITCH MAGNETIC     | 1    |       |     |         | 0.65         | 1.43        |
| 120    | 15221-94820 | PIN SNAP            | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 15321-63250 | NUT PINION STOP     | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 14278-63510 | CAP END FRAME       | 1    |       |     |         | 0.015        | 0.033       |
| 150    | 14278-63520 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 14278-63190 | SPRING BRAKE        | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 14278-63180 | SHOE BRAKE          | 1    |       |     |         | 0.005        | 0.011       |
| 180    | 14278-63320 | BOLT THROUGH        | 2    |       |     |         | 0.02         | 0.044       |
| 190    | 03024-50414 | SCREW WITH WASHER   | 2    |       |     |         | 0.002        | 0.0044      |
| 200    | 14278-92010 | NUT                 | 2    |       |     |         | 0.001        | 0.0022      |
| 210    | 14278-63570 | PIPE BREATHER       | 1    |       |     |         | 0.001        | 0.0022      |



070 02014-50060

080 04013-50060

090 04512-50060




66417-801-10




## BATTERY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|----------|--------------|-------------|
| 010    | 67061-52352 | SUPPORT BATTERY      | 1    | <=51660 |     |          | 0            | 0           |
| 010    | 67061-52353 | SUPPORT BATTERY      | 1    | >=51661 | ←   |          | 0.8          | 1.76        |
| 020    | 01123-50818 | BOLT                 | 2    |         |     |          | 0.012        | 0.0264      |
| 030    | 66704-55430 | ASSY BATTERY         | 1    | <=52160 |     | [A] [AU] | 9.3          | 20.46       |
| 030    | 66704-55433 | ASSY BATTERY         | 1    | >=52161 | ≠   | [A] [AU] | 9.3          | 20.46       |
| 030    | 67501-55410 | ASSY BATTERY         | 1    |         |     | [CA]     | 10.4         | 22.88       |
| 040    | 67061-54480 | RETAINER BATTERY     | 1    | <=50032 |     |          | 0.18         | 0.396       |
| 040    | 67061-54484 | RETAINER BATTERY     | 1    | >=50033 | ≠   |          | 0.2          | 0.44        |
| 050    | 66641-55430 | COVER BATTERY        | 1    |         |     |          | 0.07         | 0.154       |
| 060    | 67401-55390 | BOLT BATTERY SET     | 2    |         |     |          | 0.038        | 0.0836      |
| 070    | 02014-50060 | NUT                  | 2    | <=51836 |     |          | 0.003        | 0.0066      |
| 070    | 02751-50060 | NUT FLANGE           | 2    | >=51837 | ←   |          | 0.005        | 0.011       |
| 080    | 04013-50060 | WASHER PLAIN         | 2    | <=51836 |     |          | 0            | 0           |
| 090    | 04512-50060 | WASHER SPRING        | 2    | <=51836 |     |          | 0            | 0           |
| 100    | 34150-33220 | CUSHION              | 2    |         |     |          | 0.015        | 0.033       |
| 110    | 66416-55410 | ASSY CORD BATTERY(+) | 1    |         |     |          | 0.2          | 0.44        |
| 120    | 67111-55740 | CAP                  | 1    |         |     |          | 0.01         | 0.022       |
| 130    | 67211-55470 | CAP TERMINAL         | 1    |         |     |          | 0.002        | 0.0044      |
| 140    | 67061-55440 | ASSY CORD BATTERY(-) | 1    |         |     |          | 0.2          | 0.44        |
| 150    | 67061-55460 | CAP                  | 1    |         |     |          | 0.01         | 0.022       |
| 160    | 01123-51025 | BOLT                 | 1    |         |     |          | 0.02         | 0.044       |
| 170    | 04013-50100 | WASHER PLAIN         | 1    |         |     |          | 0            | 0           |
| 180    | 04512-50080 | WASHER SPRING        | 1    |         |     |          | 0            | 0           |
| 190    | 02114-50080 | NUT                  | 1    |         |     |          | 0.005        | 0.011       |



- 110 35450-7501-0
- 120 35450-7511-0
- 121 35450-7505-0
- 122 35450-7506-0
- 123 35450-7507-0
- 124 35450-7509-0
- 130 35450-7508-0
- 140 35450-7502-2




66417-802-10



## LIGHT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-54350 | LIGHT HEAD LH       | 1    |        |     |         | 0.29         | 0.638       |
| 020    | 67156-54490 | BULB                | 1    |        |     |         | 0.02         | 0.044       |
| 025    | 67156-54500 | SOCKET              | 1    |        |     |         | 0.01         | 0.022       |
| 030    | 66416-54360 | LIGHT HEAD RH       | 1    |        |     |         | 0.29         | 0.638       |
| 040    | 67156-54490 | BULB                | 1    |        |     |         | 0.02         | 0.044       |
| 045    | 67156-54500 | SOCKET              | 1    |        |     |         | 0.01         | 0.022       |
| 050    | 15241-67580 | CLAMP CORD          | 2    |        |     |         | 0.004        | 0.0088      |
| 060    | 04512-60060 | WASHER SPRING       | 4    |        |     |         | 0.001        | 0.0022      |
| 070    | 02014-50060 | NUT                 | 4    |        |     |         | 0.003        | 0.0066      |
| 080    | 04512-50050 | WASHER SPRING       | 4    |        |     |         | 0            | 0           |
| 090    | 04013-50050 | WASHER PLAIN        | 4    |        |     |         | 0            | 0           |
| 100    | 02054-50050 | NUT                 | 4    |        |     |         | 0.002        | 0.0044      |
| 110    | 35450-75010 | ASSY LIGHT FLASHER  | 2    | ≤51383 |     |         | 0.3          | 0.66        |
| 110    | 32530-33610 | ASSY LIGHT HAZARD   | 2    | ≥51384 | ↔   |         | 0.5          | 1.1         |
| 120    | 35450-75110 | LENS                | 2    | ≤51383 |     |         | 0.07         | 0.154       |
| 120    | 32530-91510 | LENS HAZARD LIGHT   | 4    | ≥51384 | ≠   |         | 0.085        | 0.187       |
| 121    | 35450-75050 | LENS                | 2    | ≤51383 |     |         | 0.07         | 0.154       |
| 122    | 35450-75060 | GASKET SEAL         | 2    | ≤51383 |     |         | 0.02         | 0.044       |
| 123    | 35450-75070 | HOUSING             | 2    | ≤51383 |     |         | 0.04         | 0.088       |
| 124    | 35450-75090 | ASSY SOCKET         | 2    | ≤51383 |     |         | 0.035        | 0.077       |
| 130    | 35450-75080 | SCREW TAPPING       | 6    | ≤51383 |     |         | 0.005        | 0.011       |
| 130    | 32530-91520 | SCREW TAPPING       | 12   | ≥51384 | ≠   |         | 0.001        | 0.0022      |
| 140    | 35450-75022 | BULB HAZARD FLASHER | 2    | ≤51383 |     |         | 0.008        | 0.0176      |
| 140    | 32530-91530 | BULB LIGHT          | 2    | ≥51384 | ≠   |         | 0.02         | 0.044       |
| 150    | 34350-34100 | ASSY LIGHT TAIL     | 1    |        |     |         | 0.13         | 0.286       |
| 160    | 34350-34120 | LENS TAIL LIGHT     | 1    |        |     |         | 0.05         | 0.11        |
| 170    | 34350-34140 | BULB TAIL LIGHT     | 1    |        |     |         | 0.008        | 0.0176      |
| 180    | 34350-99220 | GASKET LENS         | 1    |        |     |         | 0.01         | 0.022       |
| 190    | 03056-50335 | SCREW CSK-HD        | 2    |        |     |         | 0.001        | 0.0022      |
| 200    | 66416-55540 | BRACKET TAIL LIGHT  | 1    |        |     |         | 0.11         | 0.242       |
| 210    | 67800-55530 | CUSHION             | 1    |        |     |         | 0.015        | 0.033       |
| 220    | 02014-50060 | NUT                 | 2    |        |     |         | 0.003        | 0.0066      |
| 230    | 04512-60060 | WASHER SPRING       | 2    |        |     |         | 0.001        | 0.0022      |
| 240    | 66416-52730 | STAY REFLECTOR      | 1    |        |     |         | 0.07         | 0.154       |
| 250    | 01053-50616 | BOLT                | 2    |        |     |         | 0.005        | 0.011       |
| 260    | 04512-60060 | WASHER SPRING       | 2    |        |     |         | 0.001        | 0.0022      |
| 270    | 04013-50060 | WASHER PLAIN        | 2    |        |     |         | 0            | 0           |
| 280    | 02014-50060 | NUT                 | 2    |        |     |         | 0.003        | 0.0066      |
| 290    | 67601-55730 | ASSY REFLECTOR      | 1    |        |     |         | 0.02         | 0.044       |
| 300    | 04512-50050 | WASHER SPRING       | 1    |        |     |         | 0            | 0           |
| 310    | 02054-50050 | NUT                 | 1    |        |     |         | 0.002        | 0.0044      |




**WORKING LIGHT [OPTION]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 35871-75900 | ASSY LIGHT WORKING | 1    |       |     |         | 0.85         | 1.87        |
| 030    | 68331-53360 | BULB               | 1    |       |     |         | 0.015        | 0.033       |
| 040    | 68331-53310 | LENS               | 1    |       |     |         | 0.15         | 0.33        |
| 050    | 35861-75910 | STAY HEAD LIGHT    | 1    |       |     |         | 0.25         | 0.55        |
| 060    | 01153-50820 | BOLT               | 2    |       |     |         | 0.012        | 0.0264      |
| 070    | 04512-50080 | WASHER SPRING      | 2    |       |     |         | 0            | 0           |
| 080    | 01153-50818 | BOLT               | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 04013-50080 | WASHER PLAIN       | 1    |       |     |         | 0            | 0           |
| 100    | 04512-50080 | WASHER SPRING      | 1    |       |     |         | 0            | 0           |
| 110    | 02114-50080 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 67401-85512 | MANUAL INSTRUCTION | 1    |       |     |         | 0.002        | 0.0044      |



050 19267-6460-2




66417-819-10



## PANEL / SWITCH [A AU]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                                 | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|-----------------------------------------|--------------|-------------|
| 010    | 37410-59110 | ASSY SWITCH STARTER | 1    |         |     |                                         | 0.32         | 0.704       |
| 020    | 37410-55150 | KEY STARTER         | 2    |         |     |                                         | 0.025        | 0.055       |
| 025    | 66416-55170 | WASHER              | 1    | >=50337 |     |                                         | 0.001        | 0.0022      |
| 030    | 35110-32420 | PLUG                | 1    | <=52484 |     |                                         | 0.002        | 0.0044      |
| 030    | 66416-47170 | LABEL COVER         | 1    | >=52485 | ↔   |                                         | 0.001        | 0.0022      |
| 040    | 67156-55210 | SWITCH COMBINATION  | 1    |         |     |                                         | 0.095        | 0.209       |
| 042    | 67156-55230 | NUT RING            | 1    |         |     |                                         | 0.003        | 0.0066      |
| 043    | 67156-55240 | LEVER FLASHER       | 1    |         |     |                                         | 0.004        | 0.0088      |
| 044    | 67156-55250 | KNOB LIGHT          | 1    |         |     |                                         | 0.004        | 0.0088      |
| 050    | 19267-64600 | COMP.REGULATOR      | 1    | <=51772 |     |                                         | 0            | 0           |
| 050    | 19267-64602 | ASSY REGULATOR      | 1    | >=51773 | ←   |                                         | 0.188        | 0.4136      |
| 050    | RP201-53710 | ASSY REGULATOR      | 1    | >=52766 | ↔   |                                         | 0.185        | 0.407       |
| 060    | 01053-50632 | BOLT                | 2    |         |     |                                         | 0.005        | 0.011       |
| 070    | 04512-60060 | WASHER SPRING       | 2    |         |     |                                         | 0.001        | 0.0022      |
| 080    | 32430-33700 | ASSY HAZARD UNIT    | 1    |         |     |                                         | 0.095        | 0.209       |
| 100    | 32430-94270 | BRACKET HAZARD UNIT | 1    |         |     |                                         | 0.015        | 0.033       |
| 110    | 32430-94280 | HARNESS HAZARD UNIT | 1    |         |     |                                         | 0.02         | 0.044       |
| 120    | 01053-50620 | BOLT                | 1    |         |     |                                         | 0.006        | 0.0132      |
| 130    | 04013-50060 | WASHER PLAIN        | 1    |         |     |                                         | 0            | 0           |
| 140    | 04512-60060 | WASHER SPRING       | 1    |         |     |                                         | 0.001        | 0.0022      |
| 150    | 31351-31410 | TIMER               | 1    | <=52525 |     |                                         | 0            | 0           |
| 150    | T0070-31410 | TIMER KEY STOP      | 1    | >=52526 | ←   |                                         | 0.065        | 0.143       |
| 160    | 01023-50610 | BOLT                | 2    |         |     |                                         | 0.005        | 0.011       |
| 170    | 66416-55810 | ASSY SWITCH SAFETY  | 1    |         |     |                                         | 0.11         | 0.242       |
| 180    | 66416-55120 | ASSY PANEL GAUGE    | 1    | <=51810 |     | REFER TO L. No. 0C11-L0 FOR COMPONENTS. | 0            | 0           |
| 180    | 66416-55122 | ASSY PANEL GAUGE    | 1    | >=51811 | ←   | REFER TO L. No. 0C11-L0 FOR COMPONENTS. | 1.74         | 3.828       |
| 190    | 31351-18790 | BOLT FLANGE         | 4    |         |     |                                         | 0.007        | 0.0154      |
| 200    | 31351-18860 | WASHER              | 2    | <=51766 |     |                                         | 0.002        | 0.0044      |
| 200    | 31351-18860 | WASHER              | 4    | >=51767 |     |                                         | 0.002        | 0.0044      |
| 210    | 66416-55310 | CABLE HOUR METER    | 1    |         |     |                                         | 0.18         | 0.396       |




66447-001-11



## PANEL / SWITCH [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------------------------------------|--------------|-------------|
| 010    | 37410-59110 | ASSY SWITCH STARTER | 1    |         |     |                                       | 0.32         | 0.704       |
| 020    | 37410-55150 | KEY STARTER         | 2    |         |     |                                       | 0.025        | 0.055       |
| 030    | 66416-55170 | WASHER              | 1    | >=50670 |     |                                       | 0.001        | 0.0022      |
| 040    | 66416-55120 | ASSY PANEL GAUGE    | 1    | <=50810 |     | REFER TO L.No.0C11-L0 FOR COMPONENTS. | 0            | 0           |
| 040    | 66416-55122 | ASSY PANEL GAUGE    | 1    | >=51811 | ←   | REFER TO L.No.0C11-L0 FOR COMPONENTS. | 1.74         | 3.828       |
| 050    | 31351-18970 | BOLT FLANGE         | 4    |         |     |                                       | 0.6          | 1.32        |
| 060    | 31351-18860 | WASHER              | 2    | <=51766 |     |                                       | 0.002        | 0.0044      |
| 060    | 31351-18860 | WASHER              | 4    | >=51767 |     |                                       | 0.002        | 0.0044      |
| 070    | 35110-32420 | PLUG                | 1    | <=52484 |     |                                       | 0.002        | 0.0044      |
| 070    | 66416-47170 | LABEL COVER         | 1    | >=52485 | ↔   |                                       | 0.001        | 0.0022      |
| 080    | 67156-55210 | SWITCH COMBINATION  | 1    |         |     |                                       | 0.095        | 0.209       |
| 082    | 67156-55230 | NUT RING            | 1    |         |     |                                       | 0.003        | 0.0066      |
| 083    | 67156-55240 | LEVER FLASHER       | 1    |         |     |                                       | 0.004        | 0.0088      |
| 084    | 67156-55250 | KNOB LIGHT          | 1    |         |     |                                       | 0.004        | 0.0088      |
| 090    | 31351-31410 | TIMER               | 1    | <=52525 |     |                                       | 0            | 0           |
| 090    | T0070-31410 | TIMER KEY STOP      | 1    | >=52526 | ←   |                                       | 0.065        | 0.143       |
| 100    | 01023-50610 | BOLT                | 2    |         |     |                                       | 0.005        | 0.011       |
| 110    | 66416-55310 | CABLE HOUR METER    | 1    |         |     |                                       | 0.18         | 0.396       |
| 120    | 32430-33700 | ASSY HAZARD UNIT    | 1    |         |     |                                       | 0.095        | 0.209       |
| 140    | 32430-94270 | BRACKET HAZARD UNIT | 1    |         |     |                                       | 0.015        | 0.033       |
| 150    | 32430-94280 | HARNESS HAZARD UNIT | 1    |         |     |                                       | 0.02         | 0.044       |
| 160    | 01053-50620 | BOLT                | 1    |         |     |                                       | 0.006        | 0.0132      |
| 170    | 04013-50060 | WASHER PLAIN        | 1    |         |     |                                       | 0            | 0           |
| 180    | 66416-55810 | ASSY SWITCH SAFETY  | 1    |         |     |                                       | 0.11         | 0.242       |
| 190    | 66446-55260 | BOX RELAY           | 1    |         |     |                                       | 0.03         | 0.066       |
| 200    | 04512-60060 | WASHER SPRING       | 1    |         |     |                                       | 0.001        | 0.0022      |






# PANEL BOARD [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-55120 | ASSY PANEL GAUGE  | 1    | ≤51810 |     |         | 0            | 0           |
| 010    | 66416-55122 | ASSY PANEL GAUGE  | 1    | ≥51811 | ←   |         | 1.74         | 3.828       |
| 020    | 66426-81010 | ASSY TACHOMETER   | 1    |        |     |         | 0.1          | 0.22        |
| 030    | 66426-81020 | ASSY METER FUEL   | 1    |        |     |         | 0.12         | 0.264       |
| 040    | 66426-81030 | ASSY THERMOMETER  | 1    |        |     |         | 0.1          | 0.22        |
| 050    | 67156-93750 | HOOD              | 1    |        |     |         | 0.28         | 0.616       |
| 060    | 66426-81040 | CASE              | 1    |        |     |         | 0.5          | 1.1         |
| 070    | 31351-93760 | GLASS WITH GASKET | 1    |        |     |         | 0.475        | 1.045       |
| 080    | 66426-81050 | ASSY PLATE METER  | 1    |        |     |         | 0.2          | 0.44        |
| 090    | 67156-93760 | ASSY PLATE        | 1    |        |     |         | 0.12         | 0.264       |
| 100    | 67156-93780 | ASSY PLATE        | 1    |        |     |         | 0.03         | 0.066       |
| 110    | 38240-31460 | ASSY BULB         | 3    |        |     |         | 0.015        | 0.033       |
| 120    | 38240-31470 | BULB              | 3    |        |     |         | 0.01         | 0.022       |
| 130    | 38240-31480 | SOCKET            | 3    |        |     |         | 0.001        | 0.0022      |
| 140    | 31351-93790 | GASKET RUBBER     | 1    |        |     |         | 0.055        | 0.121       |
| 150    | 66426-81070 | PLATE WIND        | 1    |        |     |         | 0.2          | 0.44        |
| 160    | 67156-93770 | LENS              | 1    |        |     |         | 0.04         | 0.088       |
| 170    | 31351-93820 | LENS              | 2    |        |     |         | 0.005        | 0.011       |
| 180    | 34670-93830 | CASE              | 1    |        |     |         | 0.195        | 0.429       |
| 190    | 31351-93840 | CASE              | 1    |        |     |         | 0.13         | 0.286       |
| 200    | 31351-93850 | CLAMP             | 2    |        |     |         | 0.04         | 0.088       |
| 210    | 35533-76230 | SCREW WITH WASHER | 1    |        |     |         | 0.002        | 0.0044      |
| 220    | 03514-50420 | SCREW             | 11   |        |     |         | 0.002        | 0.0044      |
| 230    | 03514-50425 | SCREW TAPPING     | 5    |        |     |         | 0.001        | 0.0022      |
| 240    | 03514-50414 | SCREW TAPPING     | 5    |        |     |         | 0.001        | 0.0022      |
| 250    | 32530-94900 | SCREW WITH WASHER | 2    |        |     |         | 0.002        | 0.0044      |
| 260    | 38240-31480 | SOCKET            | 7    |        |     |         | 0.001        | 0.0022      |
| 270    | 38240-31470 | BULB              | 7    |        |     |         | 0.01         | 0.022       |
| 280    | 02054-50040 | NUT               | 5    |        |     |         | 0.001        | 0.0022      |
| 290    | 04512-50040 | WASHER SPRING     | 5    |        |     |         | 0            | 0           |
| 300    | 66426-81100 | WASHER PLAIN      | 5    |        |     |         | 0.001        | 0.0022      |



**WIRE HARNESS [A AU]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-55200 | ASSY WIRE HARNESS | 1    |        |     |         | 0.4          | 0.88        |
| 020    | 66416-55150 | WIRE HARNESS      | 1    | ≤50548 |     |         | 0.63         | 1.386       |
| 020    | 66416-55153 | WIRE HARNESS      | 1    | ≥50549 | →   |         | 0.4          | 0.88        |
| 030    | 66416-55160 | WIRE HARNESS      | 1    |        |     |         | 0.23         | 0.506       |
| 040    | 67111-55190 | RING FUSIBLE      | 1    |        |     |         | 0.005        | 0.011       |
| 050    | 66416-55210 | WIRE HARNESS      | 1    |        |     |         | 0.26         | 0.572       |
| 060    | 66418-55150 | WIRE HARNESS      | 1    |        |     |         | 0.07         | 0.154       |
| 070    | 53581-64150 | BAND CORD         | 7    |        |     |         | 0.002        | 0.0044      |
| 080    | 35820-75560 | FUSE              | 2    |        |     | 15A     | 0.002        | 0.0044      |






## WIRE HARNESS [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-55200 | ASSY WIRE HARNESS  | 1    |       |     |         | 0.4          | 0.88        |
| 020    | 66416-55153 | WIRE HARNESS       | 1    |       |     |         | 0.4          | 0.88        |
| 030    | 66416-55160 | WIRE HARNESS       | 1    |       |     |         | 0.23         | 0.506       |
| 040    | 67111-55190 | RING FUSIBLE       | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 66416-55210 | WIRE HARNESS       | 1    |       |     |         | 0.26         | 0.572       |
| 060    | 66418-55150 | WIRE HARNESS       | 1    |       |     |         | 0.07         | 0.154       |
| 070    | 53581-64150 | BAND CORD          | 4    |       |     |         | 0.002        | 0.0044      |
| 080    | 35340-29380 | CLAMP CORD         | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 66446-55250 | HARNESS ALTERNATOR | 1    |       |     |         | 0.02         | 0.044       |
| 100    | 12234-67580 | CLAMP CORD         | 1    |       |     |         | 0.015        | 0.033       |
| 110    | 35820-75560 | FUSE               | 2    |       |     | 15A     | 0.002        | 0.0044      |

## CLUTCH ROD






## CLUTCH ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67311-13310 | HOLDER RELEASE BRG  | 1    |       |     |         | 0.7          | 1.54        |
| 020    | 66621-51420 | SEAL OIL            | 1    |       |     |         | 0.011        | 0.0242      |
| 030    | 09030-20328 | SEAL OIL            | 1    |       |     |         | 0.009        | 0.0198      |
| 040    | 09030-20357 | SEAL OIL            | 1    |       |     |         | 0.009        | 0.0198      |
| 050    | 06613-10675 | NIPPLE GREASE       | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 67311-13320 | BEARING BALL        | 1    |       |     |         | 0.21         | 0.462       |
| 070    | 66611-13340 | SPRING RELEASE      | 1    |       |     |         | 0.006        | 0.0132      |
| 080    | 01202-50610 | BOLT                | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 04013-50060 | WASHER PLAIN        | 1    |       |     |         | 0            | 0           |
| 100    | 66591-13250 | FORK CLUTCH RELEASE | 1    |       |     |         | 0.098        | 0.2156      |
| 110    | 66416-13320 | ASSY ROD CLUTCH     | 1    |       |     |         | 0.35         | 0.77        |
| 120    | 04011-50140 | WASHER PLAIN        | 1    |       |     |         | 0.007        | 0.0154      |
| 130    | 05511-50320 | PIN SPLIT           | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 66711-13320 | BOLT ADJUSTING      | 1    |       |     |         | 0.028        | 0.0616      |
| 150    | 02116-50100 | NUT                 | 1    |       |     |         | 0.004        | 0.0088      |

## CLUTCH PEDAL






## CLUTCH PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-42100 | ASSY ROD CLUTCH | 1    |       |     |         | 0.2          | 0.44        |
| 020    | 66621-43130 | HOLDER          | 1    |       |     |         | 0.06         | 0.132       |
| 030    | 02112-50080 | NUT             | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 05122-50822 | PIN JOINT       | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 05122-50825 | PIN JOINT       | 1    |       |     |         | 0.011        | 0.0242      |
| 060    | 04012-50080 | WASHER PLAIN    | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 05511-50215 | PIN SPLIT       | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 66416-42130 | PEDAL CLUTCH    | 1    |       |     |         | 1.7          | 3.74        |
| 090    | 67061-42110 | SPRING RETURN   | 1    |       |     |         | 0.09         | 0.198       |

## CLUTCH HOUSING






## CLUTCH HOUSING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66416-51110 | HOUSING FRAME CLUTCH | 1    | <=50669 |     |         | 0            | 0           |
| 010    | 66416-51114 | HOUSING FRAME CLUTCH | 1    | >=50670 | ←   |         | 0            | 0           |
| 010    | 66416-51116 | HOUSING FRAME CLUTCH | 1    | >=52469 | ←   |         | 21.22        | 46.684      |
| 020    | 66621-51410 | GASKET               | 1    |         |     |         | 0            | 0           |
| 030    | 02174-50120 | NUT                  | 7    |         |     |         | 0.01         | 0.022       |
| 040    | 04512-50120 | WASHER SPRING        | 7    |         |     |         | 0            | 0           |
| 050    | 01123-50825 | BOLT                 | 11   |         |     |         | 0.013        | 0.0286      |
| 060    | 06331-35010 | PLUG                 | 1    |         |     |         | 0.012        | 0.0264      |
| 070    | 66704-51190 | COVER TIMING HOLE    | 1    |         |     |         | 0.009        | 0.0198      |
| 080    | 04717-01000 | WASHER WITH RUBBER   | 1    |         |     |         | 0.001        | 0.0022      |

## TRANSMISSION CASE



200 66416-1121-0

200



66416-800-10




## TRANSMISSION CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|----------|--------------|-------------|
| 010    | 66416-11110 | CASE TRANSMISSION  | 1    | <=50669 |     |          | 0            | 0           |
| 010    | 66416-11114 | CASE TRANSMISSION  | 1    | >=50670 | ←   |          | 4.76         | 10.472      |
| 020    | 01555-51225 | STUD               | 7    |         |     |          | 0.039        | 0.0858      |
| 030    | 02176-50100 | NUT                | 9    |         |     |          | 0.005        | 0.011       |
| 040    | 04512-60100 | WASHER SPRING      | 9    |         |     |          | 0.002        | 0.0044      |
| 050    | 06311-25030 | PLUG               | 1    |         |     |          | 0.051        | 0.1122      |
| 060    | 04717-01700 | WASHER WITH RUBBER | 1    |         |     |          | 0.003        | 0.0066      |
| 070    | 66611-11172 | CASE GEAR          | 1    | <=50669 |     |          | 0            | 0           |
| 070    | 66611-11173 | CASE GEAR          | 1    | >=50670 | ←   |          | 0            | 0           |
| 070    | 66611-11174 | CASE DIFF.GEAR     | 1    | >=52355 | ←   |          | 8.5          | 18.7        |
| 080    | 01555-51035 | STUD               | 6    |         |     |          | 0.029        | 0.0638      |
| 090    | 01555-51050 | STUD               | 3    |         |     |          | 0.038        | 0.0836      |
| 100    | 66611-11160 | PIN KNOCK          | 2    |         |     |          | 0.01         | 0.022       |
| 110    | 01123-50838 | BOLT               | 1    |         |     |          | 0.02         | 0.044       |
| 120    | 01123-50825 | BOLT               | 1    |         |     |          | 0.013        | 0.0286      |
| 130    | 66611-11140 | BOLT               | 1    | <=51479 |     |          | 0            | 0           |
| 130    | 17381-91010 | BOLT               | 1    | >=51480 | ↔   |          | 0.085        | 0.187       |
| 140    | 04512-60100 | WASHER SPRING      | 1    |         |     |          | 0.002        | 0.0044      |
| 150    | 02118-50100 | NUT                | 1    |         |     |          | 0.005        | 0.011       |
| 160    | 04013-50100 | WASHER PLAIN       | 1    |         |     |          | 0            | 0           |
| 170    | 66905-11130 | GASKET             | 1    |         |     |          | 0.008        | 0.0176      |
| 190    | 67211-11140 | PLUG BLIND         | 3    |         |     |          | 0.001        | 0.0022      |
| 200    | 66416-11210 | PLATE              | 2    | <=52517 |     | [A] [CA] | 0.44         | 0.968       |
| 200    | 66704-11214 | COVER PTO          | 1    | >=52518 | ↔   | [A] [CA] | 1.5          | 3.3         |
| 200    | 66704-11214 | COVER PTO          | 1    |         |     | [AU]     | 1.5          | 3.3         |
| 210    | 01123-51235 | BOLT               | 6    |         |     | [AU]     | 0.041        | 0.0902      |
| 220    | 66611-11510 | HOLDER DIFF.BRG.LH | 1    |         |     |          | 0.78         | 1.716       |
| 230    | 01123-50822 | BOLT               | 4    |         |     |          | 0.012        | 0.0264      |
| 240    | 66611-11812 | HOLDER DIFF.BRG.RH | 1    |         |     |          | 0.72         | 1.584       |
| 250    | 01123-50822 | BOLT               | 4    |         |     |          | 0.012        | 0.0264      |

## TRANSMISSION CASE COVER






## TRANSMISSION CASE COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|--------------|--------------|-------------|
| 010    | 66416-12400 | ASSY COVER UPPER F. | 1    |        |     |              | 4.7          | 10.34       |
| 020    | 67156-18230 | BUSH                | 2    |        |     |              | 0.01         | 0.022       |
| 030    | 06311-55040 | PLUG                | 1    |        |     |              | 0.093        | 0.2046      |
| 040    | 04717-02150 | WASHER WITH RUBBER  | 1    |        |     |              | 0.004        | 0.0088      |
| 050    | 01123-50828 | BOLT                | 3    |        |     |              | 0.014        | 0.0308      |
| 060    | 01123-51035 | BOLT                | 2    |        |     |              | 0.025        | 0.055       |
| 070    | 01123-50845 | BOLT                | 1    |        |     |              | 0.02         | 0.044       |
| 080    | 05012-00816 | PIN STRAIGHT        | 2    |        |     |              | 0.007        | 0.0154      |
| 090    | 66416-12420 | GAUGE OIL           | 1    |        |     |              | 0.015        | 0.033       |
| 100    | 66591-11460 | CAP                 | 1    |        |     |              | 0.016        | 0.0352      |
| 110    | 04713-00400 | GASKET              | 1    |        |     |              | 0.001        | 0.0022      |
| 120    | 66591-11220 | GASKET              | 1    |        |     |              | 0            | 0           |
| 130    | 13816-67580 | CLAMP CORD          | 2    | ≤51479 |     |              | 0.004        | 0.0088      |
| 130    | 13824-67580 | CLAMP CORD          | 2    | ≥51480 | ↔   |              | 0.006        | 0.0132      |
| 140    | 66416-12500 | ASSY COVER REAR     | 1    |        |     |              | 4.14         | 9.108       |
| 150    | 34350-25380 | BUSH                | 1    |        |     |              | 0.046        | 0.1012      |
| 160    | 67111-36320 | BUSH                | 1    |        |     |              | 0.065        | 0.143       |
| 170    | 01123-51040 | BOLT                | 3    |        |     |              | 0.03         | 0.066       |
| 180    | 01123-51035 | BOLT                | 4    |        |     |              | 0.025        | 0.055       |
| 190    | 01554-51045 | STUD                | 2    |        |     |              | 0.032        | 0.0704      |
| 200    | 04512-60100 | WASHER SPRING       | 2    |        |     |              | 0.002        | 0.0044      |
| 210    | 05012-00816 | PIN STRAIGHT        | 2    |        |     |              | 0.007        | 0.0154      |
| 220    | 02118-50100 | NUT                 | 2    |        |     |              | 0.005        | 0.011       |
| 230    | 66905-12520 | GASKET              | 1    |        |     |              | 0.006        | 0.0132      |
| 240    | 67211-11140 | PLUG BLIND          | 2    |        |     |              | 0.001        | 0.0022      |
| 250    | 67156-12530 | CAP BREATHER        | 1    | ≤51766 |     |              | 0            | 0           |
| 250    | 67156-12532 | CAP BREATHER        | 1    | ≥51767 | ←   |              | 0.01         | 0.022       |
| 250    | 67156-12533 | BREATHER            | 1    | ≥52089 | ↔   |              | 0.002        | 0.0044      |
| 260    | 67156-12540 | COVER BREATHER      | 1    |        |     |              | 0.01         | 0.022       |
| 270    | 06331-35012 | PLUG                | 1    |        |     | MANUAL STRG. | 0.022        | 0.0484      |
| 280    | 04714-00120 | GASKET              | 1    |        |     | MANUAL STRG. | 0.001        | 0.0022      |

PROPELLER SHAFT






## PROPELLER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-14110 | SHAFT PROPELLER     | 1    |       |     |         | 1.4          | 3.08        |
| 020    | 05411-00628 | PIN SPRING          | 1    |       |     |         | 0.004        | 0.0088      |
| 030    | 67211-14122 | ASSY JOINT BALL     | 1    |       |     |         | 0.3          | 0.66        |
| 040    | 67111-13710 | COUPLING BALL OUTER | 1    |       |     |         | 0.225        | 0.495       |
| 050    | 67211-14133 | COUPLING BALL INNER | 1    |       |     |         | 0.075        | 0.165       |
| 060    | 67111-13730 | GASKET BALL JOINT   | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | 67111-13740 | SUPPORT GASKET      | 1    |       |     |         | 0.004        | 0.0088      |
| 080    | 04611-00350 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.003        | 0.0066      |
| 090    | 07715-00803 | BALL                | 4    |       |     |         | 0.004        | 0.0088      |
| 100    | 05411-00640 | PIN SPRING          | 1    |       |     |         | 0.006        | 0.0132      |

## 1ST SHAFT



010 67311-1211-0


051 67311-1213-0

052 67311-1214-0


053 09500-20347

060 67311-1215-0

120 67311-1216-0



130 66706-1221-0



66418-801-10




## 1ST SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67311-12110 | COVER SHAFT         | 1    | ≤50669 |     |         | 1.47         | 3.234       |
| 010    | 66416-12110 | COVER SHAFT         | 1    | ≥50670 | ≠   |         | 1.78         | 3.916       |
| 020    | 67311-12120 | SHAFT FIRST         | 1    |        |     | 14T     | 0.3          | 0.66        |
| 030    | 67211-12130 | SEAL OIL            | 2    |        |     |         | 0.015        | 0.033       |
| 040    | 08101-06204 | BEARING BALL        | 1    |        |     |         | 0.102        | 0.2244      |
| 050    | 08101-06304 | BEARING BALL        | 1    |        |     |         | 0.146        | 0.3212      |
| 051    | 67311-12130 | GASKET              | 1    | ≤50669 |     |         | 0            | 0           |
| 052    | 67311-12140 | SPACER COVER        | 1    | ≤50669 |     |         | 0.5          | 1.1         |
| 053    | 09500-20347 | SEAL OIL            | 1    | ≤50669 |     |         | 0.01         | 0.022       |
| 060    | 67311-12150 | GASKET COVER SPACER | 1    | ≤50669 |     |         | 0            | 0           |
| 060    | 66416-12150 | GASKET              | 1    | ≥50670 | ≠   |         | 0            | 0           |
| 070    | 01123-50848 | BOLT                | 7    | ≤50669 |     |         | 0.02         | 0.044       |
| 070    | 01123-50848 | BOLT                | 5    | ≥50670 |     |         | 0.02         | 0.044       |
| 080    | 01123-50830 | BOLT                | 2    | ≥50670 |     |         | 0.015        | 0.033       |
| 090    | 01053-50645 | BOLT                | 2    | ≤50669 |     |         | 0.012        | 0.0264      |
| 090    | 01053-50645 | BOLT                | 1    | ≥50670 |     |         | 0.012        | 0.0264      |
| 100    | 01053-50628 | BOLT                | 1    | ≥50670 |     |         | 0.008        | 0.0176      |
| 110    | 04512-60060 | WASHER SPRING       | 2    |        |     |         | 0.001        | 0.0022      |
| 120    | 67311-12160 | PIN STRAIGHT        | 1    | ≤50669 |     |         | 0.01         | 0.022       |
| 120    | 05012-00818 | PIN STRAIGHT        | 1    | ≥50670 | ≠   |         | 0.008        | 0.0176      |
| 130    | 66706-12210 | COVER REAR          | 1    | ≤52323 |     |         | 1.21         | 2.662       |
| 130    | 67211-12212 | COVER REAR          | 1    | ≥52324 | ←   |         | 1.45         | 3.19        |
| 140    | 05012-00816 | PIN STRAIGHT        | 1    |        |     |         | 0.007        | 0.0154      |
| 150    | 01123-51025 | BOLT                | 6    |        |     |         | 0.02         | 0.044       |
| 160    | 66905-12220 | GASKET              | 1    |        |     |         | 0.004        | 0.0088      |

## 2ND SHAFT




66416-007-10



## 2ND SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description  | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-14210 | SHAFT SECOND | 1    | ≤50784 |     | 13T     | 0.64         | 1.408       |
| 010    | 66416-14212 | SHAFT SECOND | 1    | ≥50785 | ≠   | 13T     | 0.5          | 1.1         |
| 020    | 08101-06304 | BEARING BALL | 1    |        |     |         | 0.146        | 0.3212      |
| 030    | 67311-14270 | BEARING BALL | 1    |        |     |         | 0.09         | 0.198       |
| 040    | 66416-14230 | GEAR         | 1    |        |     | 29T     | 0.38         | 0.836       |
| 050    | 67401-14260 | GEAR         | 1    | ≤50784 |     | 13T     | 0.23         | 0.506       |
| 050    | 66416-14260 | GEAR         | 1    | ≥50785 | ≠   | 13T     | 0.21         | 0.462       |
| 060    | 66416-14270 | GEAR         | 1    |        |     | 17T     | 0.5          | 1.1         |




**3RD SHAFT/5TH SHAFT**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-14310 | SHAFT THIRD        | 1    |        |     |         | 0.63         | 1.386       |
| 020    | 08101-06303 | BEARING BALL       | 1    |        |     |         | 0.112        | 0.2464      |
| 030    | 67311-14520 | BEARING BALL       | 1    | ≤52366 |     |         | 0.125        | 0.275       |
| 030    | 66415-39340 | BEARING BALL       | 1    | ≥52367 | ↔   |         | 0.05         | 0.11        |
| 040    | 62131-14170 | SHIM               | 1    |        |     | 0.5MM   | 0.002        | 0.0044      |
| 050    | 04611-00470 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.006        | 0.0132      |
| 060    | 04611-00520 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.009        | 0.0198      |
| 070    | 66416-14322 | GEAR               | 1    |        |     | 13-17T  | 0.44         | 0.968       |
| 080    | 67001-14380 | CAM ONE WAY CLUTCH | 2    |        |     |         | 0.13         | 0.286       |
| 090    | 04612-00190 | CIRCLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 67001-14390 | SPRING ONE-WAY     | 1    |        |     |         | 0.022        | 0.0484      |
| 110    | 66416-14510 | SHAFT FIFTH        | 1    |        |     |         | 0.67         | 1.474       |
| 120    | 04612-00200 | CIRCLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 130    | 08101-06304 | BEARING BALL       | 1    |        |     |         | 0.146        | 0.3212      |
| 140    | 67311-14530 | BEARING BALL       | 1    |        |     |         | 0.11         | 0.242       |
| 150    | 66416-14530 | GEAR               | 1    |        |     | 13T     | 0.21         | 0.462       |
| 160    | 66416-14540 | COLLAR SHAFT       | 1    |        |     |         | 0.014        | 0.0308      |

## 4TH SHAFT






## 4TH SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67401-14410 | SHAFT FORTH      | 1    |        |     | 11T     | 0.77         | 1.694       |
| 020    | 08101-06304 | BEARING BALL     | 1    |        |     |         | 0.146        | 0.3212      |
| 030    | 08101-06005 | BEARING BALL     | 1    |        |     |         | 0.08         | 0.176       |
| 040    | 08101-06202 | BEARING BALL     | 2    |        |     |         | 0.044        | 0.0968      |
| 050    | 04612-00220 | CIRCLIP EXTERNAL | 1    |        |     |         | 0.001        | 0.0022      |
| 060    | 67401-14440 | GEAR             | 1    |        |     | 13-17T  | 0.3          | 0.66        |
| 070    | 66416-14450 | GEAR             | 1    |        |     | 19T     | 0.5          | 1.1         |
| 080    | 66416-14460 | GEAR             | 1    | ≤50784 |     | 30T     | 0            | 0           |
| 080    | 66416-14462 | GEAR             | 1    | ≥50785 | ←   | 30T     | 0.5          | 1.1         |
| 090    | 66611-14470 | COLLAR           | 1    |        |     |         | 0.019        | 0.0418      |
| 100    | 66706-14350 | SHIM SHAFT       | 1    |        |     | 0.05MM  | 0.004        | 0.0088      |

## PINION SHAFT GEAR






## PINION SHAFT GEAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 020    | 66591-14720 | SPACER           | 1    |       |     |         | 0.002        | 0.0044      |
| 030    | 08221-07303 | BEARING BALL     | 1    |       |     |         | 0.116        | 0.2552      |
| 040    | 67211-14620 | BEARING BALL     | 1    |       |     |         | 0.23         | 0.506       |
| 050    | 38450-21980 | BEARING BALL     | 1    |       |     |         | 0.225        | 0.495       |
| 060    | 04612-00250 | CIRCLIP EXTERNAL | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 67156-14640 | COLLAR STOP      | 2    |       |     |         | 0.005        | 0.011       |
| 080    | 67156-14660 | COLLAR           | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 66611-14670 | SHIM             | 1    |       |     | 1.4MM   | 0.008        | 0.0176      |
| 090    | 66611-14680 | SHIM             | 1    |       |     | 1.8MM   | 0.01         | 0.022       |
| 090    | 66611-14690 | SHIM             | 1    |       |     | 0.2MM   | 0.001        | 0.0022      |
| 100    | 66416-14620 | GEAR             | 1    |       |     | 13-32T  | 0.44         | 0.968       |
| 110    | 66416-14650 | GEAR             | 1    |       |     | 16T     | 0.1          | 0.22        |

## REVERSE SHAFT



050 09500-20428

050



66416-802-10




## REVERSE SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-14810 | SHAFT REVERSE     | 1    |        |     |         | 0.85         | 1.87        |
| 020    | 67955-14620 | BEARING NEEDLE    | 1    |        |     |         | 0.005        | 0.011       |
| 030    | 67311-14820 | BEARING BALL      | 1    |        |     |         | 0.07         | 0.154       |
| 040    | 08101-06204 | BEARING BALL      | 1    |        |     |         | 0.102        | 0.2244      |
| 050    | 09500-20428 | SEAL OIL          | 1    | ≤50669 |     |         | 0.012        | 0.0264      |
| 060    | 04611-00420 | CIR CLIP INTERNAL | 1    |        |     |         | 0.006        | 0.0132      |
| 070    | 62231-14520 | COLLAR A          | 1    |        |     |         | 0.005        | 0.011       |
| 080    | 04611-00470 | CIR CLIP INTERNAL | 1    |        |     |         | 0.006        | 0.0132      |
| 090    | 66611-14830 | COLLAR            | 1    |        |     |         | 0.016        | 0.0352      |
| 100    | 66416-14840 | GEAR              | 1    |        |     | 23T     | 0.26         | 0.572       |
| 110    | 66416-14850 | GEAR              | 1    |        |     | 16-20T  | 0.46         | 1.012       |
| 120    | 08822-22617 | BEARING NEEDLE    | 2    |        |     |         | 0.012        | 0.0264      |
| 130    | 66416-14870 | COLLAR            | 1    |        |     |         | 0.03         | 0.066       |
| 140    | 61361-14330 | COLLAR            | 1    |        |     |         | 0.001        | 0.0022      |

## REAR PTO



010 66204-1471-0




66417-806-10



## REAR PTO

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66204-14710 | SHAFT PTO            | 1    | ≤52160 |     |         | 0            | 0           |
| 010    | 66706-14710 | SHAFT PTO            | 1    | ≥52161 | ↔   |         | 0.61         | 1.342       |
| 020    | 08711-30204 | BEARING TAPER-ROLLER | 1    |        |     |         | 0.116        | 0.2552      |
| 030    | 08711-30205 | BEARING TAPER-ROLLER | 1    |        |     |         | 0.148        | 0.3256      |
| 040    | 66704-14720 | WASHER               | 1    |        |     |         | 0.009        | 0.0198      |
| 050    | 63753-32430 | WASHER LOCK          | 1    |        |     |         | 0.001        | 0.0022      |
| 060    | 66704-14730 | BOLT                 | 1    |        |     |         | 0.012        | 0.0264      |
| 070    | 04012-50080 | WASHER PLAIN         | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 09180-35488 | SEAL OIL             | 1    |        |     |         | 0.019        | 0.0418      |
| 090    | 66416-14790 | GEAR                 | 1    |        |     | 22T     | 0.51         | 1.122       |
| 100    | 66706-14740 | COLLAR PTO           | 1    |        |     |         | 0.03         | 0.066       |
| 110    | 66706-14782 | COLLAR               | 1    |        |     |         | 0.006        | 0.0132      |
| 120    | 66611-14730 | BUSH                 | 1    |        |     |         | 0.042        | 0.0924      |
| 130    | 66611-14740 | COLLAR PTO           | 1    |        |     |         | 0.004        | 0.0088      |
| 140    | 66611-14750 | SHIM PTO             | 1    |        |     | 0.5MM   | 0.002        | 0.0044      |
| 140    | 66611-14760 | SHIM PTO             | 1    |        |     | 0.4MM   | 0.002        | 0.0044      |
| 140    | 66611-14770 | SHIM PTO             | 1    |        |     | 0.3MM   | 0.001        | 0.0022      |
| 150    | 66706-14810 | COVER PTO            | 1    |        |     |         | 0.024        | 0.0528      |






## MID PTO


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67061-21215 | CASE DRIVE MID PTO | 1    |       |     |         | 0.78         | 1.716       |
| 020    | 06331-35016 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 030    | 04717-01600 | WASHER WITH RUBBER | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 66416-21222 | GEAR               | 1    |       |     | 19T     | 0.45         | 0.99        |
| 050    | 67061-21232 | SHAFT IDLE         | 1    |       |     |         | 0.2          | 0.44        |
| 060    | 67061-21270 | BEARING NEEDLE     | 2    |       |     |         | 0.03         | 0.066       |
| 070    | 96380-25140 | COLLAR SHAFT       | 2    |       |     |         | 0.014        | 0.0308      |
| 080    | 05411-00618 | PIN SPRING         | 1    |       |     |         | 0.003        | 0.0066      |
| 090    | 66416-21240 | SHAFT GEAR         | 1    |       |     | 11T     | 0.6          | 1.32        |
| 100    | 08101-06205 | BEARING BALL       | 2    |       |     |         | 0.14         | 0.308       |
| 110    | 32430-25540 | SEAL OIL MID PTO   | 1    |       |     |         | 0.04         | 0.088       |
| 120    | 04611-00520 | CIR CLIP INTERNAL  | 1    |       |     |         | 0.009        | 0.0198      |
| 130    | 66203-21220 | GASKET             | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 01123-51028 | BOLT               | 2    |       |     |         | 0.025        | 0.055       |
| 150    | 01123-51040 | BOLT               | 2    |       |     |         | 0.03         | 0.066       |
| 160    | 05012-00816 | PIN STRAIGHT       | 2    |       |     |         | 0.007        | 0.0154      |





## MAIN GEAR SHIFT LEVER






## MAIN GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67156-18214 | SHAFT SHIFT          | 1    |        |     |         | 0.6          | 1.32        |
| 020    | 67156-18220 | SPRING               | 1    |        |     |         | 0.011        | 0.0242      |
| 030    | 67156-18253 | ARM SHIFT            | 1    |        |     |         | 0.125        | 0.275       |
| 040    | 67156-18280 | PIN                  | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 67156-18290 | SEAL OIL             | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 66416-18310 | LEVER MAIN SHIFT     | 1    | ≤50141 |     |         | 0            | 0           |
| 060    | 66416-18312 | LEVER MAIN SHIFT     | 1    | ≥50142 | ←   |         | 0.57         | 1.254       |
| 070    | 04012-50080 | WASHER PLAIN         | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 090    | 31391-24510 | PIPE LEVER           | 1    |        |     |         | 0.005        | 0.011       |
| 100    | 67156-18330 | GRIP                 | 1    |        |     |         | 0.08         | 0.176       |
| 110    | 67156-18442 | INTERLOCKER          | 1    |        |     |         | 0.07         | 0.154       |
| 120    | 66591-18450 | BOLT INTERLOCKER SET | 1    |        |     |         | 0.024        | 0.0528      |
| 130    | 04011-50100 | WASHER PLAIN         | 1    |        |     |         | 0.002        | 0.0044      |
| 140    | 02372-50100 | NUT                  | 1    |        |     |         | 0.005        | 0.011       |
| 150    | 05511-50218 | PIN SPLIT            | 1    |        |     |         | 0.001        | 0.0022      |
| 160    | 04811-10100 | RING                 | 1    |        |     |         | 0.001        | 0.0022      |

## MAIN GEAR SHIFT FORK






## MAIN GEAR SHIFT FORK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-18110 | SHAFT FORK        | 1    | ≤50784 |     |         | 0            | 0           |
| 010    | 66416-18112 | SHAFT FORK        | 1    | ≥50785 | ←   |         | 0.152        | 0.3344      |
| 020    | 04811-06100 | RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 030    | 66416-18120 | FORK BACK SHIFT   | 1    | ≤51777 |     |         | 0            | 0           |
| 030    | 66416-18125 | FORK BACK SHIFT   | 1    | ≥51778 | ←   |         | 0.13         | 0.286       |
| 040    | 67156-18150 | SPRING SHIFT FORK | 1    |        |     |         | 0.003        | 0.0066      |
| 050    | 07715-00803 | BALL              | 1    |        |     |         | 0.004        | 0.0088      |
| 060    | 05511-50322 | PIN SPLIT         | 1    |        |     |         | 0.002        | 0.0044      |
| 070    | 05411-00520 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 080    | 01123-60816 | BOLT              | 1    |        |     |         | 0.01         | 0.022       |
| 090    | 66416-18130 | SHAFT FORK        | 1    |        |     |         | 0.16         | 0.352       |
| 100    | 04811-06100 | RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 110    | 66416-18140 | FORK SHIFT        | 1    | ≤51777 |     |         | 0            | 0           |
| 110    | 66416-18144 | FORK MAIN SHIFT   | 1    | ≥51778 | ←   |         | 0.13         | 0.286       |
| 120    | 67156-18150 | SPRING SHIFT FORK | 1    |        |     |         | 0.003        | 0.0066      |
| 130    | 07715-00803 | BALL              | 1    |        |     |         | 0.004        | 0.0088      |
| 140    | 05511-50322 | PIN SPLIT         | 1    |        |     |         | 0.002        | 0.0044      |
| 150    | 05411-00520 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 160    | 01123-60816 | BOLT              | 1    |        |     |         | 0.01         | 0.022       |
| 170    | 66416-18150 | COLLAR            | 1    |        |     |         | 0.01         | 0.022       |

## RANGE GEAR SHIFT LEVER






## RANGE GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67401-18410 | SHAFT RANGE FORK  | 1    |        |     |         | 0.094        | 0.2068      |
| 020    | 66611-18420 | FORK RANGE SHIFT  | 1    | ≤51073 |     |         | 0            | 0           |
| 020    | 66611-18426 | FORK RANGE SHIFT  | 1    | ≥51074 | ←   |         | 0.15         | 0.33        |
| 030    | 62061-18260 | SPRING STOPPER    | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 07715-01605 | BALL              | 1    |        |     |         | 0.003        | 0.0066      |
| 050    | 66591-18170 | ARM RANGE SHIFT   | 1    |        |     |         | 0.106        | 0.2332      |
| 060    | 04811-00160 | RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 66591-18180 | RETAINER FORK ROD | 1    |        |     |         | 0.012        | 0.0264      |
| 080    | 01202-50614 | BOLT              | 2    |        |     |         | 0.006        | 0.0132      |
| 090    | 67061-42513 | LAVER RANGE SHIFT | 1    |        |     |         | 0.33         | 0.726       |
| 100    | 54201-23270 | GRIP              | 1    |        |     |         | 0.02         | 0.044       |
| 110    | 05411-00630 | PIN SPRING        | 1    |        |     |         | 0.004        | 0.0088      |
| 120    | 66416-52770 | COVER S-CHANGE RH | 1    |        |     |         | 0.28         | 0.616       |
| 130    | 01123-50818 | BOLT              | 3    |        |     |         | 0.012        | 0.0264      |

## PTO GEAR SHIFT LEVER






## PTO GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-18610 | SHAFT FORK        | 1    |        |     |         | 0.18         | 0.396       |
| 020    | 66416-18632 | COLLAR FORK SHAFT | 1    |        |     |         | 0.015        | 0.033       |
| 030    | 67311-18623 | FORK PTO SHIFT    | 1    |        |     |         | 0.175        | 0.385       |
| 040    | 62061-18260 | SPRING STOPPER    | 1    |        |     |         | 0.002        | 0.0044      |
| 050    | 07715-01605 | BALL              | 1    |        |     |         | 0.003        | 0.0066      |
| 060    | 05511-50322 | PIN SPLIT         | 1    |        |     |         | 0.002        | 0.0044      |
| 070    | 66591-18220 | ARM               | 1    |        |     |         | 0.12         | 0.264       |
| 080    | 04811-00160 | RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 66591-18180 | RETAINER FORK ROD | 1    |        |     |         | 0.012        | 0.0264      |
| 100    | 01202-50614 | BOLT              | 2    |        |     |         | 0.006        | 0.0132      |
| 110    | 66611-19310 | RETAINER ROD      | 1    |        |     |         | 0.129        | 0.2838      |
| 120    | 66416-42710 | LEVER PTO SHIFT   | 1    |        |     |         | 0.23         | 0.506       |
| 130    | 54201-23270 | GRIP              | 1    |        |     |         | 0.02         | 0.044       |
| 140    | 05411-00630 | PIN SPRING        | 1    |        |     |         | 0.004        | 0.0088      |
| 150    | 66416-52760 | COVER S-CHANGE LH | 1    |        |     |         | 0.21         | 0.462       |
| 160    | 37150-34460 | CLAMP CORD        | 1    |        |     |         | 0.03         | 0.066       |
| 170    | 01123-50818 | BOLT              | 3    |        |     |         | 0.012        | 0.0264      |
| 180    | 66416-52780 | HOLDER PTO CHECK  | 1    | ≤50784 |     |         | 0            | 0           |
| 180    | 67061-52782 | HOLDER PTO CHECK  | 1    | ≥50785 | ↔   |         | 0.02         | 0.044       |
| 190    | 67401-52790 | SPRING PLATE      | 1    |        |     |         | 0.002        | 0.0044      |
| 200    | 01153-50822 | BOLT              | 1    |        |     |         | 0.011        | 0.0242      |
| 210    | 04013-50080 | WASHER PLAIN      | 1    |        |     |         | 0            | 0           |
| 220    | 02114-50080 | NUT               | 1    |        |     |         | 0.005        | 0.011       |

## REAR DIFFERENTIAL






# REAR DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67751-82602 | ASSY DIFF REAR       | 1    |         |     |         | 4            | 8.8         |
| 020    | 67311-82703 | ASSY GEAR BEVEL      | 1    |         |     | 6-37T   | 1.95         | 4.29        |
| 030    | 67311-14973 | CASE DIFFERENTIAL    | 1    |         |     |         | 0.7          | 1.54        |
| 040    | 67711-14912 | SHAFT DIFF.PINION    | 1    |         |     |         | 0.14         | 0.308       |
| 050    | 67711-14920 | PINION DIFF.         | 2    |         |     | 12T     | 0.11         | 0.242       |
| 070    | 67311-14980 | COLLAR PINION THRUST | 2    |         |     |         | 0.002        | 0.0044      |
| 080    | 66591-14860 | COLLAR THRUST        | 1    |         |     |         | 0.102        | 0.2244      |
| 090    | 66611-14950 | BUSH                 | 1    |         |     |         | 0.032        | 0.0704      |
| 100    | 67211-15150 | GEAR DIFF.SIDE       | 2    |         |     | 14T     | 0.158        | 0.3476      |
| 110    | 67211-15160 | SHIM                 | 1    |         |     | 1.0MM   | 0.01         | 0.022       |
| 110    | 67211-15170 | SHIM                 | 1    |         |     | 0.8MM   | 0.008        | 0.0176      |
| 110    | 67211-15180 | SHIM                 | 1    |         |     | 1.2MM   | 0.01         | 0.022       |
| 120    | 66591-14792 | PIN KNOCK            | 1    |         |     |         | 0.003        | 0.0066      |
| 130    | 66591-14783 | PIN STRAIGHT         | 1    |         |     |         | 0.01         | 0.022       |
| 140    | 67810-56680 | BOLT UBS             | 6    |         |     |         | 0.013        | 0.0286      |
| 150    | 08101-06009 | BEARING BALL         | 1    |         |     |         | 0.22         | 0.484       |
| 160    | 08101-06010 | BEARING BALL         | 1    |         |     |         | 0.262        | 0.5764      |
| 170    | 66591-14980 | SHIM DIFF.SIDE       | 1    |         |     | 0.5MM   | 0.005        | 0.011       |
| 170    | 66591-14990 | SHIM DIFF.SIDE       | 1    |         |     | 0.2MM   | 0.002        | 0.0044      |
| 180    | 67401-14940 | SHAFT DIFF.GEAR LH   | 1    |         |     |         | 0.6          | 1.32        |
| 190    | 67401-14950 | SHAFT DIFF.GEAR RH   | 1    |         |     |         | 0.69         | 1.518       |
| 200    | 67211-14990 | SHIM DIFF.GEAR SHAFT | 1    |         |     | 0.3MM   | 0.002        | 0.0044      |
| 200    | 66621-15240 | SHIM DIFF.GEAR SHAFT | 1    |         |     | 0.2MM   | 0.001        | 0.0022      |
| 200    | 66621-15250 | SHIM DIFF.GEAR SHAFT | 1    |         |     | 0.5MM   | 0.003        | 0.0066      |
| 210    | 66611-15130 | CLUTCH DIFF.LOCK     | 1    |         |     |         | 0.2          | 0.44        |
| 220    | 08101-06305 | BEARING BALL         | 2    |         |     |         | 0.23         | 0.506       |
| 230    | 67401-14960 | SEAL OIL             | 2    | <=52751 |     |         | 0.015        | 0.033       |
| 230    | 66466-14960 | SEAL OIL             | 2    | >=52752 | ←   |         | 0.025        | 0.055       |
| 240    | 67401-14970 | SLEEVE               | 2    |         |     |         | 0.015        | 0.033       |
| 250    | 66611-15140 | SHIM DIFF.SIDE       | 1    |         |     | 0.5MM   | 0.006        | 0.0132      |
| 250    | 66611-15150 | SHIM DIFF.SIDE       | 1    |         |     | 0.2MM   | 0.002        | 0.0044      |

## DIFF.LOCK PEDAL






## DIFF.LOCK PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66611-19100 | ASSY FORK DIFF.LOCK | 1    |       |     |         | 0.42         | 0.924       |
| 040    | 04811-10120 | RING                | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 66591-18340 | SHIM                | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 66591-18320 | SPRING              | 1    |       |     |         | 0.02         | 0.044       |
| 070    | 67211-42860 | ASSY ROD DIFF.LOCK  | 1    |       |     |         | 0.24         | 0.528       |
| 080    | 67211-42870 | ROD DIFF.LOCK       | 1    |       |     |         | 0.17         | 0.374       |
| 090    | 63753-42350 | U JOINT             | 1    |       |     |         | 0.038        | 0.0836      |
| 100    | 02112-50080 | NUT                 | 1    |       |     |         | 0.003        | 0.0066      |
| 110    | 66591-43170 | LEVER DIFF.LOCK     | 1    |       |     |         | 0.041        | 0.0902      |
| 120    | 02118-50100 | NUT                 | 1    |       |     |         | 0.005        | 0.011       |
| 130    | 04512-60100 | WASHER SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 05122-50820 | PIN JOINT           | 1    |       |     |         | 0.009        | 0.0198      |
| 150    | 05511-50215 | PIN SPLIT           | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 04012-50080 | WASHER PLAIN        | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 67211-51250 | PEDAL DIFF.LOCK     | 1    |       |     |         | 0.28         | 0.616       |
| 180    | 04013-60120 | WASHER PLAIN        | 1    |       |     |         | 0.01         | 0.022       |
| 190    | 05511-50425 | PIN SPLIT           | 1    |       |     |         | 0.003        | 0.0066      |
| 200    | 66591-43190 | SPRING BRAKE RETURN | 1    |       |     |         | 0.044        | 0.0968      |
| 210    | 04012-50080 | WASHER PLAIN        | 1    |       |     |         | 0.001        | 0.0022      |
| 220    | 05511-50318 | PIN SPLIT           | 1    |       |     |         | 0.001        | 0.0022      |

## REAR AXLE






## REAR AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66611-17114 | AXLE REAR         | 2    |       |     |         | 4.64         | 10.208      |
| 020    | 08101-06306 | BEARING BALL      | 2    |       |     |         | 0.335        | 0.737       |
| 030    | 66611-17120 | SEAL OIL          | 2    |       |     |         | 0.09         | 0.198       |
| 040    | 66611-17130 | GEAR              | 2    |       |     | 55T     | 2.4          | 5.28        |
| 050    | 08101-06208 | BEARING BALL      | 2    |       |     |         | 0.355        | 0.781       |
| 060    | 04612-00300 | CIRCLIP EXTERNAL  | 2    |       |     |         | 0.003        | 0.0066      |
| 070    | 66611-17143 | COLLAR            | 2    |       |     |         | 0.515        | 1.133       |
| 080    | 04611-00800 | CIR CLIP INTERNAL | 2    |       |     |         | 0.02         | 0.044       |

## REAR AXLE CASE






## REAR AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67401-12613 | CASE AXLE LH       | 1    |       |     |         | 8.7          | 19.14       |
| 020    | 01123-51035 | BOLT               | 4    |       |     |         | 0.025        | 0.055       |
| 030    | 01123-51250 | BOLT               | 6    |       |     |         | 0.055        | 0.121       |
| 040    | 05012-00816 | PIN STRAIGHT       | 2    |       |     |         | 0.007        | 0.0154      |
| 050    | 06331-35012 | PLUG               | 1    |       |     |         | 0.022        | 0.0484      |
| 060    | 04717-01200 | WASHER WITH RUBBER | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 66591-11240 | GASKET             | 1    |       |     |         | 0            | 0           |
| 080    | 67211-11140 | PLUG BLIND         | 6    |       |     |         | 0.001        | 0.0022      |
| 090    | 67401-12710 | CASE AXLE RH       | 1    |       |     |         | 10           | 22          |
| 100    | 01123-51035 | BOLT               | 4    |       |     |         | 0.025        | 0.055       |
| 110    | 01123-51250 | BOLT               | 6    |       |     |         | 0.055        | 0.121       |
| 120    | 05012-00816 | PIN STRAIGHT       | 2    |       |     |         | 0.007        | 0.0154      |
| 130    | 06331-35012 | PLUG               | 1    |       |     |         | 0.022        | 0.0484      |
| 140    | 04717-01200 | WASHER WITH RUBBER | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 66591-11240 | GASKET             | 1    |       |     |         | 0            | 0           |
| 160    | 67211-11140 | PLUG BLIND         | 6    |       |     |         | 0.001        | 0.0022      |



210 67401-1745-0

260 67401-1746-0

270 67401-1747-0



66417-807-10




# REAR WHEEL (8-16)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 66415-17500 | ASSY REAR WHEEL    | 1    |        |     |               | 55           | 121         |
| 020    | 66415-17510 | ASSY REAR WHEEL LH | 1    |        |     |               | 0            | 0           |
| 030    | 66414-17520 | WHEEL              | 1    |        |     |               | 11           | 24.2        |
| 040    | 96018-05120 | TUBE               | 1    |        |     |               | 1.6          | 3.52        |
| 050    | 96018-05130 | TIRE               | 1    |        |     |               | 15.4         | 33.88       |
| 060    | 32150-27700 | ASSY VALVE         | 1    |        |     |               | 0.001        | 0.0022      |
| 070    | 32150-27740 | CORE VALVE         | 1    |        |     |               | 0.003        | 0.0066      |
| 080    | 38240-11690 | CAP VALVE          | 1    |        |     |               | 0.001        | 0.0022      |
| 090    | 32270-27710 | NUT RIM            | 1    |        |     |               | 0.006        | 0.0132      |
| 100    | 66415-17532 | LABEL TIRE LH      | 1    |        |     |               | 0            | 0           |
| 110    | 66415-17540 | ASSY REAR WHEEL RH | 1    |        |     |               | 0            | 0           |
| 120    | 66414-17520 | WHEEL              | 1    |        |     |               | 11           | 24.2        |
| 130    | 96018-05120 | TUBE               | 1    |        |     |               | 1.6          | 3.52        |
| 140    | 96018-05130 | TIRE               | 1    |        |     |               | 15.4         | 33.88       |
| 150    | 32150-27700 | ASSY VALVE         | 1    |        |     |               | 0.001        | 0.0022      |
| 160    | 32150-27740 | CORE VALVE         | 1    |        |     |               | 0.003        | 0.0066      |
| 170    | 38240-11690 | CAP VALVE          | 1    |        |     |               | 0.001        | 0.0022      |
| 180    | 32270-27710 | NUT RIM            | 1    |        |     |               | 0.006        | 0.0132      |
| 190    | 66415-17552 | LABEL TIRE RH      | 1    |        |     |               | 0            | 0           |
| 200    | 66416-17300 | ASSY HUB WHEEL     | 2    | ≤51772 |     | [A]           | 0            | 0           |
| 200    | 66426-17300 | ASSY HUB WHEEL     | 2    | ≥51773 | ←   | [A]           | 0            | 0           |
| 200    | 66426-17303 | ASSY HUB WHEEL     | 2    | ≥52526 | ↔   | [A]           | 4.06         | 8.932       |
| 200    | 66416-17300 | ASSY HUB WHEEL     | 2    | ≤52525 |     | [CA] [AU]     | 0            | 0           |
| 200    | 66416-17303 | ASSY HUB WHEEL     | 2    | ≥52526 | ↔   | [CA] [AU]     | 4.2          | 9.24        |
| 210    | 67401-17450 | HUB WHEEL          | 2    | ≤52525 |     |               | 0            | 0           |
| 210    | 67401-17453 | HUB WHEEL          | 2    | ≥52526 | ↔   |               | 2.78         | 6.116       |
| 220    | 66704-17313 | BOLT               | 12   |        |     |               | 0.049        | 0.1078      |
| 230    | 02074-50140 | NUT                | 12   | ≤51772 |     | [A]           | 0.021        | 0.0462      |
| 230    | 35340-11390 | NUT                | 12   | ≥51773 | ←   | [A]           | 0.03         | 0.066       |
| 230    | 02074-50140 | NUT                | 12   |        |     | [CA] [AU]     | 0.021        | 0.0462      |
| 240    | 04512-50140 | WASHER SPRING      | 12   |        |     |               | 0            | 0           |
| 250    | 04013-60140 | WASHER PLAIN       | 12   |        |     |               | 0.01         | 0.022       |
| 260    | 67401-17460 | SHOE               | 2    | ≤52525 |     |               | 0.256        | 0.5632      |
| 260    | 67401-17462 | SHOE               | 2    | ≥52526 | ≠   |               | 0.22         | 0.484       |
| 270    | 67401-17470 | SHOE               | 2    | ≤52525 |     |               | 0.476        | 1.0472      |
| 270    | 67401-17472 | SHOE               | 2    | ≥52526 | ≠   |               | 0.21         | 0.462       |
| 275    | 01173-51604 | BOLT               | 2    | ≥52526 |     |               | 0.195        | 0.429       |
| 280    | 02174-50160 | NUT                | 2    |        |     |               | 0.022        | 0.0484      |
| 290    | 04512-60160 | WASHER SPRING      | 2    |        |     |               | 0.01         | 0.022       |
| 300    | 63733-17270 | PIN WHEEL TUBE     | 2    |        |     |               | 0.05         | 0.11        |
| 310    | 62131-17290 | PIN                | 2    |        |     |               | 0.004        | 0.0088      |
| 320    | 66416-87400 | KIT COTTER         | 2    |        |     | SERVICE PARTS | 0.62         | 1.364       |


REAR WHEEL (29 X 12.00-15)



170 67401-1745-0

220 67401-1746-0

230 67401-1747-0




66417-808-10



# REAR WHEEL (29 X 12.00-15)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 66414-17700 | ASSY REAR WHEEL    | 1    |        |     |               | 0            | 0           |
| 020    | 66414-17710 | ASSY REAR WHEEL LH | 1    |        |     |               | 0            | 0           |
| 030    | 66414-17720 | WHEEL              | 1    |        |     |               | 13           | 28.6        |
| 040    | 96016-61130 | TIRE               | 1    |        |     |               | 14.4         | 31.68       |
| 050    | 34159-11850 | VALVE TIRE         | 1    |        |     |               | 0.013        | 0.0286      |
| 060    | 38240-11690 | CAP VALVE          | 1    |        |     |               | 0.001        | 0.0022      |
| 070    | 32150-27740 | CORE VALVE         | 1    |        |     |               | 0.003        | 0.0066      |
| 080    | 66414-17730 | LABEL TIRE LH      | 1    |        |     |               | 0.001        | 0.0022      |
| 090    | 66414-17740 | ASSY REAR WHEEL RH | 1    |        |     |               | 0            | 0           |
| 100    | 66414-17720 | WHEEL              | 1    |        |     |               | 13           | 28.6        |
| 110    | 96016-61130 | TIRE               | 1    |        |     |               | 14.4         | 31.68       |
| 120    | 34159-11850 | VALVE TIRE         | 1    |        |     |               | 0.013        | 0.0286      |
| 130    | 38240-11690 | CAP VALVE          | 1    |        |     |               | 0.001        | 0.0022      |
| 140    | 32150-27740 | CORE VALVE         | 1    |        |     |               | 0.003        | 0.0066      |
| 150    | 66414-17750 | LABEL TIRE RH      | 1    |        |     |               | 0.001        | 0.0022      |
| 160    | 66416-17300 | ASSY HUB WHEEL     | 2    | ≤51772 |     | [A]           | 0            | 0           |
| 160    | 66426-17300 | ASSY HUB WHEEL     | 2    | ≥51773 | ←   | [A]           | 0            | 0           |
| 160    | 66426-17303 | ASSY HUB WHEEL     | 2    | ≥52526 | ↔   | [A]           | 4.06         | 8.932       |
| 160    | 66416-17300 | ASSY HUB WHEEL     | 2    | ≤52525 |     | [CA] [AU]     | 0            | 0           |
| 160    | 66416-17303 | ASSY HUB WHEEL     | 2    | ≥52526 | ↔   | [CA] [AU]     | 4.2          | 9.24        |
| 170    | 67401-17450 | HUB WHEEL          | 2    | ≤52525 |     |               | 0            | 0           |
| 170    | 67401-17453 | HUB WHEEL          | 2    | ≥52526 | ↔   |               | 2.78         | 6.116       |
| 180    | 66704-17313 | BOLT               | 12   |        |     |               | 0.049        | 0.1078      |
| 190    | 02074-50140 | NUT                | 12   | ≤51772 |     | [A]           | 0.021        | 0.0462      |
| 190    | 35340-11390 | NUT                | 12   | ≥51773 | ←   | [A]           | 0.03         | 0.066       |
| 190    | 02074-50140 | NUT                | 12   |        |     | [CA] [AU]     | 0.021        | 0.0462      |
| 200    | 04512-50140 | WASHER SPRING      | 12   |        |     |               | 0            | 0           |
| 210    | 04013-60140 | WASHER PLAIN       | 12   |        |     |               | 0.01         | 0.022       |
| 220    | 67401-17460 | SHOE               | 2    | ≤52525 |     |               | 0.256        | 0.5632      |
| 220    | 67401-17462 | SHOE               | 2    | ≥52526 | ≠   |               | 0.22         | 0.484       |
| 230    | 67401-17470 | SHOE               | 2    | ≤52525 |     |               | 0.476        | 1.0472      |
| 230    | 67401-17472 | SHOE               | 2    | ≥52526 | ≠   |               | 0.21         | 0.462       |
| 235    | 01173-51604 | BOLT               | 2    | ≥52526 |     |               | 0.195        | 0.429       |
| 240    | 02174-50160 | NUT                | 2    |        |     |               | 0.022        | 0.0484      |
| 250    | 04512-60160 | WASHER SPRING      | 2    |        |     |               | 0.01         | 0.022       |
| 260    | 63733-17270 | PIN WHEEL TUBE     | 2    |        |     |               | 0.05         | 0.11        |
| 270    | 62131-17290 | PIN                | 2    |        |     |               | 0.004        | 0.0088      |
| 280    | 66416-87400 | KIT COTTER         | 2    |        |     | SERVICE PARTS | 0.62         | 1.364       |



170 67401-1745-0

220 67401-1746-0

230 67401-1747-0




66417-808-10



# REAR WHEEL (31 X 13.5-15 BAR) [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 66415-17700 | ASSY REAR WHEEL    | 1    |        |     |               | 0            | 0           |
| 020    | 66415-17710 | ASSY REAR WHEEL LH | 1    |        |     |               | 0            | 0           |
| 030    | 66416-17720 | WHEEL              | 1    |        |     |               | 13.5         | 29.7        |
| 040    | 66415-17720 | TIRE               | 1    |        |     |               | 0            | 0           |
| 050    | 34159-11850 | VALVE TIRE         | 1    |        |     |               | 0.013        | 0.0286      |
| 060    | 32150-27740 | CORE VALVE         | 1    |        |     |               | 0.003        | 0.0066      |
| 070    | 38240-11690 | CAP VALVE          | 1    |        |     |               | 0.001        | 0.0022      |
| 080    | 66415-17730 | LABEL TIRE LH      | 1    |        |     |               | 0            | 0           |
| 090    | 66415-17740 | ASSY REAR WHEEL RH | 1    |        |     |               | 0            | 0           |
| 100    | 66416-17720 | WHEEL              | 1    |        |     |               | 13.5         | 29.7        |
| 110    | 66415-17720 | TIRE               | 1    |        |     |               | 0            | 0           |
| 120    | 34159-11850 | VALVE TIRE         | 1    |        |     |               | 0.013        | 0.0286      |
| 130    | 32150-27740 | CORE VALVE         | 1    |        |     |               | 0.003        | 0.0066      |
| 140    | 38240-11690 | CAP VALVE          | 1    |        |     |               | 0.001        | 0.0022      |
| 150    | 66415-17750 | LABEL TIRE RH      | 1    |        |     |               | 0            | 0           |
| 160    | 66416-17300 | ASSY HUB WHEEL     | 2    | ≤51772 |     |               | 0            | 0           |
| 160    | 66426-17300 | ASSY HUB WHEEL     | 2    | ≥51773 | ←   |               | 0            | 0           |
| 160    | 66426-17303 | ASSY HUB WHEEL     | 2    | ≥52526 | ↔   |               | 4.06         | 8.932       |
| 170    | 67401-17450 | HUB WHEEL          | 2    | ≤52525 |     |               | 0            | 0           |
| 170    | 67401-17453 | HUB WHEEL          | 2    | ≥52526 | ↔   |               | 2.78         | 6.116       |
| 180    | 66704-17313 | BOLT               | 12   |        |     |               | 0.049        | 0.1078      |
| 190    | 02074-50140 | NUT                | 12   | ≤51772 |     |               | 0.021        | 0.0462      |
| 190    | 35340-11390 | NUT                | 12   | ≥51773 | ←   |               | 0.03         | 0.066       |
| 200    | 04512-50140 | WASHER SPRING      | 12   |        |     |               | 0            | 0           |
| 210    | 04013-60140 | WASHER PLAIN       | 12   |        |     |               | 0.01         | 0.022       |
| 220    | 67401-17460 | SHOE               | 2    | ≤52525 |     |               | 0.256        | 0.5632      |
| 220    | 67401-17462 | SHOE               | 2    | ≥52526 | ≠   |               | 0.22         | 0.484       |
| 230    | 67401-17470 | SHOE               | 2    | ≤52525 |     |               | 0.476        | 1.0472      |
| 230    | 67401-17472 | SHOE               | 2    | ≥52526 | ≠   |               | 0.21         | 0.462       |
| 235    | 01173-51604 | BOLT               | 2    | ≥52526 |     |               | 0.195        | 0.429       |
| 240    | 02174-50160 | NUT                | 2    |        |     |               | 0.022        | 0.0484      |
| 250    | 04512-60160 | WASHER SPRING      | 2    |        |     |               | 0.01         | 0.022       |
| 260    | 63733-17270 | PIN WHEEL TUBE     | 2    |        |     |               | 0.05         | 0.11        |
| 270    | 62131-17290 | PIN                | 2    |        |     |               | 0.004        | 0.0088      |
| 280    | 66416-87400 | KIT COTTER         | 2    |        |     | SERVICE PARTS | 0.62         | 1.364       |






## BRAKE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66426-22300 | ASSY BRAKE LH    | 1    |         |     |         | 2.4          | 5.28        |
| 020    | 67061-22312 | COVER BRAKE LH   | 1    |         |     |         | 0.95         | 2.09        |
| 030    | 66591-22330 | CAM BRAKE LH     | 1    |         |     |         | 0.204        | 0.4488      |
| 040    | 04811-05170 | RING             | 2    |         |     |         | 0.001        | 0.0022      |
| 050    | 04612-00200 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 66905-22390 | KIT SHOE BRAKE   | 1    |         |     |         | 0.35         | 0.77        |
| 070    | 66591-22350 | SPRING RETURN    | 2    |         |     |         | 0.003        | 0.0066      |
| 080    | 66611-22360 | DRUM BRAKE       | 1    | <=52629 |     |         | 0            | 0           |
| 080    | 66709-22360 | DRUM BRAKE       | 1    | >=52630 | ↔   |         | 0.95         | 2.09        |
| 090    | 63753-42350 | U JOINT          | 1    |         |     |         | 0.038        | 0.0836      |
| 100    | 05122-50820 | PIN JOINT        | 1    |         |     |         | 0.009        | 0.0198      |
| 110    | 04012-50080 | WASHER PLAIN     | 1    |         |     |         | 0.001        | 0.0022      |
| 120    | 05511-50215 | PIN SPLIT        | 1    |         |     |         | 0.001        | 0.0022      |
| 130    | 04612-00220 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 140    | 66591-22410 | GASKET BRAKE     | 1    |         |     |         | 0            | 0           |
| 150    | 01123-50822 | BOLT             | 4    |         |     |         | 0.012        | 0.0264      |
| 160    | 66905-22402 | ASSY BRAKE RH    | 1    |         |     |         | 2.58         | 5.676       |
| 170    | 66611-22412 | COVER BRAKE RH   | 1    |         |     |         | 1.05         | 2.31        |
| 180    | 66591-22370 | CAM BRAKE RH     | 1    |         |     |         | 0.204        | 0.4488      |
| 190    | 04811-05170 | RING             | 2    |         |     |         | 0.001        | 0.0022      |
| 200    | 04612-00200 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 210    | 66905-22390 | KIT SHOE BRAKE   | 1    |         |     |         | 0.35         | 0.77        |
| 220    | 66591-22350 | SPRING RETURN    | 2    |         |     |         | 0.003        | 0.0066      |
| 230    | 66611-22360 | DRUM BRAKE       | 1    | <=52629 |     |         | 0            | 0           |
| 230    | 66709-22360 | DRUM BRAKE       | 1    | >=52630 | ↔   |         | 0.95         | 2.09        |
| 240    | 63753-42350 | U JOINT          | 1    |         |     |         | 0.038        | 0.0836      |
| 250    | 05122-50820 | PIN JOINT        | 1    |         |     |         | 0.009        | 0.0198      |
| 260    | 04012-50080 | WASHER PLAIN     | 1    |         |     |         | 0.001        | 0.0022      |
| 270    | 05511-50215 | PIN SPLIT        | 1    |         |     |         | 0.001        | 0.0022      |
| 280    | 04612-00220 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 290    | 66591-22410 | GASKET BRAKE     | 1    |         |     |         | 0            | 0           |
| 300    | 01123-50822 | BOLT             | 4    |         |     |         | 0.012        | 0.0264      |

## BRAKE ROD






## BRAKE ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67401-42800 | ASSY ROD BRAKE      | 2    |       |     |         | 0.26         | 0.572       |
| 020    | 67401-42810 | ROD BRAKE FRONT     | 2    |       |     |         | 0.08         | 0.176       |
| 030    | 66591-42410 | TURNBUCKLE          | 2    |       |     |         | 0.046        | 0.1012      |
| 040    | 67401-42820 | ROD BRAKE REAR      | 2    |       |     |         | 0.135        | 0.297       |
| 050    | 02112-50080 | NUT                 | 4    |       |     |         | 0.003        | 0.0066      |
| 060    | 05122-50822 | PIN JOINT           | 2    |       |     |         | 0.01         | 0.022       |
| 070    | 04012-50080 | WASHER PLAIN        | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 05511-50215 | PIN SPLIT           | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 66591-43190 | SPRING BRAKE RETURN | 2    |       |     |         | 0.044        | 0.0968      |
| 100    | 66416-42830 | LEVER BRAKE LOCK    | 1    |       |     |         | 0.15         | 0.33        |
| 110    | 67800-44560 | SPRING BRAKE LOCK   | 1    |       |     |         | 0.015        | 0.033       |
| 120    | 05122-51235 | PIN JOINT           | 1    |       |     |         | 0.034        | 0.0748      |
| 130    | 04011-50120 | WASHER PLAIN        | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 05511-50425 | PIN SPLIT           | 1    |       |     |         | 0.003        | 0.0066      |

## BRAKE PEDAL



66416-020-10




## BRAKE PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67211-42913 | SHAFT BRAKE PEDAL | 1    |       |     |         | 1.32         | 2.904       |
| 020    | 06613-10010 | NIPPLE GREASE     | 2    |       |     |         | 0.006        | 0.0132      |
| 030    | 66416-42920 | PEDAL BRAKE LH    | 1    |       |     |         | 1.72         | 3.784       |
| 040    | 05112-50840 | PIN JOINT         | 1    |       |     |         | 0.017        | 0.0374      |
| 050    | 04012-50080 | WASHER PLAIN      | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 05511-50215 | PIN SPLIT         | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 66416-42930 | PEDAL BRAKE RH    | 1    |       |     |         | 1.75         | 3.85        |
| 080    | 66591-43233 | COLLAR            | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 04612-00240 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0.002        | 0.0044      |

# FRONT WHEEL HUB [WITHOUT BI-SPEED TURN]






# FRONT WHEEL HUB [WITHOUT BI-SPEED TURN]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66591-56510 | SHAFT             | 2    |        |     |         | 0.56         | 1.232       |
| 020    | 09400-21528 | SEAL OIL          | 2    |        |     |         | 0.019        | 0.0418      |
| 030    | 04611-00520 | CIR CLIP INTERNAL | 2    |        |     |         | 0.009        | 0.0198      |
| 040    | 66711-56920 | JOINT FRONT AXLE  | 2    |        |     |         | 0.428        | 0.9416      |
| 050    | 05411-00635 | PIN SPRING        | 2    |        |     |         | 0.005        | 0.011       |
| 060    | 66716-31160 | ASSY JOINT CROSS  | 2    |        |     |         | 0.32         | 0.704       |
| 070    | 66716-31170 | CIRCLIP EXTERNAL  | 8    |        |     |         | 0.002        | 0.0044      |
| 080    | 66711-56930 | SHAFT JOINT       | 2    |        |     |         | 0.618        | 1.3596      |
| 090    | 09230-25405 | SEAL OIL          | 2    | ≤52468 |     |         | 0.001        | 0.0022      |
| 090    | 09500-25408 | SEAL OIL          | 2    | ≥52469 | ↔   |         | 0.01         | 0.022       |
| 100    | 08101-06204 | BEARING BALL      | 2    |        |     |         | 0.102        | 0.2244      |
| 110    | 08101-06303 | BEARING BALL      | 2    |        |     |         | 0.112        | 0.2464      |
| 120    | 04612-00170 | CIRCLIP EXTERNAL  | 2    |        |     |         | 0.001        | 0.0022      |
| 130    | 66704-56950 | GEAR              | 2    |        |     | 12T     | 0.162        | 0.3564      |
| 140    | 66704-56960 | GEAR              | 2    |        |     | 25T     | 0.58         | 1.276       |
| 150    | 67301-56550 | HUB FRONT WHEEL   | 2    |        |     |         | 1.46         | 3.212       |
| 160    | 08101-06206 | BEARING BALL      | 2    |        |     |         | 0.196        | 0.4312      |
| 170    | 08101-06205 | BEARING BALL      | 2    |        |     |         | 0.14         | 0.308       |
| 180    | 04612-00290 | CIRCLIP EXTERNAL  | 2    |        |     |         | 0.003        | 0.0066      |
| 190    | 63733-17150 | SEAL OIL          | 2    |        |     |         | 0.04         | 0.088       |

## FRONT WHEEL HUB






**FRONT WHEEL HUB**  
B1550D:WITH BI-SPEED TURN/B1750D:ALL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS            | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|--------------------|--------------|-------------|
| 030    | 67156-76710 | SHAFT DRIVE LH    | 1    |        |     | WITH BI-SPEED TURN | 1.65         | 3.63        |
| 040    | 67156-76720 | SHAFT DRIVE RH    | 1    |        |     | WITH BI-SPEED TURN | 0.322        | 0.7084      |
| 050    | 67121-56650 | GEAR BEVEL        | 2    |        |     | 13T                | 0.38         | 0.836       |
| 060    | 08101-06305 | BEARING BALL      | 2    |        |     |                    | 0.23         | 0.506       |
| 070    | 04612-00250 | CIRCLIP EXTERNAL  | 4    |        |     |                    | 0.002        | 0.0044      |
| 080    | 67121-56710 | GEAR BEVEL        | 2    |        |     | 14T                | 0.35         | 0.77        |
| 090    | 67121-56720 | SHAFT BEVEL GEAR  | 2    |        |     |                    | 0.73         | 1.606       |
| 100    | 67121-56730 | COLLAR SUPPORT    | 2    |        |     |                    | 0.075        | 0.165       |
| 110    | 04612-00250 | CIRCLIP EXTERNAL  | 2    |        |     |                    | 0.002        | 0.0044      |
| 120    | 08101-06303 | BEARING BALL      | 2    |        |     |                    | 0.112        | 0.2464      |
| 130    | 67121-56760 | BEARING BALL      | 4    | ≤52160 |     |                    | 0            | 0           |
| 130    | 67121-56770 | BEARING BALL      | 4    | ≥52161 | ←   |                    | 0.127        | 0.2794      |
| 140    | 04611-00520 | CIR CLIP INTERNAL | 4    |        |     |                    | 0.009        | 0.0198      |
| 150    | 04811-10250 | RING              | 2    |        |     |                    | 0.001        | 0.0022      |
| 160    | 67121-56740 | SEAL OIL          | 4    |        |     |                    | 0.016        | 0.0352      |
| 170    | 67221-56750 | GEAR BEVEL        | 2    |        |     | 16T                | 0.58         | 1.276       |
| 180    | 08101-06007 | BEARING BALL      | 2    |        |     |                    | 0.16         | 0.352       |
| 190    | 67121-56810 | GEAR BEVEL        | 2    |        |     | 31T                | 2            | 4.4         |
| 200    | 67156-56820 | COLLAR SET        | 4    |        |     |                    | 0.004        | 0.0088      |
| 210    | 67401-56830 | HUB FRONT WHEEL   | 2    |        |     |                    | 1.66         | 3.652       |
| 220    | 66204-56840 | COLLAR            | 2    |        |     | WITH BI-SPEED TURN | 0.02         | 0.044       |
| 230    | 08101-06305 | BEARING BALL      | 2    |        |     |                    | 0.23         | 0.506       |
| 240    | 08101-06206 | BEARING BALL      | 2    |        |     |                    | 0.196        | 0.4312      |
| 250    | 63733-17150 | SEAL OIL          | 2    |        |     |                    | 0.04         | 0.088       |




66417-014-10

**FRONT GEAR CASE [WITHOUT BI-SPEED TURN]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66711-56410 | CASE FRONT AXLE LH  | 1    |       |     |         | 4.5          | 9.9         |
| 020    | 66711-56420 | CASE FRONT AXLE RH  | 1    |       |     |         | 5.2          | 11.44       |
| 030    | 66591-56440 | BOLT ADJUSTING      | 2    |       |     |         | 0.02         | 0.044       |
| 040    | 02112-50100 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 050    | 06312-10020 | PLUG                | 2    |       |     |         | 0.015        | 0.033       |
| 060    | 06331-35010 | PLUG                | 2    |       |     |         | 0.012        | 0.0264      |
| 070    | 04717-01000 | WASHER WITH RUBBER  | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 66711-56430 | COVER GEAR CASE     | 2    |       |     |         | 1.078        | 2.3716      |
| 090    | 66711-56440 | GASKET              | 2    |       |     |         | 0            | 0           |
| 100    | 01123-50828 | BOLT                | 14   |       |     |         | 0.014        | 0.0308      |
| 110    | 66711-56450 | KINGPIN UPPER       | 2    |       |     |         | 0.15         | 0.33        |
| 120    | 06613-20010 | NIPPLE GREASE       | 2    |       |     |         | 0.01         | 0.022       |
| 130    | 04811-10180 | RING                | 4    |       |     |         | 0.001        | 0.0022      |
| 140    | 66711-56460 | KINGPIN UNDER       | 2    |       |     |         | 0.151        | 0.3322      |
| 150    | 08400-00010 | BEARING THRUST BALL | 2    |       |     |         | 0.046        | 0.1012      |
| 160    | 66711-56470 | BUSH KINGPIN        | 4    |       |     |         | 0.064        | 0.1408      |
| 170    | 66711-56480 | GASKET              | 2    |       |     |         | 0            | 0           |
| 180    | 01173-51035 | BOLT                | 4    |       |     |         | 0.025        | 0.055       |
| 190    | 04717-01000 | WASHER WITH RUBBER  | 4    |       |     |         | 0.001        | 0.0022      |
| 200    | 66611-56610 | WASHER              | 4    |       |     |         | 0.003        | 0.0066      |
| 210    | 66711-56560 | GASKET DUST COVER   | 2    |       |     |         | 0            | 0           |
| 220    | 66711-56570 | HOLDER DUST SEAL    | 2    |       |     |         | 0.096        | 0.2112      |
| 230    | 66711-56580 | SEAL DUST           | 2    |       |     |         | 0.016        | 0.0352      |
| 240    | 66711-56490 | GASKET FELT         | 2    |       |     |         | 0.011        | 0.0242      |
| 250    | 66711-56590 | COVER DUST          | 2    |       |     |         | 0.19         | 0.418       |
| 260    | 01202-50614 | BOLT                | 28   |       |     |         | 0.006        | 0.0132      |

## FRONT GEAR CASE






**FRONT GEAR CASE**  
B1550D:WITH BI-SPEED TURN/B1750D:ALL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS            | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|--------------------|--------------|-------------|
| 010    | 67121-56310 | CASE FRONT AXLE LH | 2    | ≤52468 |     | WITH BI-SPEED TURN | 4.5          | 9.9         |
| 010    | 67121-56310 | CASE FRONT AXLE LH | 1    | ≥52469 |     | WITH BI-SPEED TURN | 4.5          | 9.9         |
| 020    | 67121-56324 | CASE FRONT AXLE RH | 1    | ≥52469 |     | WITH BI-SPEED TURN | 4.6          | 10.12       |
| 030    | 06331-35010 | PLUG               | 2    |        |     |                    | 0.012        | 0.0264      |
| 040    | 04717-01000 | WASHER WITH RUBBER | 2    |        |     |                    | 0.001        | 0.0022      |
| 050    | 06331-35012 | PLUG               | 2    |        |     |                    | 0.022        | 0.0484      |
| 060    | 04717-01200 | WASHER WITH RUBBER | 2    |        |     |                    | 0.002        | 0.0044      |
| 070    | 66591-56440 | BOLT ADJUSTING     | 4    |        |     | WITH BI-SPEED TURN | 0.02         | 0.044       |
| 080    | 02112-50100 | NUT                | 4    |        |     | WITH BI-SPEED TURN | 0.004        | 0.0088      |
| 090    | 67121-56330 | COVER BEVEL        | 2    |        |     |                    | 0.64         | 1.408       |
| 100    | 67121-56340 | SHIM               | 4    |        |     | 0.5MM              | 0.004        | 0.0088      |
| 100    | 67121-56360 | SHIM               | 4    |        |     | 0.2MM              | 0.001        | 0.0022      |
| 110    | 04811-50750 | RING               | 2    |        |     |                    | 0.002        | 0.0044      |
| 120    | 01123-50825 | BOLT               | 8    |        |     |                    | 0.013        | 0.0286      |
| 130    | 66204-56370 | COVER FRONT AXLE   | 2    |        |     |                    | 2            | 4.4         |
| 140    | 67121-56380 | GASKET             | 2    |        |     |                    | 0            | 0           |
| 150    | 01123-51030 | BOLT               | 12   | ≤51940 |     | WITH BI-SPEED TURN | 0.025        | 0.055       |
| 150    | 01123-51028 | BOLT               | 12   | ≥51941 | ←   | WITH BI-SPEED TURN | 0.025        | 0.055       |






**BEVEL GEAR CASE**  
B1550D:WITH BI-SPEED TURN/B1750D:ALL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS            | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|--------------------|--------------|-------------|
| 010    | 67121-56210 | CASE BEVEL GEAR     | 2    |         |     |                    | 2.6          | 5.72        |
| 020    | 67121-56230 | SHIM                | 4    |         |     | 0.3MM              | 0.004        | 0.0088      |
| 020    | 67121-56240 | SHIM                | 4    |         |     | 0.2MM              | 0.003        | 0.0066      |
| 030    | 05012-01020 | PIN STRAIGHT        | 2    |         |     |                    | 0.02         | 0.044       |
| 040    | 01153-51230 | BOLT                | 6    | <=51940 |     | WITH BI-SPEED TURN | 0.036        | 0.0792      |
| 040    | 01153-51228 | BOLT                | 6    | >=51941 | ←   | WITH BI-SPEED TURN | 0.034        | 0.0748      |
| 050    | 67156-76150 | STUD                | 6    |         |     | WITH BI-SPEED TURN | 0.03         | 0.066       |
| 060    | 04512-50120 | WASHER SPRING       | 12   |         |     |                    | 0            | 0           |
| 070    | 02174-50120 | NUT                 | 6    |         |     | WITH BI-SPEED TURN | 0.01         | 0.022       |
| 080    | 67121-56250 | SEAL DUST           | 2    |         |     |                    | 0.001        | 0.0022      |
| 090    | 67121-56263 | SUPPORT KNUCKLE ARM | 2    |         |     |                    | 0.4          | 0.88        |
| 100    | 67121-56270 | GASKET              | 2    |         |     |                    | 0            | 0           |
| 110    | 01123-50822 | BOLT                | 8    |         |     |                    | 0.012        | 0.0264      |

FRONT AXLE CASE [WITHOUT BI-SPEED TURN]






## FRONT AXLE CASE [WITHOUT BI-SPEED TURN]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66751-56160 | CASE FRONT AXLE    | 1    |       |     |         | 6.5          | 14.3        |
| 020    | 06312-10020 | PLUG               | 1    |       |     |         | 0.015        | 0.033       |
| 030    | 66591-56120 | BUSH               | 2    |       |     |         | 0.074        | 0.1628      |
| 040    | 04811-50250 | RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 04811-00200 | RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 06331-35010 | PLUG               | 1    |       |     |         | 0.012        | 0.0264      |
| 070    | 04717-01000 | WASHER WITH RUBBER | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 66751-56210 | CASE FRONT AXLE LH | 1    |       |     |         | 6.29         | 13.838      |
| 090    | 66591-56190 | GASKET             | 1    |       |     |         | 0            | 0           |
| 100    | 66711-56220 | STUD               | 1    |       |     |         | 0.014        | 0.0308      |
| 110    | 02114-50080 | NUT                | 8    |       |     |         | 0.005        | 0.011       |
| 120    | 66711-56620 | WASHER LOCK        | 4    |       |     |         | 0.01         | 0.022       |
| 130    | 01518-50820 | STUD               | 7    |       |     |         | 0.012        | 0.0264      |
| 140    | 04512-60100 | WASHER SPRING      | 8    |       |     |         | 0.002        | 0.0044      |
| 150    | 67401-56280 | BOLT               | 2    |       |     |         | 0.035        | 0.077       |
| 160    | 02112-50120 | NUT                | 2    |       |     |         | 0.007        | 0.0154      |
| 170    | 04512-50120 | WASHER SPRING      | 2    |       |     |         | 0            | 0           |
| 180    | 66711-56310 | CASE FRONT AXLE RH | 1    |       |     |         | 5            | 11          |
| 190    | 05012-01016 | PIN STRAIGHT       | 1    |       |     |         | 0.01         | 0.022       |
| 200    | 66711-56320 | GASKET             | 1    |       |     |         | 0            | 0           |
| 210    | 66611-56610 | WASHER             | 5    |       |     |         | 0.003        | 0.0066      |
| 220    | 01555-51022 | STUD               | 5    |       |     |         | 0.021        | 0.0462      |
| 230    | 02176-50100 | NUT                | 5    |       |     |         | 0.005        | 0.011       |
| 240    | 04512-60100 | WASHER SPRING      | 5    |       |     |         | 0.002        | 0.0044      |
| 250    | 66802-56110 | PIN CENTER         | 1    |       |     |         | 0.58         | 1.276       |
| 260    | 04011-50180 | WASHER PLAIN       | 1    |       |     |         | 0.012        | 0.0264      |
| 270    | 02372-50180 | NUT                | 1    |       |     |         | 0.019        | 0.0418      |
| 280    | 66611-57150 | SPRING SET         | 1    |       |     |         | 0.02         | 0.044       |

# FRONT AXLE CASE [WITH BI-SPEED TURN]






## FRONT AXLE CASE [WITH BI-SPEED TURN]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67156-76110 | CASE FRONT AXLE    | 1    | <=50336 |     |         | 0            | 0           |
| 010    | 67156-76112 | CASE F.AXLE CENTER | 1    | >=50337 | ←   |         | 8.4          | 18.48       |
| 020    | 66591-56120 | BUSH               | 2    |         |     |         | 0.074        | 0.1628      |
| 030    | 04811-50250 | RING               | 2    |         |     |         | 0.001        | 0.0022      |
| 040    | 04811-00200 | RING               | 2    |         |     |         | 0.001        | 0.0022      |
| 050    | 06331-35010 | PLUG               | 1    |         |     |         | 0.012        | 0.0264      |
| 060    | 04717-01000 | WASHER WITH RUBBER | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 67121-56110 | ARM FRONT AXLE LH  | 1    |         |     |         | 5.6          | 12.32       |
| 080    | 67401-56280 | BOLT               | 1    |         |     |         | 0.035        | 0.077       |
| 090    | 02112-50120 | NUT                | 1    |         |     |         | 0.007        | 0.0154      |
| 100    | 04512-50120 | WASHER SPRING      | 1    |         |     |         | 0            | 0           |
| 110    | 67121-56130 | GASKET             | 1    |         |     |         | 0            | 0           |
| 120    | 05012-01020 | PIN STRAIGHT       | 1    |         |     |         | 0.02         | 0.044       |
| 130    | 01123-51028 | BOLT               | 8    |         |     |         | 0.025        | 0.055       |
| 140    | 67156-76132 | CASE FRONT AXLE    | 1    |         |     |         | 8.8          | 19.36       |
| 150    | 67156-76140 | GASKET             | 1    |         |     |         | 0            | 0           |
| 160    | 05012-01020 | PIN STRAIGHT       | 2    |         |     |         | 0.02         | 0.044       |
| 170    | 01123-51028 | BOLT               | 8    |         |     |         | 0.025        | 0.055       |
| 180    | 01123-51022 | BOLT               | 1    |         |     |         | 0.02         | 0.044       |
| 190    | 06331-35016 | PLUG               | 1    |         |     |         | 0.04         | 0.088       |
| 200    | 04717-01600 | WASHER WITH RUBBER | 1    |         |     |         | 0.003        | 0.0066      |
| 210    | 04811-10750 | RING               | 2    |         |     |         | 0.001        | 0.0022      |
| 220    | 66802-56110 | PIN CENTER         | 1    |         |     |         | 0.58         | 1.276       |
| 230    | 04011-50180 | WASHER PLAIN       | 1    |         |     |         | 0.012        | 0.0264      |
| 240    | 02372-50180 | NUT                | 1    |         |     |         | 0.019        | 0.0418      |
| 250    | 66611-57150 | SPRING SET         | 1    |         |     |         | 0.02         | 0.044       |

## FRONT DIFFERENTIAL [WITHOUT BI-SPEED TURN]






# FRONT DIFFERENTIAL [WITHOUT BI-SPEED TURN]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67171-82900 | ASSY DIFF. FRONT     | 1    |        |     |         | 3.8          | 8.36        |
| 020    | 66711-56712 | CASE DIFF.FRONT      | 1    |        |     |         | 0.81         | 1.782       |
| 030    | 67171-82800 | ASSY GEAR BEVEL      | 1    |        |     | 6-37T   | 2.15         | 4.73        |
| 040    | 67910-56640 | SHAFT DIFF.PINION    | 1    |        |     |         | 0.12         | 0.264       |
| 050    | 66591-14783 | PIN STRAIGHT         | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 66591-14792 | PIN KNOCK            | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | 67910-56660 | GEAR DIFF.PINION     | 2    |        |     | 11T     | 0.1          | 0.22        |
| 080    | 66591-14850 | COLLAR PINION THRUST | 2    |        |     |         | 0.006        | 0.0132      |
| 090    | 66591-14870 | GEAR DIFF.SIDE       | 2    |        |     | 15T     | 0.18         | 0.396       |
| 100    | 66591-14880 | SHIM                 | 1    |        |     | 1.0MM   | 0.008        | 0.0176      |
| 100    | 66591-14890 | SHIM                 | 1    |        |     | 1.2MM   | 0.01         | 0.022       |
| 110    | 67810-56680 | BOLT UBS             | 4    |        |     |         | 0.013        | 0.0286      |
| 120    | 66591-14920 | SHIM DIFF.SIDE       | 1    |        |     | 0.5MM   | 0.006        | 0.0132      |
| 120    | 66591-14930 | SHIM DIFF.SIDE       | 1    |        |     | 0.2MM   | 0.002        | 0.0044      |
| 130    | 08101-06008 | BEARING BALL         | 2    |        |     |         | 0.19         | 0.418       |
| 140    | 08711-30305 | BEARING TAPER-ROLLER | 1    |        |     |         | 0.266        | 0.5852      |
| 150    | 08711-32005 | BEARING TAPER-ROLLER | 1    | ≤52751 |     |         | 0.115        | 0.253       |
| 150    | 6A100-56680 | BEARING TAPER-ROLLER | 1    | ≥52752 | ↔   |         | 0.11         | 0.242       |
| 160    | 67061-56630 | SPACER               | 1    |        |     |         | 2.1          | 4.62        |
| 170    | 04811-50550 | RING                 | 1    |        |     |         | 0.002        | 0.0044      |
| 180    | 67401-56640 | SHIM                 | 2    |        |     | 0.5MM   | 0.007        | 0.0154      |
| 180    | 67401-56650 | SHIM                 | 2    |        |     | 0.3MM   | 0.005        | 0.011       |
| 180    | 67401-56660 | SHIM                 | 2    |        |     | 0.2MM   | 0.004        | 0.0088      |
| 190    | 01123-50828 | BOLT                 | 3    |        |     |         | 0.014        | 0.0308      |
| 200    | 66591-56420 | BUSH                 | 1    |        |     |         | 0.021        | 0.0462      |
| 210    | 67211-14952 | SEAL OIL             | 1    |        |     |         | 0.015        | 0.033       |
| 220    | 35260-23252 | NUT                  | 1    |        |     |         | 0.04         | 0.088       |


# FRONT DIFFERENTIAL [WITH BI-SPEED TURN]



**FRONT DIFFERENTIAL [WITH BI-SPEED TURN]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67156-76650 | ASSY DIFF. FRONT     | 1    |       |     |         | 2.4          | 5.28        |
| 020    | 67156-76660 | CASE FRONT DIFF.     | 1    |       |     |         | 0.6          | 1.32        |
| 030    | 67156-76670 | SHAFT FRONT DIFF.    | 1    |       |     |         | 1.06         | 2.332       |
| 040    | 66591-14792 | PIN KNOCK            | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 66591-14783 | PIN STRAIGHT         | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 67810-56680 | BOLT UBS             | 4    |       |     |         | 0.013        | 0.0286      |
| 070    | 67711-14912 | SHAFT DIFF.PINION    | 1    |       |     |         | 0.14         | 0.308       |
| 080    | 67711-14920 | PINION DIFF.         | 2    |       |     | 12T     | 0.11         | 0.242       |
| 100    | 67311-14980 | COLLAR PINION THRUST | 2    |       |     |         | 0.002        | 0.0044      |
| 110    | 67211-15150 | GEAR DIFF.SIDE       | 2    |       |     | 14T     | 0.158        | 0.3476      |
| 120    | 67211-15160 | SHIM                 | 2    |       |     | 1.0MM   | 0.01         | 0.022       |
| 120    | 67211-15170 | SHIM                 | 2    |       |     | 0.8MM   | 0.008        | 0.0176      |
| 120    | 67211-15180 | SHIM                 | 2    |       |     | 1.2MM   | 0.01         | 0.022       |
| 130    | 08101-06008 | BEARING BALL         | 1    |       |     |         | 0.19         | 0.418       |
| 140    | 08101-06909 | BEARING BALL         | 1    |       |     |         | 0.135        | 0.297       |
| 150    | 67156-76680 | HOLDER BEARING       | 1    |       |     |         | 0.47         | 1.034       |



**BEVEL GEAR [WITH BI-SPEED TURN]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------------|--------------|-------------|
| 020    | 08711-30305 | BEARING TAPER-ROLLER | 1    |        |     |               | 0.266        | 0.5852      |
| 030    | 08711-32005 | BEARING TAPER-ROLLER | 1    | ≤52751 |     |               | 0.115        | 0.253       |
| 030    | 6A100-56680 | BEARING TAPER-ROLLER | 1    | ≥52752 | ↔   |               | 0.11         | 0.242       |
| 040    | 66416-56630 | SPACER               | 1    |        |     |               | 1.71         | 3.762       |
| 050    | 04811-50600 | RING                 | 1    |        |     |               | 0.002        | 0.0044      |
| 060    | 01123-50828 | BOLT                 | 3    |        |     |               | 0.014        | 0.0308      |
| 070    | 66591-56420 | BUSH                 | 1    |        |     |               | 0.021        | 0.0462      |
| 080    | 67211-14952 | SEAL OIL             | 1    |        |     |               | 0.015        | 0.033       |
| 090    | 35260-23252 | NUT                  | 1    |        |     |               | 0.04         | 0.088       |
| 110    | 08101-06009 | BEARING BALL         | 1    |        |     |               | 0.22         | 0.484       |
| 120    | 66591-14980 | SHIM DIFF.SIDE       | 1    |        |     | 0.5MM         | 0.005        | 0.011       |
| 120    | 66591-14990 | SHIM DIFF.SIDE       | 1    |        |     | 0.2MM         | 0.002        | 0.0044      |
| 120    | 67121-56630 | SHIM DIFF.SIDE       | 1    |        |     | 0.3MM         | 0.005        | 0.011       |
| 130    | 08101-06008 | BEARING BALL         | 1    |        |     |               | 0.19         | 0.418       |
| 140    | 66416-99100 | ASSY GEAR BEVEL      | 1    |        |     | SERVICE PARTS | 2.46         | 5.412       |



76690-037-10




## CLUTCH DISK [WITH BI-SPEED TURN]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-56540 | GEAR-SHAFT          | 1    |       |     | 22T     | 0.74         | 1.628       |
| 020    | 67156-76510 | GEAR CLUTCH         | 1    |       |     | 17T     | 0.57         | 1.254       |
| 030    | 08824-04517 | BEARING NEEDLE      | 1    |       |     |         | 0.03         | 0.066       |
| 040    | 67156-76340 | COLLAR              | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 67156-76520 | COLLAR              | 1    |       |     |         | 0.019        | 0.0418      |
| 060    | 67156-76530 | COLLAR              | 1    |       |     |         | 0.015        | 0.033       |
| 070    | 67156-76540 | BOSS CLUTCH         | 1    |       |     |         | 0.41         | 0.902       |
| 080    | 67156-76550 | DISK CLUTCH         | 8    |       |     |         | 0.042        | 0.0924      |
| 090    | 67156-76560 | PLATE FRICTION      | 8    |       |     |         | 0.054        | 0.1188      |
| 100    | 66416-56520 | SHIFTER             | 1    |       |     |         | 0.56         | 1.232       |
| 110    | 67156-76580 | BOSS SHIFTER SPLINE | 1    |       |     |         | 0.146        | 0.3212      |
| 120    | 67156-76590 | COLLAR              | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 08823-54013 | BEARING NEEDLE      | 1    |       |     |         | 0.022        | 0.0484      |
| 140    | 67156-76610 | COLLAR              | 1    |       |     |         | 0.003        | 0.0066      |
| 150    | 67156-76620 | SHAFT BI-SPEED TURN | 1    |       |     |         | 0.38         | 0.836       |
| 160    | 67156-76690 | BEARING NEEDLE      | 2    |       |     |         | 0.021        | 0.0462      |
| 170    | 67910-12330 | COLLAR              | 2    |       |     |         | 0.006        | 0.0132      |
| 180    | 67156-76630 | GEAR                | 1    |       |     | 20T     | 0.293        | 0.6446      |
| 190    | 66416-56550 | GEAR                | 1    |       |     | 15T     | 0.23         | 0.506       |

## FRONT DRIVE SHAFT



030 66591-5722-0



66416-803-10




# FRONT DRIVE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67221-57110 | CASE JOINT        | 1    |        |     |         | 0.56         | 1.232       |
| 020    | 66416-57120 | SPACER            | 1    |        |     |         | 0.34         | 0.748       |
| 030    | 66591-57220 | GASKET            | 2    | ≤52031 |     |         | 0            | 0           |
| 040    | 01123-50830 | BOLT              | 3    |        |     |         | 0.015        | 0.033       |
| 045    | 67221-57100 | ASSY PIPE         | 1    | ≤52517 |     |         | 0            | 0           |
| 045    | 66591-57100 | ASSY PIPE         | 1    | ≥52518 | ↔   |         | 0.62         | 1.364       |
| 050    | 66591-57164 | PIPE              | 1    |        |     |         | 0.429        | 0.9438      |
| 060    | 66591-57170 | PIPE              | 1    |        |     |         | 0.046        | 0.1012      |
| 070    | 15108-72870 | BAND              | 1    |        |     |         | 0.027        | 0.0594      |
| 080    | 15221-11720 | CLAMP HOSE        | 1    |        |     |         | 0.03         | 0.066       |
| 090    | 67121-57150 | SEAL OIL          | 1    |        |     |         | 0.018        | 0.0396      |
| 100    | 66416-57200 | ASSY SHAFT DRIVE  | 1    |        |     |         | 1.95         | 4.29        |
| 110    | 66416-57210 | SHAFT DRIVE       | 1    |        |     |         | 1.46         | 3.212       |
| 120    | 67121-57230 | ASSY JOINT REAR   | 1    |        |     |         | 0.7          | 1.54        |
| 130    | 66591-56310 | JOINT             | 2    |        |     |         | 0.25         | 0.55        |
| 140    | 66591-56320 | ASSY JOINT CROSS  | 1    |        |     |         | 0.185        | 0.407       |
| 150    | 04611-00200 | CIR CLIP INTERNAL | 4    |        |     |         | 0.001        | 0.0022      |
| 160    | 05411-00640 | PIN SPRING        | 2    |        |     |         | 0.006        | 0.0132      |
| 170    | 67121-57250 | ASSY JOINT FRONT  | 1    |        |     |         | 0.77         | 1.694       |
| 180    | 66591-56340 | JOINT             | 1    |        |     |         | 0.338        | 0.7436      |
| 190    | 66591-56310 | JOINT             | 1    |        |     |         | 0.25         | 0.55        |
| 200    | 66591-56320 | ASSY JOINT CROSS  | 1    |        |     |         | 0.185        | 0.407       |
| 210    | 04611-00200 | CIR CLIP INTERNAL | 4    |        |     |         | 0.001        | 0.0022      |
| 220    | 05411-00628 | PIN SPRING        | 1    |        |     |         | 0.004        | 0.0088      |

## FRONT DRIVE LEVER






## FRONT DRIVE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66611-19210 | LEVER FORK        | 1    |       |     |         | 0.12         | 0.264       |
| 020    | 04811-00160 | RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 66204-19220 | RETAINER FORK ROD | 1    |       |     |         | 0.03         | 0.066       |
| 040    | 01202-50614 | BOLT              | 2    |       |     |         | 0.006        | 0.0132      |
| 050    | 66611-19230 | SHIFTER           | 1    |       |     |         | 0.012        | 0.0264      |
| 080    | 66416-42610 | LEVER FRONT DRIVE | 1    |       |     |         | 0.3          | 0.66        |
| 090    | 05411-00630 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 100    | 62061-18260 | SPRING STOPPER    | 1    |       |     |         | 0.002        | 0.0044      |
| 110    | 07715-01605 | BALL              | 1    |       |     |         | 0.003        | 0.0066      |
| 120    | 54201-23270 | GRIP              | 1    |       |     |         | 0.02         | 0.044       |


SHIFT FORK [WITH BI-SPEED TURN]



080 67156-7686-0

090 67156-7676-0

110 05411-00216



66417-811-10




## SHIFT FORK [WITH BI-SPEED TURN]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67156-76810 | ROD SHIFT          | 1    |         |     |         | 0.332        | 0.7304      |
| 020    | 67156-18230 | BUSH               | 1    |         |     |         | 0.01         | 0.022       |
| 030    | 67156-76820 | FORK SHIFT         | 1    |         |     |         | 0.82         | 1.804       |
| 040    | 67156-76830 | COLLAR PRESSURE    | 1    |         |     |         | 0.06         | 0.132       |
| 050    | 05411-00632 | PIN SPRING         | 1    |         |     |         | 0.004        | 0.0088      |
| 060    | 66416-56840 | SPRING             | 1    |         |     |         | 0.9          | 1.98        |
| 070    | 67156-76850 | SPRING B           | 1    |         |     |         | 0.15         | 0.33        |
| 075    | 67156-76600 | ASSY SHAFT ROLLER  | 1    |         |     |         | 0.12         | 0.264       |
| 080    | 67156-76860 | ROLLER SHIFT       | 1    | <=51836 |     |         | 0.014        | 0.0308      |
| 080    | 67950-76623 | ROLLER SHIFT       | 1    | >=51837 | ≠   |         | 0.015        | 0.033       |
| 090    | 67156-76760 | SHAFT SHIFT ROLLER | 1    | <=51836 |     |         | 0.086        | 0.1892      |
| 090    | 67156-76764 | SHAFT SHIFT ROLLER | 1    | >=51837 | ≠   |         | 0            | 0           |
| 090    | 67156-76765 | SHAFT SHIFT ROLLER | 1    | >=52391 | ≠   |         | 0.1          | 0.22        |
| 100    | 08101-06001 | BEARING BALL       | 1    |         |     |         | 0.024        | 0.0528      |
| 110    | 05411-00216 | PIN SPRING         | 1    | <=51836 |     |         | 0.001        | 0.0022      |
| 110    | 67950-76630 | STOPPER            | 1    | >=51837 | ≠   |         | 0            | 0           |
| 110    | 67950-76632 | STOPPER            | 1    | >=52391 | ≠   |         | 0.001        | 0.0022      |
| 120    | 04512-50120 | WASHER SPRING      | 1    |         |     |         | 0            | 0           |
| 130    | 04011-50120 | WASHER PLAIN       | 1    |         |     |         | 0.005        | 0.011       |
| 140    | 02174-50120 | NUT                | 1    |         |     |         | 0.01         | 0.022       |
| 150    | 67156-76770 | SHIM SHIFT ROD     | 2    |         |     | 1.0MM   | 0.001        | 0.0022      |
| 150    | 67156-76390 | SHIM SHIFT ROD     | 1    |         |     | 1.5MM   | 0.001        | 0.0022      |
| 160    | 67156-76970 | COVER CASE         | 1    |         |     |         | 0.073        | 0.1606      |
| 170    | 67156-76980 | GASKET             | 1    |         |     |         | 0            | 0           |
| 180    | 01123-60816 | BOLT               | 4    |         |     |         | 0.01         | 0.022       |


## SHIFT LEVER [WITH BI-SPEED TURN]



**SHIFT LEVER [WITH BI-SPEED TURN]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67156-76870 | LEVER SHIFT         | 1    |       |     |         | 0.5          | 1.1         |
| 020    | 67156-76330 | COLLAR              | 1    |       |     |         | 0.006        | 0.0132      |
| 030    | 05411-00332 | PIN SPRING          | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 66416-56890 | CAM SHIFT           | 1    |       |     |         | 0.28         | 0.616       |
| 050    | 67156-76780 | SPRING C            | 1    |       |     |         | 0.022        | 0.0484      |
| 060    | 08511-01810 | BUSH                | 1    |       |     |         | 0.005        | 0.011       |
| 070    | 67156-76910 | FORK CHANGE         | 1    |       |     |         | 0.14         | 0.308       |
| 080    | 67156-76920 | COTTER SHIFTER      | 2    |       |     |         | 0.007        | 0.0154      |
| 090    | 67156-76930 | LEVER CHANGE        | 1    |       |     |         | 0.17         | 0.374       |
| 100    | 05411-00510 | PIN SPRING          | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 67156-76750 | SEAL OIL            | 1    |       |     |         | 0.009        | 0.0198      |
| 120    | 67156-76740 | COLLAR              | 1    |       |     |         | 0.004        | 0.0088      |
| 130    | 67156-76950 | FULCRUM SHIFT LEVER | 1    |       |     |         | 0.42         | 0.924       |
| 140    | 67156-76960 | GASKET              | 1    |       |     |         | 0            | 0           |
| 150    | 01123-50822 | BOLT                | 2    |       |     |         | 0.012        | 0.0264      |
| 160    | 70112-31940 | BOLT COATING        | 2    |       |     |         | 0.012        | 0.0264      |
| 170    | 67156-76730 | SEAL OIL            | 1    |       |     |         | 0.012        | 0.0264      |
| 180    | 67156-76310 | LINK SHIFT          | 1    |       |     |         | 0.14         | 0.308       |
| 190    | 67121-56530 | END TIE ROD RH      | 1    |       |     |         | 0.23         | 0.506       |
| 200    | 67121-56560 | COVER DUST          | 1    |       |     |         | 0.008        | 0.0176      |
| 210    | 67121-56570 | CLIP                | 1    |       |     |         | 0.003        | 0.0066      |
| 220    | 02172-50120 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |
| 230    | 67156-76320 | PIN JOINT           | 1    |       |     |         | 0.017        | 0.0374      |
| 240    | 05511-50320 | PIN SPLIT           | 1    |       |     |         | 0.002        | 0.0044      |
| 250    | 04512-60100 | WASHER SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 260    | 66591-56780 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |
| 270    | 05511-52520 | PIN SPLIT           | 1    |       |     |         | 0.001        | 0.0022      |



**BI-SPEED TURN ROD [WITH BI-SPEED TURN]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-44180 | ARM BI-S.T.FULCRUM | 1    |       |     |         | 0.07         | 0.154       |
| 020    | 08511-01420 | BUSH               | 1    |       |     |         | 0.007        | 0.0154      |
| 030    | 04011-50140 | WASHER PLAIN       | 1    |       |     |         | 0.007        | 0.0154      |
| 040    | 05511-50425 | PIN SPLIT          | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 66416-44220 | ROD BI-S.T.CHANGE  | 1    |       |     |         | 0.175        | 0.385       |
| 060    | 67311-42830 | U-JOINT            | 1    |       |     |         | 0.05         | 0.11        |
| 070    | 02112-50080 | NUT                | 1    |       |     |         | 0.003        | 0.0066      |
| 080    | 05122-50822 | PIN JOINT          | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 04012-50080 | WASHER PLAIN       | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 05511-50218 | PIN SPLIT          | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 05511-50318 | PIN SPLIT          | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 04012-50080 | WASHER PLAIN       | 1    |       |     |         | 0.001        | 0.0022      |



**BI-SPEED TURN LEVER [WITH BI-SPEED TURN]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-44120 | FULCRUM BI-S.T.LEVER | 1    |       |     |         | 0.15         | 0.33        |
| 020    | 66416-44140 | LEVER BI-S.T.CHANGE  | 1    |       |     |         | 0.195        | 0.429       |
| 030    | 08511-01420 | BUSH                 | 1    |       |     |         | 0.007        | 0.0154      |
| 040    | 62061-18260 | SPRING STOPPER       | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 07715-01605 | BALL                 | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 04011-50140 | WASHER PLAIN         | 1    |       |     |         | 0.007        | 0.0154      |
| 070    | 05511-50425 | PIN SPLIT            | 1    |       |     |         | 0.003        | 0.0066      |
| 080    | 66416-44190 | ROD BI-S.T.MIDDLE    | 1    |       |     |         | 0.87         | 1.914       |
| 090    | 04012-50080 | WASHER PLAIN         | 2    |       |     |         | 0.001        | 0.0022      |
| 100    | 05511-50318 | PIN SPLIT            | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 06914-00100 | GRIP LEVER           | 1    |       |     |         | 0.02         | 0.044       |




66417-025-10

**FRONT WHEEL (6-12B)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66415-57400 | ASSY TIRE FRONT | 1    |       |     |         | 28           | 61.6        |
| 020    | 66415-57410 | ASSY TIRE LH    | 1    |       |     |         | 0            | 0           |
| 030    | 66419-57420 | WHEEL           | 1    |       |     |         | 6            | 13.2        |
| 040    | 93016-01120 | TUBE            | 1    |       |     |         | 0.7          | 1.54        |
| 050    | 96015-34130 | TIRE            | 1    |       |     |         | 7.2          | 15.84       |
| 060    | 32150-27740 | CORE VALVE      | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 38240-11690 | CAP VALVE       | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 66415-57430 | LABEL TIRE LH   | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 66415-57440 | ASSY TIRE RH    | 1    |       |     |         | 0            | 0           |
| 100    | 66419-57420 | WHEEL           | 1    |       |     |         | 6            | 13.2        |
| 110    | 93016-01120 | TUBE            | 1    |       |     |         | 0.7          | 1.54        |
| 120    | 96015-34130 | TIRE            | 1    |       |     |         | 7.2          | 15.84       |
| 130    | 32150-27740 | CORE VALVE      | 1    |       |     |         | 0.003        | 0.0066      |
| 140    | 38240-11690 | CAP VALVE       | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 66415-57450 | LABEL TIRE RH   | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 04013-60120 | WASHER PLAIN    | 12   |       |     |         | 0.01         | 0.022       |
| 170    | 04512-50120 | WASHER SPRING   | 12   |       |     |         | 0            | 0           |
| 180    | 02174-50120 | NUT             | 12   |       |     |         | 0.01         | 0.022       |
| 190    | 66591-56564 | BOLT STUD       | 12   |       |     |         | 0.028        | 0.0616      |

# FRONT WHEEL (20.5 X 8.00-10)




**FRONT WHEEL (20.5 X 8.00-10)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-57600 | ASSY FRONT WHEEL    | 1    |       |     |         | 11           | 24.2        |
| 020    | 66416-57610 | ASSY FRONT WHEEL LH | 1    |       |     |         | 11           | 24.2        |
| 030    | 66416-57620 | WHEEL               | 1    |       |     |         | 5            | 11          |
| 040    | 96018-41130 | TIRE                | 1    |       |     |         | 6.6          | 14.52       |
| 050    | 34159-11850 | VALVE TIRE          | 1    |       |     |         | 0.013        | 0.0286      |
| 060    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 080    | 66416-57630 | LABEL TIRE LH       | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 66416-57640 | ASSY FRONT WHEEL RH | 1    |       |     |         | 11           | 24.2        |
| 100    | 66416-57620 | WHEEL               | 1    |       |     |         | 5            | 11          |
| 110    | 96018-41130 | TIRE                | 1    |       |     |         | 6.6          | 14.52       |
| 120    | 34159-11850 | VALVE TIRE          | 1    |       |     |         | 0.013        | 0.0286      |
| 130    | 38240-11690 | CAP VALVE           | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 32150-27740 | CORE VALVE          | 1    |       |     |         | 0.003        | 0.0066      |
| 150    | 66416-57650 | LABEL TIRE RH       | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 04013-60120 | WASHER PLAIN        | 12   |       |     |         | 0.01         | 0.022       |
| 170    | 04512-50120 | WASHER SPRING       | 12   |       |     |         | 0            | 0           |
| 180    | 02174-50120 | NUT                 | 12   |       |     |         | 0.01         | 0.022       |
| 190    | 66591-56564 | BOLT STUD           | 12   |       |     |         | 0.028        | 0.0616      |


## FRONT AXEL FRAME



66417-011-20

100 67401-5122-0

110 01123-50825



66417-812-10




## FRONT AXEL FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66416-51210 | FRAME FRONT AXLE   | 1    | <=52176 |     |         | 0            | 0           |
| 010    | 66416-51215 | FRAME FRONT AXLE   | 1    | >=52177 | ←   |         | 19           | 41.8        |
| 020    | 01173-51025 | BOLT               | 16   |         |     |         | 0.021        | 0.0462      |
| 030    | 04512-60100 | WASHER SPRING      | 16   |         |     |         | 0.002        | 0.0044      |
| 040    | 66416-51220 | COVER DUSTPROOF    | 1    |         |     |         | 0.16         | 0.352       |
| 050    | 66416-51280 | COVER F.AXLE FRAME | 1    |         |     |         | 0.32         | 0.704       |
| 060    | 01123-50825 | BOLT               | 2    |         |     |         | 0.013        | 0.0286      |
| 070    | 67211-51120 | PLUG BLIND         | 8    |         |     |         | 0.001        | 0.0022      |
| 080    | 01125-50820 | BOLT               | 1    |         |     |         | 0            | 0           |
| 090    | 67211-11140 | PLUG BLIND         | 6    |         |     |         | 0.001        | 0.0022      |
| 100    | 67401-51220 | WASHER LOCK        | 1    | <=52176 |     |         | 0.08         | 0.176       |
| 110    | 01123-50825 | BOLT               | 2    | <=52176 |     |         | 0.013        | 0.0286      |
| 120    | 67800-51994 | SUPPORT RADIATOR   | 2    |         |     |         | 0.127        | 0.2794      |
| 130    | 01123-50825 | BOLT               | 4    |         |     |         | 0.013        | 0.0286      |

# KNUCKLE ARM [WITHOUT BI-SPEED TURN]




66417-027-10

**KNUCKLE ARM [WITHOUT BI-SPEED TURN]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67301-56510 | ARM KNUCKLE LH | 1    |         |     |         | 1.4          | 3.08        |
| 020    | 67301-56520 | ARM KNUCKLE RH | 1    |         |     |         | 1.1          | 2.42        |
| 030    | 01153-51035 | BOLT           | 8    |         |     |         | 0.025        | 0.055       |
| 040    | 04512-50080 | WASHER SPRING  | 8    |         |     |         | 0            | 0           |
| 050    | 67491-56500 | ASSY ROD TIE   | 1    |         |     |         | 1.08         | 2.376       |
| 060    | 67121-56520 | END TIE ROD LH | 1    |         |     |         | 0.24         | 0.528       |
| 070    | 67121-56560 | COVER DUST     | 1    |         |     |         | 0.008        | 0.0176      |
| 080    | 67121-56570 | CLIP           | 1    |         |     |         | 0.003        | 0.0066      |
| 090    | 67121-56530 | END TIE ROD RH | 1    |         |     |         | 0.23         | 0.506       |
| 100    | 67121-56560 | COVER DUST     | 1    |         |     |         | 0.008        | 0.0176      |
| 110    | 67121-56570 | CLIP           | 1    |         |     |         | 0.003        | 0.0066      |
| 120    | 04512-60100 | WASHER SPRING  | 2    |         |     |         | 0.002        | 0.0044      |
| 130    | 66591-56780 | NUT            | 2    |         |     |         | 0.01         | 0.022       |
| 140    | 05511-52520 | PIN SPLIT      | 2    |         |     |         | 0.001        | 0.0022      |
| 150    | 02172-50120 | NUT            | 1    |         |     |         | 0.01         | 0.022       |
| 160    | 67121-56540 | NUT            | 1    |         |     |         | 0.007        | 0.0154      |
| 170    | 66416-56900 | COMP.LINK DRAG | 1    | ≤=51479 |     |         | 0            | 0           |
| 170    | 66416-56902 | COMP.LINK DRAG | 1    | ≥=51480 | ↔   |         | 2.3          | 5.06        |
| 180    | 67121-56560 | COVER DUST     | 2    |         |     |         | 0.008        | 0.0176      |
| 190    | 67121-56570 | CLIP           | 2    |         |     |         | 0.003        | 0.0066      |
| 200    | 66591-56780 | NUT            | 2    |         |     |         | 0.01         | 0.022       |
| 210    | 05511-52528 | PIN SPLIT      | 2    |         |     |         | 0.001        | 0.0022      |
| 220    | 04512-60100 | WASHER SPRING  | 2    |         |     |         | 0.002        | 0.0044      |






# **KNUCKLE ARM [WITH BI-SPEED TURN]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67221-56412 | ARM KNUCKLE LH   | 1    |        |     |         | 2.1          | 4.62        |
| 020    | 67156-76420 | ARM KNUCKLE RH   | 1    |        |     |         | 1.62         | 3.564       |
| 030    | 04811-00250 | RING             | 2    |        |     |         | 0.001        | 0.0022      |
| 040    | 67121-56440 | BUSH             | 2    |        |     |         | 0.02         | 0.044       |
| 050    | 01123-51030 | BOLT             | 8    | ≤51940 |     |         | 0.025        | 0.055       |
| 050    | 01123-51028 | BOLT             | 8    | ≥51941 | ←   |         | 0.025        | 0.055       |
| 060    | 67121-56450 | SHIM KNUCKLE ARM | 4    |        |     | 0.5MM   | 0.002        | 0.0044      |
| 060    | 67121-56460 | SHIM KNUCKLE ARM | 4    |        |     | 0.3MM   | 0.001        | 0.0022      |
| 060    | 67121-56470 | SHIM KNUCKLE ARM | 4    |        |     | 0.2MM   | 0.001        | 0.0022      |
| 070    | 67156-76430 | ASSY ROD TIE     | 1    |        |     |         | 1.62         | 3.564       |
| 080    | 67156-76440 | ROD TIE          | 1    |        |     |         | 1.18         | 2.596       |
| 090    | 67121-56530 | END TIE ROD RH   | 1    |        |     |         | 0.23         | 0.506       |
| 100    | 67121-56560 | COVER DUST       | 1    |        |     |         | 0.008        | 0.0176      |
| 110    | 67121-56570 | CLIP             | 1    |        |     |         | 0.003        | 0.0066      |
| 120    | 67121-56520 | END TIE ROD LH   | 1    |        |     |         | 0.24         | 0.528       |
| 130    | 67121-56560 | COVER DUST       | 1    |        |     |         | 0.008        | 0.0176      |
| 140    | 67121-56570 | CLIP             | 1    |        |     |         | 0.003        | 0.0066      |
| 150    | 04512-60100 | WASHER SPRING    | 2    |        |     |         | 0.002        | 0.0044      |
| 160    | 66591-56780 | NUT              | 2    |        |     |         | 0.01         | 0.022       |
| 170    | 05511-52520 | PIN SPLIT        | 2    |        |     |         | 0.001        | 0.0022      |
| 180    | 02172-50120 | NUT              | 1    |        |     |         | 0.01         | 0.022       |
| 190    | 67121-56540 | NUT              | 1    |        |     |         | 0.007        | 0.0154      |
| 200    | 66416-56900 | COMP.LINK DRAG   | 1    | ≤51479 |     |         | 0            | 0           |
| 200    | 66416-56902 | COMP.LINK DRAG   | 1    | ≥51480 | ↔   |         | 2.3          | 5.06        |
| 210    | 67121-56560 | COVER DUST       | 2    |        |     |         | 0.008        | 0.0176      |
| 220    | 67121-56570 | CLIP             | 2    |        |     |         | 0.003        | 0.0066      |
| 230    | 66591-56780 | NUT              | 2    |        |     |         | 0.01         | 0.022       |
| 240    | 05511-52528 | PIN SPLIT        | 2    |        |     |         | 0.001        | 0.0022      |
| 250    | 04512-60100 | WASHER SPRING    | 2    |        |     |         | 0.002        | 0.0044      |



020 01517-51028

030 01517-51035




66417-813-10



# MANUAL STEERING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------------------------------------|--------------|-------------|
| 010    | 66416-41100 | ASSY STEERING       | 1    |        |     | REFER TO L.No.0F03-R0 FOR COMPONENTS. | 6.2          | 13.64       |
| 020    | 01517-51028 | STUD                | 3    | ≤51736 |     |                                       | 0.022        | 0.0484      |
| 020    | 01517-51028 | STUD                | 4    | ≥51737 |     |                                       | 0.022        | 0.0484      |
| 030    | 01517-51035 | STUD                | 1    | ≤51736 |     |                                       | 0.028        | 0.0616      |
| 040    | 02118-50100 | NUT                 | 4    |        |     |                                       | 0.005        | 0.011       |
| 050    | 04512-60100 | WASHER SPRING       | 4    |        |     |                                       | 0.002        | 0.0044      |
| 060    | 66150-41450 | ASSY WHEEL STEERING | 1    |        |     |                                       | 2.7          | 5.94        |
| 065    | 37410-41460 | WHEEL STEERING      | 1    |        |     |                                       | 2            | 4.4         |
| 070    | 37410-41470 | ASSY PAD            | 1    | ≤51810 |     |                                       | 0            | 0           |
| 070    | 67148-41470 | ASSY PAD            | 1    | ≥51811 | ≠   |                                       | 0.06         | 0.132       |
| 080    | 37410-41490 | MARK                | 1    | ≤51810 |     |                                       | 0.005        | 0.011       |
| 080    | 67148-41490 | MARK                | 1    | ≥51811 | ≠   |                                       | 0.005        | 0.011       |
| 090    | 04512-50120 | WASHER SPRING       | 1    |        |     |                                       | 0            | 0           |
| 100    | 02172-50120 | NUT                 | 1    |        |     |                                       | 0.01         | 0.022       |
| 110    | 66416-41140 | ARM PITMAN          | 1    |        |     |                                       | 0.7          | 1.54        |






## POWER STEERING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                                 | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------------------------------------|--------------|-------------|
| 010    | 66416-66102 | ASSY STEERING POWER  | 1    |        |     | REFER TO L. No. 0F04-L0 FOR COMPONENTS. | 11.8         | 25.96       |
| 020    | 66416-66900 | ASSY COLUMN STEERING | 1    | ≤52690 |     |                                         | 0            | 0           |
| 020    | 66416-66902 | ASSY COLUMN STEERING | 1    | ≥52691 | ←   |                                         | 0.64         | 1.408       |
| 030    | 66301-89010 | BUSH                 | 1    | ≤52690 |     |                                         | 0            | 0           |
| 030    | 66416-89300 | ASSY BUSH            | 1    | ≥52691 | ←   |                                         | 0.05         | 0.11        |
| 040    | 38240-16390 | SEAL OIL             | 1    |        |     |                                         | 0.03         | 0.066       |
| 050    | 66416-67110 | SHAFT STEERING       | 1    |        |     |                                         | 0.5          | 1.1         |
| 060    | 38240-16530 | O RING               | 2    |        |     |                                         | 0.001        | 0.0022      |
| 070    | 66416-67130 | SPRING               | 1    |        |     |                                         | 0.005        | 0.011       |
| 080    | 05411-00518 | PIN SPRING           | 1    |        |     |                                         | 0.002        | 0.0044      |
| 090    | 05511-50322 | PIN SPLIT            | 1    |        |     |                                         | 0.002        | 0.0044      |
| 100    | 66416-67140 | NUT                  | 1    |        |     |                                         | 0.02         | 0.044       |
| 110    | 01517-51035 | STUD                 | 4    |        |     |                                         | 0.028        | 0.0616      |
| 130    | 02118-50100 | NUT                  | 4    |        |     |                                         | 0.005        | 0.011       |
| 140    | 04512-60100 | WASHER SPRING        | 4    |        |     |                                         | 0.002        | 0.0044      |
| 150    | 37150-27370 | PIN STRAIGHT         | 2    |        |     |                                         | 0.009        | 0.0198      |
| 160    | 66150-41450 | ASSY WHEEL STEERING  | 1    |        |     |                                         | 2.7          | 5.94        |
| 165    | 37410-41460 | WHEEL STEERING       | 1    |        |     |                                         | 2            | 4.4         |
| 170    | 37410-41470 | ASSY PAD             | 1    | ≤51810 |     |                                         | 0            | 0           |
| 170    | 67148-41470 | ASSY PAD             | 1    | ≥51811 | ←   |                                         | 0.06         | 0.132       |
| 180    | 37410-41490 | MARK                 | 1    | ≤51810 |     |                                         | 0.005        | 0.011       |
| 180    | 67148-41490 | MARK                 | 1    | ≥51811 | ≠   |                                         | 0.005        | 0.011       |
| 190    | 04512-50120 | WASHER SPRING        | 1    |        |     |                                         | 0            | 0           |
| 200    | 02172-50120 | NUT                  | 1    |        |     |                                         | 0.01         | 0.022       |
| 210    | 66416-41160 | ARM PITMAN           | 1    |        |     |                                         | 0.68         | 1.496       |






## MANUAL STEERING [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 66416-41100 | ASSY STEERING       | 1    |       |     |                  | 6.2          | 13.64       |
| 020    | 66416-41110 | CASE STEERING GEAR  | 1    |       |     |                  | 2.94         | 6.468       |
| 030    | 34150-16640 | PLUG                | 1    |       |     |                  | 0.015        | 0.033       |
| 040    | 66416-41200 | COMP.NUT BALL       | 1    |       |     |                  | 0.95         | 2.09        |
| 050    | 66811-41140 | BEARING THRUST BALL | 2    |       |     |                  | 0.045        | 0.099       |
| 060    | 66416-41250 | SHAFT SECTOR        | 1    |       |     |                  | 0.73         | 1.606       |
| 070    | 09500-26387 | SEAL OIL            | 1    |       |     |                  | 0.008        | 0.0176      |
| 080    | 66811-41160 | COVER SIDE          | 1    |       |     |                  | 0.3          | 0.66        |
| 090    | 66811-41170 | GASKET              | 1    |       |     |                  | 0            | 0           |
| 100    | 01123-50822 | BOLT                | 3    |       |     |                  | 0.012        | 0.0264      |
| 110    | 66811-41180 | SCREW ADJUSTING     | 1    |       |     |                  | 0.013        | 0.0286      |
| 120    | 66811-41190 | COLLAR ADJUSTING    | 1    |       |     | 1.515 TO 1.535MM | 0.002        | 0.0044      |
| 120    | 66811-41210 | COLLAR ADJUSTING    | 1    |       |     | 1.545 TO 1.565MM | 0.001        | 0.0022      |
| 120    | 66811-41220 | COLLAR ADJUSTING    | 1    |       |     | 1.575 TO 1.595MM | 0.001        | 0.0022      |
| 120    | 66811-41230 | COLLAR ADJUSTING    | 1    |       |     | 1.605 TO 1.625MM | 0.001        | 0.0022      |
| 120    | 66811-41240 | COLLAR ADJUSTING    | 1    |       |     | 1.635 TO 1.655MM | 0.001        | 0.0022      |
| 130    | 61011-18140 | PLUG RUBBER         | 1    |       |     |                  | 0.002        | 0.0044      |
| 140    | 66811-41250 | NUT                 | 1    |       |     |                  | 0.027        | 0.0594      |
| 150    | 04714-00080 | GASKET              | 1    |       |     |                  | 0.001        | 0.0022      |
| 160    | 66416-41130 | POST STEERING       | 1    |       |     |                  | 1            | 2.2         |
| 170    | 01123-50820 | BOLT                | 4    |       |     |                  | 0.011        | 0.0242      |
| 180    | 66416-41320 | SHIM                | 1    |       |     | 0.05MM           | 0.002        | 0.0044      |
| 180    | 66416-41340 | SHIM                | 1    |       |     | 0.08MM           | 0.002        | 0.0044      |
| 180    | 66416-41350 | SHIM                | 1    |       |     | 0.10MM           | 0.003        | 0.0066      |
| 180    | 66416-41360 | SHIM                | 1    |       |     | 0.20MM           | 0.004        | 0.0088      |
| 190    | 09500-16287 | SEAL OIL            | 1    |       |     |                  | 0.01         | 0.022       |
| 200    | 67401-41150 | BUSH POST           | 1    |       |     |                  | 0.03         | 0.066       |
| 210    | 02172-50200 | NUT                 | 1    |       |     |                  | 0.03         | 0.066       |
| 220    | 04512-60200 | WASHER SPRING       | 1    |       |     |                  | 0.02         | 0.044       |






## POWER STEERING [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-66102 | ASSY STEERING POWER | 1    |       |     |         | 11.8         | 25.96       |
| 030    | 37410-66130 | SEAL                | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 37410-66140 | SEALING             | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 37410-66150 | SEALING             | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 37410-66160 | SEAL DUST           | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 66416-66200 | ASSY NUT BALL       | 1    |       |     |         | 1.6          | 3.52        |
| 080    | 37410-66220 | RING                | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 37410-66230 | O RING              | 1    |       |     |         | 0.005        | 0.011       |
| 100    | 66416-66300 | ASSY VALVE          | 1    |       |     |         | 1.52         | 3.344       |
| 110    | 15261-96010 | PLUG                | 4    |       |     |         | 0.002        | 0.0044      |
| 120    | 37410-66350 | PISTON              | 4    |       |     |         | 0.01         | 0.022       |
| 130    | 37410-66360 | SPRING              | 2    |       |     |         | 0.04         | 0.088       |
| 140    | 31391-66370 | POPPET              | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 31391-66380 | SPRING VALVE        | 1    |       |     |         | 0.015        | 0.033       |
| 160    | 37410-66370 | SCREW ADJUSTING     | 1    |       |     |         | 0.04         | 0.088       |
| 170    | 37410-66380 | SEALING             | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 37410-66400 | ASSY COVER SIDE     | 1    |       |     |         | 0.555        | 1.221       |
| 190    | 37410-66420 | SEAL                | 1    |       |     |         | 0.02         | 0.044       |
| 200    | 37410-66430 | SEALING             | 1    |       |     |         | 0.005        | 0.011       |
| 210    | 37410-66440 | SEALING             | 1    |       |     |         | 0.001        | 0.0022      |
| 220    | 66416-66500 | ASSY COVER TOP      | 1    |       |     |         | 0.8          | 1.76        |
| 230    | 37410-66520 | SEAL OIL            | 1    |       |     |         | 0.01         | 0.022       |
| 240    | 04611-00300 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.004        | 0.0088      |
| 250    | 37410-66600 | ASSY SHAFT SECTOR   | 1    |       |     |         | 0.935        | 2.057       |
| 255    | 37410-66610 | SHAFT SECTOR        | 1    |       |     |         | 0.9          | 1.98        |
| 260    | 34150-16430 | SCREW ADJUSTING     | 1    |       |     |         | 0.026        | 0.0572      |
| 270    | 37410-66620 | ADJUSTER            | 1    |       |     |         | 0.01         | 0.022       |
| 280    | 37410-66700 | ASSY COVER END      | 1    |       |     |         | 0.22         | 0.484       |
| 290    | 37410-66720 | SEAL                | 1    |       |     |         | 0.005        | 0.011       |
| 300    | 37410-66730 | SEALING             | 1    |       |     |         | 0.005        | 0.011       |
| 310    | 37410-66810 | SEALING             | 2    |       |     |         | 0.005        | 0.011       |
| 320    | 37410-66820 | SEALING             | 2    |       |     |         | 0.005        | 0.011       |
| 330    | 37410-66830 | RING DRIVE          | 2    |       |     |         | 0.01         | 0.022       |
| 340    | 37410-66840 | BEARING NEEDLE      | 2    |       |     |         | 0.005        | 0.011       |
| 350    | 37410-66850 | COLLAR THRUST       | 2    |       |     |         | 0.04         | 0.088       |
| 360    | 37410-66860 | NUT SELF-LOCKING    | 1    |       |     |         | 0.027        | 0.0594      |
| 370    | 01754-50855 | BOLT FLANGE         | 4    |       |     |         | 0.02         | 0.044       |
| 380    | 01754-50820 | BOLT FLANGE         | 4    |       |     |         | 0.015        | 0.033       |
| 390    | 02016-50100 | NUT                 | 1    |       |     |         | 0.009        | 0.0198      |
| 400    | 04611-00580 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.005        | 0.011       |
| 410    | 02174-50220 | NUT                 | 1    |       |     |         | 0.055        | 0.121       |
| 420    | 04512-50220 | WASHER SPRING       | 1    |       |     |         | 0            | 0           |






## HYDRAULIC PIPE (PS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-36350 | NIPPLE        | 2    |        |     |         | 0.06         | 0.132       |
| 020    | 66416-36360 | PIPE DELIVERY | 1    |        |     |         | 0.09         | 0.198       |
| 030    | 66416-36420 | PIPE DRAIN    | 1    |        |     |         | 0.17         | 0.374       |
| 040    | 67810-37880 | BOLT          | 1    |        |     |         | 0.033        | 0.0726      |
| 050    | 04714-00120 | GASKET        | 2    | ≤50336 |     |         | 0.001        | 0.0022      |
| 050    | 04724-00120 | GASKET        | 2    | ≥50337 | ↔   |         | 0.002        | 0.0044      |
| 060    | 36530-27662 | NIPPLE        | 1    |        |     |         | 0.055        | 0.121       |
| 070    | 04810-00110 | RING          | 2    |        |     |         | 0.001        | 0.0022      |

## HYDRAULIC PIPE (FRONT)






## HYDRAULIC PIPE (FRONT)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-36120 | PIPE SUCTION FRONT | 1    |        |     |         | 0.28         | 0.616       |
| 020    | 04811-00220 | RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 030    | 67810-37710 | BOLT JOINT         | 1    |        |     |         | 0.1          | 0.22        |
| 040    | 66416-36720 | HOSE               | 1    |        |     |         | 0.06         | 0.132       |
| 050    | 66204-36230 | BAND PIPE          | 2    | ≤52629 |     |         | 0.02         | 0.044       |
| 050    | 67955-36230 | CLAMP              | 2    | ≥52630 | ↔   |         | 0.023        | 0.0506      |
| 060    | 66416-36340 | HOSE               | 1    |        |     |         | 0.078        | 0.1716      |
| 070    | 15109-73360 | BAND PIPE          | 2    |        |     |         | 0.01         | 0.022       |

HYDRAULIC PIPE (REAR)






## HYDRAULIC PIPE (REAR)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                                  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|------------------------------------------|--------------|-------------|
| 010    | 66416-36150 | PIPE SUCTION REAR    | 1    |        |     |                                          | 0.58         | 1.276       |
| 020    | 04811-10300 | RING                 | 2    |        |     |                                          | 0.001        | 0.0022      |
| 030    | 66611-36120 | FILTER OIL           | 1    | ≤51849 |     |                                          | 0.2          | 0.44        |
| 030    | 66021-36390 | FILTER OIL           | 1    | ≥51850 | ↔   |                                          | 0.185        | 0.407       |
| 040    | 66416-36130 | PIPE DELIVERY        | 1    |        |     |                                          | 0.5          | 1.1         |
| 050    | 67111-37180 | GASKET               | 2    |        |     |                                          | 0.003        | 0.0066      |
| 060    | 66591-36250 | JOINT                | 1    |        |     |                                          | 0.08         | 0.176       |
| 070    | 66416-36140 | CLAMP PIPE           | 2    |        |     |                                          | 0.01         | 0.022       |
| 080    | 03016-50640 | SCREW CSK-HD         | 1    | ≤50548 |     |                                          | 0.008        | 0.0176      |
| 080    | 03016-50645 | SCREW CSK-HD         | 1    | ≥50549 | ≠   |                                          | 0.007        | 0.0154      |
| 090    | 67401-36710 | BOLT JOINT           | 1    |        |     |                                          | 0.087        | 0.1914      |
| 100    | 36330-63080 | NIPPLE               | 1    |        |     |                                          | 0.07         | 0.154       |
| 110    | 67401-36720 | GASKET               | 1    |        |     |                                          | 0.005        | 0.011       |
| 120    | 04714-00400 | GASKET               | 1    |        |     |                                          | 0.003        | 0.0066      |
| 130    | 04811-00140 | RING                 | 1    |        |     |                                          | 0.001        | 0.0022      |
| 140    | 66416-36600 | ASSY VALVE HYD.CHANG | 1    |        |     | MS REFER TO L.No.0F07-R0 FOR COMPONENTS. | 2            | 4.4         |
| 140    | 66416-36300 | ASSY VALVE HYD.CHANG | 1    |        |     | PS REFER TO L.No.0F08-L0 FOR COMPONENTS. | 2            | 4.4         |




66417-032-10



## HYDRAULIC BLOCK (MS) [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-36600 | ASSY VALVE HYD.CHANG | 1    |       |     |         | 2            | 4.4         |
| 020    | 67401-36320 | VALVE CHANGE         | 1    |       |     |         | 0.08         | 0.176       |
| 030    | 04811-00120 | RING                 | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 68551-61420 | RING BACK UP         | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 05012-00650 | PIN STRAIGHT         | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 04612-00160 | CIRCLIP EXTERNAL     | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 67111-37320 | SEAT VALVE           | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 04811-00120 | RING                 | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 67111-37330 | POPPET               | 1    |       |     |         | 0.008        | 0.0176      |
| 100    | 67111-37360 | SPRING RELIEF        | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 67401-36340 | COLLAR               | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 67401-36350 | SPRING               | 1    |       |     |         | 0.004        | 0.0088      |
| 130    | 67401-36360 | PLUG                 | 2    |       |     |         | 0.047        | 0.1034      |
| 140    | 04811-00180 | RING                 | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 67401-36370 | PLUG                 | 1    |       |     |         | 0.047        | 0.1034      |
| 160    | 04811-00140 | RING                 | 2    |       |     |         | 0.001        | 0.0022      |
| 170    | 67511-36640 | PLUG                 | 3    |       |     |         | 0.003        | 0.0066      |
| 180    | 05012-00620 | PIN STRAIGHT         | 2    |       |     |         | 0.005        | 0.011       |
| 190    | 67111-37530 | SHIM ADJUSTING       | 1    |       |     | 0.3MM   | 0.001        | 0.0022      |
| 190    | 67111-37580 | SHIM ADJUSTING       | 1    |       |     | 0.8MM   | 0.001        | 0.0022      |
| 200    | 67401-36380 | INTERLOCKER          | 1    |       |     |         | 0.025        | 0.055       |
| 210    | 66416-36610 | PLUG                 | 1    |       |     |         | 0.1          | 0.22        |
| 220    | 04811-00220 | RING                 | 1    |       |     |         | 0.001        | 0.0022      |
| 230    | 66416-36620 | PLUG                 | 1    |       |     |         | 0.033        | 0.0726      |
| 240    | 04811-00110 | RING                 | 1    |       |     |         | 0.001        | 0.0022      |






## HYDRAULIC BLOCK (PS) [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-36300 | ASSY VALVE HYD.  | 1    |       |     |         | 2            | 4.4         |
| 020    | 67401-36320 | VALVE CHANGE     | 1    |       |     |         | 0.08         | 0.176       |
| 030    | 04811-00120 | RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 68551-61420 | RING BACK UP     | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 05012-00650 | PIN STRAIGHT     | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 04612-00160 | CIRCLIP EXTERNAL | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 67111-37320 | SEAT VALVE       | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 04811-00120 | RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 67111-37330 | POPPET           | 1    |       |     |         | 0.008        | 0.0176      |
| 100    | 67111-37360 | SPRING RELIEF    | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 67401-36340 | COLLAR           | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 67401-36350 | SPRING           | 1    |       |     |         | 0.004        | 0.0088      |
| 130    | 67401-36360 | PLUG             | 2    |       |     |         | 0.047        | 0.1034      |
| 140    | 04811-00180 | RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 67401-36370 | PLUG             | 1    |       |     |         | 0.047        | 0.1034      |
| 160    | 04811-00140 | RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 170    | 67511-36640 | PLUG             | 3    |       |     |         | 0.003        | 0.0066      |
| 180    | 05012-00620 | PIN STRAIGHT     | 2    |       |     |         | 0.005        | 0.011       |
| 190    | 67111-37530 | SHIM ADJUSTING   | 1    |       |     | 0.3MM   | 0.001        | 0.0022      |
| 190    | 67111-37580 | SHIM ADJUSTING   | 1    |       |     | 0.8MM   | 0.001        | 0.0022      |
| 200    | 67401-36380 | INTERLOCKER      | 1    |       |     |         | 0.025        | 0.055       |
| 210    | 67817-38300 | ASSY DIVIDER     | 1    |       |     |         | 0.2          | 0.44        |
| 220    | 67817-38390 | DIVIDER          | 1    |       |     |         | 0.142        | 0.3124      |
| 230    | 04811-00220 | RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 67810-38320 | SPRING           | 1    |       |     |         | 0.005        | 0.011       |
| 250    | 67810-38340 | DAMPER           | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 67810-38350 | DIVIDER          | 1    |       |     |         | 0.025        | 0.055       |
| 270    | 04811-05130 | RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 280    | 67810-38360 | RING BACK UP     | 1    |       |     |         | 0.001        | 0.0022      |
| 290    | 04811-05150 | RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 300    | 67810-38370 | RING BACK UP     | 1    |       |     |         | 0.001        | 0.0022      |
| 310    | 04811-00050 | RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 320    | 67810-38430 | PLUG             | 1    |       |     |         | 0.005        | 0.011       |

## LIFT ARM




010 66416-3640-0

015 01023-50610

020 66416-3622-0

020 66416-3622-2


030 05411-00440



010 66416-3640-5

020 66416-3624-0

030 02114-50080




66417-814-10



## LIFT ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS                                 | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|-----------------------------------------|--------------|-------------|
| 010    | 66416-36400 | ASSY CAP CYLINDER | 1    | ≤52016 |     | REFER TO L. No. 0F10-L0 FOR COMPONENTS. | 1.66         | 3.652       |
| 010    | 66416-36405 | ASSY CAP CYLINDER | 1    | ≥52017 | ≠   | REFER TO L. No. 0F10-R0 FOR COMPONENTS. | 1.72         | 3.784       |
| 010    | 66416-36900 | ASSY CAP CYLINDER | 1    | ≥52491 | ≠   | REFER TO L. No. 0F11-L0 FOR COMPONENTS. | 1.7          | 3.74        |
| 015    | 01023-50610 | BOLT              | 2    | ≤52016 |     |                                         | 0.005        | 0.011       |
| 020    | 66416-36220 | STOPPER           | 1    | ≤51772 |     |                                         | 0.035        | 0.077       |
| 020    | 66416-36222 | STOPPER           | 1    | ≥51773 | ↔   |                                         | 0.03         | 0.066       |
| 020    | 66416-36240 | LEVER HYD.LOCK    | 1    | ≥52017 | ≠   |                                         | 0.03         | 0.066       |
| 020    | 66416-36242 | LEVER HYD.LOCK    | 1    | ≥52491 | ≠   |                                         | 0.04         | 0.088       |
| 030    | 05411-00440 | PIN SPRING        | 1    | ≤52016 |     |                                         | 0.002        | 0.0044      |
| 030    | 02114-50080 | NUT               | 2    | ≥52017 | ≠   |                                         | 0.005        | 0.011       |
| 030    | 02116-50100 | NUT               | 1    | ≥52491 | ≠   |                                         | 0.004        | 0.0088      |
| 040    | 04810-50600 | RING              | 1    |        |     |                                         | 0.002        | 0.0044      |
| 050    | 04810-05110 | O RING            | 1    |        |     |                                         | 0.001        | 0.0022      |
| 060    | 01123-51250 | BOLT              | 2    |        |     |                                         | 0.055        | 0.121       |
| 070    | 66711-36440 | BOLT              | 2    | ≤52016 |     |                                         | 0.045        | 0.099       |
| 070    | 01123-51240 | BOLT              | 2    | ≥52017 | ≠   |                                         | 0.048        | 0.1056      |
| 080    | 66417-36310 | STAY              | 1    | ≤52039 |     |                                         | 0            | 0           |
| 080    | 66417-36312 | STAY              | 1    | ≥52040 | ←   |                                         | 0.1          | 0.22        |
| 090    | 01123-51025 | BOLT              | 2    |        |     |                                         | 0.02         | 0.044       |
| 100    | 04013-50100 | WASHER PLAIN      | 2    |        |     |                                         | 0            | 0           |
| 110    | 67156-36410 | PISTON HYD.       | 1    |        |     |                                         | 0.63         | 1.386       |
| 120    | 04810-00550 | RING              | 1    |        |     |                                         | 0.008        | 0.0176      |
| 130    | 67156-36420 | RING BACK UP      | 1    | ≤51383 |     |                                         | 0.004        | 0.0088      |
| 130    | 68773-21560 | RING BACK UP      | 1    | ≥51384 | ←   |                                         | 0.005        | 0.011       |
| 140    | 67156-36430 | ROD HYD.PISTON    | 1    |        |     |                                         | 0.46         | 1.012       |
| 150    | 66416-36450 | ARM HYDRAULIC     | 1    |        |     |                                         | 0.8          | 1.76        |
| 160    | 67156-36460 | PIN HYD.ARM       | 1    |        |     |                                         | 0.09         | 0.198       |
| 170    | 01123-50818 | BOLT              | 1    |        |     |                                         | 0.012        | 0.0264      |
| 180    | 66416-36470 | SHAFT HYD.ARM     | 1    | ≤52016 |     |                                         | 0            | 0           |
| 180    | 66416-36472 | SHAFT HYD.ARM     | 1    | ≥52017 | ≠   |                                         | 1.35         | 2.97        |
| 190    | 04612-00320 | CIRCLIP EXTERNAL  | 1    |        |     |                                         | 0.004        | 0.0088      |
| 200    | 09230-30456 | SEAL OIL          | 2    |        |     |                                         | 0.011        | 0.0242      |
| 210    | 66416-36512 | ARM LIFT LH       | 1    | ≤52016 |     |                                         | 0            | 0           |
| 210    | 67950-36515 | ARM LIFT LH       | 1    | ≥52017 | ←   |                                         | 1.62         | 3.564       |
| 220    | 66416-36522 | ARM LIFT RH       | 1    | ≤52016 |     |                                         | 0            | 0           |
| 220    | 67950-36525 | ARM LIFT RH       | 1    | ≥52017 | ←   |                                         | 1.7          | 3.74        |
| 230    | 01123-51055 | BOLT              | 2    | ≤52016 |     |                                         | 0.038        | 0.0836      |
| 230    | 05411-01050 | PIN SPRING        | 2    | ≥52017 | ≠   |                                         | 0.019        | 0.0418      |
| 240    | 66621-36750 | PLATE HYD.ARM     | 1    |        |     |                                         | 0.34         | 0.748       |
| 250    | 67211-36610 | BOLT              | 2    |        |     |                                         | 0.015        | 0.033       |




**HYD.CYLINDER CAP [COMPONENT PARTS]**

S.No.:B1550E;&lt;=10390, B1550D;&lt;=52016, B1750E;&lt;=10346, B1750D;&lt;=52277

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66416-36400 | ASSY CAP CYLINDER | 1    |         |     |         | 1.66         | 3.652       |
| 020    | 66416-36410 | CAP CYLINDER      | 1    | <=50926 |     |         | 1.5          | 3.3         |
| 020    | 66416-36413 | CAP CYLINDER      | 1    | >=50927 | ≠   |         | 1.44         | 3.168       |
| 030    | 66416-36810 | ROTOR             | 1    | <=50926 |     |         | 0.09         | 0.198       |
| 030    | 66416-36813 | ROTOR             | 1    | >=50927 | ≠   |         | 0.07         | 0.154       |
| 040    | 66416-36820 | PLATE             | 1    |         |     |         | 0.05         | 0.11        |
| 050    | 01123-50814 | BOLT              | 2    |         |     |         | 0            | 0           |
| 060    | 66416-36830 | SEAT CHECK VALVE  | 1    |         |     |         | 0.003        | 0.0066      |
| 070    | 66416-36840 | POPPET            | 1    |         |     |         | 0.01         | 0.022       |
| 080    | 66416-36850 | SPRING            | 1    |         |     |         | 0.005        | 0.011       |
| 090    | 04724-00160 | GASKET            | 1    |         |     |         | 0.003        | 0.0066      |
| 100    | 06331-35016 | PLUG              | 1    |         |     |         | 0.04         | 0.088       |
| 110    | 04811-06100 | O RING            | 1    | <=50926 |     |         | 0.001        | 0.0022      |
| 110    | 04811-06100 | O RING            | 2    | >=50927 |     |         | 0.001        | 0.0022      |
| 120    | 66416-36860 | PLUG SCREW        | 3    |         |     |         | 0.001        | 0.0022      |
| 130    | 02116-50100 | NUT               | 2    |         |     |         | 0.004        | 0.0088      |
| 140    | 04013-50080 | WASHER PLAIN      | 2    |         |     |         | 0            | 0           |
| 150    | 66416-36870 | SPRING PLATE      | 2    |         |     |         | 0.001        | 0.0022      |
| 160    | 66416-36880 | COVER             | 1    |         |     |         | 0.02         | 0.044       |
| 170    | 04810-00120 | RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 180    | 66416-36890 | RING              | 1    |         |     |         | 0.001        | 0.0022      |




**HYD.CYLINDER CAP [COMPONENT PARTS]**

S.No.:B1550E;10391 TO 10486, B1550D;52017 TO 52490, B1750E;10347 TO 10396, B1750D;52278 TO 53635

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-36405 | ASSY CAP CYLINDER | 1    |       |     |         | 1.72         | 3.784       |
| 030    | 67950-36240 | SHAFT ADJUSTING   | 1    |       |     |         | 0.045        | 0.099       |
| 040    | 67950-36250 | LEVER             | 1    |       |     |         | 0.04         | 0.088       |
| 050    | 67950-36260 | PLUG              | 1    |       |     |         | 0.07         | 0.154       |
| 060    | 04811-00110 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 67950-36270 | SPRING SET        | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 04810-00180 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 67950-36280 | VALVE             | 1    |       |     |         | 0.006        | 0.0132      |
| 100    | 67950-36290 | POPPET            | 1    |       |     |         | 0.012        | 0.0264      |
| 110    | 67950-36320 | SPRING RETURN     | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 04013-50060 | WASHER PLAIN      | 1    |       |     |         | 0            | 0           |
| 130    | 04611-00140 | CIR CLIP INTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 05411-00536 | PIN SPRING        | 2    |       |     |         | 0.003        | 0.0066      |
| 150    | 01311-10614 | BOLT HEX-SOC-HD   | 1    |       |     |         | 0.005        | 0.011       |
| 160    | 66416-36860 | PLUG SCREW        | 1    |       |     |         | 0.001        | 0.0022      |



Y2001-066-20


**HYD.CYLINDER CAP [COMPONENT PARTS]**

S.No.:B1550E;&gt;=10487, B1550D;&gt;=52491, B1750E;&gt;=10397, B1750D;&gt;=53636

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-36900 | ASSY CAP CYLINDER | 1    |       |     |         | 1.7          | 3.74        |
| 030    | 67955-36240 | SHAFT ADJUSTING   | 1    |       |     |         | 0.06         | 0.132       |
| 040    | 04810-00110 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 67955-36250 | LEVER ADJUSTING   | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 04512-60160 | WASHER SPRING     | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 02172-50160 | NUT               | 1    |       |     |         | 0.017        | 0.0374      |
| 080    | 67950-36280 | VALVE             | 1    |       |     |         | 0.006        | 0.0132      |
| 090    | 67950-36290 | POPPET            | 1    |       |     |         | 0.012        | 0.0264      |
| 100    | 67950-36320 | SPRING RETURN     | 1    |       |     |         | 0.002        | 0.0044      |
| 110    | 04013-50060 | WASHER PLAIN      | 1    |       |     |         | 0            | 0           |
| 120    | 04611-00140 | CIR CLIP INTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 05411-00528 | PIN SPRING        | 1    |       |     |         | 0.003        | 0.0066      |
| 150    | 66416-36860 | PLUG SCREW        | 1    |       |     |         | 0.001        | 0.0022      |

## CONTROL VALVE






## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------------------------------------|--------------|-------------|
| 010    | 66416-36200 | ASSY VALVE CONTROL | 1    | <=52468 |     | REFER TO L.No.0F12-L0 FOR COMPONENTS. | 0            | 0           |
| 010    | 66416-36203 | ASSY VALVE CONTROL | 1    | >=52469 | ←   | REFER TO L.No.0F12-L0 FOR COMPONENTS. | 0            | 0           |
| 020    | 04810-00120 | RING               | 2    |         |     |                                       | 0.001        | 0.0022      |
| 030    | 01153-50895 | BOLT               | 3    |         |     |                                       | 0.035        | 0.077       |
| 040    | 04512-50080 | WASHER SPRING      | 3    |         |     |                                       | 0            | 0           |
| 050    | 67401-36220 | HOLDER FEED BACK   | 1    |         |     |                                       | 0.11         | 0.242       |
| 060    | 01123-50822 | BOLT               | 2    |         |     |                                       | 0.012        | 0.0264      |
| 070    | 67401-36230 | ROD FEEDBACK       | 1    |         |     |                                       | 0.07         | 0.154       |
| 080    | 67401-36240 | ROD FEEDBACK       | 1    |         |     |                                       | 0.025        | 0.055       |
| 090    | 02112-50080 | NUT                | 2    |         |     |                                       | 0.003        | 0.0066      |
| 100    | 04012-50080 | WASHER PLAIN       | 2    |         |     |                                       | 0.001        | 0.0022      |
| 110    | 05511-50218 | PIN SPLIT          | 2    |         |     |                                       | 0.001        | 0.0022      |
| 120    | 66416-38810 | GUIDE LEVER        | 1    |         |     |                                       | 0.15         | 0.33        |
| 130    | 66416-36230 | STOPPER            | 1    |         |     |                                       | 0.02         | 0.044       |
| 140    | 04015-60060 | WASHER PLAIN       | 1    |         |     |                                       | 0.005        | 0.011       |
| 150    | 67531-38830 | STOPPER            | 1    |         |     |                                       | 0.01         | 0.022       |
| 160    | 67531-38840 | STOPPER            | 1    |         |     |                                       | 0.005        | 0.011       |
| 170    | 02810-50060 | NUT WING           | 2    |         |     |                                       | 0.009        | 0.0198      |
| 180    | 04512-60060 | WASHER SPRING      | 2    |         |     |                                       | 0.001        | 0.0022      |
| 190    | 04013-50080 | WASHER PLAIN       | 2    |         |     |                                       | 0            | 0           |
| 200    | 01123-50818 | BOLT               | 1    |         |     |                                       | 0.012        | 0.0264      |
| 210    | 01123-50830 | BOLT               | 1    |         |     |                                       | 0.015        | 0.033       |
| 220    | 04013-50080 | WASHER PLAIN       | 2    |         |     |                                       | 0            | 0           |
| 230    | 34350-36890 | GRIP LEVER         | 1    |         |     |                                       | 0.016        | 0.0352      |





## CONTROL VALVE [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-36200 | ASSY VALVE CONTROL  | 1    | ≤52468 |     |         | 0            | 0           |
| 010    | 66416-36203 | ASSY VALVE CONTROL  | 1    | ≥52469 | ←   |         | 0            | 0           |
| 020    | 67156-36520 | POPPET              | 1    |        |     |         | 0.022        | 0.0484      |
| 030    | 67156-36530 | SPRING              | 1    |        |     |         | 0.005        | 0.011       |
| 040    | 04811-00120 | RING                | 2    |        |     |         | 0.001        | 0.0022      |
| 050    | 67156-36540 | PLUG                | 1    |        |     |         | 0.039        | 0.0858      |
| 060    | 02014-50060 | NUT                 | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | 67156-36550 | RETAINER ROD        | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 67156-36560 | PLUG                | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 04811-06100 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 67156-36570 | POPPET              | 1    |        |     |         | 0.022        | 0.0484      |
| 110    | 67156-36580 | SPRING              | 1    |        |     |         | 0.008        | 0.0176      |
| 120    | 04811-00050 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 130    | 67156-36590 | RING BACK UP        | 1    |        |     |         | 0.001        | 0.0022      |
| 140    | 67156-36610 | SEAT VALVE          | 1    |        |     |         | 0.01         | 0.022       |
| 150    | 67156-36620 | POPPET              | 1    |        |     |         | 0.002        | 0.0044      |
| 160    | 67156-36630 | SPRING RELIEF       | 1    |        |     |         | 0.013        | 0.0286      |
| 170    | 67156-36640 | COLLAR              | 1    |        |     |         | 0.02         | 0.044       |
| 180    | 67156-36650 | SCREW ADJUSTING     | 1    |        |     |         | 0.015        | 0.033       |
| 190    | 67156-36660 | SHIM ADJUSTING      | 1    |        |     | 0.3MM   | 0.001        | 0.0022      |
| 190    | 67156-36670 | SHIM ADJUSTING      | 1    |        |     | 0.8MM   | 0.002        | 0.0044      |
| 190    | 67156-36680 | SHIM ADJUSTING      | 1    |        |     | 0.2MM   | 0.001        | 0.0022      |
| 200    | 67156-36690 | PLUG                | 1    |        |     |         | 0.055        | 0.121       |
| 210    | 04810-00090 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 220    | 67156-36710 | POPPET              | 1    |        |     |         | 0.015        | 0.033       |
| 230    | 66416-36730 | SPRING              | 1    |        |     |         | 0.045        | 0.099       |
| 240    | 67156-36730 | PLATE               | 1    |        |     |         | 0.1          | 0.22        |
| 250    | 01202-50610 | BOLT                | 1    |        |     |         | 0.004        | 0.0088      |
| 260    | 67156-36740 | COVER               | 1    |        |     |         | 0.015        | 0.033       |
| 270    | 04811-00070 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 280    | 66361-36750 | POPPET              | 1    |        |     |         | 0.02         | 0.044       |
| 290    | 67156-36760 | SPRING              | 1    |        |     |         | 0.004        | 0.0088      |
| 300    | 07715-03211 | BALL                | 1    |        |     |         | 0.003        | 0.0066      |
| 310    | 67156-36780 | COLLAR              | 1    |        |     |         | 0.01         | 0.022       |
| 320    | 67156-36790 | SPRING SPOOL        | 1    |        |     |         | 0.01         | 0.022       |
| 330    | 66361-36800 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 340    | 67156-36820 | PLATE JOINT         | 1    |        |     |         | 0.036        | 0.0792      |
| 350    | 01123-50818 | BOLT                | 1    |        |     |         | 0.012        | 0.0264      |
| 360    | 67156-36830 | GASKET RELIEF COVER | 1    |        |     |         | 0            | 0           |
| 370    | 67156-36840 | COVER RELIEF        | 1    |        |     |         | 0.15         | 0.33        |
| 380    | 01222-50650 | BOLT                | 2    |        |     |         | 0.011        | 0.0242      |
| 390    | 67156-36850 | GASKET              | 1    |        |     |         | 0            | 0           |
| 400    | 67156-36862 | COVER VALVE         | 1    |        |     |         | 0.23         | 0.506       |
| 410    | 01202-50665 | BOLT                | 2    |        |     |         | 0.02         | 0.044       |
| 420    | 67156-36870 | U-NUT               | 1    | ≤51777 |     |         | 0            | 0           |
| 420    | 67950-59140 | U-NUT               | 1    | ≥51778 | ↔   |         | 0.01         | 0.022       |
| 430    | 66416-38640 | LEVER CONTROL       | 1    |        |     |         | 0.25         | 0.55        |
| 440    | 67156-36890 | WASHER SPRING       | 2    |        |     |         | 0            | 0           |
| 450    | 67156-36910 | COLLAR              | 1    |        |     |         | 0.013        | 0.0286      |
| 460    | 67156-36920 | SHAFT CONTROL ARM   | 1    |        |     |         | 0.02         | 0.044       |
| 470    | 05411-00516 | PIN SPRING          | 2    |        |     |         | 0.002        | 0.0044      |
| 480    | 04811-00090 | O RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 485    | 04811-00110 | O RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 490    | 67156-36932 | SHAFT CONTROL LEVER | 1    |        |     |         | 0.065        | 0.143       |
| 500    | 66361-36940 | LEVER SPOOL DRIVE   | 1    |        |     |         | 0.04         | 0.088       |
| 510    | 04012-50060 | WASHER PLAIN        | 1    |        |     |         | 0.001        | 0.0022      |

**CONTROL VALVE [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 520    | 04613-00050 | CIRCLIP EXTERNAL | 1    |        |     |         | 0            | 0           |
| 530    | 67156-36952 | ARM FEED BACK    | 1    |        |     |         | 0.06         | 0.132       |
| 540    | 67156-36960 | PLATE            | 1    | ≤52468 |     |         | 0            | 0           |
| 540    | 67156-36962 | PLATE            | 1    | ≥52469 | ←   |         | 0.012        | 0.0264      |
| 550    | 67156-36970 | SHAFT BACK LEVER | 1    |        |     |         | 0.054        | 0.1188      |
| 560    | 01202-50620 | BOLT             | 2    |        |     |         | 0.007        | 0.0154      |
| 570    | 67156-36980 | PLUG SCREW       | 4    |        |     |         | 0.004        | 0.0088      |
| 580    | 03410-50616 | SCREW SET        | 1    |        |     |         | 0.005        | 0.011       |
| 590    | 04512-50060 | WASHER SPRING    | 4    |        |     |         | 0            | 0           |






## TOP LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|----------|--------------|-------------|
| 010    | 66416-65200 | ASSY ROD 3-P.LINK | 1    | <=50784 |     | [A] [CA] | 0            | 0           |
| 010    | 66416-65202 | ASSY ROD 3-P.LINK | 1    | >=50785 | ←   | [A] [CA] | 22           | 48.4        |
| 010    | 66416-65400 | ASSY ROD 3-POINT  | 1    | >=52518 | ≠   | [A] [CA] | 23.29        | 51.238      |
| 010    | 66416-65200 | ASSY ROD 3-P.LINK | 1    | <=50784 |     | [AU]     | 0            | 0           |
| 010    | 66416-65202 | ASSY ROD 3-POINT  | 1    | >=50785 | ←   | [AU]     | 22           | 48.4        |
| 020    | 66416-65210 | BRACKET TOP LINK  | 1    | <=51858 |     |          | 0            | 0           |
| 020    | 66416-65212 | BRACKET TOP LINK  | 1    | >=51859 | ←   |          | 1.2          | 2.64        |
| 030    | 01123-51230 | BOLT              | 2    |         |     |          | 0.04         | 0.088       |
| 040    | 66706-65332 | LINK TOP          | 1    |         |     |          | 1            | 2.2         |
| 050    | 67211-42940 | NIPPLE GREASE     | 2    |         |     |          | 0.001        | 0.0022      |
| 060    | 66706-65340 | NUT TOP LINK      | 1    |         |     |          | 0.05         | 0.11        |
| 070    | 66706-65352 | JOINT TOP LINK LH | 1    |         |     |          | 0.73         | 1.606       |
| 080    | 66706-65362 | JOINT TOP LINK RH | 1    |         |     |          | 0.77         | 1.694       |
| 090    | 05411-00422 | PIN SPRING        | 2    |         |     |          | 0.001        | 0.0022      |
| 100    | 34150-37640 | PIN SET           | 3    |         |     |          | 0.06         | 0.132       |
| 110    | 31150-71360 | PIN JOINT         | 2    |         |     |          | 0.166        | 0.3652      |

## LOWER LINK






# LOWER LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 66416-65200 | ASSY ROD 3-P.LINK   | 1    | ≤50784 |     | [A] [CA] | 0            | 0           |
| 010    | 66416-65202 | ASSY ROD 3-P.LINK   | 1    | ≥50785 | ←   | [A] [CA] | 22           | 48.4        |
| 010    | 66416-65400 | ASSY ROD 3-POINT    | 1    | ≥52518 | ≠   | [A] [CA] | 23.29        | 51.238      |
| 010    | 66416-65200 | ASSY ROD 3-P.LINK   | 1    | ≤50784 |     | [AU]     | 0            | 0           |
| 010    | 66416-65202 | ASSY ROD 3-POINT    | 1    | ≥50785 | ←   | [AU]     | 22           | 48.4        |
| 020    | 67401-65210 | COMP.LINK LOWER     | 2    | ≤50784 |     |          | 0            | 0           |
| 020    | 67401-65213 | COMP.LINK LOWER     | 2    | ≥50785 | ←   |          | 5.34         | 11.748      |
| 030    | 67401-65290 | BRACKET CHECK CHAIN | 1    |        |     |          | 0.63         | 1.386       |
| 040    | 66204-65350 | SPACER              | 2    | ≤52517 |     | [A] [CA] | 0.12         | 0.264       |
| 040    | 66204-88320 | SPACER              | 2    | ≥52518 | ≠   | [A] [CA] | 0.006        | 0.0132      |
| 040    | 66204-65350 | SPACER              | 2    |        |     | [AU]     | 0.12         | 0.264       |
| 045    | 67800-71220 | SPACER              | 2    | ≥52518 |     | [A] [CA] | 0.06         | 0.132       |
| 050    | 67401-65370 | JOINT CHAIN         | 4    |        |     |          | 0.1          | 0.22        |
| 060    | 66706-65380 | PIN SET             | 4    |        |     |          | 0.021        | 0.0462      |
| 070    | 05511-50318 | PIN SPLIT           | 2    |        |     |          | 0.001        | 0.0022      |
| 080    | 05515-51000 | PIN SNAP            | 2    |        |     |          | 0            | 0           |
| 090    | 66706-65310 | BOLT TURNBUCKLE RH  | 2    |        |     |          | 0.153        | 0.3366      |
| 100    | 66706-65320 | BOLT TURNBUCKLE LH  | 2    |        |     |          | 0.153        | 0.3366      |
| 110    | 02112-50120 | NUT                 | 2    |        |     |          | 0.007        | 0.0154      |
| 120    | 96316-05580 | TURNBUCKLE          | 2    |        |     |          | 0.14         | 0.308       |
| 130    | 66704-86110 | PIN LOWER LINK      | 1    |        |     |          | 1.19         | 2.618       |
| 140    | 66204-65120 | BOLT SET            | 1    |        |     |          | 0.055        | 0.121       |
| 150    | 02174-50140 | NUT                 | 1    |        |     |          | 0.014        | 0.0308      |
| 160    | 66204-65502 | ASSY HITCH          | 1    |        |     |          | 3.6          | 7.92        |
| 170    | 66204-65606 | COMP.HITCH          | 1    |        |     |          | 3.59         | 7.898       |
| 180    | 01153-51235 | BOLT                | 3    |        |     |          | 0.039        | 0.0858      |
| 190    | 04512-50120 | WASHER SPRING       | 3    |        |     |          | 0            | 0           |
| 200    | 66204-65610 | PIN HITCH           | 1    | ≤52039 |     |          | 0            | 0           |
| 200    | 67800-29320 | PIN HITCH           | 1    | ≥52040 | ↔   |          | 0.2          | 0.44        |
| 210    | 31150-29730 | PIN SPRING          | 1    |        |     |          | 0.044        | 0.0968      |
| 220    | 34150-37640 | PIN SET             | 4    |        |     |          | 0.06         | 0.132       |
| 230    | 66204-86510 | DRAWBAR             | 1    |        |     | [CA]     | 3.06         | 6.732       |

## LIFTING ROD






## LIFTING ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|----------|--------------|-------------|
| 010    | 66416-65200 | ASSY ROD 3-P.LINK | 1    | <=50784 |     | [A] [CA] | 0            | 0           |
| 010    | 66416-65202 | ASSY ROD 3-P.LINK | 1    | >=50785 | ←   | [A] [CA] | 22           | 48.4        |
| 010    | 66416-65400 | ASSY ROD 3-POINT  | 1    | >=52518 | ≠   | [A] [CA] | 23.29        | 51.238      |
| 010    | 66416-65200 | ASSY ROD 3-P.LINK | 1    | <=50784 |     | [AU]     | 0            | 0           |
| 010    | 66416-65202 | ASSY ROD 3-POINT  | 1    | >=50785 | ←   | [AU]     | 22           | 48.4        |
| 020    | 67401-65230 | ROD LIFT UPPER RH | 1    |         |     |          | 0.53         | 1.166       |
| 030    | 67401-65240 | ROD LIFT LOWER RH | 1    |         |     |          | 0.5          | 1.1         |
| 040    | 67401-65250 | ROD LIFT MIDDLE   | 1    |         |     |          | 0.44         | 0.968       |
| 050    | 02172-50180 | NUT               | 1    |         |     |          | 0.021        | 0.0462      |
| 060    | 67401-65270 | ROD LIFT LH       | 1    |         |     |          | 1.34         | 2.948       |
| 070    | 96316-18250 | PIN LINK          | 2    | <=52230 |     |          | 0            | 0           |
| 070    | 67950-77420 | PIN LINK          | 2    | >=52231 | ↔   |          | 0.14         | 0.308       |
| 080    | 02174-50120 | NUT               | 2    |         |     |          | 0.01         | 0.022       |
| 090    | 04512-50120 | WASHER SPRING     | 2    |         |     |          | 0            | 0           |
| 100    | 34150-37640 | PIN SET           | 2    |         |     |          | 0.06         | 0.132       |
| 110    | 05511-50425 | PIN SPLIT         | 3    |         |     |          | 0.003        | 0.0066      |
| 120    | 05122-51240 | PIN JOINT         | 3    |         |     |          | 0.039        | 0.0858      |

## HOOD (BONNET)






## HOOD (BONNET)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66416-54103 | COMP.BONNET        | 1    | <=50856 |     |         | 0            | 0           |
| 010    | 66416-54105 | COMP.BONNET        | 1    | >=50857 | ≠   |         | 7.5          | 16.5        |
| 020    | 31351-65180 | MASCOT             | 1    |         |     |         | 0.01         | 0.022       |
| 030    | 04512-50040 | WASHER SPRING      | 1    |         |     |         | 0            | 0           |
| 040    | 04013-60040 | WASHER PLAIN       | 1    |         |     |         | 0.002        | 0.0044      |
| 050    | 02054-50040 | NUT                | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 66416-54110 | CUSHION BONNET     | 1    | <=50856 |     |         | 0.09         | 0.198       |
| 060    | 66416-54113 | CUSHION BONNET     | 1    | >=50857 | ≠   |         | 0.09         | 0.198       |
| 070    | 66416-54410 | MASK FRONT         | 1    | <=51810 |     |         | 0            | 0           |
| 070    | 66416-54412 | MASK FRONT         | 1    | >=51811 | ←   |         | 0.23         | 0.506       |
| 080    | 66416-54120 | TRIM BONNET SIDE   | 2    |         |     |         | 0.06         | 0.132       |
| 090    | 66416-51452 | BLOCK DUSTPROOF    | 1    |         |     |         | 0.04         | 0.088       |
| 100    | 66416-54240 | ASSY LINK BONNET   | 1    |         |     |         | 0.28         | 0.616       |
| 110    | 05122-50816 | PIN JOINT          | 1    |         |     |         | 0.007        | 0.0154      |
| 120    | 04013-50080 | WASHER PLAIN       | 2    | <=50926 |     |         | 0            | 0           |
| 120    | 04717-00800 | WASHER WITH RUBBER | 2    | >=50927 | ←   |         | 0.001        | 0.0022      |
| 130    | 05525-50800 | PIN SNAP           | 2    |         |     |         | 0.001        | 0.0022      |






## LACE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67156-47500 | ASSY LACE FRONT | 1    |       |     |         | 0.1          | 0.22        |
| 020    | 67156-47510 | LACE FRONT      | 1    |       |     |         | 0.124        | 0.2728      |
| 030    | 67156-47520 | LACE FRONT LH   | 1    |       |     |         | 0.087        | 0.1914      |
| 040    | 67156-47530 | LACE FRONT RH   | 1    |       |     |         | 0.088        | 0.1936      |
| 050    | 02014-50060 | NUT             | 6    |       |     |         | 0.003        | 0.0066      |
| 060    | 04512-60600 | WASHER SPRING   | 6    |       |     |         | 0            | 0           |
| 070    | 66416-47550 | LACE SIDE FRONT | 2    |       |     |         | 0.184        | 0.4048      |
| 080    | 66416-47570 | LACE SIDE REAR  | 2    |       |     |         | 0.05         | 0.11        |
| 090    | 02014-50060 | NUT             | 12   |       |     |         | 0.003        | 0.0066      |
| 100    | 04512-60060 | WASHER SPRING   | 12   |       |     |         | 0.001        | 0.0022      |

## HOOD COVER REAR



66416-003-20




## HOOD COVER REAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|--------------|--------------|-------------|
| 010    | 66416-55113 | COVER BONNET REAR | 1    | ≤50784 |     |              | 0            | 0           |
| 010    | 66416-55114 | COVER BONNET REAR | 1    | ≥50785 | ←   |              | 3.5          | 7.7         |
| 020    | 01754-50616 | BOLT FLANGE       | 2    |        |     |              | 0.006        | 0.0132      |
| 030    | 37300-35140 | SPACER            | 2    |        |     |              | 0.006        | 0.0132      |
| 040    | 66361-51680 | CUSHION           | 2    |        |     |              | 0.01         | 0.022       |
| 050    | 01153-50830 | BOLT              | 2    |        |     |              | 0            | 0           |
| 060    | 04015-60080 | WASHER PLAIN      | 2    |        |     |              | 0.01         | 0.022       |
| 070    | 67156-41260 | CAP POST          | 1    |        |     | MANUAL STRG. | 0.036        | 0.0792      |
| 070    | 66418-54950 | CAP POST          | 1    |        |     | POWER STRG.  | 0.1          | 0.22        |
| 080    | 66416-54910 | BLOCK DUSTPROOF   | 1    |        |     |              | 0.01         | 0.022       |
| 090    | 38240-29290 | PLUG              | 2    | ≥50785 |     |              | 0.001        | 0.0022      |

## SKIRT (FRONT)






## SKIRT (FRONT)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 37150-13920 | CUSHION             | 4    |         |     |         | 0.005        | 0.011       |
| 020    | 66416-51360 | COVER FRONT         | 1    |         |     |         | 0.31         | 0.682       |
| 030    | 66416-51410 | STOPPER             | 1    |         |     |         | 0.14         | 0.308       |
| 040    | 66416-51420 | STOPPER LH          | 1    |         |     |         | 0.05         | 0.11        |
| 050    | 66416-51430 | STOPPER RH          | 1    |         |     |         | 0.05         | 0.11        |
| 060    | 03514-50612 | SCREW TAPPING       | 8    |         |     |         | 0.002        | 0.0044      |
| 070    | 66416-51370 | NET DUSTPROOF FRONT | 1    |         |     |         | 0.13         | 0.286       |
| 080    | 67401-51380 | NUT                 | 14   |         |     |         | 0.002        | 0.0044      |
| 090    | 66416-54210 | LOCKER              | 1    |         |     |         | 0.18         | 0.396       |
| 100    | 01125-50820 | BOLT                | 2    |         |     |         | 0            | 0           |
| 110    | 66416-54220 | LEVER HOOK          | 1    |         |     |         | 0.09         | 0.198       |
| 120    | 66416-54230 | SPRING              | 1    |         |     |         | 0.01         | 0.022       |
| 130    | 05511-50320 | PIN SPLIT           | 1    |         |     |         | 0.002        | 0.0044      |
| 140    | 66416-54810 | BRACKET BONNET      | 1    | <=50784 |     |         | 0            | 0           |
| 140    | 66416-54812 | BRACKET BONNET      | 1    | >=50785 | ←   |         | 1.13         | 2.486       |
| 150    | 01125-51025 | BOLT                | 4    | <=51383 |     |         | 0.015        | 0.033       |
| 150    | 01133-51030 | BOLT                | 4    | >=51384 | ←   |         | 0.025        | 0.055       |
| 160    | 37410-54720 | CUSHION             | 2    |         |     |         | 0.025        | 0.055       |
| 170    | 01153-50825 | BOLT                | 1    |         |     |         | 0.012        | 0.0264      |
| 180    | 02112-50080 | NUT                 | 2    |         |     |         | 0.003        | 0.0066      |
| 190    | 66416-54290 | SUPPORT             | 1    |         |     |         | 0.02         | 0.044       |
| 200    | 01025-50620 | BOLT                | 2    |         |     |         | 0.02         | 0.044       |
| 210    | 67156-54470 | CUSHION             | 2    |         |     |         | 0.003        | 0.0066      |
| 220    | 01754-50620 | BOLT FLANGE         | 2    |         |     |         | 0.007        | 0.0154      |
| 230    | 04013-50100 | WASHER PLAIN        | 4    | >=51384 |     |         | 0            | 0           |

## SKIRT (SIDE)



100 67401-5279-0

110 01811-50615




66417-815-10

**SKIRT (SIDE)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-51310 | SKIRT LH         | 1    | ≤50548 |     |         | 0            | 0           |
| 010    | 66416-51314 | SKIRT LH         | 1    | ≥50549 | ←   |         | 1.1          | 2.42        |
| 020    | 01820-50615 | BOLT KNOB        | 2    |        |     |         | 0.017        | 0.0374      |
| 025    | 67156-54480 | RUBBER KNOB      | 2    |        |     |         | 0.001        | 0.0022      |
| 030    | 66416-51480 | TRIM SKIRT LH    | 2    |        |     |         | 0.03         | 0.066       |
| 040    | 66417-51380 | TRIM SKIRT FRONT | 2    |        |     |         | 0.015        | 0.033       |
| 050    | 66417-51390 | TRIM SKIRT REAR  | 1    |        |     |         | 0.07         | 0.154       |
| 060    | 66416-51320 | SKIRT RH         | 1    |        |     |         | 1.33         | 2.926       |
| 070    | 01811-50615 | BOLT WING        | 4    |        |     |         | 0.015        | 0.033       |
| 080    | 66417-51455 | COVER            | 1    |        |     |         | 0.09         | 0.198       |
| 090    | 01125-50820 | BOLT             | 1    | ≤50336 |     |         | 0            | 0           |
| 090    | 01125-50820 | BOLT             | 2    | ≥50337 |     |         | 0            | 0           |
| 100    | 67401-52790 | SPRING PLATE     | 1    | ≤50336 |     |         | 0.002        | 0.0044      |
| 110    | 01811-50615 | BOLT WING        | 1    | ≤50336 |     |         | 0.015        | 0.033       |
| 120    | 66361-58220 | CUSHION          | 1    |        |     |         | 0.001        | 0.0022      |
| 140    | 67156-54470 | CUSHION          | 2    |        |     |         | 0.003        | 0.0066      |

## DUST COVER






## DUST COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-51333 | AUX.SKIRT LH         | 1    |       |     |         | 0.4          | 0.88        |
| 020    | 66416-51344 | AUX.SKIRT RH         | 1    |       |     |         | 0.47         | 1.034       |
| 030    | 01125-50820 | BOLT                 | 2    |       |     |         | 0            | 0           |
| 040    | 01025-50620 | BOLT                 | 2    |       |     |         | 0.02         | 0.044       |
| 050    | 66416-51530 | COVER DUSTPROOF REAR | 1    |       |     |         | 0.18         | 0.396       |
| 060    | 66416-51520 | COVER DUSTPROOF REAR | 1    |       |     |         | 0.18         | 0.396       |
| 070    | 66416-51510 | COVER DUSTPROOF REAR | 1    |       |     |         | 0.61         | 1.342       |
| 080    | 01023-50614 | BOLT                 | 5    |       |     |         | 0.005        | 0.011       |
| 090    | 66416-51540 | BLOCK DUSTPROOF      | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 66416-51550 | BLOCK DUSTPROOF      | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 67211-54230 | TAPE                 | 2    |       |     |         | 0.01         | 0.022       |
| 120    | 66416-51560 | TAPE DUSTPROOF       | 1    |       |     |         | 0.005        | 0.011       |
| 130    | 67511-54730 | SPONGE               | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 67401-51490 | BLOCK DUSTPROOF      | 1    |       |     |         | 0.018        | 0.0396      |
| 150    | 37150-13920 | CUSHION              | 4    |       |     |         | 0.005        | 0.011       |






## TANK SUPPORT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66416-51710 | SUPPORT BONNET REAR | 1    |         |     |         | 1.99         | 4.378       |
| 020    | 01125-50820 | BOLT                | 4    |         |     |         | 0            | 0           |
| 030    | 66416-54150 | SUPPORT FRAME       | 1    |         |     |         | 1.25         | 2.75        |
| 040    | 01125-50820 | BOLT                | 4    |         |     |         | 0            | 0           |
| 050    | 66416-54162 | SUPPORT TANK        | 1    |         |     |         | 1.9          | 4.18        |
| 060    | 01125-50820 | BOLT                | 4    |         |     |         | 0            | 0           |
| 070    | 66416-54170 | STAY TANK SUPPORT   | 1    |         |     |         | 0.013        | 0.0286      |
| 080    | 01125-50820 | BOLT                | 2    |         |     |         | 0            | 0           |
| 090    | 37410-54150 | BUSH                | 2    |         |     |         | 0.001        | 0.0022      |
| 100    | 05122-50822 | PIN JOINT           | 2    |         |     |         | 0.01         | 0.022       |
| 110    | 04013-50080 | WASHER PLAIN        | 2    | <=50926 |     |         | 0            | 0           |
| 110    | 04717-00800 | WASHER WITH RUBBER  | 2    | >=50927 | ←   |         | 0.001        | 0.0022      |
| 120    | 05525-50800 | PIN SNAP            | 2    |         |     |         | 0.001        | 0.0022      |




160 66418-5221-0

170 01123-50818

180 04013-50080

190 38240-2957-0




66416-804-10



## FENDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-52130 | GUIDE LEVER        | 1    |        |     |         | 0.53         | 1.166       |
| 020    | 03017-50816 | SCREW CR-REC-BD-HD | 3    |        |     |         | 0.01         | 0.022       |
| 030    | 04512-50080 | WASHER SPRING      | 3    |        |     |         | 0            | 0           |
| 040    | 02114-50080 | NUT                | 3    |        |     |         | 0.005        | 0.011       |
| 050    | 66416-52710 | COMP.FENDER LH     | 1    | ≤50784 |     |         | 5.8          | 12.76       |
| 050    | 66416-52713 | COMP.FENDER LH     | 1    | ≥50785 | ≠   |         | 7            | 15.4        |
| 060    | 66416-52720 | COMP.FENDER RH     | 1    | ≤50784 |     |         | 6            | 13.2        |
| 060    | 66416-52728 | COMP.FENDER RH     | 1    | ≥50785 | ≠   |         | 11           | 24.2        |
| 070    | 01123-50818 | BOLT               | 4    |        |     |         | 0.012        | 0.0264      |
| 080    | 67061-52732 | STAY FENDER        | 1    |        |     |         | 0.29         | 0.638       |
| 090    | 66021-55510 | CLIP WIRE          | 4    |        |     |         | 0.005        | 0.011       |
| 100    | 01123-50818 | BOLT               | 2    |        |     |         | 0.012        | 0.0264      |
| 110    | 67061-52740 | CUSHION            | 6    |        |     |         | 0.02         | 0.044       |
| 120    | 67061-52750 | COLLAR SPACER      | 6    |        |     |         | 0.025        | 0.055       |
| 130    | 01513-50865 | STUD               | 6    |        |     |         | 0.026        | 0.0572      |
| 140    | 04512-50080 | WASHER SPRING      | 6    |        |     |         | 0            | 0           |
| 150    | 02114-50080 | NUT                | 6    |        |     |         | 0.005        | 0.011       |
| 160    | 66418-52210 | HANDRAIL           | 2    | ≤50784 |     |         | 0.2          | 0.44        |
| 160    | 34670-29440 | HANDRAIL           | 2    | ≥50785 | ≠   |         | 0.1          | 0.22        |
| 160    | 31351-29440 | HANDRAIL           | 2    | ≥52475 | ↔   |         | 0            | 0           |
| 170    | 01123-50818 | BOLT               | 4    | ≤50784 |     |         | 0.012        | 0.0264      |
| 170    | 02174-50140 | NUT                | 4    | ≥50785 | ≠   |         | 0.014        | 0.0308      |
| 180    | 04013-50080 | WASHER PLAIN       | 4    | ≤50784 |     |         | 0            | 0           |
| 180    | 04013-60140 | WASHER PLAIN       | 4    | ≥50785 | ≠   |         | 0.01         | 0.022       |
| 190    | 38240-29570 | PLUG               | 9    | ≤50784 |     |         | 0.001        | 0.0022      |
| 190    | 38240-29570 | PLUG               | 4    | ≥50785 |     |         | 0.001        | 0.0022      |
| 200    | 32150-29180 | CAP RUBBER         | 2    |        |     |         | 0.002        | 0.0044      |






## SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS             | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------------------|--------------|-------------|
| 010    | 32420-72960 | SEAT               | 1    | <=51772 |     | [A]                 | 0            | 0           |
| 010    | 35080-18400 | ASSY SEAT          | 1    | >=51773 | ↔   | [A] RESERVED BY KTC | 0            | 0           |
| 010    | 32420-72960 | SEAT               | 1    | <=51777 |     | [CA] [AU]           | 0            | 0           |
| 010    | 32420-72962 | SEAT               | 1    | >=51778 | ←   | [CA] [AU]           | 8            | 17.6        |
| 020    | 67061-45920 | BRACKET            | 1    |         |     |                     | 0.18         | 0.396       |
| 030    | 01123-60816 | BOLT               | 4    |         |     |                     | 0.01         | 0.022       |
| 040    | 66416-45920 | STAY               | 1    | <=51772 |     |                     | 0            | 0           |
| 040    | 67401-45922 | STAY               | 1    | >=51773 | ←   |                     | 0.08         | 0.176       |
| 050    | 01123-60816 | BOLT               | 2    |         |     |                     | 0.01         | 0.022       |
| 060    | 05122-51045 | PIN JOINT          | 2    |         |     |                     | 0            | 0           |
| 070    | 05515-61000 | PIN SNAP           | 2    |         |     |                     | 0.003        | 0.0066      |
| 080    | 66591-41540 | CUSHION            | 4    |         |     |                     | 0.01         | 0.022       |
| 090    | 66591-41550 | COLLAR             | 2    |         |     |                     | 0.02         | 0.044       |
| 100    | 66416-45930 | ASSY ADJUSTER SEAT | 1    |         |     |                     | 3.3          | 7.26        |
| 110    | 67061-45943 | COMP ADJUSTER SEAT | 1    |         |     |                     | 2.4          | 5.28        |
| 120    | 66416-45950 | SUPPORT ADJUSTER   | 1    |         |     |                     | 0.165        | 0.363       |
| 130    | 66416-45960 | SUPPORT ADJUSTER   | 1    |         |     |                     | 0.41         | 0.902       |
| 140    | 04512-60100 | WASHER SPRING      | 4    |         |     |                     | 0.002        | 0.0044      |
| 150    | 02018-50100 | NUT                | 4    |         |     |                     | 0.011        | 0.0242      |
| 160    | 01123-50825 | BOLT               | 2    |         |     |                     | 0.013        | 0.0286      |
| 170    | 01123-50825 | BOLT               | 2    |         |     |                     | 0.013        | 0.0286      |
| 180    | 67061-45970 | SPRING SEAT        | 2    |         |     |                     | 0.13         | 0.286       |
| 190    | 04015-60080 | WASHER PLAIN       | 2    |         |     |                     | 0.01         | 0.022       |
| 200    | 01123-50820 | BOLT               | 2    |         |     |                     | 0.011        | 0.0242      |
| 210    | 66301-52820 | CAP SPRING         | 2    |         |     |                     | 0.04         | 0.088       |
| 220    | 66416-54950 | BRACKET SMV        | 1    | <=51772 |     |                     | 0            | 0           |
| 220    | 66704-54952 | BRACKET SMV        | 1    | >=51773 | ←   |                     | 0.15         | 0.33        |
| 230    | 01053-50616 | BOLT               | 2    |         |     |                     | 0.005        | 0.011       |
| 240    | 04013-50060 | WASHER PLAIN       | 2    |         |     |                     | 0            | 0           |
| 250    | 04512-60060 | WASHER SPRING      | 2    |         |     |                     | 0.001        | 0.0022      |
| 260    | 02014-50060 | NUT                | 2    |         |     |                     | 0.003        | 0.0066      |






## STEP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-51120 | BRACKET STEP LH    | 1    |       |     |         | 0.75         | 1.65        |
| 020    | 66416-51130 | BRACKET STEP RH    | 1    |       |     |         | 0.85         | 1.87        |
| 030    | 01123-50818 | BOLT               | 6    |       |     |         | 0.012        | 0.0264      |
| 040    | 66416-51140 | SUPPORT STEP LH    | 1    |       |     |         | 0.54         | 1.188       |
| 050    | 66416-51150 | SUPPORT STEP RH    | 1    |       |     |         | 0.59         | 1.298       |
| 060    | 01123-50814 | BOLT               | 2    |       |     |         | 0            | 0           |
| 070    | 66416-51160 | STEP LH            | 1    |       |     |         | 2.8          | 6.16        |
| 080    | 66416-51170 | COMP.STEP RH       | 1    |       |     |         | 2.98         | 6.556       |
| 090    | 67401-51180 | BUSH RUBBER        | 2    |       |     |         | 0.01         | 0.022       |
| 100    | 67111-51560 | PLATE BRAKE        | 1    |       |     |         | 0.025        | 0.055       |
| 110    | 01123-50818 | BOLT               | 2    |       |     |         | 0.012        | 0.0264      |
| 120    | 04013-50080 | WASHER PLAIN       | 2    |       |     |         | 0            | 0           |
| 130    | 67111-51570 | HOLDER BRAKE       | 1    |       |     |         | 0.025        | 0.055       |
| 140    | 38240-29870 | CUSHION            | 1    |       |     |         | 0.004        | 0.0088      |
| 150    | 67401-51190 | SPRING ACCEL.PEDAL | 1    |       |     |         | 0.006        | 0.0132      |
| 160    | 66416-51240 | ROD ACCEL.         | 1    |       |     |         | 0.06         | 0.132       |
| 170    | 04717-00600 | WASHER WITH RUBBER | 2    |       |     |         | 0.001        | 0.0022      |
| 180    | 04013-50060 | WASHER PLAIN       | 2    |       |     |         | 0            | 0           |
| 190    | 05511-51612 | PIN SPLIT          | 2    |       |     |         | 0.001        | 0.0022      |
| 200    | 66361-51680 | CUSHION            | 4    |       |     |         | 0.01         | 0.022       |
| 210    | 37300-35140 | SPACER             | 4    |       |     |         | 0.006        | 0.0132      |
| 220    | 01123-50828 | BOLT               | 4    |       |     |         | 0.014        | 0.0308      |
| 230    | 04015-60080 | WASHER PLAIN       | 4    |       |     |         | 0.01         | 0.022       |
| 240    | 02112-50080 | NUT                | 4    |       |     |         | 0.003        | 0.0066      |
| 250    | 04015-60080 | WASHER PLAIN       | 2    |       |     |         | 0.01         | 0.022       |
| 260    | 05511-50430 | PIN SPLIT          | 2    |       |     |         | 0.004        | 0.0088      |






# ROPS [A CA]

S.No.:B1550E;<=10462, B1550D;<=52390, B1750E;<=10388, B1750D;<=53163

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66416-72100 | ASSY ROPS           | 1    |         |     |         | 0            | 0           |
| 020    | 66416-72170 | MANUAL CONSTRUCTION | 1    | <=51880 |     |         | 0.003        | 0.0066      |
| 020    | 66416-72172 | MANUAL CONSTRUCTION | 1    | >=51881 | ≠   |         | 0            | 0           |
| 030    | 66416-72200 | HOLDER SEAT BELT M. | 1    | >=51881 |     |         | 0.028        | 0.0616      |
| 040    | 66416-72210 | HOLDER SEAT BELT F. | 1    | >=51881 |     |         | 0.032        | 0.0704      |
| 070    | 66416-72190 | ASSY BELT SEAT      | 1    |         |     |         | 0.34         | 0.748       |
| 080    | 01173-51428 | BOLT                | 2    |         |     |         | 0.049        | 0.1078      |
| 090    | 04512-50140 | WASHER SPRING       | 2    |         |     |         | 0            | 0           |
| 100    | 04013-60140 | WASHER PLAIN        | 2    |         |     |         | 0.01         | 0.022       |
| 110    | 01173-51025 | BOLT                | 2    |         |     |         | 0.021        | 0.0462      |
| 120    | 04512-60100 | WASHER SPRING       | 2    |         |     |         | 0.002        | 0.0044      |
| 130    | 04013-50100 | WASHER PLAIN        | 2    |         |     |         | 0            | 0           |
| 140    | 02176-50100 | NUT                 | 2    |         |     |         | 0.005        | 0.011       |
| 150    | 01173-51025 | BOLT                | 6    |         |     |         | 0.021        | 0.0462      |
| 160    | 02176-50100 | NUT                 | 6    |         |     |         | 0.005        | 0.011       |
| 170    | 04512-60100 | WASHER SPRING       | 6    |         |     |         | 0.002        | 0.0044      |
| 180    | 01156-51245 | BOLT                | 6    |         |     |         | 0.05         | 0.11        |
| 190    | 04512-50120 | WASHER SPRING       | 6    |         |     |         | 0            | 0           |
| 200    | 01156-51230 | BOLT                | 4    |         |     |         | 0.037        | 0.0814      |
| 210    | 04512-50120 | WASHER SPRING       | 4    |         |     |         | 0            | 0           |




**ROPS [A CA]**

S.No.:B1550E;&gt;=10463, B1550D;&gt;=52391, B1750E;&gt;=10389, B1750D;&gt;=53164

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66416-73100 | ASSY ROPS           | 1    |       |     |         | 0            | 0           |
| 020    | 66416-72190 | ASSY BELT SEAT      | 1    |       |     |         | 0.34         | 0.748       |
| 030    | 01173-51430 | BOLT                | 2    |       |     |         | 0.052        | 0.1144      |
| 040    | 04512-50140 | WASHER SPRING       | 2    |       |     |         | 0            | 0           |
| 050    | 01173-51025 | BOLT                | 2    |       |     |         | 0.021        | 0.0462      |
| 060    | 04512-60100 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | 04013-50100 | WASHER PLAIN        | 2    |       |     |         | 0            | 0           |
| 080    | 02176-50100 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 66416-73170 | MANUAL INSTRUCTION  | 1    |       |     |         | 0            | 0           |
| 100    | 66416-72200 | HOLDER SEAT BELT M. | 1    |       |     |         | 0.028        | 0.0616      |
| 110    | 66416-72210 | HOLDER SEAT BELT F. | 1    |       |     |         | 0.032        | 0.0704      |
| 120    | 01156-51245 | BOLT                | 4    |       |     |         | 0.05         | 0.11        |
| 130    | 04512-50120 | WASHER SPRING       | 4    |       |     |         | 0            | 0           |
| 140    | 01156-51285 | BOLT                | 4    |       |     |         | 0.074        | 0.1628      |
| 150    | 04512-50120 | WASHER SPRING       | 4    |       |     |         | 0            | 0           |






# LABEL 1


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 66414-47110 | LABEL BONNET LH     | 1    | ≤51810 |     |               | 0.02         | 0.044       |
| 010    | 66414-47112 | LABEL BONNET LH     | 1    | ≥51811 | ≠   |               | 0.027        | 0.0594      |
| 020    | 66414-47120 | LABEL BONNET RH     | 1    | ≤51810 |     |               | 0.02         | 0.044       |
| 020    | 66414-47122 | LABEL BONNET RH     | 1    | ≥51811 | ≠   |               | 0.025        | 0.055       |
| 030    | 35260-34912 | LABEL SAFETY        | 1    | ≤51772 |     | ENGLISH       | 0            | 0           |
| 030    | 35260-34913 | LABEL SAFETY        | 1    | ≥51773 | ←   | ENGLISH       | 0.005        | 0.011       |
| 030    | 35261-34910 | LABEL SAFETY        | 1    |        |     | FRENCH        | 0.006        | 0.0132      |
| 040    | 35820-98632 | LABEL START CAUTION | 1    |        |     | ENGLISH       | 0.003        | 0.0066      |
| 040    | 32530-65930 | LABEL START CAUTION | 1    |        |     | FRENCH        | 0.001        | 0.0022      |
| 050    | 66706-47140 | LABEL               | 1    | ≤51772 |     |               | 0            | 0           |
| 050    | 66426-47140 | LABEL LIFT          | 1    | ≥51773 | ↔   |               | 0.002        | 0.0044      |
| 070    | 54102-24410 | RIVET               | 4    |        |     |               | 0.001        | 0.0022      |
| 080    | 35260-29782 | LABEL ROPS WARNING  | 1    |        |     | ENGLISH       | 0.001        | 0.0022      |
| 080    | 35871-98640 | LABEL ROPS WARNING  | 1    |        |     | FRENCH        | 0.002        | 0.0044      |
| 090    | 35260-29790 | LABEL DRAWBAR       | 1    |        |     | ENGLISH       | 0.002        | 0.0044      |
| 090    | 35871-98660 | LABEL DRAWBAR       | 1    |        |     | FRENCH        | 0.001        | 0.0022      |
| 100    | 66416-47230 | LABEL 4WD           | 2    |        |     |               | 0.002        | 0.0044      |
| 110    | 66416-47240 | LABEL BI-SPEED TURN | 2    |        |     | BI-SPEED TURN | 0.001        | 0.0022      |




66416-030-10

010 15232-8821-0



100 66706-4728-0



66416-805-10



## LABEL 2

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 15232-88210 | LABEL GLOW PLUG     | 1    | ≤51846 |     |               | 0.001        | 0.0022      |
| 020    | 15372-87230 | LABEL CAUTION       | 1    |        |     |               | 0.001        | 0.0022      |
| 030    | 15372-87210 | LABEL CAUTION       | 1    | ≤52781 |     |               | 0.001        | 0.0022      |
| 030    | 15372-87213 | LABEL CAUTION       | 1    | ≥52782 | ≠   |               | 0.001        | 0.0022      |
| 040    | 67817-47180 | LABEL MAIN SHIFT    | 1    |        |     |               | 0.001        | 0.0022      |
| 050    | 67817-47190 | LABEL MAIN SHIFT    | 1    |        |     |               | 0.001        | 0.0022      |
| 060    | 35200-25340 | LABEL PTO WARNING   | 1    |        |     | ENGLISH       | 0.002        | 0.0044      |
| 060    | 67840-47210 | LABEL PTO           | 1    |        |     | FRENCH        | 0.001        | 0.0022      |
| 070    | 66706-47120 | LABEL               | 1    | ≤51772 |     |               | 0.001        | 0.0022      |
| 070    | 66426-47120 | LABEL HI-LO SHIFT   | 1    | ≥51773 | ↔   |               | 0.001        | 0.0022      |
| 080    | 67061-47212 | LABEL PTO S-CHANGE  | 1    | ≤51772 |     |               | 0            | 0           |
| 080    | 66426-47200 | LABEL PTO           | 1    | ≥51773 | ↔   |               | 0.01         | 0.022       |
| 090    | 66706-47150 | LABEL               | 1    | ≤51772 |     |               | 0            | 0           |
| 090    | 66426-47150 | LABEL 4WD           | 1    | ≥51773 | ↔   |               | 0.005        | 0.011       |
| 100    | 66706-47280 | LABEL BATTERY       | 1    | ≤50856 |     |               | 0.003        | 0.0066      |
| 110    | 67061-47230 | LABEL HYD.LOCK      | 1    |        |     |               | 0.001        | 0.0022      |
| 120    | 67401-47240 | LABEL DIFF.LOCK     | 1    |        |     |               | 0.002        | 0.0044      |
| 130    | 67156-47310 | LABEL ACCEL.GRIP    | 1    |        |     |               | 0.001        | 0.0022      |
| 140    | 32530-65530 | LABEL HAZARD MARK   | 1    | ≤50669 |     |               | 0.001        | 0.0022      |
| 140    | 32539-65530 | LABEL HAZARD MARK   | 1    | ≥50670 | ≠   |               | 0.001        | 0.0022      |
| 150    | 66416-47320 | LABEL MAIN SWITCH   | 1    |        |     |               | 0.001        | 0.0022      |
| 160    | 66416-47850 | LABEL BI-S.T.CHANGE | 1    |        |     | BI-SPEED TURN | 0.002        | 0.0044      |
| 170    | 66416-47130 | LABEL STEERING      | 1    |        |     | POWER STRG.   | 0.001        | 0.0022      |



## ACCESSORIES AND SERVICE PARTS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66416-62910 | MANUAL INSTRUCTION  | 1    | ≤51846 |     |         | 0            | 0           |
| 010    | 66416-62913 | MANUAL INSTRUCTION  | 1    | ≥51847 | ←   |         | 0.14         | 0.308       |
| 020    | 15241-86610 | WRENCH FILTER       | 1    | ≤52128 |     |         | 0.133        | 0.2926      |
| 020    | 15241-86612 | WRENCH FILTER       | 1    | ≥52129 | ↔   |         | 0.115        | 0.253       |
| 030    | 67401-62930 | ASSY SPACER CLUTCH  | 1    |        |     |         | 0.03         | 0.066       |
| 040    | 67211-62940 | PIECE DISTANCE      | 1    |        |     |         | 0.08         | 0.176       |
| 050    | 67401-62950 | LABEL CLUTCH SPACER | 1    |        |     |         | 0.002        | 0.0044      |
| 060    | 67111-55190 | RING FUSIBLE        | 1    |        |     |         | 0.005        | 0.011       |
| 070    | 66416-62920 | ASSY BAG SPARE FUSE | 1    |        |     |         | 0.01         | 0.022       |
| 080    | 35820-75560 | FUSE AUTO           | 2    |        |     | 15A     | 0.002        | 0.0044      |