

# Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

**REF.No** → The number referring to the part on the picture page of the parts book.

**Part No.** → The number assigned to this part at the time of printing the parts book.

**Description** → Discription of part.

**Q'ty** → Quantity of part used on that page.

**S.No.** → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

**I/C** → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

# The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

**Remarks** → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


## Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

| Symbol | Country                  |
|--------|--------------------------|
| A      | United States of America |
| CA     | Canada                   |
| FR     | France                   |
| GR     | Greece                   |
| PO     | Portugal                 |
| AU     | Australia                |

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.

ALL PRODUCT INDEX  
B2100HSD



| Item                 | Part No. | Description                           | Book     |
|----------------------|----------|---------------------------------------|----------|
| ENGINE               | 010001   | CRANK CASE                            | 100A0080 |
|                      | 010002   | OIL PAN                               | 100A0080 |
|                      | 010003   | CYLINDER HEAD                         | 100A0080 |
|                      | 010004   | GEAR CASE                             | 100A0080 |
|                      | 010005   | HEAD COVER                            | 100A0080 |
|                      | 010100   | MAIN BEARING CASE                     | 100A0080 |
|                      | 010101   | CAMSHAFT AND IDLE GEAR SHAFT          | 100A0080 |
|                      | 010102   | PISTON AND CRANK SHAFT                | 100A0080 |
|                      | 010103   | FLYWHEEL                              | 100A0080 |
|                      | 010105   | FUEL CAMSHAFT AND GOVERNOR SHAFT      | 100A0080 |
|                      | 010201   | STOP SOLENOID                         | 100A0080 |
|                      | 010202   | INJECTION PUMP                        | 100A0080 |
|                      | 010203   | INJECTION PUMP [COMPONENT PARTS]      | 100A0080 |
|                      | 010204   | GOVERNOR                              | 100A0080 |
|                      | 010205   | SPEED CONTROL PLATE                   | 100A0080 |
|                      | 010206   | NOZZLE HOLDER AND GLOW PLUG           | 100A0080 |
|                      | 010207   | NOZZLE HOLDER [COMPONENT PARTS]       | 100A0080 |
|                      | 010500   | WATER FLANGE AND THERMOSTAT           | 100A0080 |
|                      | 010501   | WATER PUMP                            | 100A0080 |
|                      | 010600   | VALVE AND ROCKER ARM                  | 100A0080 |
|                      | 010601   | INLET MANIFOLD                        | 100A0080 |
|                      | 010602   | EXHAUST MANIFOLD                      | 100A0080 |
|                      | 01090001 | UPPER GASKET KIT                      | 100A0080 |
|                      | 01090002 | LOWER GASKET KIT                      | 100A0080 |
| ELECTRICAL SYSTEM    | 01A521   | DYNAMO                                | 100A0080 |
|                      | 01A523   | DYNAMO [COMPONENT PARTS]              | 100A0080 |
| CLUTCH               | 01C101   | CLUTCH                                | 100A0080 |
| HYDRAULIC SYSTEM     | 01J120   | HYDRAULIC PUMP                        | 100A0080 |
|                      | 01J125   | HYDRAULIC PUMP [COMPONENT PARTS]      | 100A0080 |
| ENGINE               | 02060301 | AIR CLEANER                           | 100A0080 |
|                      | 02060302 | AIR CLEANER                           | 100A0080 |
|                      | 02060303 | AIR CLEANER (DOUBLE) [OPTION]         | 100A0080 |
|                      | 020605   | MUFFLER                               | 100A0080 |
| FUEL SYSTEM          | 02A001   | ACCELERATOR LEVER                     | 100A0080 |
|                      | 02A101   | FUEL TANK                             | 100A0080 |
|                      | 02A110   | FUEL PIPE                             | 100A0080 |
|                      | 02A11001 | FUEL PIPE                             | 100A0080 |
|                      | 02A130   | FUEL FILTER [COMPONENT PARTS]         | 100A0080 |
| COOLING WATER SYSTEM | 02A401   | FAN                                   | 100A0080 |
|                      | 02A410   | WATER PIPE                            | 100A0080 |
|                      | 02A420   | RADIATOR                              | 100A0080 |
| ELECTRICAL SYSTEM    | 02A515   | ALTERNATOR [CA]                       | 100A0080 |
|                      | 02A520   | ALTERNATOR [COMPONENT PARTS] [CA]     | 100A0080 |
|                      | 02A525   | STARTER                               | 100A0080 |
|                      | 02A530   | STARTER [COMPONENT PARTS]             | 100A0080 |
|                      | 02A535   | BATTERY                               | 100A0080 |
|                      | 02B115   | PANEL BOARD                           | 100A0080 |
|                      | 02B120   | PANEL BOARD [COMPONENT PARTS]         | 100A0080 |
|                      | 02B301   | HEAD LIGHT                            | 100A0080 |
|                      | 02B302   | TAIL LIGHT/HAZARD LIGHT/WORKING LIGHT | 100A0080 |
|                      | 02B50101 | ELECTRICAL WIRING                     | 100A0080 |
|                      | 02B50102 | ELECTRICAL WIRING [CA]                | 100A0080 |
| CLUTCH               | 02C110   | CLUTCH ROD                            | 100A0080 |
|                      | 02C301   | CLUTCH PEDAL                          | 100A0080 |
|                      | 02C401   | CLUTCH HOUSING                        | 100A0080 |
| FRAME                | 02C415   | FRAME                                 | 100A0080 |

| Item               | Part No. | Description                           | Book     |
|--------------------|----------|---------------------------------------|----------|
| TRANSMISSION       | 02C420   | TRANSMISSION CASE                     | 100A0080 |
|                    | 02C425   | DIFFERENTIAL GEAR CASE                | 100A0080 |
|                    | 02C427   | REAR AXLE CASE                        | 100A0080 |
|                    | 02D001   | CLUTCH SHAFT/PROPELLER SHAFT          | 100A0080 |
|                    | 02D010   | HST                                   | 100A0080 |
|                    | 02D015   | HST [COMPONENT PARTS]                 | 100A0080 |
|                    | 02D105   | 2ND SHAFT/3RD SHAFT/4TH SHAFT         | 100A0080 |
|                    | 02D135   | 5TH SHAFT/PTO SHAFT                   | 100A0080 |
|                    | 02D137   | MID PTO                               | 100A0080 |
| REAR AXLE          | 02D140   | REAR DIFFERENTIAL                     | 100A0080 |
|                    | 02D143   | FRONT WHEEL PROPELLER SHAFT           | 100A0080 |
|                    | 02D301   | REAR AXLE                             | 100A0080 |
| BRAKE              | 02E001   | BRAKE                                 | 100A0080 |
|                    | 02E015   | PARKING BRAKE LEVER                   | 100A0080 |
| SPEED CHANGE LEVER | 02F010   | SPEED CHANGE LEVER                    | 100A0080 |
|                    | 02F020   | SPEED CONTROL PEDAL                   | 100A0080 |
|                    | 02F030   | SPEED SET LEVER                       | 100A0080 |
|                    | 02F110   | RANGE GEAR SHIFT LEVER                | 100A0080 |
|                    | 02F113   | FRONT WHEEL DRIVE LEVER               | 100A0080 |
|                    | 02F125   | PTO GEAR SHIFT LEVER                  | 100A0080 |
|                    | 02F135   | BI-SPEED TURN LEVER                   | 100A0080 |
|                    | 02F140   | POSITION CONTROL LEVER                | 100A0080 |
|                    | 02F201   | BRAKE PEDAL                           | 100A0080 |
|                    | 02F205   | DIFFERENTIAL LOCK PEDAL               | 100A0080 |
| FRONT AXLE         | 02G115   | FRONT DIFFERENTIAL                    | 100A0080 |
|                    | 02G123   | BEVEL GEAR CASE                       | 100A0080 |
|                    | 02G12501 | FRONT AXLE CASE                       | 100A0080 |
|                    | 02G12502 | FRONT AXLE CASE                       | 100A0080 |
|                    | 02G13001 | FRONT AXLE                            | 100A0080 |
|                    | 02G13002 | FRONT AXLE                            | 100A0080 |
|                    | 02G133   | BI-SPEED TURN CLUTCH                  | 100A0080 |
|                    | 02G135   | FRONT DRIVE SHAFT                     | 100A0080 |
|                    | 02G201   | BI-SPEED TURN GEAR CASE               | 100A0080 |
|                    | 02G205   | BI-SPEED TURN CASE                    | 100A0080 |
|                    | 02G210   | BI-SPEED TURN SHIFT LEVER             | 100A0080 |
| STEERING           | 02H003   | DRAG LINK                             | 100A0080 |
|                    | 02H005   | TIE ROD                               | 100A0080 |
|                    | 02H101   | STEERING HANDLE                       | 100A0080 |
|                    | 02H110   | STEERING CONTROLLER                   | 100A0080 |
|                    | 02H11501 | STEERING CONTROLLER [COMPONENT PARTS] | 100A0080 |
|                    | 02H11502 | STEERING CONTROLLER [COMPONENT PARTS] | 100A0080 |
| HYDRAULIC SYSTEM   | 02J201   | HYDRAULIC OIL LINE (SUCTION)          | 100A0080 |
|                    | 02J203   | FLOW DIVIDER VALVE [COMPONENT PARTS]  | 100A0080 |
|                    | 02J215   | HYDRAULIC OIL LINE (STEERING)         | 100A0080 |
|                    | 02J230   | HYDRAULIC OIL LINE (T/M)              | 100A0080 |
|                    | 02J235   | HYDRAULIC OIL LINE (HST)              | 100A0080 |
|                    | 02J240   | HYDRAULIC OIL LINE (OIL COOLER)       | 100A0080 |
|                    | 02J301   | HYDRAULIC CYLINDER CASE               | 100A0080 |
|                    | 02J405   | CONTROL VALVE                         | 100A0080 |
|                    | 02J41001 | CONTROL VALVE [COMPONENT PARTS]       | 100A0080 |
|                    | 02J41002 | CONTROL VALVE [COMPONENT PARTS]       | 100A0080 |
|                    | 02K101   | LIFT ROD                              | 100A0080 |
|                    | 02K115   | LOWER LINK                            | 100A0080 |
|                    | 02K120   | TOP LINK                              | 100A0080 |
| HOOD(BONNET)/ROPS  | 02M101   | FRONT GRILLE                          | 100A0080 |
|                    | 02M105   | HOOD (BONNET)                         | 100A0080 |

| Item              | Part No. | Description                   | Book     |
|-------------------|----------|-------------------------------|----------|
| HOOD(BONNET)/ROPS | 02M120   | SIDE COVER                    | 100A0080 |
|                   | 02M210   | FENDER                        | 100A0080 |
|                   | 02M217   | SEAT SUPPORT                  | 100A0080 |
|                   | 02M220   | SEAT                          | 100A0080 |
|                   | 02M225   | STEP                          | 100A0080 |
|                   | 02M301   | ROPS                          | 100A0080 |
| WHEEL             | 02R10101 | FRONT WHEEL (6-12)            | 100A0080 |
|                   | 02R10103 | FRONT WHEEL (23*8.50-12)      | 100A0080 |
|                   | 02R10104 | FRONT WHEEL (21*8.00-10)      | 100A0080 |
|                   | 02R11002 | REAR WHEEL (9.5-16)           | 100A0080 |
|                   | 02R11004 | REAR WHEEL (33*12.5-15)       | 100A0080 |
|                   | 02R11005 | REAR WHEEL (31*15.5-15)       | 100A0080 |
| LABELS            | 02S101   | LABEL                         | 100A0080 |
| ACCESSORIES       | 02T105   | ACCESSORIES AND SERVICE PARTS | 100A0080 |

162G4-C016-10




## CRANK CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16612-01010 | COMP.CRANKCASE     | 1    | ≤YB0607 |     |         | 32.29        | 71.038      |
| 010    | 16612-01014 | COMP.CRANKCASE     | 1    | ≥YC0001 | ←   |         | 32           | 70.4        |
| 020    | 15451-96270 | CAP SEALING        | 4    |         |     |         | 0.012        | 0.0264      |
| 030    | 15221-03490 | CAP SEALING        | 1    |         |     |         | 0.02         | 0.044       |
| 040    | 15261-96010 | PLUG               | 3    |         |     |         | 0.002        | 0.0044      |
| 050    | 16683-96020 | PLUG               | 1    |         |     |         | 0.47         | 1.034       |
| 060    | 16241-96010 | PLUG               | 3    |         |     |         | 0.007        | 0.0154      |
| 070    | 15521-96020 | PLUG               | 2    |         |     |         | 0.003        | 0.0066      |
| 080    | 17391-96160 | PLUG EXPANSION     | 3    |         |     |         | 0.003        | 0.0066      |
| 090    | 16271-96160 | PLUG EXPANSION     | 1    |         |     |         | 0.025        | 0.055       |
| 100    | 05012-00508 | PIN STRAIGHT       | 2    | ≤WT2678 |     |         | 0.001        | 0.0022      |
| 100    | 16225-94510 | PIN STRAIGHT       | 2    | ≥WU0001 | ↔   |         | 0.001        | 0.0022      |
| 110    | 05012-00814 | PIN STRAIGHT       | 2    | ≤WT2678 |     |         | 0.006        | 0.0132      |
| 110    | 16221-94530 | PIN STRAIGHT       | 2    | ≥WU0001 | ↔   |         | 0.006        | 0.0132      |
| 120    | 05012-00610 | PIN STRAIGHT       | 2    | ≤WT2678 |     |         | 0.003        | 0.0066      |
| 120    | 16221-94520 | PIN STRAIGHT       | 2    | ≥WU0001 | ↔   |         | 0.005        | 0.011       |
| 130    | 15231-33960 | PIN PIPE           | 2    |         |     |         | 0.001        | 0.0022      |
| 140    | 16241-33650 | PIN PIPE           | 1    |         |     |         | 0.002        | 0.0044      |
| 150    | 16241-96260 | PLUG               | 1    | ≤781870 |     |         | 0            | 0           |
| 150    | 16241-96260 | PLUG               | 1    | ≥10001  |     |         | 0            | 0           |
| 150    | 16241-96262 | PLUG FUEL CAMSHAFT | 1    | ≥49890  | ←   |         | 0.007        | 0.0154      |
| 160    | 16261-56280 | PIN START SPRING   | 1    |         |     |         | 0.004        | 0.0088      |
| 170    | 16282-96010 | PLUG               | 1    |         |     |         | 0.09         | 0.198       |
| 180    | 16271-55350 | BUSH GOVERNOR GEAR | 1    |         |     |         | 0.06         | 0.132       |
| 190    | 15221-33610 | PLUG               | 1    |         |     |         | 0.009        | 0.0198      |
| 200    | 15021-33660 | GASKET             | 1    |         |     |         | 0.001        | 0.0022      |
| 210    | 15221-33700 | O RING             | 1    |         |     |         | 0.001        | 0.0022      |
| 220    | 15321-73340 | PIPE WATER RETURN  | 1    |         |     |         | 0.016        | 0.0352      |
| 230    | 15531-39010 | SWITCH OIL         | 1    |         |     |         | 0.032        | 0.0704      |

# OIL PAN





020 16266-0162-0



16216-800-10




## OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-58920 | COMP.OIL PAN         | 1    |         |     |         | 1.2          | 2.64        |
| 020    | 16266-01620 | GASKET OIL PAN       | 1    | ≤741870 |     |         | 0.028        | 0.0616      |
| 020    | 16266-01620 | GASKET OIL PAN       | 1    | ≥10001  |     |         | 0.028        | 0.0616      |
| 020    | 16266-01620 | GASKET OIL PAN       | 1    | ≤15685  |     |         | 0.028        | 0.0616      |
| 030    | 01023-50612 | BOLT                 | 22   |         |     |         | 0.005        | 0.011       |
| 040    | 15221-33750 | PLUG                 | 1    |         |     |         | 0.032        | 0.0704      |
| 050    | 15109-33660 | GASKET               | 1    | ≤WP2119 |     |         | 0.001        | 0.0022      |
| 050    | 6C090-58960 | GASKET               | 1    | ≥WQ0001 | ↔   |         | 0.002        | 0.0044      |
| 060    | 16261-32110 | FILTER OIL           | 1    | ≤741870 |     |         | 0            | 0           |
| 060    | 16261-32110 | FILTER OIL           | 1    | ≥10001  |     |         | 0            | 0           |
| 060    | 16261-32113 | FILTER OIL           | 1    | ≥25929  | ←   |         | 0            | 0           |
| 060    | 16261-32114 | FILTER OIL           | 1    | ≥WJ0001 | ←   |         | 0.21         | 0.462       |
| 070    | 01123-60816 | BOLT                 | 1    |         |     |         | 0.01         | 0.022       |
| 080    | 04811-00160 | O RING               | 1    | ≤WH4333 |     |         | 0.001        | 0.0022      |
| 080    | 04814-00160 | O RING               | 1    | ≥WJ0001 | ←   |         | 0.001        | 0.0022      |
| 090    | 16216-36410 | GAUGE OIL            | 1    | ≤741870 |     | [A]     | 0            | 0           |
| 090    | 16216-36410 | GAUGE OIL            | 1    | ≥10001  |     | [A]     | 0            | 0           |
| 090    | 16216-36412 | GAUGE OIL            | 1    | ≥139736 | ←   | [A]     | 0.03         | 0.066       |
| 090    | 16224-36410 | GAUGE OIL            | 1    |         |     | [CA]    | 0.057        | 0.1254      |
| 100    | 16216-36500 | ASSY GUIDE OIL GAUGE | 1    |         |     | [A]     | 0.14         | 0.308       |
| 110    | 04814-00090 | O RING               | 1    |         |     | [A]     | 0.001        | 0.0022      |

## CYLINDER HEAD



16216-009-20




## CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15221-01750 | HOOK ENGINE          | 2    |       |     |         | 0.04         | 0.088       |
| 020    | 01123-60814 | BOLT                 | 2    |       |     |         | 0.008        | 0.0176      |
| 030    | 16027-03040 | COMP.CYLINDER HEAD   | 1    |       |     |         | 10.2         | 22.44       |
| 040    | 15321-96260 | CAP SEALING          | 1    |       |     |         | 0.014        | 0.0308      |
| 050    | 15261-96010 | PLUG                 | 2    |       |     |         | 0.002        | 0.0044      |
| 060    | 16241-13540 | GUIDE INLET VALVE    | 3    |       |     |         | 0.02         | 0.044       |
| 070    | 16241-13560 | GUIDE EXHAUST VALVE  | 3    |       |     |         | 0.01         | 0.022       |
| 080    | 15261-03370 | CAP SEALING          | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 16241-03450 | BOLT CYLINDER HEAD   | 12   |       |     |         | 0.07         | 0.154       |
| 100    | 16231-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.07         | 0.154       |
| 110    | 31351-32830 | SENSOR THERMO        | 1    |       |     |         | 0.02         | 0.044       |
| 120    | 16216-03450 | BOLT CYLINDER HEAD   | 2    |       |     |         | 0.07         | 0.154       |
| 130    | 52200-41160 | CLAMP CORD           | 1    |       |     |         | 0.01         | 0.022       |

## GEAR CASE






## GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16216-04020 | COMP.CASE GEAR      | 1    |          |     | [A]     | 2.45         | 5.39        |
| 010    | 16251-04020 | COMP.CASE GEAR      | 1    |          |     | [CA]    | 2.5          | 5.5         |
| 020    | 16241-96020 | PLUG                | 2    |          |     |         | 0.015        | 0.033       |
| 025    | 15521-96020 | PLUG                | 1    | >=XG0001 |     |         | 0.003        | 0.0066      |
| 030    | 04011-50180 | WASHER PLAIN        | 1    |          |     |         | 0.012        | 0.0264      |
| 040    | 15241-32290 | JOINT PIPE          | 1    |          |     |         | 0.053        | 0.1166      |
| 050    | 16241-36950 | SPRING              | 1    |          |     |         | 0.015        | 0.033       |
| 060    | 16241-36930 | SEAT VALVE          | 1    |          |     |         | 0.012        | 0.0264      |
| 070    | 07715-00201 | BALL                | 1    |          |     |         | 0.008        | 0.0176      |
| 080    | 16241-35070 | ASSY ROTOR OIL PUMP | 1    |          |     |         | 0.27         | 0.594       |
| 090    | 03017-50620 | SCREW CR-REC-BD-HD  | 5    |          |     |         | 0.005        | 0.011       |
| 100    | 05012-00410 | PIN STRAIGHT        | 2    |          |     |         | 0.001        | 0.0022      |
| 110    | 16264-04130 | GASKET GEAR CASE    | 1    |          |     |         | 0.01         | 0.022       |
| 120    | 01023-50645 | BOLT                | 3    |          |     |         | 0.01         | 0.022       |
| 130    | 01023-60650 | BOLT                | 4    |          |     |         | 0.015        | 0.033       |
| 140    | 01023-50655 | BOLT                | 4    |          |     |         | 0.012        | 0.0264      |
| 150    | 01023-50665 | BOLT                | 1    |          |     |         | 0.015        | 0.033       |
| 160    | 16241-91040 | BOLT                | 1    |          |     |         | 0.015        | 0.033       |
| 170    | 01513-50645 | BOLT STUD           | 1    | <=WH4333 |     |         | 0.011        | 0.0242      |
| 170    | 16245-91530 | STUD                | 1    | >=WJ0001 | ↔   |         | 0.01         | 0.022       |
| 180    | 02056-50060 | NUT                 | 1    |          |     |         | 0.002        | 0.0044      |
| 190    | 04512-60060 | WASHER SPRING       | 1    |          |     |         | 0.001        | 0.0022      |
| 200    | 16241-04212 | SEAL OIL            | 1    |          |     |         | 0.012        | 0.0264      |
| 210    | 04811-06100 | O RING              | 2    | <=WH4333 |     |         | 0.001        | 0.0022      |
| 210    | 04814-06100 | O RING              | 2    | >=WJ0001 |     |         | 0.003        | 0.0066      |
| 220    | 04811-00150 | O RING              | 2    | <=WH4333 |     |         | 0.001        | 0.0022      |
| 220    | 04814-00150 | O RING              | 2    | >=WJ0001 |     |         | 0.001        | 0.0022      |
| 230    | 01513-50616 | BOLT STUD           | 2    | <=WH4333 |     |         | 0.004        | 0.0088      |
| 230    | 16245-91540 | STUD                | 2    | >=WJ0001 | ↔   |         | 0.005        | 0.011       |
| 240    | 15241-32090 | ASSY CARTRIDGE OIL  | 1    |          |     |         | 0.35         | 0.77        |
| 250    | 58417-25950 | ASSY GEAR CASE H/M  | 1    |          |     |         | 0.29         | 0.638       |
| 260    | 16264-88130 | GASKET H/METER UNIT | 1    |          |     |         | 0.002        | 0.0044      |
| 270    | 01023-50618 | BOLT                | 2    |          |     |         | 0.006        | 0.0132      |

# HEAD COVER



16216-006-20




## HEAD COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16261-14503 | ASSY COVER CYL.HEAD  | 1    |          |     |         | 0.78         | 1.716       |
| 020    | 16261-14520 | GASKET HEAD COVER    | 1    |          |     |         | 0.01         | 0.022       |
| 030    | 16241-05550 | JOINT BREATHER PIPE  | 1    |          |     |         | 0.02         | 0.044       |
| 040    | 16241-05140 | PLATE B/THER ELEMENT | 1    |          |     |         | 0.005        | 0.011       |
| 050    | 16241-05150 | PLATE B/THER ELEMENT | 1    |          |     |         | 0.01         | 0.022       |
| 060    | 16241-05670 | ELEMENT BREATHER     | 1    |          |     |         | 0.01         | 0.022       |
| 070    | 16241-05370 | OIL SHIELD BREATHER  | 1    |          |     |         | 0.01         | 0.022       |
| 080    | 03024-50510 | SCREW WITH WASHER    | 2    |          |     |         | 0.002        | 0.0044      |
| 090    | 15952-92330 | NUT                  | 3    |          |     |         | 0.01         | 0.022       |
| 100    | 15951-96660 | GASKET               | 3    |          |     |         | 0.001        | 0.0022      |
| 110    | 15852-33140 | PLUG OIL FILLER      | 1    |          |     |         | 0.038        | 0.0836      |
| 120    | 04811-50300 | O RING               | 1    | <=WH4333 |     |         | 0.001        | 0.0022      |
| 120    | 04814-50300 | O RING               | 1    | >=WJ0001 | ←   |         | 0.001        | 0.0022      |
| 130    | 16271-05510 | PIPE BREATHER        | 1    |          |     |         | 0.06         | 0.132       |
| 140    | 16241-33510 | BAND PIPE            | 1    |          |     |         | 0.005        | 0.011       |



## MAIN BEARING CASE






## MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16241-04092 | ASSY CASE MAIN BRG. | 1    |         |     |         | 1.13         | 2.486       |
| 020    | 16241-04540 | BOLT BEARING CASE   | 6    |         |     |         | 0.02         | 0.044       |
| 030    | 16264-04360 | GASKET BRG.CASE     | 1    |         |     |         | 0.002        | 0.0044      |
| 040    | 16241-04813 | COVER BEARING CASE  | 1    |         |     |         | 0.22         | 0.484       |
| 050    | 16271-04460 | SEAL OIL            | 1    |         |     |         | 0.04         | 0.088       |
| 060    | 16264-04820 | GASKET              | 1    |         |     |         | 0.008        | 0.0176      |
| 070    | 01023-50625 | BOLT                | 8    |         |     |         | 0.007        | 0.0154      |
| 080    | 01023-50620 | BOLT                | 9    |         |     |         | 0.006        | 0.0132      |
| 090    | 16271-04040 | ASSY CASE MAIN BRG. | 1    | ≤681218 |     |         | 1            | 2.2         |
| 090    | 16261-04040 | ASSY CASE MAIN BRG. | 1    | ≥681219 | ↔   |         | 0.9          | 1.98        |
| 100    | 16241-04560 | BOLT BEARING CASE   | 2    |         |     |         | 0.03         | 0.066       |
| 110    | 16271-04050 | ASSY CASE MAIN BRG. | 1    | ≤681218 |     |         | 1            | 2.2         |
| 110    | 16261-04050 | ASSY CASE MAIN BRG. | 1    | ≥681219 | ↔   |         | 1.11         | 2.442       |






## CAMSHAFT AND IDLE GEAR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16261-15550 | TAPPET             | 6    |       |     |         | 0.035        | 0.077       |
| 020    | 16241-15110 | PUSH ROD           | 6    |       |     |         | 0.03         | 0.066       |
| 030    | 16261-16010 | ASSY CAMSHAFT      | 1    |       |     |         | 1.7          | 3.74        |
| 040    | 15521-93610 | SCREW SET          | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 16241-16510 | GEAR CAM           | 1    |       |     |         | 0.45         | 0.99        |
| 060    | 05712-00518 | KEY FEATHER        | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 16241-16270 | STOPPER CAMSHAFT   | 1    |       |     |         | 0.04         | 0.088       |
| 080    | 01023-50614 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 16251-24010 | COMP GEAR IDLE     | 1    |       |     |         | 0.63         | 1.386       |
| 100    | 16251-24980 | BUSH IDLE GEAR     | 1    |       |     |         | 0.035        | 0.077       |
| 110    | 16251-24360 | COLLAR IDLE GEAR   | 1    |       |     |         | 0.012        | 0.0264      |
| 120    | 15741-24370 | COLLAR IDLE GEAR   | 1    |       |     |         | 0.015        | 0.033       |
| 130    | 15741-24320 | CIR CLIP IDLE GEAR | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 16251-24250 | SHAFT IDLE GEAR    | 1    |       |     |         | 0.36         | 0.792       |
| 150    | 01023-50616 | BOLT               | 3    |       |     |         | 0.005        | 0.011       |

# PISTON AND CRANK SHAFT






# PISTON AND CRANK SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS         | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|-----------------|--------------|-------------|
| 010    | 16050-21110 | PISTON              | 3    |         |     | STD             | 0.4          | 0.88        |
| 010    | 16050-21910 | PISTON              | 3    |         |     | +0.50MM         | 0.4          | 0.88        |
| 020    | 16271-21050 | ASSY PISTON RING    | 3    |         |     | STD             | 0.05         | 0.11        |
| 020    | 16271-21090 | ASSY PISTON RING    | 3    |         |     | +0.50MM         | 0.06         | 0.132       |
| 030    | 16241-21310 | PIN PISTON          | 3    |         |     |                 | 0.135        | 0.297       |
| 040    | 16241-21330 | CIR CLIP PISTON PIN | 6    |         |     |                 | 0.002        | 0.0044      |
| 050    | 16241-22012 | ASSY ROD CONNECTING | 3    |         |     |                 | 0.545        | 1.199       |
| 060    | 16241-21980 | BUSH PISTON PIN     | 3    |         |     |                 | 0.03         | 0.066       |
| 070    | 16241-22140 | BOLT CONNECTING ROD | 6    |         |     |                 | 0.024        | 0.0528      |
| 080    | 16241-22310 | METAL CRANKPIN      | 3    |         |     | STD SET         | 0.038        | 0.0836      |
| 080    | 16241-22970 | METAL CRANKPIN      | 3    |         |     | -0.20MM SET     | 0.08         | 0.176       |
| 080    | 16241-22980 | METAL CRANKPIN      | 3    |         |     | -0.40MM SET     | 0.1          | 0.22        |
| 090    | 16231-23013 | COMP.CRANKSHAFT     | 1    |         |     |                 | 9.35         | 20.57       |
| 100    | 99999-99999 | BLANK               | 0    |         |     |                 | 0            | 0           |
| 110    | 07715-00401 | BALL                | 3    |         |     |                 | 0.001        | 0.0022      |
| 120    | 16241-24110 | GEAR CRANK          | 1    |         |     |                 | 0.15         | 0.33        |
| 130    | 16271-95230 | KEY                 | 1    |         |     |                 | 0.005        | 0.011       |
| 140    | 16241-35630 | GEAR OIL PUMP DRIVE | 1    |         |     |                 | 0.102        | 0.2244      |
| 150    | 16271-23250 | COLLAR CRANKSHAFT   | 1    |         |     |                 | 0.055        | 0.121       |
| 160    | 04811-10280 | O RING              | 1    | ≤WH4333 |     |                 | 0.001        | 0.0022      |
| 160    | 04814-10280 | RING                | 1    | ≥WJ0001 | ←   |                 | 0.001        | 0.0022      |
| 170    | 16241-23470 | METAL CRANKSHAFT    | 1    |         |     | STD             | 0.06         | 0.132       |
| 170    | 16241-23910 | METAL CRANKSHAFT    | 1    |         |     | -0.20MM         | 0.03         | 0.066       |
| 170    | 16241-23920 | METAL CRANKSHAFT    | 1    |         |     | -0.40MM         | 0.068        | 0.1496      |
| 180    | 16241-23480 | METAL CRANKSHAFT    | 2    |         |     | STD SET         | 0.05         | 0.11        |
| 180    | 16241-23930 | METAL CRANKSHAFT    | 2    |         |     | -0.20MM SET     | 0.1          | 0.22        |
| 180    | 16241-23940 | METAL CRANKSHAFT    | 2    |         |     | -0.40MM SET     | 0.05         | 0.11        |
| 190    | 16241-23490 | METAL CRANKSHAFT    | 1    | ≤XC9968 |     | STD SET         | 0            | 0           |
| 190    | 16292-23490 | METAL CRANKSHAFT    | 1    | ≥XE0001 | ↔   | STD SET         | 0.07         | 0.154       |
| 190    | 16241-23860 | METAL CRANKSHAFT    | 1    | ≤XC9968 |     | -0.20MM SET     | 0.1          | 0.22        |
| 190    | 16292-23860 | METAL CRANKSHAFT    | 1    | ≥XE0001 | ↔   | -0.20MM SET     | 0.05         | 0.11        |
| 190    | 16241-23870 | METAL CRANKSHAFT    | 1    | ≤XC9968 |     | -0.40MM SET     | 0.068        | 0.1496      |
| 190    | 16292-23870 | METAL CRANKSHAFT    | 1    | ≥XE0001 | ↔   | -0.40MM SET     | 0.05         | 0.11        |
| 200    | 15521-23530 | METAL SIDE          | 2    |         |     | STD             | 0.01         | 0.022       |
| 200    | 15521-23950 | METAL SIDE          | 2    |         |     | +0.20MM         | 0.01         | 0.022       |
| 200    | 15521-23960 | METAL SIDE          | 2    |         |     | +0.40MM         | 0.01         | 0.022       |
| 210    | 19202-23540 | METAL SIDE          | 2    |         |     | STD             | 0.01         | 0.022       |
| 210    | 19202-23970 | METAL SIDE          | 2    |         |     | +0.20MM         | 0.01         | 0.022       |
| 210    | 19202-23980 | METAL SIDE          | 2    |         |     | +0.40MM         | 0.01         | 0.022       |
| 220    | 07916-26840 | KIT RING PISTON     | 3    |         |     | STD             | 0.25         | 0.55        |
| 220    | 07916-26850 | KIT RING PISTON     | 3    |         |     | +0.50MM         | 0.62         | 1.364       |
| 230    | 07916-28240 | KIT METAL ENGINE    | 1    |         |     | STD             | 0.1          | 0.22        |
| 230    | 07916-28760 | KIT METAL ENGINE    | 1    |         |     | -0.20MM/+0.20MM | 0.34         | 0.748       |
| 230    | 07916-28770 | KIT METAL ENGINE    | 1    |         |     | -0.40MM/+0.40MM | 0.36         | 0.792       |

## FLYWHEEL






## FLYWHEEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16261-25014 | COMP.FLYWHEEL  | 1    | <=XZ0500 |     |         | 17.7         | 38.94       |
| 010    | 16261-25015 | COMP.FLYWHEEL  | 1    | >=YA0001 | ←   |         | 17.2         | 37.84       |
| 020    | 16261-63822 | GEAR RING      | 1    | <=XZ0500 |     |         | 0.75         | 1.65        |
| 030    | 66621-14120 | BEARING DRY    | 1    |          |     |         | 0.006        | 0.0132      |
| 040    | 16271-25160 | BOLT FLYWHEEL  | 6    |          |     |         | 0.036        | 0.0792      |
| 050    | 6C040-58912 | PLATE REAR END | 1    |          |     |         | 3.6          | 7.92        |
| 060    | 15261-91190 | BOLT           | 8    |          |     |         | 0.03         | 0.066       |
| 070    | 05012-00814 | PIN STRAIGHT   | 1    | <=WT2678 |     |         | 0.006        | 0.0132      |
| 070    | 16221-94530 | PIN STRAIGHT   | 1    | >=WU0001 | ↔   |         | 0.006        | 0.0132      |








## FUEL CAMSHAFT AND GOVERNOR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16020-16170 | CAMSHAFT FUEL        | 1    |       |     |         | 0.38         | 0.836       |
| 020    | 08103-06202 | BEARING BALL         | 1    |       |     |         | 0.05         | 0.11        |
| 030    | 08153-06204 | BEARING BALL         | 1    |       |     |         | 0.11         | 0.242       |
| 040    | 16241-51113 | CAM FUEL             | 1    |       |     |         | 0.196        | 0.4312      |
| 045    | 16241-51190 | WASHER               | 1    |       |     |         | 0.029        | 0.0638      |
| 050    | 01023-50618 | BOLT                 | 3    |       |     |         | 0.006        | 0.0132      |
| 060    | 16241-92330 | NUT                  | 1    |       |     |         | 0.035        | 0.077       |
| 070    | 16272-51150 | GEAR INJECTION PUMP  | 1    |       |     |         | 0.49         | 1.078       |
| 080    | 16241-95230 | KEY WOODRUFF         | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 16241-16320 | STOPPER FUEL.C/SHAFT | 1    |       |     |         | 0.04         | 0.088       |
| 100    | 01023-50612 | BOLT                 | 2    |       |     |         | 0.005        | 0.011       |
| 110    | 16265-55013 | ASSY SHAFT GOVERNOR  | 1    |       |     |         | 1.22         | 2.684       |
| 120    | 16241-55392 | HOLDER GOVERNOR GEAR | 1    |       |     |         | 0.34         | 0.748       |
| 130    | 16282-55320 | GEAR GOVERNOR        | 1    |       |     |         | 0.24         | 0.528       |
| 140    | 16241-55270 | HOLDER GOV.WEIGHT    | 1    |       |     |         | 0.085        | 0.187       |
| 150    | 16241-55062 | COMP.WEIGHT GOVERNOR | 2    |       |     |         | 0.085        | 0.187       |
| 160    | 16241-55260 | SHAFT GOV. WEIGHT    | 2    |       |     |         | 0.013        | 0.0286      |
| 170    | 19484-55440 | ROLLER               | 2    |       |     |         | 0.005        | 0.011       |
| 180    | 16241-55450 | SLEEVE GOVERNOR      | 1    |       |     |         | 0.04         | 0.088       |
| 190    | 16241-55463 | WASHER THRUST        | 1    |       |     |         | 0.005        | 0.011       |
| 200    | 08101-06304 | BEARING BALL         | 1    |       |     |         | 0.146        | 0.3212      |
| 210    | 16271-55410 | CIR CLIP GOV.SHAFT   | 1    |       |     |         | 0.005        | 0.011       |
| 220    | 16241-55554 | SCREW SET            | 1    |       |     |         | 0.007        | 0.0154      |


## STOP SOLENOID



STOP SOLENOID

120 16616-6001-0

140 01023-50614




16220-802-11



## STOP SOLENOID

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16271-54090 | APPARATUS FUEL LIMIT | 1    |         |     |         | 0.029        | 0.0638      |
| 020    | 16241-54102 | ASSY BOLT ADJUSTING  | 1    |         |     |         | 0.008        | 0.0176      |
| 030    | 15841-92020 | NUT                  | 1    |         |     |         | 0.004        | 0.0088      |
| 040    | 15841-92330 | NUT                  | 1    |         |     |         | 0.006        | 0.0132      |
| 050    | 15601-96650 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 060    | 16241-54420 | CAP                  | 1    | ≤645957 |     |         | 0.004        | 0.0088      |
| 060    | 16221-54420 | CAP                  | 1    | ≥645958 | ↔   |         | 0.001        | 0.0022      |
| 070    | 16241-54120 | BOLT ADJUSTING       | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 15841-92020 | NUT                  | 1    |         |     |         | 0.004        | 0.0088      |
| 090    | 15841-92330 | NUT                  | 1    |         |     |         | 0.006        | 0.0132      |
| 100    | 15601-96650 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 110    | 16241-54420 | CAP                  | 1    | ≤645957 |     |         | 0.004        | 0.0088      |
| 110    | 16221-54420 | CAP                  | 1    | ≥645958 | ↔   |         | 0.001        | 0.0022      |
| 120    | 16616-60010 | SOLENOID STOP        | 1    | ≤741870 |     |         | 0            | 0           |
| 120    | 16616-60010 | SOLENOID STOP        | 1    | ≥10001  |     |         | 0            | 0           |
| 120    | 17454-60010 | SOLENOID STOP        | 1    | ≥82938  | ←   |         | 0.35         | 0.77        |
| 130    | 16299-60150 | GASKET               | 1    |         |     |         | 0.003        | 0.0066      |
| 140    | 01023-50614 | BOLT                 | 2    | ≤741870 |     |         | 0.005        | 0.011       |
| 140    | 01023-50614 | BOLT                 | 2    | ≥10001  |     |         | 0.005        | 0.011       |
| 140    | 01311-10614 | BOLT HEX-SOC-HD      | 2    | ≥95970  | ↔   |         | 0.005        | 0.011       |
| 150    | 04512-60060 | WASHER SPRING        | 2    | ≥95970  |     |         | 0.001        | 0.0022      |






## INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|-------------------------------------|--------------|-------------|
| 010    | 16271-95690 | JOINT EYE           | 1    |       |     |                                     | 0.046        | 0.1012      |
| 020    | 16032-51010 | ASSY PUMP INJECTION | 1    |       |     | REFER TO L.No.B08-R FOR COMPONENTS. | 1            | 2.2         |
| 030    | 16006-52092 | SHIM INJECTION PUMP | 1    |       |     | 0.20MM                              | 0.004        | 0.0088      |
| 030    | 16006-52112 | SHIM INJECTION PUMP | 1    |       |     | 0.25MM                              | 0.004        | 0.0088      |
| 030    | 16006-52122 | SHIM INJECTION PUMP | 1    |       |     | 0.30MM                              | 0.006        | 0.0132      |
| 040    | 01311-10620 | BOLT HEX-SOC-HD     | 2    |       |     |                                     | 0.012        | 0.0264      |
| 050    | 15841-91500 | STUD                | 2    |       |     |                                     | 0.04         | 0.088       |
| 060    | 15841-92320 | NUT                 | 2    |       |     |                                     | 0.01         | 0.022       |
| 070    | 04512-60060 | WASHER SPRING       | 4    |       |     |                                     | 0.001        | 0.0022      |
| 080    | 16241-52032 | ASSY PUMP FUEL      | 1    |       |     |                                     | 0.13         | 0.286       |
| 090    | 16264-52140 | GASKET FUEL PUMP    | 1    |       |     |                                     | 0.001        | 0.0022      |
| 100    | 02056-50060 | NUT                 | 2    |       |     |                                     | 0.002        | 0.0044      |
| 110    | 04512-60060 | WASHER SPRING       | 2    |       |     |                                     | 0.001        | 0.0022      |



16264-020-10






## INJECTION PUMP [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16032-51010 | ASSY PUMP INJECTION | 1    |       |     |         | 1            | 2.2         |
| 020    | 16030-51052 | PLUNGER PUMP        | 3    |       |     |         | 0.024        | 0.0528      |
| 030    | 15841-51030 | VALVE DELIVERY      | 3    |       |     |         | 0.015        | 0.033       |
| 040    | 15841-51230 | SPRING DELIV.VALVE  | 3    |       |     |         | 0.004        | 0.0088      |
| 050    | 15841-51240 | GASKET DELIV.VALVE  | 3    |       |     |         | 0.001        | 0.0022      |
| 060    | 16271-51220 | HOLDER DELIV.VALVE  | 3    |       |     |         | 0.045        | 0.099       |
| 070    | 15841-96760 | O RING              | 3    |       |     |         | 0.001        | 0.0022      |
| 080    | 15841-51560 | FLANGE SLEEVE       | 3    |       |     |         | 0.06         | 0.132       |
| 090    | 15841-94570 | PIN JOINT           | 3    |       |     |         | 0.001        | 0.0022      |
| 100    | 15841-51200 | O RING              | 6    |       |     |         | 0.001        | 0.0022      |
| 110    | 15862-91430 | SCREW               | 6    |       |     |         | 0.01         | 0.022       |
| 120    | 15841-51070 | ASSY TAPPET         | 3    |       |     |         | 0.03         | 0.066       |
| 130    | 15841-51250 | PIN TAPPET GUIDE    | 3    |       |     |         | 0.001        | 0.0022      |
| 140    | 15861-51430 | PIN CLAMP           | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 15841-51280 | SPRING PLUNGER      | 3    |       |     |         | 0.015        | 0.033       |
| 160    | 15841-51270 | SEAT SPRING UPPER   | 3    |       |     |         | 0.005        | 0.011       |
| 170    | 15841-51290 | SEAT SPRING LOWER   | 3    |       |     |         | 0.005        | 0.011       |
| 180    | 15841-51490 | SHIM                | 3    |       |     |         | 0.005        | 0.011       |
| 190    | 16030-51060 | RACK CONTROL        | 1    |       |     |         | 0.027        | 0.0594      |
| 200    | 16030-51540 | PLATE               | 1    |       |     |         | 0.035        | 0.077       |
| 210    | 15841-93110 | SCREW CSK-HD        | 4    |       |     |         | 0.001        | 0.0022      |
| 220    | 15841-51380 | SLEEVE CONTROL      | 3    |       |     |         | 0.006        | 0.0132      |
| 230    | 16271-51320 | SCREW FOLLOW        | 1    |       |     |         | 0.031        | 0.0682      |
| 240    | 15841-96650 | GASKET              | 2    |       |     |         | 0.001        | 0.0022      |
| 250    | 16030-96010 | PLUG                | 1    |       |     |         | 0.008        | 0.0176      |
| 260    | 15861-96650 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |



16216-003-22

030 16271-5642-0



16216-801-10




## GOVERNOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16261-56480 | SPRING START         | 1    |          |     |         | 0.002        | 0.0044      |
| 020    | 16271-56412 | SPRING GOVERNOR      | 1    | <=WJ9533 |     |         | 0            | 0           |
| 020    | 16271-56413 | SPRING GOVERNOR      | 1    | >=WL0001 | ←   |         | 0.02         | 0.044       |
| 020    | 16271-56414 | SPRING GOVERNOR      | 1    | >=XG0001 | ≠   |         | 0.022        | 0.0484      |
| 020    | 1G043-56410 | SPRING GOVERNOR      | 1    | >=YA0001 | ≠   |         | 0            | 0           |
| 030    | 16271-56420 | SPRING GOVERNOR      | 1    | <=XK9999 |     |         | 0.005        | 0.011       |
| 040    | 16216-56050 | ASSY LEVER FORK      | 1    | <=WX2480 |     |         | 0            | 0           |
| 040    | 16216-56054 | ASSY LEVER FORK      | 1    | >=WY0001 | ←   |         | 0.25         | 0.55        |
| 050    | 16216-56040 | COMP.LEVER FORK      | 1    | <=WX2480 |     |         | 0            | 0           |
| 050    | 16216-56044 | COMP.LEVER FORK      | 1    | >=WY0001 | ←   |         | 0.13         | 0.286       |
| 060    | 16261-56210 | LEVER THRUST         | 1    | <=702846 |     |         | 0.005        | 0.011       |
| 060    | 16271-56210 | LEVER THRUST         | 1    | >=702847 | ↔   |         | 0            | 0           |
| 060    | 16271-56214 | LEVER THRUST         | 1    | >=WY0001 | ←   |         | 0.01         | 0.022       |
| 070    | 19484-55440 | ROLLER               | 2    |          |     |         | 0.005        | 0.011       |
| 080    | 16271-56132 | LEVER FORK           | 1    | <=WM1322 |     |         | 0            | 0           |
| 080    | 16222-56130 | LEVER FORK           | 1    | >=WN0001 | ↔   |         | 0.06         | 0.132       |
| 090    | 16241-56153 | SHAFT FORK LEVER     | 1    |          |     |         | 0.04         | 0.088       |
| 100    | 16241-94010 | WASHER PLAIN         | 1    |          |     |         | 0.002        | 0.0044      |
| 110    | 16241-56330 | BEARING MINIATURIZE  | 1    |          |     |         | 0.007        | 0.0154      |
| 120    | 04612-00090 | CIR CLIP EXTERNAL    | 1    |          |     |         | 0.001        | 0.0022      |
| 130    | 16241-56250 | COVER FORK LEV.SHAFT | 1    |          |     |         | 0.013        | 0.0286      |
| 140    | 16299-56260 | GASKET               | 1    |          |     |         | 0.002        | 0.0044      |
| 150    | 01023-50614 | BOLT                 | 2    |          |     |         | 0.005        | 0.011       |
| 160    | 16241-56210 | COLLAR               | 1    |          |     |         | 0.008        | 0.0176      |
| 170    | 16241-56340 | BEARING MINIATURIZE  | 1    |          |     |         | 0.007        | 0.0154      |

SPEED CONTROL PLATE



16281-017-12




## SPEED CONTROL PLATE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16231-57016 | ASSY PLATE CONTROL  | 1    |         |     |         | 0.34         | 0.748       |
| 020    | 16205-57150 | LEVER SPEED CONTROL | 1    |         |     |         | 0.033        | 0.0726      |
| 030    | 16205-57160 | LEVER SPEED CONTROL | 2    |         |     |         | 0.03         | 0.066       |
| 040    | 04814-00100 | O RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 05411-00420 | PIN SPRING          | 2    |         |     |         | 0.001        | 0.0022      |
| 060    | 05411-02520 | PIN SPRING          | 2    |         |     |         | 0.001        | 0.0022      |
| 070    | 01023-50612 | BOLT                | 2    |         |     |         | 0.005        | 0.011       |
| 080    | 16205-56020 | COMP.LEVER GOVERNOR | 1    |         |     |         | 0.02         | 0.044       |
| 090    | 16234-57720 | LEVER ENGINE STOP   | 1    |         |     |         | 0.03         | 0.066       |
| 100    | 19202-96750 | O RING              | 1    | ≤WJ9533 |     |         | 0.001        | 0.0022      |
| 100    | 04814-10070 | O RING              | 1    | ≥WL0001 | ≠   |         | 0.001        | 0.0022      |
| 110    | 16205-57510 | SPRING RETURN       | 1    |         |     |         | 0.002        | 0.0044      |
| 120    | 16205-57740 | COMP.LEVER STOP     | 1    |         |     |         | 0.046        | 0.1012      |
| 130    | 16264-57210 | GASKET              | 1    |         |     |         | 0.002        | 0.0044      |
| 140    | 01023-50616 | BOLT                | 2    | ≤741870 |     |         | 0.005        | 0.011       |
| 140    | 01023-50616 | BOLT                | 2    | ≥10001  |     |         | 0.005        | 0.011       |
| 140    | 01023-50616 | BOLT                | 1    | ≥89030  |     |         | 0.005        | 0.011       |
| 145    | 01053-50618 | BOLT                | 1    | ≥89030  |     |         | 0.006        | 0.0132      |
| 150    | 01513-50616 | BOLT STUD           | 2    | ≤WH4333 |     |         | 0.004        | 0.0088      |
| 150    | 16245-91540 | STUD                | 2    | ≥WJ0001 | ≠   |         | 0.005        | 0.011       |
| 160    | 02056-50060 | NUT                 | 2    |         |     |         | 0.002        | 0.0044      |
| 170    | 04512-60060 | WASHER SPRING       | 2    |         |     |         | 0.001        | 0.0022      |
| 180    | 15601-96650 | GASKET              | 1    | ≥89030  |     |         | 0.001        | 0.0022      |

## NOZZLE HOLDER AND GLOW PLUG



160 04013-60040



16224-806-10






# NOZZLE HOLDER AND GLOW PLUG

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|-------------------------------------|--------------|-------------|
| 010    | 16261-42502 | ASSY PIPE OVER FLOW | 1    |         |     |                                     | 0.04         | 0.088       |
| 020    | 15841-51360 | SCREW AIR BREEDER   | 1    |         |     |                                     | 0.008        | 0.0176      |
| 030    | 15601-96650 | GASKET              | 1    |         |     |                                     | 0.001        | 0.0022      |
| 040    | 16032-53000 | ASSY HOLDER NOZZLE  | 3    |         |     | REFER TO L.No.B10-R FOR COMPONENTS. | 0.14         | 0.308       |
| 050    | 15841-53622 | GASKET              | 3    |         |     |                                     | 0.002        | 0.0044      |
| 060    | 19077-53650 | SEAL HEAT           | 3    |         |     |                                     | 0.005        | 0.011       |
| 070    | 16231-53712 | PIPE INJECTION      | 1    |         |     |                                     | 0.12         | 0.264       |
| 080    | 16231-53722 | PIPE INJECTION      | 1    |         |     |                                     | 0.12         | 0.264       |
| 090    | 16231-53732 | PIPE INJECTION      | 1    |         |     |                                     | 0.12         | 0.264       |
| 100    | 15841-53850 | CLAMP PIPE          | 2    |         |     |                                     | 0.01         | 0.022       |
| 110    | 15841-53860 | CLAMP PIPE          | 2    |         |     |                                     | 0.009        | 0.0198      |
| 120    | 03024-50520 | SCREW WITH WASHER   | 2    |         |     |                                     | 0.004        | 0.0088      |
| 130    | 16851-65510 | GLOW PLUG           | 3    |         |     |                                     | 0.02         | 0.044       |
| 140    | 16261-65560 | CORD GLOW PLUG      | 1    |         |     |                                     | 0.01         | 0.022       |
| 150    | 02761-50040 | NUT FLANGE          | 3    |         |     |                                     | 0.002        | 0.0044      |
| 160    | 04013-60040 | WASHER PLAIN        | 3    | ←XS9983 |     |                                     | 0.002        | 0.0044      |
| 170    | 16032-53900 | KIT HOLDER NOZZLE   | 3    |         |     |                                     | 0.16         | 0.352       |

NOZZLE HOLDER [COMPONENT PARTS]



16224-009-11




## NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16032-53000 | ASSY HOLDER NOZZLE | 3    |       |     |         | 0.14         | 0.308       |
| 020    | 16032-92030 | NUT                | 3    |       |     |         | 0.007        | 0.0154      |
| 030    | 16032-53230 | WASHER ADJUSTING   | 3    |       |     |         | 0.001        | 0.0022      |
| 040    | 16032-53170 | SPRING NOZZLE      | 3    |       |     |         | 0.007        | 0.0154      |
| 050    | 16032-53350 | SPACER DISTANCE    | 3    |       |     |         | 0.02         | 0.044       |
| 060    | 16032-53160 | PUSH ROD           | 3    |       |     |         | 0.001        | 0.0022      |
| 070    | 16032-53280 | NUT NOZZLE         | 3    |       |     |         | 0.037        | 0.0814      |
| 080    | 16032-94040 | WASHER PLAIN       | 3    |       |     |         | 0.002        | 0.0044      |
| 090    | 16032-53610 | PIECE NOZZLE       | 3    |       |     |         | 0.021        | 0.0462      |
| 100    | 16032-98100 | ASSY WASHER ADJUST | 3    |       |     | OPTION  | 0.016        | 0.0352      |
| 110    | 16032-98500 | WASHER ADJUSTING   | 3    |       |     | 0.10MM  | 0.001        | 0.0022      |
| 110    | 16032-98510 | WASHER ADJUSTING   | 3    |       |     | 0.20MM  | 0.001        | 0.0022      |
| 110    | 16032-98520 | WASHER ADJUSTING   | 3    |       |     | 0.30MM  | 0.001        | 0.0022      |
| 110    | 16032-98530 | WASHER ADJUSTING   | 3    |       |     | 0.40MM  | 0.001        | 0.0022      |
| 110    | 16032-98540 | WASHER ADJUSTING   | 3    |       |     | 0.50MM  | 0.001        | 0.0022      |
| 110    | 16032-98550 | WASHER ADJUSTING   | 3    |       |     | 0.52MM  | 0.001        | 0.0022      |
| 110    | 16032-98560 | WASHER ADJUSTING   | 3    |       |     | 0.54MM  | 0.001        | 0.0022      |
| 110    | 16032-98570 | WASHER ADJUSTING   | 3    |       |     | 0.56MM  | 0.001        | 0.0022      |
| 110    | 16032-98580 | WASHER ADJUSTING   | 3    |       |     | 0.58MM  | 0.001        | 0.0022      |
| 110    | 16032-98590 | WASHER ADJUSTING   | 3    |       |     | 0.80MM  | 0.001        | 0.0022      |

## WATER FLANGE AND THERMOSTAT




010 16241-7270-4

010 16241-7270-5

090 16271-7326-0

100 15676-7327-0

110 01023-50632



16216-802-10




## WATER FLANGE AND THERMOSTAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16241-72704 | COMP FLANGE WATER   | 1    | <=658105 |     | [A]     | 0            | 0           |
| 010    | 16241-72705 | COMP FLANGE WATER   | 1    | >=658106 | ←   | [A]     | 0            | 0           |
| 010    | 16241-72705 | COMP FLANGE WATER   | 1    | <=741870 |     | [A]     | 0            | 0           |
| 010    | 16241-72705 | COMP FLANGE WATER   | 1    | >=10001  |     | [A]     | 0            | 0           |
| 010    | 16203-72700 | COMP FLANGE WATER   | 1    | >=110327 | ≠   | [A]     | 0.284        | 0.6248      |
| 010    | 16241-72704 | COMP FLANGE WATER   | 1    | <=658105 |     | [CA]    | 0            | 0           |
| 010    | 16241-72705 | COMP FLANGE WATER   | 1    | >=658106 | ←   | [CA]    | 0            | 0           |
| 010    | 16261-72705 | COMP FLANGE WATER   | 1    | >=681219 | →   | [CA]    | 0.26         | 0.572       |
| 010    | 16261-72705 | COMP FLANGE WATER   | 1    | <=741870 |     | [CA]    | 0.26         | 0.572       |
| 010    | 16261-72705 | COMP FLANGE WATER   | 1    | >=10001  |     | [CA]    | 0.26         | 0.572       |
| 010    | 16180-72700 | COMP FLANGE WATER   | 1    | >=110327 | ≠   | [CA]    | 0.265        | 0.583       |
| 020    | 16241-73370 | PIPE WATER RETURN   | 1    |          |     |         | 0.007        | 0.0154      |
| 030    | 16264-72920 | GASKET WATER FLANGE | 1    |          |     |         | 0.001        | 0.0022      |
| 040    | 01023-50616 | BOLT                | 3    |          |     |         | 0.005        | 0.011       |
| 050    | 01023-50655 | BOLT                | 1    |          |     |         | 0.012        | 0.0264      |
| 060    | 16241-73350 | PIPE WATER RETURN   | 1    |          |     |         | 0.015        | 0.033       |
| 070    | 16241-73360 | BAND PIPE           | 2    |          |     |         | 0.003        | 0.0066      |
| 080    | 15531-73010 | ASSY THERMOSTAT     | 1    | <=741870 |     |         | 0.07         | 0.154       |
| 080    | 15531-73010 | ASSY THERMOSTAT     | 1    | >=10001  |     |         | 0.07         | 0.154       |
| 080    | 15321-73014 | ASSY THERMOSTAT     | 1    | >=110327 | ≠   |         | 0            | 0           |
| 090    | 16271-73260 | COVER THERMOSTAT    | 1    | <=741870 |     |         | 0.06         | 0.132       |
| 090    | 16271-73260 | COVER THERMOSTAT    | 1    | >=10001  |     |         | 0.06         | 0.132       |
| 090    | 16219-73260 | COVER THERMOSTAT    | 1    | >=110327 | ≠   |         | 0.094        | 0.2068      |
| 100    | 15676-73270 | GASKET              | 1    | <=741870 |     |         | 0.005        | 0.011       |
| 100    | 15676-73270 | GASKET              | 1    | >=10001  |     |         | 0.005        | 0.011       |
| 100    | 15313-73270 | GASKET THERMOSTAT   | 1    | >=110327 | ≠   |         | 0.001        | 0.0022      |
| 100    | 16221-73270 | GASKET THERMOSTAT   | 1    | >=WY0001 | ↔   |         | 0.003        | 0.0066      |
| 110    | 01023-50632 | BOLT                | 2    | <=741870 |     |         | 0.01         | 0.022       |
| 110    | 01023-50632 | BOLT                | 2    | >=10001  |     |         | 0.01         | 0.022       |
| 110    | 01123-50835 | BOLT                | 2    | >=110327 | ≠   |         | 0.02         | 0.044       |
| 120    | 06311-55030 | PLUG                | 1    | >=110327 |     | [CA]    | 0.05         | 0.11        |
| 130    | 16261-96710 | GASKET              | 1    | >=110327 |     | [CA]    | 0.002        | 0.0044      |

## WATER PUMP






## WATER PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16251-73030 | ASSY PUMP WATER      | 1    | <=681218 |     |         | 0            | 0           |
| 010    | 16251-73032 | ASSY PUMP WATER      | 1    | >=681219 | →   |         | 0.9          | 1.98        |
| 020    | 16259-73550 | BEARING              | 1    |          |     |         | 0.21         | 0.462       |
| 030    | 15481-73050 | ASSY SEAL MECHANICAL | 1    |          |     |         | 0.02         | 0.044       |
| 040    | 16251-73510 | IMPELLER WATER PUMP  | 1    |          |     |         | 0.075        | 0.165       |
| 050    | 16241-73340 | PIPE WATER RETURN    | 1    |          |     |         | 0.006        | 0.0132      |
| 060    | 16261-73430 | GASKET WATER PUMP    | 1    | <=741870 |     |         | 0.001        | 0.0022      |
| 060    | 16261-73430 | GASKET WATER PUMP    | 1    | >=10001  |     |         | 0.001        | 0.0022      |
| 060    | 16251-73430 | GASKET WATER PUMP    | 1    | >=95970  | ↔   |         | 0.005        | 0.011       |
| 070    | 01023-50630 | BOLT                 | 4    |          |     |         | 0.008        | 0.0176      |
| 080    | 01023-50685 | BOLT                 | 2    |          |     |         | 0.018        | 0.0396      |
| 090    | 16259-73520 | FLANGE WATER PUMP    | 1    |          |     |         | 0.15         | 0.33        |




## VALVE AND ROCKER ARM




080 16261-1405-0

090 03410-50606



110 15261-1442-0



150 04612-00120






# VALVE AND ROCKER ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16241-13110 | VALVE INLET          | 3    |          |     |         | 0.05         | 0.11        |
| 020    | 16241-13120 | VALVE EXHAUST        | 3    |          |     |         | 0.045        | 0.099       |
| 030    | 16271-13240 | SPRING VALVE         | 6    |          |     |         | 0.015        | 0.033       |
| 040    | 16241-13330 | RETAINER VALVE SP.   | 6    |          |     |         | 0.012        | 0.0264      |
| 050    | 15261-13360 | COLLET VALVE SPRING  | 6    |          |     | SET     | 0.004        | 0.0088      |
| 060    | 16241-13150 | SEAL VALVE STEM      | 6    | <=741870 |     |         | 0.002        | 0.0044      |
| 060    | 16241-13150 | SEAL VALVE STEM      | 6    | >=10001  |     |         | 0.002        | 0.0044      |
| 060    | 1C010-13150 | SEAL VALVE STEM      | 6    | >=116860 | ↔   |         | 0.002        | 0.0044      |
| 070    | 16241-13280 | CAP VALVE            | 6    |          |     |         | 0.005        | 0.011       |
| 080    | 16261-14050 | ASSY SHAFT R-ARM     | 1    | <=WD2848 |     |         | 0.17         | 0.374       |
| 080    | 16261-14264 | SHAFT ROCKER ARM     | 1    | >=WE0001 | ≠   |         | 0.16         | 0.352       |
| 090    | 03410-50606 | SCREW SET            | 2    | <=WD2848 |     |         | 0.001        | 0.0022      |
| 090    | 01023-50610 | BOLT                 | 2    | >=WE0001 | ≠   |         | 0.005        | 0.011       |
| 100    | 16241-14350 | BRACKET ROCKER ARM   | 3    |          |     |         | 0.04         | 0.088       |
| 110    | 15261-14420 | SCREW SET.ROCKER ARM | 1    | <=WD2848 |     |         | 0.002        | 0.0044      |
| 110    | 05411-00428 | PIN SPRING           | 1    | >=WE0001 | ≠   |         | 0.002        | 0.0044      |
| 120    | 16241-14430 | WASHER R-ARM.SHAFT   | 2    |          |     |         | 0.002        | 0.0044      |
| 130    | 16241-14440 | WASHER R-ARM.SHAFT   | 2    | <=WD2848 |     |         | 0.002        | 0.0044      |
| 130    | 15841-94022 | WASHER PLAIN         | 2    | >=WE0001 | ≠   |         | 0.005        | 0.011       |
| 140    | 16241-14310 | SPRING ROCKER ARM    | 2    |          |     |         | 0.004        | 0.0088      |
| 150    | 04612-00120 | CIR CLIP EXTERNAL    | 2    | <=WD2848 |     |         | 0.001        | 0.0022      |
| 160    | 16241-14030 | ASSY ROCKER ARM      | 6    | <=741870 |     |         | 0.06         | 0.132       |
| 160    | 16241-14030 | ASSY ROCKER ARM      | 6    | >=10001  |     |         | 0.06         | 0.132       |
| 160    | 16241-14032 | ASSY ROCKER ARM      | 6    | >=89030  | ≠   |         | 0.052        | 0.1144      |
| 170    | 16241-14230 | SCREW ADJUSTING      | 6    |          |     |         | 0.008        | 0.0176      |
| 180    | 16241-14240 | NUT                  | 6    |          |     |         | 0.004        | 0.0088      |
| 190    | 16241-14410 | STUD                 | 3    |          |     |         | 0.022        | 0.0484      |
| 200    | 15261-92010 | NUT                  | 3    |          |     |         | 0.005        | 0.011       |
| 210    | 15261-94010 | WASHER PLAIN         | 3    |          |     |         | 0.002        | 0.0044      |

INLET MANIFOLD





## EXHAUST MANIFOLD






## EXHAUST MANIFOLD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16265-12312 | MANIFOLD EXHAUST   | 1    |          |     |         | 1.35         | 2.97        |
| 020    | 16261-12350 | GASKET EX-MANIFOLD | 1    |          |     |         | 0.019        | 0.0418      |
| 030    | 16241-91490 | STUD               | 6    |          |     |         | 0.005        | 0.011       |
| 040    | 16271-92010 | NUT                | 6    |          |     |         | 0.005        | 0.011       |
| 050    | 01513-50822 | STUD               | 4    | <=XZ0500 |     |         | 0.01         | 0.022       |
| 050    | 01513-50818 | STUD               | 4    | >=YA0001 | ≠   |         | 0.009        | 0.0198      |

UPPER GASKET KIT



16216-007-21






## UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-27786 | KIT GASKET UPPER     | 1    |       |     |         | 0.25         | 0.55        |
| 020    | 04811-50300 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 030    | 15221-33700 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 15601-96650 | GASKET               | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 15676-73270 | GASKET THERMOSTAT    | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 15841-53622 | GASKET               | 3    |       |     |         | 0.002        | 0.0044      |
| 070    | 15951-96660 | GASKET               | 3    |       |     |         | 0.001        | 0.0022      |
| 080    | 16241-13150 | SEAL VALVE STEM      | 6    |       |     |         | 0.002        | 0.0044      |
| 090    | 16231-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.07         | 0.154       |
| 100    | 16261-11822 | GASKET IN-MANIFOLD   | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 16261-12350 | GASKET EX-MANIFOLD   | 1    |       |     |         | 0.019        | 0.0418      |
| 120    | 16261-14520 | GASKET HEAD COVER    | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 15263-12370 | GASKET MUFFLER NA    | 1    |       |     |         | 0.015        | 0.033       |
| 130    | 15313-12370 | GASKET               | 1    |       |     |         | 0.008        | 0.0176      |
| 140    | 16264-72920 | GASKET WATER FLANGE  | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 16261-96710 | GASKET               | 2    |       |     |         | 0.002        | 0.0044      |

LOWER GASKET KIT






## LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-27797 | LOWER GASKET KIT    | 1    |       |     |         | 0            | 0           |
| 020    | 04814-00100 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 04811-00150 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 04811-00160 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 04811-06100 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 04811-10280 | RING                | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 04811-10460 | O RING              | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 15021-33660 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 15109-33660 | GASKET              | 2    |       |     |         | 0.001        | 0.0022      |
| 100    | 04814-00090 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 16271-04460 | SEAL OIL            | 1    |       |     |         | 0.04         | 0.088       |
| 120    | 15601-96650 | GASKET              | 5    |       |     |         | 0.001        | 0.0022      |
| 130    | 16264-52140 | GASKET FUEL PUMP    | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 16264-04130 | GASKET GEAR CASE    | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 16241-04212 | SEAL OIL            | 1    |       |     |         | 0.012        | 0.0264      |
| 160    | 16264-04360 | GASKET BRG.CASE     | 1    |       |     |         | 0.002        | 0.0044      |
| 170    | 16264-04820 | GASKET              | 1    |       |     |         | 0.008        | 0.0176      |
| 180    | 16299-56260 | GASKET              | 1    |       |     |         | 0.002        | 0.0044      |
| 190    | 16264-57210 | GASKET              | 1    |       |     |         | 0.002        | 0.0044      |
| 200    | 16264-88130 | GASKET H/METER UNIT | 1    |       |     |         | 0.002        | 0.0044      |
| 210    | 16266-01620 | GASKET OIL PAN      | 1    |       |     |         | 0.028        | 0.0616      |
| 220    | 16261-73430 | GASKET WATER PUMP   | 1    |       |     |         | 0.001        | 0.0022      |
| 230    | 19202-96750 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 04724-00100 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 1G031-96650 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |




6C 040-002-20



**DYNAMO**  
B1700HSD:ALL,B2100HSD/B2400HSD:[A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|-------------------------------------|--------------|-------------|
| 010    | 6C040-59250 | ASSY DYNAMO      | 1    |         |     | REFER TO L.No.C06-L FOR COMPONENTS. | 1.33         | 2.926       |
| 020    | 6C040-59310 | COLLAR           | 1    |         |     |                                     | 0.005        | 0.011       |
| 030    | 01123-50825 | BOLT             | 1    | ≤741870 |     |                                     | 0.013        | 0.0286      |
| 030    | 01123-50825 | BOLT             | 1    | ≥10001  |     |                                     | 0.013        | 0.0286      |
| 030    | 01123-50830 | BOLT             | 1    | ≥139736 | ↔   |                                     | 0.015        | 0.033       |
| 040    | 01153-50860 | BOLT             | 1    |         |     |                                     | 0.024        | 0.0528      |
| 050    | 02112-50080 | NUT              | 1    |         |     |                                     | 0.003        | 0.0066      |
| 060    | 04012-50080 | WASHER<br>PLAIN  | 1    |         |     |                                     | 0.001        | 0.0022      |
| 070    | 04015-60080 | WASHER<br>PLAIN  | 1    |         |     |                                     | 0.01         | 0.022       |
| 080    | 04512-60080 | WASHER<br>SPRING | 1    |         |     |                                     | 0.002        | 0.0044      |
| 090    | 16225-64420 | STAY DYNAMO      | 1    |         |     |                                     | 0.08         | 0.176       |
| 100    | 01023-50618 | BOLT             | 1    |         |     |                                     | 0.006        | 0.0132      |
| 110    | 04012-50060 | WASHER<br>PLAIN  | 1    |         |     |                                     | 0.001        | 0.0022      |
| 120    | 16271-83370 | CLAMP CORD       | 1    |         |     |                                     | 0.005        | 0.011       |
| 130    | 19482-72530 | BELT FAN         | 1    |         |     |                                     | 0.08         | 0.176       |






**DYNAMO [COMPONENT PARTS]**  
B1700HSD:ALL,B2100HSD/B2400HSD:[A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-59250 | ASSY DYNAMO      | 1    |       |     |         | 1.33         | 2.926       |
| 020    | 6C040-59260 | COMP.STATOR      | 1    |       |     |         | 0.55         | 1.21        |
| 030    | 15261-93010 | SCREW ROUND HEAD | 2    |       |     |         | 0.003        | 0.0066      |
| 040    | 15531-64292 | STATOR           | 1    |       |     |         | 0.29         | 0.638       |
| 050    | 6C040-82880 | PLATE            | 1    |       |     |         | 0.267        | 0.5874      |
| 060    | 15531-74180 | BEARING BALL     | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 15531-93010 | SCREW ROUND HEAD | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 15531-64190 | CLAMP CORD       | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 6C040-59270 | COMP.FLYWHEEL    | 1    |       |     |         | 0.75         | 1.65        |
| 100    | 15531-64110 | PULLEY           | 1    |       |     |         | 0.15         | 0.33        |
| 110    | 6C040-82850 | FLYWHEEL DYNAMO  | 1    |       |     |         | 0.48         | 1.056       |
| 120    | 6C040-82860 | COLLAR           | 1    |       |     |         | 0.014        | 0.0308      |
| 130    | 15531-74180 | BEARING BALL     | 2    |       |     |         | 0.04         | 0.088       |
| 140    | 6C040-82870 | SHAFT            | 1    |       |     |         | 0.075        | 0.165       |
| 150    | 15261-64150 | COLLAR           | 1    |       |     |         | 0.02         | 0.044       |
| 160    | 15261-92030 | NUT              | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 15261-94070 | WASHER SPRING    | 1    |       |     |         | 0.003        | 0.0066      |
| 180    | 15261-94020 | WASHER PLAIN     | 1    |       |     |         | 0.007        | 0.0154      |



16216-001-10










## HYDRAULIC PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|-------------------------------------|--------------|-------------|
| 010    | 6C040-36300 | ASSY PUMP HYDRAULIC | 1    | <=YX0866 |     | REFER TO L.No.E09-L FOR COMPONENTS. | 0            | 0           |
| 010    | 6C040-36306 | ASSY PUMP HYDRAULIC | 1    | >=YY0001 | ←   | REFER TO L.No.E09-L FOR COMPONENTS. | 0            | 0           |
| 020    | 04811-10460 | O RING              | 1    |          |     |                                     | 0.002        | 0.0044      |
| 030    | 01123-50825 | BOLT                | 1    |          |     |                                     | 0.013        | 0.0286      |
| 040    | 01123-50835 | BOLT                | 1    |          |     |                                     | 0.02         | 0.044       |
| 050    | 02056-50080 | NUT                 | 1    |          |     |                                     | 0.005        | 0.011       |
| 060    | 13824-67590 | CLAMP CORD          | 1    |          |     |                                     | 0.002        | 0.0044      |



16216-002-1 1

020 K3511-3675-2



020

040 6C040-3635-0

040




6C050-803-10



## HYDRAULIC PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 6C040-36300 | ASSY PUMP HYDRAULIC | 1    | <=YX0866 |     |         | 0            | 0           |
| 010    | 6C040-36306 | ASSY PUMP HYDRAULIC | 1    | >=YY0001 | ←   |         | 0            | 0           |
| 020    | 6C040-36360 | COVER               | 1    | <=741870 |     |         | 0.24         | 0.528       |
| 020    | 6C040-36360 | COVER               | 1    | >=10001  |     |         | 0.24         | 0.528       |
| 020    | K3511-36750 | COVER               | 1    | >=25929  | ↔   |         | 0.24         | 0.528       |
| 020    | K3511-36752 | COVER               | 1    | >=56403  | ≠   |         | 0            | 0           |
| 020    | 6A100-37502 | COMP.COVER          | 1    | >=82938  | ←   |         | 0.26         | 0.572       |
| 030    | 6C040-36390 | COMP.GEAR HYD.PUMP  | 1    | <=741870 |     |         | 0.06         | 0.132       |
| 030    | 6C040-36390 | COMP.GEAR HYD.PUMP  | 1    | >=10001  |     |         | 0.06         | 0.132       |
| 030    | 6C040-36392 | COMP.GEAR HYD.PUMP  | 1    | >=82938  | ≠   |         | 0.309        | 0.6798      |
| 040    | 6C040-36350 | PLATE SIDE          | 1    | <=741870 |     |         | 0.023        | 0.0506      |
| 040    | 6C040-36350 | PLATE SIDE          | 1    | >=10001  |     |         | 0.023        | 0.0506      |
| 040    | 6C040-36352 | PLATE SIDE          | 1    | >=56403  | ≠   |         | 0.023        | 0.0506      |
| 040    | 6C140-36350 | PLATE SIDE          | 1    | >=YY0001 | ←   |         | 0.05         | 0.11        |
| 045    | 6A100-37230 | BUSH                | 2    | >=82938  |     |         | 0.005        | 0.011       |
| 050    | 6C040-36340 | RING DOUBLE         | 1    | <=741870 |     |         | 0.004        | 0.0088      |
| 050    | 6C040-36340 | RING DOUBLE         | 1    | >=10001  |     |         | 0.004        | 0.0088      |
| 050    | 6C040-36342 | RING DOUBLE         | 1    | >=56403  | ≠   |         | 0.003        | 0.0066      |
| 060    | 6C040-36370 | BUSH                | 4    | <=741870 |     |         | 0.004        | 0.0088      |
| 060    | 6C040-36370 | BUSH                | 4    | >=100011 |     |         | 0.004        | 0.0088      |
| 060    | 6A100-37230 | BUSH                | 4    | >=25929  | ↔   |         | 0.005        | 0.011       |
| 060    | 6A100-37230 | BUSH                | 2    | >=82938  |     |         | 0.005        | 0.011       |
| 070    | 31381-76390 | SEAL OIL            | 1    |          |     |         | 0.01         | 0.022       |
| 080    | 04611-00300 | CIR CLIP INTERNAL   | 1    |          |     |         | 0.004        | 0.0088      |
| 090    | 01754-51030 | BOLT FLANGE         | 4    |          |     |         | 0.03         | 0.066       |
| 100    | 05012-00814 | PIN STRAIGHT        | 2    |          |     |         | 0.006        | 0.0132      |



6C 040-001-11


**AIR CLEANER**

S.No.;&lt;=72212;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|-------------------------------------|--------------|-------------|
| 010    | 6C040-58200 | ASSY CLEANER AIR    | 1    |         |     | NOT SALE ORDER BY P/No.6A100-5820-0 | 0            | 0           |
| 020    | 6C040-82510 | BODY AIR CLEANER    | 1    |         |     |                                     | 0.23         | 0.506       |
| 030    | 67980-82553 | ASSY COVER A/C      | 1    |         |     |                                     | 0.1          | 0.22        |
| 040    | T0070-16342 | BOLT WING           | 1    |         |     |                                     | 0.021        | 0.0462      |
| 050    | 67980-82610 | WASHER              | 1    |         |     |                                     | 0.001        | 0.0022      |
| 060    | 67980-82620 | LABEL CAUTION       | 1    |         |     |                                     | 0.001        | 0.0022      |
| 070    | 67980-82630 | ASSY ELEMENT        | 1    |         |     |                                     | 0.21         | 0.462       |
| 080    | 6C040-58233 | BRACKET AIR CLEANER | 1    |         |     |                                     | 0.54         | 1.188       |
| 090    | 02131-50100 | NUT                 | 2    |         |     |                                     | 0.01         | 0.022       |
| 100    | 6C040-58250 | HOSE INLET          | 1    | <=72034 |     |                                     | 0.115        | 0.253       |
| 100    | 6C040-58253 | HOSE INLET          | 1    | >=72035 | ←   |                                     | 0.12         | 0.264       |
| 110    | 15261-11720 | BAND PIPE           | 1    |         |     |                                     | 0.03         | 0.066       |
| 120    | 6C040-58260 | HOSE INLET          | 1    |         |     |                                     | 0.27         | 0.594       |
| 130    | 67955-58260 | BAND AIR CLEANER    | 2    |         |     |                                     | 0.028        | 0.0616      |






**AIR CLEANER**

S.No.;&gt;=72213;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6A100-58200 | ASSY CLEANER AIR    | 1    |       |     |         | 0.59         | 1.298       |
| 020    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 030    | 6A100-82520 | BODY AIR CLEANER    | 1    |       |     |         | 0.23         | 0.506       |
| 040    | 6A100-82530 | GASKET              | 1    |       |     |         | 0.03         | 0.066       |
| 050    | 67980-82620 | LABEL CAUTION       | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 6A100-82550 | ASSY COVER A/C      | 1    |       |     |         | 0.179        | 0.3938      |
| 070    | 6A100-82570 | SPRING              | 2    |       |     |         | 0.005        | 0.011       |
| 080    | 67980-82580 | VALVE UNLOADER      | 1    |       |     |         | 0.011        | 0.0242      |
| 090    | 6A100-82630 | ASSY ELEMENT        | 1    |       |     |         | 0.24         | 0.528       |
| 100    | 6C040-58233 | BRACKET AIR CLEANER | 1    |       |     |         | 0.54         | 1.188       |
| 110    | 02131-50100 | NUT                 | 2    |       |     |         | 0.01         | 0.022       |
| 120    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 130    | 6C040-58253 | HOSE INLET          | 1    |       |     |         | 0.12         | 0.264       |
| 140    | 15261-11720 | BAND PIPE           | 1    |       |     |         | 0.03         | 0.066       |
| 150    | 6C040-58260 | HOSE INLET          | 1    |       |     |         | 0.27         | 0.594       |
| 160    | 67955-58260 | BAND AIR CLEANER    | 2    |       |     |         | 0.028        | 0.0616      |




**AIR CLEANER (DOUBLE) [OPTION]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-94110 | ASSY CLEANER AIR  | 1    |       |     |         | 1.44         | 3.168       |
| 020    | 6C040-94210 | ASSY CASE         | 1    |       |     |         | 0.68         | 1.496       |
| 030    | 6C040-94220 | ASSY PAN DUST     | 1    |       |     |         | 0.26         | 0.572       |
| 040    | 6C040-94230 | RETAINER ELEMENT  | 1    |       |     |         | 0.049        | 0.1078      |
| 050    | 6C040-94240 | ELEMENT OUTER     | 1    |       |     |         | 0.3          | 0.66        |
| 060    | 6C040-94250 | ELEMENT INNER     | 1    |       |     |         | 0.108        | 0.2376      |
| 070    | 6C040-94260 | NUT WING          | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 6C040-94290 | LABEL             | 1    |       |     |         | 0.02         | 0.044       |
| 090    | 15222-87480 | LABEL ELEMENT A/C | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 6C040-94102 | ASSY BRACKET A/C  | 1    |       |     |         | 0.53         | 1.166       |
| 110    | 67401-54280 | CUSHION           | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 67401-54290 | BAND AIR CLEANER  | 1    |       |     |         | 0.06         | 0.132       |

## MUFFLER






## MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-58400 | COMP.MUFFLER       | 1    | <=70001 |     |         | 0            | 0           |
| 010    | 6C040-58403 | COMP.MUFFLER       | 1    | >=70002 | ←   |         | 2.64         | 5.808       |
| 010    | 6C040-58404 | COMP.MUFFLER       | 1    | >=72035 | ←   |         | 2.62         | 5.764       |
| 020    | 02121-50080 | NUT                | 4    |         |     |         | 0.01         | 0.022       |
| 030    | 15263-12370 | GASKET MUFFLER NA  | 1    |         |     |         | 0.015        | 0.033       |
| 040    | 6C040-58420 | PIPE EXHAUST       | 1    | <=70782 |     |         | 0            | 0           |
| 040    | 6C040-58424 | PIPE EXHAUST       | 1    | >=70783 | ←   |         | 0.52         | 1.144       |
| 050    | 15221-12433 | CLAMP MUFFLER PIPE | 1    |         |     |         | 0.05         | 0.11        |
| 060    | 01153-50865 | BOLT               | 1    |         |     |         | 0.025        | 0.055       |
| 070    | 04013-60080 | WASHER PLAIN       | 2    |         |     |         | 0.002        | 0.0044      |
| 080    | 04512-60080 | WASHER SPRING      | 1    |         |     |         | 0.002        | 0.0044      |
| 090    | 02114-50080 | NUT                | 1    |         |     |         | 0.005        | 0.011       |

## ACCELERATOR LEVER






## ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-43212 | BRACKET ACCEL.   | 1    |         |     |         | 0.163        | 0.3586      |
| 020    | 6C040-43220 | ROD ACCEL.       | 1    |         |     |         | 0.35         | 0.77        |
| 030    | 66116-51530 | SPRING PLATE     | 2    |         |     |         | 0.004        | 0.0088      |
| 040    | 6C040-43250 | ARM ACCELERATOR  | 1    |         |     |         | 0.04         | 0.088       |
| 045    | 6C040-43380 | WASHER ACCEL.    | 1    | >=73184 |     |         | 0.004        | 0.0088      |
| 050    | 04512-60080 | WASHER PLAIN     | 1    |         |     |         | 0.002        | 0.0044      |
| 055    | 02751-50080 | NUT FLANGE       | 1    |         |     |         | 0.006        | 0.0132      |
| 060    | 02156-50080 | NUT              | 1    |         |     |         | 0.004        | 0.0088      |
| 070    | 6C040-43290 | SPRING           | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 6C050-43230 | LINK ACCEL.      | 1    |         |     |         | 0.135        | 0.297       |
| 090    | 05525-61000 | PIN SNAP         | 1    |         |     |         | 0.002        | 0.0044      |
| 100    | 01125-60820 | BOLT             | 1    |         |     |         | 0.015        | 0.033       |
| 110    | 6C040-43240 | LEVER ACCEL.     | 1    | <=71962 |     |         | 0            | 0           |
| 110    | 6C040-43244 | LEVER ACCEL.     | 1    | >=71963 | ←   |         | 0.115        | 0.253       |
| 120    | TA040-49873 | GRIP             | 1    |         |     |         | 0.024        | 0.0528      |
| 130    | 05411-00520 | PIN SPRING       | 1    |         |     |         | 0.002        | 0.0044      |
| 140    | 6C040-43300 | ASSY ROD RELEASE | 1    |         |     |         | 0.1          | 0.22        |
| 150    | 6C040-43280 | CONNECTOR        | 1    |         |     |         | 0.008        | 0.0176      |
| 160    | 02014-50060 | NUT              | 2    |         |     |         | 0.003        | 0.0066      |
| 170    | 05525-50800 | PIN SNAP         | 1    |         |     |         | 0.001        | 0.0022      |
| 180    | 05525-60600 | PIN SNAP         | 1    |         |     |         | 0.001        | 0.0022      |




## FUEL TANK



6C040-004-16

040 6C040-5477-0



6C040-802-10




FUEL TANK  
#

REV. SEPT. 10 '01

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-54700 | ASSY TANK FUEL    | 1    | ≤72212 |     |         | 0            | 0           |
| 010    | 6C040-54705 | ASSY TANK FUEL    | 1    | ≥72213 | ←   |         | 0            | 0           |
| 010    | 6C040-54706 | ASSY TANK FUEL    | 1    | ≥73803 | ←   |         | 0            | 0           |
| 010    | 6C040-54709 | ASSY TANK FUEL    | 1    | ≥74099 | ←   |         | 5.1          | 11.22       |
| 020    | 6C040-54740 | TRAY FUEL         | 1    |        |     |         | 0.86         | 1.892       |
| 030    | 6C040-54760 | PIPE              | 1    |        |     |         | 0.116        | 0.2552      |
| 040    | 6C040-54770 | ASSY CAP          | 1    | ≤72212 |     |         | 0.052        | 0.1144      |
| 040    | 6A100-54910 | ASSY CAP FUEL     | 1    | ≥72213 | ←   |         | 0.05         | 0.11        |
| 044    | 6A100-54920 | CAP FUEL          | 1    |        |     |         | 0.041        | 0.0902      |
| 050    | 6C040-54780 | CLAMP             | 1    | ≤74098 |     |         | 0.005        | 0.011       |
| 050    | 09318-88185 | CLAMP HOSE        | 1    | ≥74099 | ←   |         | 0.003        | 0.0066      |
| 060    | 6C040-54750 | GAUGE FUEL        | 1    | ≤74098 |     |         | 0            | 0           |
| 060    | 6C040-54752 | GAUGE FUEL        | 1    | ≥74099 | ←   |         | 0            | 0           |
| 065    | 6A320-85812 | GASKET GAUGE      | 1    |        |     |         | 0            | 0           |
| 070    | 03024-50514 | SCREW WITH WASHER | 5    |        |     |         | 0.003        | 0.0066      |
| 080    | 01127-50820 | BOLT              | 4    |        |     |         | 0.02         | 0.044       |
| 090    | 6C040-54790 | SPONGE            | 1    |        |     |         | 0.392        | 0.8624      |

## FUEL PIPE






# FUEL PIPE

S.No.;<=74098;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|-------------------------------------|--------------|-------------|
| 010    | 15751-43010 | ASSY FILTER FUEL     | 1    |         |     | REFER TO L.No.C02-R FOR COMPONENTS. | 0.41         | 0.902       |
| 020    | 01123-50865 | BOLT                 | 1    |         |     |                                     | 0.028        | 0.0616      |
| 030    | 6C040-58310 | STAY FUEL FILTER     | 1    |         |     |                                     | 0.18         | 0.396       |
| 040    | 01125-60820 | BOLT                 | 1    |         |     |                                     | 0.015        | 0.033       |
| 050    | 6C040-54810 | ASSY TUBE FUEL       | 1    |         |     |                                     | 0.048        | 0.1056      |
| 060    | 09661-70300 | TUBE FUEL            | 1    |         |     |                                     | 0.04         | 0.088       |
| 070    | 14911-42750 | CLIP PIPE            | 2    |         |     |                                     | 0.002        | 0.0044      |
| 080    | 67111-58320 | SPRING PIPE PROTECT. | 1    |         |     |                                     | 0.02         | 0.044       |
| 090    | 6C040-54850 | ASSY PIPE AIR VENT   | 1    |         |     |                                     | 0.024        | 0.0528      |
| 100    | 09661-40440 | TUBE FUEL            | 1    |         |     |                                     | 0.025        | 0.055       |
| 110    | 14971-42750 | CLIP PIPE            | 2    |         |     |                                     | 0.001        | 0.0022      |
| 120    | 6C040-59410 | ASSY TUBE FUEL       | 1    |         |     |                                     | 0.058        | 0.1276      |
| 130    | 09661-70380 | TUBE FUEL            | 1    |         |     |                                     | 0.04         | 0.088       |
| 140    | 14911-42750 | CLIP PIPE            | 2    |         |     |                                     | 0.002        | 0.0044      |
| 150    | 76611-53370 | SPRING PIPE PROTECT. | 1    |         |     |                                     | 0.01         | 0.022       |
| 160    | 6C040-59450 | ASSY PIPE OVER FLOW  | 1    |         |     |                                     | 0.017        | 0.0374      |
| 170    | 09661-40300 | TUBE FUEL            | 1    |         |     |                                     | 0.016        | 0.0352      |
| 180    | 14971-42750 | CLIP PIPE            | 2    |         |     |                                     | 0.001        | 0.0022      |
| 190    | 6C040-59440 | ASSY PIPE AIR VENT   | 1    |         |     |                                     | 0.022        | 0.0484      |
| 200    | 09661-40400 | TUBE FUEL            | 1    |         |     |                                     | 0.02         | 0.044       |
| 210    | 14971-42750 | CLIP PIPE            | 2    |         |     |                                     | 0.001        | 0.0022      |
| 220    | 16032-42010 | ASSY TUBE FUEL       | 1    |         |     |                                     | 0.012        | 0.0264      |
| 230    | 09661-80075 | TUBE FUEL            | 1    |         |     |                                     | 0.01         | 0.022       |
| 240    | 16241-42750 | CLIP PIPE            | 2    | <=72716 |     |                                     | 0            | 0           |
| 240    | 14911-42750 | CLIP PIPE            | 2    | >=72717 | ↔   |                                     | 0.002        | 0.0044      |
| 250    | 15841-42500 | ASSY PIPE OVER FLOW  | 1    |         |     |                                     | 0.015        | 0.033       |
| 260    | 14971-42750 | CLIP PIPE            | 2    |         |     |                                     | 0.001        | 0.0022      |

## FUEL PIPE






**FUEL PIPE**  
S.No.;>=74099;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|-------------------------------------|--------------|-------------|
| 010    | 15751-43010 | ASSY FILTER FUEL     | 1    |       |     | REFER TO L.No.C02-R FOR COMPONENTS. | 0.41         | 0.902       |
| 020    | 01123-50865 | BOLT                 | 1    |       |     |                                     | 0.028        | 0.0616      |
| 030    | 6C040-58310 | STAY FUEL FILTER     | 1    |       |     |                                     | 0.18         | 0.396       |
| 040    | 01125-60820 | BOLT                 | 1    |       |     |                                     | 0.015        | 0.033       |
| 050    | 6C040-54810 | ASSY TUBE FUEL       | 1    |       |     |                                     | 0.048        | 0.1056      |
| 060    | 09661-70300 | TUBE FUEL            | 1    |       |     |                                     | 0.04         | 0.088       |
| 070    | 14911-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.002        | 0.0044      |
| 080    | 67111-58320 | SPRING PIPE PROTECT. | 1    |       |     |                                     | 0.02         | 0.044       |
| 090    | 6C040-54850 | ASSY PIPE AIR VENT   | 1    |       |     |                                     | 0.024        | 0.0528      |
| 100    | 09661-40440 | TUBE FUEL            | 1    |       |     |                                     | 0.025        | 0.055       |
| 110    | 14971-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.001        | 0.0022      |
| 120    | 6C040-59410 | ASSY TUBE FUEL       | 1    |       |     |                                     | 0.058        | 0.1276      |
| 130    | 09661-70380 | TUBE FUEL            | 1    |       |     |                                     | 0.04         | 0.088       |
| 140    | 14911-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.002        | 0.0044      |
| 150    | 76611-53370 | SPRING PIPE PROTECT. | 1    |       |     |                                     | 0.01         | 0.022       |
| 160    | 6C040-59450 | ASSY PIPE OVER FLOW  | 1    |       |     |                                     | 0.017        | 0.0374      |
| 170    | 09661-40300 | TUBE FUEL            | 1    |       |     |                                     | 0.016        | 0.0352      |
| 180    | 14971-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.001        | 0.0022      |
| 190    | 16032-42010 | ASSY TUBE FUEL       | 1    |       |     |                                     | 0.012        | 0.0264      |
| 200    | 09661-80075 | TUBE FUEL            | 1    |       |     |                                     | 0.01         | 0.022       |
| 210    | 14971-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.001        | 0.0022      |
| 220    | 17208-42500 | ASSY PIPE OVER FLOW  | 1    |       |     |                                     | 0.007        | 0.0154      |
| 230    | 14971-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.001        | 0.0022      |
| 240    | 16282-42020 | ASSY PIPE OVER FLOW  | 1    |       |     |                                     | 0.01         | 0.022       |
| 250    | 09661-40040 | PIPE FUEL            | 1    |       |     |                                     | 0.005        | 0.011       |
| 260    | 14971-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.001        | 0.0022      |
| 270    | 17208-42030 | ASSY PIPE OVER FLOW  | 1    |       |     |                                     | 0.006        | 0.0132      |
| 280    | 09661-40100 | TUBE FUEL            | 1    |       |     |                                     | 0.006        | 0.0132      |
| 290    | 14971-42750 | CLIP PIPE            | 2    |       |     |                                     | 0.001        | 0.0022      |
| 300    | K3511-58390 | JOINT T-PIPE         | 1    |       |     |                                     | 0.001        | 0.0022      |








## FUEL FILTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15751-43010 | ASSY FILTER FUEL  | 1    |       |     |         | 0.41         | 0.902       |
| 020    | 15531-43110 | COMP.BODY COCK    | 1    |       |     |         | 0.255        | 0.561       |
| 030    | 14301-43522 | LEVER COCK        | 1    |       |     |         | 0.024        | 0.0528      |
| 040    | 14301-43820 | SPRING VALVE      | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 14301-43830 | SCREW SET         | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 14301-43840 | O RING LEVER      | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 19204-43100 | ASSY CUP FILTER   | 1    |       |     |         | 0.02         | 0.044       |
| 080    | 15393-43580 | CUP FILTER        | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 16689-88430 | LABEL FUEL FILTER | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 14301-43590 | RING RETAINING    | 1    |       |     |         | 0.054        | 0.1188      |
| 110    | 14301-43650 | O RING FILTER CUP | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 15231-43560 | ASSY ELEMENT      | 1    |       |     |         | 0.03         | 0.066       |
| 130    | 14301-43570 | O RING FILTER     | 1    |       |     |         | 0.001        | 0.0022      |






# FAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-58510 | FAN              | 1    |         |     |         | 0.37         | 0.814       |
| 020    | 16241-74250 | PULLEY FAN       | 1    |         |     |         | 0.24         | 0.528       |
| 030    | 01754-50612 | BOLT FLANGE      | 4    |         |     |         | 0.005        | 0.011       |
| 040    | 16261-74280 | PULLEY FAN DRIVE | 1    |         |     | [A]     | 1.14         | 2.508       |
| 040    | 16261-74280 | PULLEY FAN DRIVE | 1    | <=71766 |     | [CA]    | 1.14         | 2.508       |
| 040    | 16380-74280 | PULLEY FAN DRIVE | 1    | >=71767 | →   | [CA]    | 1.25         | 2.75        |
| 050    | 16241-91020 | BOLT             | 1    |         |     |         | 0.1          | 0.22        |






## WATER PIPE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-58630 | HOSE WATER       | 1    |        |     |         | 0.095        | 0.209       |
| 020    | 67955-58630 | CLAMP HOSE       | 2    |        |     |         | 0.025        | 0.055       |
| 030    | 6C040-58570 | HOSE WATER       | 1    |        |     |         | 0.158        | 0.3476      |
| 033    | 67955-58630 | CLAMP HOSE       | 1    |        |     |         | 0.025        | 0.055       |
| 036    | 67955-58630 | CLAMP HOSE       | 1    |        |     |         | 0.025        | 0.055       |
| 040    | 6C040-58640 | CLAMP WATER HOSE | 1    |        |     |         | 0.031        | 0.0682      |
| 050    | 6C040-58650 | COCK             | 1    |        |     |         | 0.017        | 0.0374      |
| 060    | 55364-82110 | COCK DRAIN       | 1    |        |     |         | 0.005        | 0.011       |
| 070    | 01125-60820 | BOLT             | 1    | ≤70782 |     |         | 0.015        | 0.033       |
| 070    | 01125-50822 | BOLT             | 1    | ≥70783 | ←   |         | 0.015        | 0.033       |
| 080    | 6C040-58680 | HOSE DRAIN       | 1    |        |     |         | 0.023        | 0.0506      |
| 090    | 6C040-58720 | CLAMP HOSE       | 2    |        |     |         | 0.017        | 0.0374      |
| 100    | 6C040-58690 | HOSE DRAIN       | 1    |        |     |         | 0.05         | 0.11        |
| 110    | 6C040-58730 | CLAMP HOSE       | 1    |        |     |         | 0.017        | 0.0374      |
| 120    | 6C040-58730 | CLAMP HOSE       | 1    |        |     |         | 0.017        | 0.0374      |

## RADIATOR






## RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description             | Q'ty | S.No.  | I/C | REMARKS                     | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------------|------|--------|-----|-----------------------------|--------------|-------------|
| 010    | 6C040-58520 | ASSY RADIATOR           | 1    |        |     |                             | 5.18         | 11.396      |
| 020    | 6C040-58660 | ASSY CAP RADIATOR       | 1    |        |     |                             | 0.043        | 0.0946      |
| 030    | 6C040-58670 | HOSE OVER FLOW          | 1    |        |     |                             | 0.055        | 0.121       |
| 040    | 6C040-58710 | CLIP                    | 1    |        |     |                             | 0.002        | 0.0044      |
| 050    | 6C040-58602 | KIT SHROUD FAN          | 1    |        |     |                             | 0.7          | 1.54        |
| 060    | 32751-49580 | LABEL FAN BELT          | 2    |        |     |                             | 0.001        | 0.0022      |
| 070    | TA040-49580 | LABEL MUFFLER           | 1    |        |     |                             | 0.001        | 0.0022      |
| 080    | 15272-67590 | CLAMP CORD              | 2    |        |     |                             | 0.004        | 0.0088      |
| 090    | 01025-50612 | BOLT                    | 4    |        |     |                             | 0.005        | 0.011       |
| 100    | 6C040-58530 | NET RADIATOR            | 1    |        |     |                             | 0.25         | 0.55        |
| 110    | 6C040-58540 | GUIDE RADIATOR<br>NET L | 1    |        |     |                             | 0.114        | 0.2508      |
| 120    | 6C040-58550 | GUIDE RADIATOR<br>NET R | 1    |        |     |                             | 0.114        | 0.2508      |
| 130    | 01025-50612 | BOLT                    | 4    |        |     |                             | 0.005        | 0.011       |
| 140    | 6C040-58580 | CUSHION RADIATOR        | 2    |        |     |                             | 0.021        | 0.0462      |
| 150    | 6C040-54520 | SPONGE                  | 1    |        |     |                             | 0.005        | 0.011       |
| 160    | 6C040-54490 | SPONGE                  | 2    | ≤72417 |     |                             | 0.005        | 0.011       |
| 160    | 6C090-54490 | SPONGE                  | 2    | ≥72418 | ↔   |                             | 0.004        | 0.0088      |
| 170    | 6C040-54450 | TAPE RADIATOR LH        | 2    | ≤72035 |     |                             | 0            | 0           |
| 170    | 6C040-54454 | TAPE RADIATOR LH        | 2    | ≥72036 | ←   |                             | 0.033        | 0.0726      |
| 180    | 6C040-54472 | TAPE RADIATOR           | 1    |        |     |                             | 0.027        | 0.0594      |
| 190    | 6C040-58590 | STAY RADIATOR           | 1    |        |     |                             | 0.16         | 0.352       |
| 190    | 6C040-94130 | STAY RADIATOR           | 1    |        |     | OPTION (WITH DOUBLE<br>A/C) | 0.197        | 0.4334      |
| 195    | 38240-29870 | CUSHION                 | 1    |        |     | OPTION (WITH DOUBLE<br>A/C) | 0.004        | 0.0088      |
| 200    | 01025-50616 | BOLT                    | 2    |        |     |                             | 0.005        | 0.011       |
| 210    | 6C040-58620 | PLATE SHUTTER           | 1    |        |     |                             | 0.117        | 0.2574      |
| 220    | 01125-60816 | BOLT                    | 2    |        |     |                             | 0.01         | 0.022       |








## ALTERNATOR [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|----------------------------------------|--------------|-------------|
| 010    | 16241-64010 | ASSY<br>ALTERNATOR | 1    |       |     | REFER TO L.No.C05-L FOR<br>COMPONENTS. | 3            | 6.6         |
| 020    | 16241-64420 | STAY DYNAMO        | 1    |       |     |                                        | 0.095        | 0.209       |
| 030    | 01123-50825 | BOLT               | 1    |       |     |                                        | 0.013        | 0.0286      |
| 040    | 01173-51085 | BOLT               | 1    |       |     |                                        | 0.051        | 0.1122      |
| 050    | 02176-50100 | NUT                | 1    |       |     |                                        | 0.005        | 0.011       |
| 060    | 04011-50100 | WASHER PLAIN       | 1    |       |     |                                        | 0.002        | 0.0044      |
| 070    | 04512-60100 | WASHER SPRING      | 1    |       |     |                                        | 0.002        | 0.0044      |
| 080    | 04015-60080 | WASHER PLAIN       | 1    |       |     |                                        | 0.01         | 0.022       |
| 090    | 01023-50618 | BOLT               | 1    |       |     |                                        | 0.006        | 0.0132      |
| 100    | 04012-50060 | WASHER PLAIN       | 1    |       |     |                                        | 0.001        | 0.0022      |
| 110    | 16271-83370 | CLAMP CORD         | 1    |       |     |                                        | 0.005        | 0.011       |
| 120    | 14911-97010 | V BELT             | 1    |       |     |                                        | 0.084        | 0.1848      |






## ALTERNATOR [COMPONENT PARTS] [CA]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16241-64010 | ASSY ALTERNATOR  | 1    |       |     |         | 3            | 6.6         |
| 020    | 15881-64110 | PULLEY DYNAMO    | 1    |       |     |         | 0.16         | 0.352       |
| 030    | 15881-92010 | NUT              | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 15881-64150 | COLLAR           | 1    |       |     |         | 0.004        | 0.0088      |
| 050    | 15881-64040 | ROTOR            | 1    |       |     |         | 1.2          | 2.64        |
| 060    | 15881-64800 | COVER BEARING    | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 15881-64770 | BEARING BALL     | 1    |       |     |         | 0.04         | 0.088       |
| 080    | 15881-64810 | WASHER THRUST    | 1    |       |     |         | 0.002        | 0.0044      |
| 090    | 15881-64020 | FRAME DRIVE END  | 1    |       |     |         | 1.2          | 2.64        |
| 100    | 15881-64710 | PLATE RETAINER   | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 15881-93010 | SCREW ROUND HEAD | 4    |       |     |         | 0.003        | 0.0066      |
| 120    | 15881-64260 | BOLT THROUGH     | 2    |       |     |         | 0.01         | 0.022       |
| 130    | 15881-64780 | BEARING BALL     | 1    |       |     |         | 0.05         | 0.11        |
| 140    | 16241-64060 | FRAME END        | 1    |       |     |         | 0.2          | 0.44        |
| 150    | 16241-64230 | COVER END        | 1    |       |     |         | 0.035        | 0.077       |
| 160    | 16241-64850 | ASSY RECTIFIER   | 1    |       |     |         | 0.16         | 0.352       |
| 170    | 16241-64900 | BUSH INSULATION  | 1    |       |     |         | 0.007        | 0.0154      |
| 180    | 15881-64310 | HOLDER BRUSH     | 1    |       |     |         | 0.025        | 0.055       |
| 190    | 15881-64090 | BRUSH            | 2    |       |     |         | 0.002        | 0.0044      |
| 200    | 15881-64330 | SPRING BRUSH     | 2    |       |     |         | 0.002        | 0.0044      |
| 210    | 15881-93020 | SCREW ROUND HEAD | 2    |       |     |         | 0.005        | 0.011       |
| 220    | 15881-93030 | SCREW ROUND HEAD | 6    |       |     |         | 0.003        | 0.0066      |
| 230    | 15881-93040 | SCREW ROUND HEAD | 1    |       |     |         | 0.003        | 0.0066      |
| 240    | 15881-91040 | BOLT             | 3    |       |     |         | 0.005        | 0.011       |
| 250    | 15881-92020 | NUT              | 2    |       |     |         | 0.02         | 0.044       |
| 260    | 15881-91050 | BOLT             | 2    |       |     |         | 0.01         | 0.022       |
| 270    | 14182-92030 | NUT              | 1    |       |     |         | 0.003        | 0.0066      |
| 280    | 15881-64600 | ASSY REGULATOR   | 1    |       |     |         | 0.1          | 0.22        |



6C040-011-10







## STARTER [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-59210 | ASSY STARTER         | 1    |       |     |         | 2.78         | 6.116       |
| 020    | 6C040-82610 | ARMATURE             | 1    |       |     |         | 0.57         | 1.254       |
| 030    | 6C040-82620 | ASSY SHAFT           | 1    |       |     |         | 0.5          | 1.1         |
| 040    | 6C040-82630 | GEAR-SHAFT           | 1    |       |     |         | 0.165        | 0.363       |
| 050    | 6C040-82640 | GEAR INTERNAL        | 1    |       |     |         | 0.047        | 0.1034      |
| 060    | 6C040-82650 | GEAR PLANETARY       | 2    |       |     |         | 0.016        | 0.0352      |
| 070    | 6C040-82660 | CLUTCH OVER RUNNING  | 1    |       |     |         | 0.3          | 0.66        |
| 080    | 6C040-82670 | STOPPER              | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 6C040-82680 | GASKET               | 1    |       |     |         | 0.003        | 0.0066      |
| 100    | 6C040-82690 | BALL                 | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 6C040-82700 | YOKE                 | 1    |       |     |         | 0.4          | 0.88        |
| 120    | 6C040-82710 | BRUSH                | 1    |       |     |         | 0.032        | 0.0704      |
| 130    | 6C040-82720 | ASSY HOLDER BRUSH    | 1    |       |     |         | 0.05         | 0.11        |
| 140    | 6C040-82730 | SPRING BRUSH         | 2    |       |     |         | 0.001        | 0.0022      |
| 150    | 6C040-82740 | SPRING BRUSH         | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 6C040-82750 | ASSY BRACKET REAR    | 1    |       |     |         | 0.082        | 0.1804      |
| 170    | 6C040-82760 | BUSH                 | 1    |       |     |         | 0.005        | 0.011       |
| 180    | 6C040-82770 | ASSY BRACKET FRONT   | 1    |       |     |         | 0.4          | 0.88        |
| 190    | 15852-63240 | BUSH                 | 1    |       |     |         | 0.006        | 0.0132      |
| 200    | 6C040-82780 | BOLT                 | 2    |       |     |         | 0.015        | 0.033       |
| 210    | 6C040-82790 | LEVER FORK           | 1    |       |     |         | 0.022        | 0.0484      |
| 220    | 6C040-82800 | ASSY SWITCH MAGNETIC | 1    |       |     |         | 0.63         | 1.386       |
| 230    | 15852-93310 | SCREW PAN-HEAD       | 1    |       |     |         | 0.02         | 0.044       |





130 02021-50060




6C040-803-10




## BATTERY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-51220 | BRACKET BATTERY  | 1    | ≤71077 |     |         | 0            | 0           |
| 010    | 6C040-51224 | BRACKET BATTERY  | 1    | ≥71078 | ←   |         | 0            | 0           |
| 010    | 6C040-51225 | BRACKET BATTERY  | 1    | ≥72035 | ←   |         | 0            | 0           |
| 010    | 6C040-51227 | BRACKET BATTERY  | 1    | ≥72152 | ←   |         | 0            | 0           |
| 010    | 6C040-51228 | BRACKET BATTERY  | 1    | ≥73518 | ←   |         | 2.25         | 4.95        |
| 020    | 01133-51025 | BOLT             | 2    |        |     |         | 0.023        | 0.0506      |
| 030    | 6C040-51260 | NET              | 1    |        |     |         | 0.25         | 0.55        |
| 040    | 76650-42520 | TRIM DUSTPROOF   | 3    |        |     |         | 0.03         | 0.066       |
| 050    | 6C040-51290 | RUBBER           | 2    |        |     |         | 0.003        | 0.0066      |
| 060    | 6C040-55512 | ASSY BATTERY     | 1    |        |     | [A]     | 0            | 0           |
| 060    | 6C021-55510 | ASSY BATTERY     | 1    |        |     | [CA]    | 0            | 0           |
| 065    | 6C021-99190 | KIT BATTERY (B)  | 1    |        |     | [CA]    | 0            | 0           |
| 070    | 6C040-55590 | LABEL BATTERY    | 1    |        |     | ENGLISH | 0.001        | 0.0022      |
| 075    | 6C021-92120 | LABEL BATTERY    | 1    |        |     | FRENCH  | 0.001        | 0.0022      |
| 080    | 6C040-55530 | CORD BATTERY(+)  | 1    |        |     |         | 0.21         | 0.462       |
| 090    | 6C040-55540 | CORD BATTERY(-)  | 1    |        |     |         | 0.11         | 0.242       |
| 100    | 6C040-55550 | RETAINER BATTERY | 1    | ≤70395 |     |         | 0            | 0           |
| 100    | 6C040-55553 | RETAINER BATTERY | 1    | ≥70396 | ←   |         | 0.075        | 0.165       |
| 110    | 6C040-55560 | BOLT HOOK        | 1    |        |     |         | 0.038        | 0.0836      |
| 120    | 04015-60060 | WASHER PLAIN     | 1    |        |     |         | 0.005        | 0.011       |
| 130    | 02021-50060 | NUT              | 1    | ≤70782 |     |         | 0.005        | 0.011       |
| 130    | 02810-50060 | NUT WING         | 1    | ≥70783 | ≠   |         | 0.009        | 0.0198      |
| 140    | 6C040-55580 | CUSHION          | 1    |        |     |         | 0.002        | 0.0044      |
| 150    | 34150-33220 | CUSHION          | 2    |        |     |         | 0.015        | 0.033       |



060 19267-6460-2




6C040-816-10



# PANEL BOARD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|-------------------------------------|--------------|-------------|
| 010    | 6C040-55100 | ASSY METER         | 1    |        |     | REFER TO L.No.C08-R FOR COMPONENTS. | 1.2          | 2.64        |
| 020    | 03514-50420 | SCREW TAPPING      | 6    |        |     |                                     | 0.002        | 0.0044      |
| 030    | 6C040-55410 | SWITCH STARTER     | 1    | ≤72035 |     |                                     | 0            | 0           |
| 030    | 6C040-55412 | SWITCH STARTER     | 1    | ≥72036 | ←   |                                     | 0.198        | 0.4356      |
| 030    | 6C040-55450 | SWITCH STARTER     | 1    | ≥73053 | ≠   |                                     | 0            | 0           |
| 030    | 6C040-55452 | SWITCH STARTER     | 1    | ≥73929 | ←   |                                     | 0.22         | 0.484       |
| 040    | 6C040-55420 | SWITCH COMBINATION | 1    | ≤71962 |     |                                     | 0            | 0           |
| 040    | 6C040-55423 | SWITCH COMBINATION | 1    | ≥71963 | ←   |                                     | 0            | 0           |
| 040    | 6C040-55424 | SWITCH COMBINATION | 1    | ≥72213 | ←   |                                     | 0.09         | 0.198       |
| 050    | 6C040-55520 | HAZARD UNIT        | 1    |        |     |                                     | 0.036        | 0.0792      |
| 060    | 19267-64602 | ASSY REGULATOR     | 1    | ≤71256 |     | [A]                                 | 0.188        | 0.4136      |
| 060    | RP201-53710 | ASSY REGULATOR     | 1    | ≥71257 | ↔   | [A]                                 | 0.185        | 0.407       |
| 070    | 01205-50625 | BOLT               | 1    |        |     | [A]                                 | 0.007        | 0.0154      |
| 080    | 6C040-55440 | CABLE HOUR METER   | 1    |        |     |                                     | 0.2          | 0.44        |
| 090    | 6C040-55852 | ASSY SWITCH SAFETY | 1    | ≤74051 |     |                                     | 0            | 0           |
| 100    | 99999-99999 | BLANK              | 0    |        |     |                                     | 0            | 0           |
| 110    | 67111-55830 | NUT SAFETY SWITCH  | 2    |        |     |                                     | 0.035        | 0.077       |
| 120    | 67111-55840 | CAP SAFETY SWITCH  | 1    |        |     |                                     | 0.002        | 0.0044      |
| 130    | 6C040-55860 | WASHER             | 1    | ≤74051 |     |                                     | 0.007        | 0.0154      |
| 130    | 6C040-55862 | WASHER TOOTHED     | 1    | ≥74052 | ←   |                                     | 0            | 0           |
| 140    | 52320-42900 | SWITCH SAFETY      | 2    |        |     |                                     | 0.1          | 0.22        |
| 150    | 99999-99999 | BLANK              | 0    |        |     |                                     | 0            | 0           |
| 160    | 67111-55830 | NUT SAFETY SWITCH  | 4    |        |     |                                     | 0.035        | 0.077       |
| 170    | 67111-55840 | CAP SAFETY SWITCH  | 2    |        |     |                                     | 0.002        | 0.0044      |
| 180    | 15248-63700 | KEY STARTER        | 2    |        |     |                                     | 0.034        | 0.0748      |



6C040-016-10




## PANEL BOARD [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-55100 | ASSY METER  | 1    |       |     |         | 1.2          | 2.64        |
| 020    | 6C040-55110 | COMP.METER  | 1    |       |     |         | 0.47         | 1.034       |
| 030    | 6C040-55120 | GLASS       | 1    |       |     |         | 0.16         | 0.352       |
| 040    | 6C040-55130 | ASSY CASE   | 1    |       |     |         | 0.25         | 0.55        |
| 050    | 6C040-55140 | ASSY BULB   | 5    |       |     |         | 0.003        | 0.0066      |
| 060    | 6C040-55150 | SCREW       | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | 6C040-55160 | SCREW       | 6    |       |     |         | 0.002        | 0.0044      |
| 080    | 6C040-55172 | COVER       | 1    |       |     |         | 0.062        | 0.1364      |
| 090    | 6C040-55180 | SCREW       | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 6C040-55190 | CUSHION     | 6    |       |     |         | 0.001        | 0.0022      |

## HEAD LIGHT








## HEAD LIGHT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-54132 | ASSY GRILLE LIGHT    | 1    | <=70782 |     |         | 0            | 0           |
| 010    | 6C040-54134 | ASSY GRILLE LIGHT    | 1    | >=70783 | ←   |         | 0.46         | 1.012       |
| 020    | 6C040-54170 | GRILLE HEAD LIGHT    | 1    | <=72034 |     |         | 0            | 0           |
| 020    | 6C040-54173 | GRILLE HEAD LIGHT    | 1    | >=72035 | ←   |         | 0.15         | 0.33        |
| 030    | 6C040-54180 | COVER HEAD LIGHT LH  | 1    | <=70782 |     |         | 0            | 0           |
| 030    | 6C040-54183 | COVER HEAD LIGHT LH  | 1    | >=70783 | ←   |         | 0.131        | 0.2882      |
| 040    | 6C040-54190 | COVER HEAD LIGHT RH  | 1    | <=70782 |     |         | 0            | 0           |
| 040    | 6C040-54193 | COVER HEAD LIGHT RH  | 1    | >=70783 | ←   |         | 0.03         | 0.066       |
| 050    | 6C040-54240 | NET                  | 1    |         |     |         | 0.017        | 0.0374      |
| 060    | 55611-44190 | NUT                  | 2    |         |     |         | 0.004        | 0.0088      |
| 070    | 6C040-54290 | MARK MASCOT          | 1    |         |     |         | 0.008        | 0.0176      |
| 080    | 6C040-55610 | ASSY LIGHT HEAD      | 2    |         |     |         | 0.15         | 0.33        |
| 090    | 6C040-55620 | COMP.LENS HEAD LIGHT | 2    |         |     |         | 0.112        | 0.2464      |
| 100    | 6C040-55630 | COMP.SOCKET          | 2    |         |     |         | 0.019        | 0.0418      |
| 110    | 66591-55630 | BULB                 | 2    |         |     |         | 0.008        | 0.0176      |
| 120    | 01029-50616 | BOLT                 | 4    |         |     |         | 0.01         | 0.022       |






## TAIL LIGHT/HAZARD LIGHT/WORKING LIGHT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS        | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|----------------|--------------|-------------|
| 010    | 6C040-55490 | ASSY LIGHT TAIL     | 2    |       |     |                | 0.21         | 0.462       |
| 020    | 6C040-92200 | ASSY LENS           | 2    |       |     |                | 0.1          | 0.22        |
| 030    | 99999-99999 | BLANK               | 0    |       |     |                | 0            | 0           |
| 040    | 99999-99999 | BLANK               | 0    |       |     |                | 0            | 0           |
| 050    | 6C040-92120 | BODY                | 2    |       |     |                | 0.065        | 0.143       |
| 060    | 6C040-92140 | SCREW               | 4    |       |     |                | 0.007        | 0.0154      |
| 070    | 6C040-92150 | BULB                | 2    |       |     |                | 0.006        | 0.0132      |
| 080    | 6C040-92160 | SOCKET              | 2    |       |     |                | 0.007        | 0.0154      |
| 090    | 6C040-92170 | BUSH RUBBER         | 2    |       |     |                | 0.001        | 0.0022      |
| 100    | 6C040-92180 | INSULATOR           | 2    |       |     |                | 0.001        | 0.0022      |
| 110    | 6C040-92190 | SPRING              | 2    |       |     |                | 0.001        | 0.0022      |
| 120    | 6C040-92210 | WASHER              | 2    |       |     |                | 0.001        | 0.0022      |
| 130    | 6C040-92230 | NUT                 | 4    |       |     |                | 0.002        | 0.0044      |
| 140    | 38240-29570 | PLUG                | 1    |       |     |                | 0.001        | 0.0022      |
| 150    | 32530-33610 | ASSY LIGHT HAZARD   | 2    |       |     |                | 0.5          | 1.1         |
| 160    | 32530-91510 | LENS HAZARD LIGHT   | 4    |       |     |                | 0.085        | 0.187       |
| 170    | 32530-91520 | SCREW TAPPING       | 12   |       |     |                | 0.001        | 0.0022      |
| 180    | 32530-91530 | BULB LIGHT          | 2    |       |     | 27W            | 0.02         | 0.044       |
| 190    | 04411-50100 | WASHER TOOTHED      | 2    |       |     |                | 0.001        | 0.0022      |
| 200    | 02114-50100 | NUT                 | 2    |       |     |                | 0.005        | 0.011       |
| 201    | 6C040-95500 | KIT LIGHT WORKING   | 1    |       |     | OPTION         | 11.07        | 24.354      |
| 205    | 35871-97600 | ASSY LIGHT WORKING  | 1    |       |     | OPTION         | 0.88         | 1.936       |
| 210    | 35871-75900 | ASSY LIGHT WORKING  | 1    |       |     | OPTION         | 0.85         | 1.87        |
| 220    | 68331-53360 | BLUB                | 1    |       |     | OPTION 12V-35W | 0.015        | 0.033       |
| 230    | 68331-53310 | LENS                | 1    |       |     | OPTION         | 0.15         | 0.33        |
| 240    | 35861-75910 | STAY WORKING LAMP 4 | 1    |       |     | OPTION         | 0.25         | 0.55        |
| 250    | 01153-50820 | BOLT                | 2    |       |     | OPTION         | 0.012        | 0.0264      |
| 260    | 04512-60080 | WASHER SPRING       | 2    |       |     | OPTION         | 0.002        | 0.0044      |
| 270    | 01173-51020 | BOLT                | 1    |       |     | OPTION         | 0.017        | 0.0374      |
| 275    | 04013-60100 | WASHER PLAIN        | 1    |       |     | OPTION         | 0.004        | 0.0088      |
| 280    | 04512-60100 | WASHER SPRING       | 1    |       |     | OPTION         | 0.002        | 0.0044      |
| 290    | 02118-50100 | NUT                 | 1    |       |     | OPTION         | 0.005        | 0.011       |
| 300    | 6C040-95520 | WIRE HARNESS        | 1    |       |     | OPTION         | 0.008        | 0.0176      |
| 310    | 6C040-95510 | MANUAL ASSEMBLY     | 1    |       |     | OPTION         | 0.004        | 0.0088      |






**ELECTRICAL WIRING**  
B1700HSD:ALL,B2100HSD/B2400HSD:[A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-55460 | ASSY WIRE HARNESS | 1    | <=71077 |     |         | 0            | 0           |
| 010    | 6C040-55464 | ASSY WIRE HARNESS | 1    | >=71078 | ←   |         | 0            | 0           |
| 010    | 6C040-55465 | ASSY WIRE HARNESS | 1    | >=72036 | ←   |         | 0.99         | 2.178       |
| 020    | 1G111-65720 | FUSE              | 1    |         |     | 30A     | 0.009        | 0.0198      |
| 030    | 6C040-47490 | LABEL FUSE BOX    | 1    |         |     | ENGLISH | 0.001        | 0.0022      |
| 040    | 66426-80010 | FUSE AUTO         | 2    |         |     | 5A      | 0.01         | 0.022       |
| 050    | 36730-75550 | FUSE AUTO         | 1    |         |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE AUTO         | 1    |         |     | 15A     | 0.002        | 0.0044      |
| 070    | 01202-50620 | BOLT              | 2    |         |     |         | 0.007        | 0.0154      |
| 080    | 6C040-55480 | WIRE HARNESS      | 2    |         |     |         | 0.005        | 0.011       |
| 090    | 53581-64150 | BAND CORD         | 7    | <=72035 |     |         | 0.002        | 0.0044      |
| 090    | 53581-64150 | BAND CORD         | 8    | >=72036 |     |         | 0.002        | 0.0044      |






## ELECTRICAL WIRING [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C031-55460 | ASSY WIRE HARNESS | 1    | <=72035 |     |         | 0            | 0           |
| 010    | 6C021-55463 | ASSY WIRE HARNESS | 1    | >=72036 | ←   |         | 0.96         | 2.112       |
| 020    | 17478-60080 | FUSE              | 1    |         |     | 50A     | 0.008        | 0.0176      |
| 030    | 6C040-47490 | LABEL FUSE BOX    | 1    |         |     | ENGLISH | 0.001        | 0.0022      |
| 040    | 66426-80010 | FUSE AUTO         | 2    |         |     | 5A      | 0.01         | 0.022       |
| 050    | 36730-75550 | FUSE AUTO         | 1    |         |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE AUTO         | 1    |         |     | 15A     | 0.002        | 0.0044      |
| 070    | 01202-50620 | BOLT              | 2    |         |     |         | 0.007        | 0.0154      |
| 080    | 6C040-55480 | WIRE HARNESS      | 2    |         |     |         | 0.005        | 0.011       |
| 090    | 53581-64150 | BAND CORD         | 7    | <=72035 |     |         | 0.002        | 0.0044      |
| 090    | 53581-64150 | BAND CORD         | 8    | >=72036 |     |         | 0.002        | 0.0044      |

## CLUTCH ROD



6C040-018-11






## CLUTCH ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-13210 | BEARING RELEASE     | 1    |         |     |         | 0.157        | 0.3454      |
| 020    | 6C040-13220 | HOLDER BEARING      | 1    |         |     |         | 0.142        | 0.3124      |
| 030    | 6C040-13230 | FORK CLUTCH RELEASE | 1    |         |     |         | 0.22         | 0.484       |
| 040    | 6C040-13240 | SPRING              | 1    |         |     |         | 0.003        | 0.0066      |
| 050    | 6C040-13250 | SHAFT CLUTCH ROD    | 1    | <=73433 |     |         | 0            | 0           |
| 050    | 6C040-13257 | SHAFT CLUTCH ROD    | 1    | >=73434 | ←   |         | 0.37         | 0.814       |
| 060    | 04811-10140 | O RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 66711-13320 | BOLT ADJUSTING      | 1    |         |     |         | 0.028        | 0.0616      |
| 080    | 02118-50100 | NUT                 | 2    | <=70395 |     |         | 0.005        | 0.011       |
| 080    | 02118-50100 | NUT                 | 1    | >=70396 |     |         | 0.005        | 0.011       |
| 090    | 04612-00160 | CIR CLIP EXTERNAL   | 1    |         |     |         | 0.001        | 0.0022      |

## CLUTCH PEDAL






## CLUTCH PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-42135 | PEDAL CLUTCH   | 1    |        |     |         | 1.68         | 3.696       |
| 020    | 6C040-42340 | CUSHION        | 1    | ≤70395 |     |         | 0            | 0           |
| 020    | 6C040-42342 | CUSHION        | 1    | ≥70396 | ←   |         | 0.005        | 0.011       |
| 030    | 6C040-42150 | SPRING         | 1    |        |     |         | 0.157        | 0.3454      |
| 035    | 6C040-42160 | SPRING         | 1    |        |     |         | 0.05         | 0.11        |
| 040    | 6C040-42113 | ROD CLUTCH     | 1    |        |     |         | 0.255        | 0.561       |
| 050    | 6C040-42142 | PIN CLUTCH ROD | 1    |        |     |         | 0.034        | 0.0748      |
| 060    | 6C040-42120 | U JOINT        | 1    |        |     |         | 0.118        | 0.2596      |
| 070    | 37720-28990 | NUT            | 1    |        |     |         | 0.008        | 0.0176      |
| 080    | 52300-34130 | PIN SNAP       | 1    | ≤73518 |     |         | 0.004        | 0.0088      |
| 080    | 05511-50318 | PIN SPLIT      | 1    | ≥73519 | ←   |         | 0.001        | 0.0022      |
| 085    | 04013-60100 | WASHER PLAIN   | 1    | ≥73519 |     |         | 0.004        | 0.0088      |
| 090    | 05122-51025 | PIN JOINT      | 1    |        |     |         | 0.017        | 0.0374      |
| 100    | 37410-44120 | COVER PEDAL    | 1    |        |     |         | 0.08         | 0.176       |
| 110    | 6C040-42310 | SHAFT PEDAL    | 1    |        |     |         | 1.68         | 3.696       |
| 120    | 04811-00210 | O RING         | 4    |        |     |         | 0.001        | 0.0022      |

## CLUTCH HOUSING



140 6C040-1313-0


150 02114-50080

260 6C040-1317-0


270 04811-00100

280 04512-60080

290 02114-50080



220 6C040-1318-5




6C040-801-10



## CLUTCH HOUSING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------------------|--------------|-------------|
| 010    | 6C040-13114 | HOUSING CLUTCH       | 1    |        |     |                       | 5.2          | 11.44       |
| 020    | 05012-00814 | PIN STRAIGHT         | 2    | ≤72654 |     |                       | 0.006        | 0.0132      |
| 020    | 05012-00814 | PIN STRAIGHT         | 1    | ≥72655 |     |                       | 0.006        | 0.0132      |
| 025    | 66611-11160 | PIN KNOCK            | 1    | ≥72655 |     |                       | 0.01         | 0.022       |
| 030    | 01517-51045 | STUD                 | 2    |        |     |                       | 0.032        | 0.0704      |
| 040    | 02118-50100 | NUT                  | 2    |        |     |                       | 0.005        | 0.011       |
| 050    | 01123-50845 | BOLT                 | 2    |        |     |                       | 0.02         | 0.044       |
| 060    | 01123-50830 | BOLT                 | 9    |        |     | WITHOUT BI-SPEED TURN | 0.015        | 0.033       |
| 060    | 01123-50830 | BOLT                 | 7    |        |     | WITH BI-SPEED TURN    | 0.015        | 0.033       |
| 070    | 01555-51225 | STUD                 | 4    |        |     |                       | 0.039        | 0.0858      |
| 080    | 01754-50812 | BOLT FLANGE          | 1    |        |     |                       | 0.01         | 0.022       |
| 090    | 04717-00800 | WASHER WITH RUBBER   | 1    |        |     |                       | 0.001        | 0.0022      |
| 100    | 37410-13124 | PLUG                 | 1    |        |     |                       | 0.02         | 0.044       |
| 110    | 6C040-97810 | COVER CLUTCH HOUSING | 1    | ≤73183 |     |                       | 0            | 0           |
| 110    | 6C040-97812 | COVER CLUTCH HOUSING | 1    | ≥73184 | ←   |                       | 10.64        | 23.408      |
| 120    | 05012-00614 | PIN STRAIGHT         | 2    |        |     |                       | 0.004        | 0.0088      |
| 130    | 01123-50840 | BOLT                 | 3    |        |     |                       | 0.018        | 0.0396      |
| 135    | 01123-50840 | BOLT                 | 1    | ≥71078 |     |                       | 0.018        | 0.0396      |
| 140    | 6C040-13130 | STUD                 | 1    | ≤71077 |     |                       | 0.024        | 0.0528      |
| 150    | 02114-50080 | NUT                  | 1    | ≤71077 |     |                       | 0.005        | 0.011       |
| 160    | 01123-50860 | BOLT                 | 6    |        |     |                       | 0.026        | 0.0572      |
| 170    | 04717-01000 | WASHER WITH RUBBER   | 1    |        |     |                       | 0.001        | 0.0022      |
| 180    | 06331-35010 | PLUG                 | 1    |        |     |                       | 0.012        | 0.0264      |
| 190    | 6C040-13153 | PIPE                 | 1    |        |     |                       | 0.25         | 0.55        |
| 200    | 04811-00180 | O RING               | 4    | ≤72654 |     |                       | 0.001        | 0.0022      |
| 200    | 04811-06170 | O RING               | 4    | ≥72655 | ←   |                       | 0.001        | 0.0022      |
| 210    | 6C040-13160 | RING                 | 2    |        |     |                       | 0.001        | 0.0022      |
| 220    | 6C040-13185 | HOSE BREATHER        | 1    | ≤71256 |     |                       | 0            | 0           |
| 220    | 6C040-13186 | HOSE BREATHER        | 1    | ≥71257 | ←   |                       | 0.21         | 0.462       |
| 225    | 34150-29390 | CLAMP CORD           | 1    | ≥71257 |     |                       | 0.004        | 0.0088      |
| 230    | 6C040-13140 | JOINT                | 1    |        |     |                       | 0.016        | 0.0352      |
| 240    | 09318-88200 | CLAMP HOSE           | 1    | ≤72270 |     |                       | 0.004        | 0.0088      |
| 240    | 32721-39160 | CLAMP HOSE           | 1    | ≥72271 | ↔   |                       | 0.005        | 0.011       |
| 250    | 53581-64150 | BAND CORD            | 2    | ≤73517 |     |                       | 0.002        | 0.0044      |
| 250    | 55311-41260 | BAND CORD            | 1    | ≥73518 | ↔   |                       | 0.007        | 0.0154      |
| 260    | 6C040-13170 | ROD                  | 1    | ≤71077 |     |                       | 0.024        | 0.0528      |
| 270    | 04811-00100 | O RING FILTER        | 3    | ≤71077 |     |                       | 0.001        | 0.0022      |
| 280    | 04512-60080 | WASHER SPRING        | 1    | ≤71077 |     |                       | 0.002        | 0.0044      |
| 290    | 02114-50080 | NUT                  | 1    | ≤71077 |     |                       | 0.005        | 0.011       |






## FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-51110 | COMP.FRAME        | 1    | <=70782 |     |         | 0            | 0           |
| 010    | 6C040-51117 | COMP.FRAME        | 1    | >=70783 | ←   |         | 0            | 0           |
| 010    | 6C040-51118 | COMP.FRAME        | 1    | >=72035 | ←   |         | 15           | 33          |
| 010    | 6C040-51124 | COMP.FRAME CENTER | 1    | >=73391 | →   |         | 15.7         | 34.54       |
| 010    | 6C040-51124 | COMP.FRAME CENTER | 1    | >=74052 | ←   |         | 15.7         | 34.54       |
| 020    | 01123-51265 | BOLT              | 2    |         |     |         | 0.063        | 0.1386      |
| 030    | 02174-50120 | NUT               | 8    |         |     |         | 0.01         | 0.022       |
| 040    | 04512-60120 | WASHER SPRING     | 8    |         |     |         | 0.005        | 0.011       |
| 050    | 01123-51230 | BOLT              | 12   |         |     |         | 0.04         | 0.088       |
| 060    | 08511-02515 | BUSH              | 2    |         |     |         | 0.012        | 0.0264      |
| 070    | 6C040-51218 | COMP.FRAME FRONT  | 1    |         |     |         | 0            | 0           |
| 080    | 01133-51025 | BOLT              | 16   |         |     |         | 0.023        | 0.0506      |
| 090    | 35340-29380 | CLAMP CORD        | 1    |         |     |         | 0.01         | 0.022       |



## TRANSMISSION CASE



110 6C040-1119-0



6C050-800-10




## TRANSMISSION CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C050-11110 | CASE TRANSMISSION  | 1    |        |     |         | 5.49         | 12.078      |
| 020    | 01555-51260 | STUD               | 4    |        |     |         | 0.067        | 0.1474      |
| 030    | 6C040-11150 | PIPE OIL GAUGE     | 1    | ≤72716 |     |         | 0.07         | 0.154       |
| 030    | 6A320-11150 | PIPE OIL GAUGE     | 1    | ≥72717 | ↔   |         | 0.078        | 0.1716      |
| 040    | 6C040-11160 | GAUGE OIL          | 1    |        |     |         | 0.01         | 0.022       |
| 050    | 04811-10070 | O RING             | 1    | ≤72203 |     |         | 0.001        | 0.0022      |
| 050    | 04811-10070 | O RING             | 2    | ≥72204 |     |         | 0.001        | 0.0022      |
| 060    | 04811-00120 | O RING             | 2    |        |     |         | 0.001        | 0.0022      |
| 070    | 01123-60816 | BOLT               | 1    | ≤74014 |     |         | 0.01         | 0.022       |
| 070    | 01125-60820 | BOLT               | 1    | ≥74015 | ←   |         | 0.015        | 0.033       |
| 080    | 06311-55030 | PLUG               | 1    |        |     |         | 0.05         | 0.11        |
| 090    | 04717-01700 | WASHER WITH RUBBER | 1    |        |     |         | 0.003        | 0.0066      |
| 100    | 6C040-11180 | BRACKET            | 1    |        |     |         | 0.4          | 0.88        |
| 110    | 6C040-11190 | HOLDER             | 1    | ≤71077 |     |         | 0.35         | 0.77        |
| 120    | 01123-51030 | BOLT               | 2    |        |     |         | 0.025        | 0.055       |
| 130    | 6C050-11140 | PLUG               | 1    |        |     |         | 0.075        | 0.165       |
| 140    | 04811-00200 | O RING             | 1    |        |     |         | 0.001        | 0.0022      |
| 150    | 01127-50816 | BOLT               | 1    |        |     |         | 0.02         | 0.044       |
| 160    | 6C050-12110 | HOLDER BEARING     | 1    |        |     |         | 0.23         | 0.506       |
| 170    | 6C050-12120 | BOLT REAMER        | 3    |        |     |         | 0.036        | 0.0792      |
| 180    | 04512-60100 | WASHER SPRING      | 3    |        |     |         | 0.002        | 0.0044      |
| 190    | 6C050-12412 | COVER UPPER        | 1    |        |     |         | 0.76         | 1.672       |
| 200    | 01123-60816 | BOLT               | 4    | ≤73517 |     |         | 0.01         | 0.022       |
| 200    | 01123-50820 | BOLT               | 4    | ≥73518 | ↔   |         | 0.011        | 0.0242      |
| 210    | 13824-67580 | CLAMP CORD         | 1    |        |     |         | 0.006        | 0.0132      |

## DIFFERENTIAL GEAR CASE






## DIFFERENTIAL GEAR CASE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS             | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------------------|--------------|-------------|
| 005    | 6C040-96980 | SET CASE DIFF.GEAR | 1    |         |     |                     | 11.34        | 24.948      |
| 010    | 6C040-11170 | CASE DIFF.GEAR     | 1    | <=71766 |     | ORDER BY REF.No.005 | 0.755        | 1.661       |
| 010    | 6C040-11173 | CASE DIFF.GEAR     | 1    | >=71767 | ←   | ORDER BY REF.No.005 | 5.8          | 12.76       |
| 010    | 6C040-11174 | CASE DIFF.GEAR     | 1    | >=72036 | ≠   |                     | 7.3          | 16.06       |
| 020    | 01555-51035 | STUD               | 2    |         |     |                     | 0.029        | 0.0638      |
| 030    | 01555-51065 | STUD               | 2    |         |     |                     | 0.048        | 0.1056      |
| 040    | 04512-60100 | WASHER SPRING      | 4    |         |     |                     | 0.002        | 0.0044      |
| 050    | 02176-50100 | NUT                | 4    |         |     |                     | 0.005        | 0.011       |
| 060    | 01123-51040 | BOLT               | 7    |         |     |                     | 0.03         | 0.066       |
| 070    | 05012-00614 | PIN STRAIGHT       | 2    |         |     |                     | 0.004        | 0.0088      |
| 080    | 66611-11812 | HOLDER DIFF.BRG.RH | 1    |         |     |                     | 0.72         | 1.584       |
| 090    | 01123-50822 | BOLT               | 4    |         |     |                     | 0.012        | 0.0264      |
| 100    | 6C040-12210 | COVER REAR         | 1    | <=72539 |     |                     | 0            | 0           |
| 100    | 6A100-12210 | COVER REAR         | 1    | >=72540 | ↔   |                     | 0            | 0           |
| 100    | 6A100-12213 | COVER REAR         | 1    | >=73803 | ←   |                     | 0.37         | 0.814       |
| 110    | 01123-51030 | BOLT               | 6    |         |     |                     | 0.025        | 0.055       |
| 120    | 05012-00614 | PIN STRAIGHT       | 2    |         |     |                     | 0.004        | 0.0088      |


## REAR AXLE CASE



010 6C040-1261-3



020 6C040-1262-3



020

6C040-818-10




# REAR AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS               | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|-----------------------|--------------|-------------|
| 010    | 6C040-12613 | CASE AXLE LH       | 1    | ≤72496 |     |                       | 2.3          | 5.06        |
| 010    | K3511-12620 | CASE AXLE RH       | 1    | ≥72497 | ↔   |                       | 2.32         | 5.104       |
| 020    | 6C040-12623 | CASE AXLE RH       | 1    | ≤72496 |     |                       | 0            | 0           |
| 020    | K3511-12610 | CASE AXLE LH       | 1    | ≥72497 | ↔   |                       | 2.42         | 5.324       |
| 030    | 05012-00614 | PIN STRAIGHT       | 4    |        |     |                       | 0.004        | 0.0088      |
| 035    | 01123-51035 | BOLT               | 3    |        |     | WITHOUT BI-SPEED TURN | 0.025        | 0.055       |
| 040    | 01123-51035 | BOLT               | 3    |        |     |                       | 0.025        | 0.055       |
| 045    | 01123-51035 | BOLT               | 2    |        |     |                       | 0.025        | 0.055       |
| 050    | 01123-51050 | BOLT               | 9    |        |     |                       | 0.035        | 0.077       |
| 055    | 01123-51050 | BOLT               | 1    |        |     | WITHOUT BI-SPEED TURN | 0.035        | 0.077       |
| 060    | 01173-51080 | BOLT               | 2    |        |     |                       | 0.049        | 0.1078      |
| 070    | 04512-60100 | WASHER SPRING      | 2    |        |     |                       | 0.002        | 0.0044      |
| 080    | 06331-35012 | PLUG               | 2    | ≤74051 |     |                       | 0.022        | 0.0484      |
| 080    | 01774-51212 | BOLT FLANGE        | 2    | ≥74052 | ≠   |                       | 0.028        | 0.0616      |
| 090    | 04717-01200 | WASHER WITH RUBBER | 2    |        |     |                       | 0.002        | 0.0044      |








## CLUTCH SHAFT/PROPELLER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-13510 | SHAFT CLUTCH        | 1    | ≤72270 |     |         | 0            | 0           |
| 010    | 6C040-13514 | SHAFT CLUTCH        | 1    | ≥72271 | ↔   |         | 0.5          | 1.1         |
| 020    | 34070-22560 | BEARING BALL        | 1    | ≤71766 |     |         | 0.1          | 0.22        |
| 020    | 52300-16180 | BEARING             | 1    | ≥71767 | ↔   |         | 0.05         | 0.11        |
| 030    | 04612-00200 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 6C050-13520 | GEAR CLUTCH SHAFT   | 1    |        |     | 23T     | 0.38         | 0.836       |
| 050    | 08101-06203 | BEARING BALL        | 1    |        |     |         | 0.063        | 0.1386      |
| 060    | 6C040-13530 | SEAL OIL            | 1    |        |     |         | 0.012        | 0.0264      |
| 070    | 6C050-13610 | SHAFT FRONT         | 1    |        |     | 16T     | 0.42         | 0.924       |
| 080    | 08101-06203 | BEARING BALL        | 1    |        |     |         | 0.063        | 0.1386      |
| 090    | 34070-22560 | BEARING BALL        | 1    | ≤71766 |     |         | 0.1          | 0.22        |
| 090    | 52300-16180 | BEARING             | 1    | ≥71767 | ↔   |         | 0.05         | 0.11        |
| 100    | 41051-15820 | PLUG                | 1    | ≤73320 |     |         | 0.015        | 0.033       |
| 100    | 6A100-12180 | PLUG                | 1    | ≥73321 | ←   |         | 0.022        | 0.0484      |
| 110    | 6C040-13610 | SHAFT FRONT         | 1    | ≤72981 |     |         | 0            | 0           |
| 110    | 6C040-13613 | SHAFT FRONT         | 1    | ≥72982 | ←   |         | 0.28         | 0.616       |
| 120    | 08101-06203 | BEARING BALL        | 1    |        |     |         | 0.063        | 0.1386      |
| 130    | 34070-22560 | BEARING BALL        | 1    | ≤71766 |     |         | 0.1          | 0.22        |
| 130    | 52300-16180 | BEARING             | 1    | ≥71767 | ↔   |         | 0.05         | 0.11        |
| 140    | 6C050-13710 | GEAR                | 1    |        |     | 20T     | 0.31         | 0.682       |
| 150    | 6C040-13670 | COLLAR              | 1    |        |     |         | 0.04         | 0.088       |
| 160    | 04612-00200 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 170    | 6C040-13630 | SEAL OIL            | 1    | ≤73621 |     |         | 0.01         | 0.022       |
| 170    | 66363-39560 | SEAL OIL            | 1    | ≥73622 | ←   |         | 0.01         | 0.022       |
| 180    | 6C050-13723 | SHAFT PROPELLER     | 1    |        |     |         | 0.64         | 1.408       |
| 190    | 67111-13710 | COUPLING BALL OUTER | 2    |        |     |         | 0.225        | 0.495       |
| 200    | 67955-13830 | PIN SPRING          | 2    | ≤72496 |     |         | 0.005        | 0.011       |
| 200    | 05411-00640 | PIN SPRING          | 2    | ≥72497 | ↔   |         | 0.006        | 0.0132      |
| 210    | 70451-57350 | PIN SPRING          | 2    | ≤72496 |     |         | 0.005        | 0.011       |
| 210    | 32721-57680 | PIN SPRING          | 2    | ≥72497 | ↔   |         | 0.002        | 0.0044      |
| 220    | 67211-14133 | COUPLING BALL INNER | 2    |        |     |         | 0.075        | 0.165       |
| 230    | 67111-13730 | GASKET BALL JOINT   | 4    |        |     |         | 0.002        | 0.0044      |
| 240    | 67111-13740 | SUPPORT GASKET      | 2    |        |     |         | 0.004        | 0.0088      |
| 250    | 04611-00350 | CIR CLIP INTERNAL   | 2    |        |     |         | 0.003        | 0.0066      |
| 260    | 07715-00803 | BALL                | 8    |        |     |         | 0.004        | 0.0088      |






HST


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|-------------------------------------|--------------|-------------|
| 010    | 6C050-11600 | ASSY HST         | 1    | ≤71256 |     | REFER TO L.No.D01-R FOR COMPONENTS. | 0            | 0           |
| 010    | 6C050-11604 | ASSY HST         | 1    | ≥71257 | ←   | REFER TO L.No.D01-R FOR COMPONENTS. | 16.5         | 36.3        |
| 010    | 6C050-11605 | ASSY HST         | 1    | ≥72035 | ←   | REFER TO L.No.D01-R FOR COMPONENTS. | 0            | 0           |
| 010    | 6C050-11606 | ASSY HST         | 1    | ≥72185 | ←   | REFER TO L.No.D01-R FOR COMPONENTS. | 15           | 33          |
| 020    | 01123-51075 | BOLT             | 4    |        |     |                                     | 0.05         | 0.11        |
| 030    | 01123-51060 | BOLT             | 5    |        |     |                                     | 0.05         | 0.11        |
| 040    | 6C050-11690 | STUD             | 1    |        |     |                                     | 0.043        | 0.0946      |
| 050    | 04512-60100 | WASHER<br>SPRING | 1    |        |     |                                     | 0.002        | 0.0044      |
| 060    | 02176-50100 | NUT              | 1    |        |     |                                     | 0.005        | 0.011       |
| 070    | 05012-00614 | PIN STRAIGHT     | 2    |        |     |                                     | 0.004        | 0.0088      |



610 6C050-9861-0

650 6C050-9874-0



6C050-801-10



## HST [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C050-11600 | ASSY HST            | 1    | ≤71256 |     |         | 0            | 0           |
| 010    | 6C050-11604 | ASSY HST            | 1    | ≥71257 | ←   |         | 16.5         | 36.3        |
| 010    | 6C050-11605 | ASSY HST            | 1    | ≥72035 | ←   |         | 0            | 0           |
| 010    | 6C050-11606 | ASSY HST            | 1    | ≥72185 | ←   |         | 15           | 33          |
| 020    | 6C050-98100 | KIT CYL-BLOCK PUMP  | 1    |        |     |         | 0.92         | 2.024       |
| 030    | 6C050-98200 | KIT CYL-BLOCK MOTOR | 1    |        |     |         | 0.92         | 2.024       |
| 040    | 6C050-98080 | GASKET              | 1    |        |     |         | 0.005        | 0.011       |
| 050    | 66101-37320 | BEARING CRADLE      | 2    | ≤72034 |     |         | 0.02         | 0.044       |
| 050    | 6C050-98750 | BEARING CRADLE      | 2    | ≥72035 | ←   |         | 0.017        | 0.0374      |
| 060    | 6C050-98300 | ASSY SWASHPLATE     | 1    | ≤72184 |     |         | 0            | 0           |
| 060    | 6C050-98302 | ASSY SWASHPLATE     | 1    | ≥72185 | ←   |         | 1.48         | 3.256       |
| 070    | 6C050-98120 | PLATE THRUST        | 1    |        |     |         | 0.079        | 0.1738      |
| 080    | 6C050-98130 | PLATE THRUST        | 1    |        |     |         | 0.038        | 0.0836      |
| 090    | 6C050-98140 | BEARING THRUST      | 1    | ≤72184 |     |         | 0.065        | 0.143       |
| 090    | 6C052-98140 | BEARING THRUST      | 1    | ≥72185 | ←   |         | 0.07         | 0.154       |
| 100    | 6C050-98150 | SHAFT PUMP          | 1    |        |     |         | 0.585        | 1.287       |
| 110    | 6C050-98160 | SHAFT MOTOR         | 1    |        |     |         | 0.34         | 0.748       |
| 120    | 6C050-98170 | SPRING              | 1    |        |     |         | 0.013        | 0.0286      |
| 130    | 6C050-98180 | SPRING              | 1    |        |     |         | 0.011        | 0.0242      |
| 140    | 6C050-98190 | WASHER              | 1    |        |     |         | 0.002        | 0.0044      |
| 150    | 66101-37060 | WASHER PLAIN        | 1    |        |     |         | 0.001        | 0.0022      |
| 160    | 6C050-98210 | CIR-CLIP            | 1    |        |     |         | 0.002        | 0.0044      |
| 170    | 66101-37020 | CLIP                | 1    |        |     |         | 0.001        | 0.0022      |
| 180    | 6C050-98220 | CIR-CLIP            | 1    |        |     |         | 0.006        | 0.0132      |
| 190    | 6C050-98230 | BEARING BALL        | 1    |        |     |         | 0.08         | 0.176       |
| 200    | 6C050-98240 | BEARING NEEDLE      | 1    | ≤71256 |     |         | 0            | 0           |
| 200    | 6C050-98243 | BEARING NEEDLE      | 1    | ≥71257 | ←   |         | 0.054        | 0.1188      |
| 210    | 66101-37080 | BEARING NEEDLE      | 1    |        |     |         | 0.015        | 0.033       |
| 220    | 6C050-98250 | BEARING NEEDLE      | 1    |        |     |         | 0.053        | 0.1166      |
| 230    | 66101-37220 | BEARING THRUST BALL | 1    |        |     |         | 0.25         | 0.55        |
| 240    | 66101-37230 | PLATE               | 1    |        |     |         | 0.003        | 0.0066      |
| 250    | 6C050-98260 | SEAL OIL            | 1    |        |     |         | 0.006        | 0.0132      |
| 255    | 6C050-98630 | CIR-CLIP            | 1    |        |     |         | 0.001        | 0.0022      |
| 260    | 66101-36780 | SEAL OIL            | 1    |        |     |         | 0.01         | 0.022       |
| 270    | 66101-36720 | SEAL OIL            | 1    |        |     |         | 0.007        | 0.0154      |
| 280    | 6C050-98640 | BEARING JOURNAL     | 1    |        |     |         | 0.02         | 0.044       |
| 290    | 6C050-98650 | ARM TRUNNION        | 1    |        |     |         | 0.078        | 0.1716      |
| 300    | 66071-36250 | GUIDE THROTTLE      | 1    |        |     |         | 0.005        | 0.011       |
| 310    | 6C050-98270 | PLUG                | 2    |        |     |         | 0.069        | 0.1518      |
| 320    | 6C050-98280 | O RING              | 2    |        |     |         | 0.001        | 0.0022      |
| 330    | 6C050-98290 | SPRING CHECK VALVE  | 2    |        |     |         | 0.001        | 0.0022      |
| 340    | 6C050-98310 | ASSY VALVE RELIEF   | 2    |        |     |         | 0.02         | 0.044       |
| 350    | 6C050-98400 | ASSY PLUG           | 1    |        |     |         | 0.028        | 0.0616      |
| 360    | 99999-99999 | BLANK               | 0    |        |     |         | 0            | 0           |
| 370    | 6C050-98350 | ASSY PLUG           | 1    |        |     |         | 0.013        | 0.0286      |
| 380    | 6C050-98670 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 390    | 6C050-98360 | ASSY PLUG           | 1    |        |     |         | 0.008        | 0.0176      |
| 395    | 6C050-98690 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 400    | 6C050-98370 | BOLT HEX-SOC-HD     | 5    |        |     |         | 0.04         | 0.088       |
| 410    | 6C050-98380 | PLUG                | 1    |        |     |         | 0.014        | 0.0308      |
| 420    | 6C050-98390 | O RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 430    | 6C050-98410 | SPRING              | 1    |        |     |         | 0.001        | 0.0022      |
| 440    | 6C050-98420 | CONE                | 1    |        |     |         | 0.006        | 0.0132      |
| 450    | 6C050-98430 | SEAT                | 1    |        |     |         | 0.002        | 0.0044      |
| 460    | 6C050-98440 | SHIM                | 1    |        |     |         | 0.001        | 0.0022      |
| 470    | 6C050-98450 | PIPE                | 1    |        |     |         | 0.1          | 0.22        |




## HST [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|---------|-----|---------|--------------|-------------|
| 480    | 6C050-98460 | O RING          | 2    |         |     |         | 0.001        | 0.0022      |
| 490    | 6C050-98470 | PLUG            | 1    |         |     |         | 0.001        | 0.0022      |
| 500    | 6C050-98480 | PLUG            | 1    |         |     |         | 0.001        | 0.0022      |
| 510    | 6C050-98490 | O RING          | 1    |         |     |         | 0.001        | 0.0022      |
| 520    | 6C050-98510 | PIN             | 2    |         |     |         | 0.002        | 0.0044      |
| 530    | 6C050-98520 | HOUSING PUMP    | 1    |         |     |         | 0.202        | 0.4444      |
| 540    | 6C050-98530 | ASSY ROTOR      | 1    |         |     |         | 0.103        | 0.2266      |
| 550    | 6C050-98540 | SEAL OIL        | 1    |         |     |         | 0.01         | 0.022       |
| 560    | 6C050-98550 | CIR-CLIP        | 1    |         |     |         | 0.003        | 0.0066      |
| 570    | 6C050-98560 | PIN             | 1    |         |     |         | 0.004        | 0.0088      |
| 580    | 6C050-98570 | BOLT HEX-SOC-HD | 3    |         |     |         | 0.021        | 0.0462      |
| 590    | 6C050-98580 | PLATE SPACER    | 1    |         |     |         | 0.3          | 0.66        |
| 600    | 6C050-98590 | O RING          | 1    |         |     |         | 0.002        | 0.0044      |
| 610    | 6C050-98610 | BEARING NEEDLE  | 1    | <=71256 |     |         | 0.001        | 0.0022      |
| 610    | 6C050-98610 | O RING          | 2    | >=71257 |     |         | 0.001        | 0.0022      |
| 620    | 6C050-98500 | ASSY PLUG       | 1    |         |     |         | 0.005        | 0.011       |
| 630    | 6C050-98720 | RING            | 1    |         |     |         | 0.001        | 0.0022      |
| 640    | 6C050-98730 | RING            | 1    |         |     |         | 0.001        | 0.0022      |
| 650    | 6C050-98740 | O RING          | 1    | <=71256 |     |         | 0            | 0           |
| 660    | 6C050-98620 | BOLT HEX-SOC-HD | 1    |         |     |         | 0.027        | 0.0594      |






100 6C040-1433-0

110 6C040-1439-0

120 67061-1424-0

140 67950-1465-0



6C040-817-10




## 2ND SHAFT/3RD SHAFT/4TH SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C050-14210 | GEAR-SHAFT        | 1    |         |     | 13-18T  | 0.85         | 1.87        |
| 020    | 52300-16180 | BEARING           | 1    |         |     |         | 0.05         | 0.11        |
| 030    | 61361-14280 | BEARING BALL      | 1    |         |     |         | 0.09         | 0.198       |
| 040    | 6C050-14280 | GEAR              | 1    |         |     | 27T     | 0.32         | 0.704       |
| 050    | 04612-00190 | CIR CLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 6C050-14310 | SHAFT             | 1    | <=73621 |     |         | 0            | 0           |
| 060    | 6C050-14312 | SHAFT             | 1    | >=73622 | ←   |         | 0.31         | 0.682       |
| 070    | 08101-06303 | BEARING BALL      | 1    |         |     |         | 0.112        | 0.2464      |
| 080    | 08101-06304 | BEARING BALL      | 1    |         |     |         | 0.146        | 0.3212      |
| 090    | 6C040-14320 | GEAR              | 1    |         |     | 17T     | 0.33         | 0.726       |
| 100    | 6C040-14330 | GEAR              | 1    | <=73621 |     | 13T     | 0.182        | 0.4004      |
| 100    | 6C040-14332 | GEAR              | 1    | >=73622 | ≠   | 13T     | 0.15         | 0.33        |
| 100    | 6C040-14333 | GEAR              | 1    | >=74052 | ≠   | 13T     | 0            | 0           |
| 110    | 6C040-14390 | BEARING NEEDLE    | 1    | <=73621 |     |         | 0.014        | 0.0308      |
| 110    | 6C040-14350 | BEARING NEEDLE    | 1    | >=73622 | ≠   |         | 0.02         | 0.044       |
| 110    | 6C040-14352 | BEARING NEEDLE    | 1    | >=74052 | ←   |         | 0.03         | 0.066       |
| 120    | 67061-14240 | BEARING NEEDLE    | 1    | <=73621 |     |         | 0.03         | 0.066       |
| 130    | 67111-14160 | COLLAR            | 1    |         |     |         | 0.01         | 0.022       |
| 140    | 67950-14650 | COLLAR            | 1    | <=73621 |     |         | 0.02         | 0.044       |
| 140    | 6C040-14360 | COLLAR            | 1    | >=73622 | ≠   |         | 0.051        | 0.1122      |
| 140    | 6C040-14362 | COLLAR            | 1    | >=74052 | ←   |         | 0            | 0           |
| 150    | 6C050-14520 | COUPLING          | 1    |         |     |         | 0.099        | 0.2178      |
| 160    | 6C050-14410 | GEAR-SHAFT        | 1    |         |     | 14T     | 0.635        | 1.397       |
| 170    | 08101-06205 | BEARING BALL      | 1    |         |     |         | 0.14         | 0.308       |
| 180    | 61361-14280 | BEARING BALL      | 1    |         |     |         | 0.09         | 0.198       |
| 190    | 6C050-14450 | GEAR              | 1    |         |     | 18T     | 0.28         | 0.616       |
| 200    | 6C050-14520 | COUPLING          | 1    |         |     |         | 0.099        | 0.2178      |
| 210    | 6C050-14290 | GEAR              | 1    |         |     | 14T     | 0.115        | 0.253       |
| 220    | 04612-00180 | CIR CLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |

## 5TH SHAFT/PTO SHAFT



180 37410-6311-0



180


6C040-828-10



## 5TH SHAFT/PTO SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C050-14510 | GEAR-SHAFT        | 1    |        |     | 11T     | 1.025        | 2.255       |
| 020    | 67121-56770 | BEARING BALL      | 1    |        |     |         | 0.127        | 0.2794      |
| 030    | 67955-14170 | BEARING BALL      | 1    |        |     |         | 0.114        | 0.2508      |
| 040    | 08221-07303 | BEARING BALL      | 1    |        |     |         | 0.116        | 0.2552      |
| 050    | 38430-21590 | BEARING BALL      | 1    |        |     |         | 0.25         | 0.55        |
| 060    | 64441-22170 | BEARING BALL      | 1    |        |     |         | 0.24         | 0.528       |
| 070    | 15471-95360 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.004        | 0.0088      |
| 080    | 6C040-14650 | GEAR 4WD          | 1    |        |     | 13T     | 0.093        | 0.2046      |
| 090    | 04612-00250 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.002        | 0.0044      |
| 100    | 6C050-14620 | GEAR              | 1    |        |     | 15-29T  | 0.425        | 0.935       |
| 110    | 66591-14720 | SPACER            | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | 66611-14670 | SHIM              | 1    |        |     | 1.4MM   | 0.008        | 0.0176      |
| 120    | 66611-14680 | SHIM              | 1    |        |     | 1.8MM   | 0.01         | 0.022       |
| 120    | 66611-14690 | SHIM              | 1    |        |     | 0.2MM   | 0.001        | 0.0022      |
| 130    | 37410-16510 | SHAFT PTO         | 1    |        |     |         | 0.79         | 1.738       |
| 140    | 67121-56770 | BEARING BALL      | 1    |        |     |         | 0.127        | 0.2794      |
| 150    | 6C040-14730 | BEARING BALL      | 1    |        |     |         | 0.15         | 0.33        |
| 160    | 6C040-14720 | GEAR              | 1    |        |     | 24T     | 0.68         | 1.496       |
| 170    | 37410-16550 | SEAL OIL          | 1    |        |     |         | 0.03         | 0.066       |
| 180    | 37410-63110 | CAP PTO SHAFT     | 1    | ≤72035 |     |         | 0            | 0           |
| 180    | 37410-63112 | CAP PTO SHAFT     | 1    | ≥72036 | ←   |         | 0.055        | 0.121       |





## MID PTO

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C050-21210 | CASE MID PTO       | 1    |        |     |         | 0.48         | 1.056       |
| 020    | 6C050-21230 | SHAFT MID PTO      | 1    |        |     |         | 0.37         | 0.814       |
| 030    | 08101-06205 | BEARING BALL       | 1    |        |     |         | 0.14         | 0.308       |
| 040    | 08101-06303 | BEARING BALL       | 1    |        |     |         | 0.112        | 0.2464      |
| 050    | 32430-25540 | SEAL OIL MID PTO   | 1    |        |     |         | 0.04         | 0.088       |
| 060    | 04611-00520 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.009        | 0.0198      |
| 070    | 6C050-21242 | GEAR MID PTO       | 1    |        |     | 11T     | 0.152        | 0.3344      |
| 080    | 06331-35012 | PLUG               | 1    |        |     |         | 0.022        | 0.0484      |
| 090    | 04717-01200 | WASHER WITH RUBBER | 1    |        |     |         | 0.002        | 0.0044      |
| 100    | 6C050-21282 | ARM MID PTO        | 1    |        |     |         | 0.33         | 0.726       |
| 110    | 6C050-21292 | SHOE               | 1    |        |     |         | 0.01         | 0.022       |
| 120    | 04811-07220 | O RING             | 1    |        |     |         | 0.001        | 0.0022      |
| 130    | 05012-00625 | PIN STRAIGHT       | 1    |        |     |         | 0.006        | 0.0132      |
| 140    | 05012-00614 | PIN STRAIGHT       | 1    |        |     |         | 0.004        | 0.0088      |
| 150    | 66116-11190 | PIPE KNOCK         | 1    |        |     |         | 0.002        | 0.0044      |
| 160    | 01123-51035 | BOLT               | 4    |        |     |         | 0.025        | 0.055       |
| 170    | 07715-01605 | BALL               | 1    |        |     |         | 0.003        | 0.0066      |
| 180    | 62061-18260 | SPRING STOPPER     | 1    |        |     |         | 0.002        | 0.0044      |
| 190    | 6C040-21250 | SHAFT IDLE         | 1    | ≤72603 |     |         | 0            | 0           |
| 190    | 6C090-21250 | SHAFT IDLE         | 1    | ≥72604 | ↔   |         | 0.22         | 0.484       |
| 200    | 05411-00616 | PIN SPRING         | 1    |        |     |         | 0.002        | 0.0044      |
| 210    | 6C040-21220 | GEAR M-PTO         | 1    |        |     | 19T     | 0.22         | 0.484       |
| 220    | 04611-00400 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.005        | 0.011       |
| 230    | 08101-06203 | BEARING BALL       | 2    |        |     |         | 0.063        | 0.1386      |



## Reference:02D140




# REAR DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C140-97910 | ASSY DIFFERENTIAL  | 1    | <=74051 |     |         | 0            | 0           |
| 010    | 6C140-97910 | ASSY DIFFERENTIAL  | 1    | >=74052 | ←   |         | 0            | 0           |
| 020    | 6C040-97920 | ASSY GEAR BEVEL    | 1    |         |     | 6-37T   | 1.97         | 4.334       |
| 030    | 6C040-14970 | CASE DIFFERENTIAL  | 1    |         |     |         | 0.7          | 1.54        |
| 040    | 67711-14912 | SHAFT DIFF.PINION  | 1    |         |     |         | 0.14         | 0.308       |
| 050    | 67711-14920 | PINION DIFF.       | 2    |         |     |         | 0.11         | 0.242       |
| 060    | 6C040-14930 | GEAR DIFF.SIDE     | 2    |         |     |         | 0.165        | 0.363       |
| 070    | 67211-15160 | SHIM               | 2    |         |     | 1.0MM   | 0.01         | 0.022       |
| 070    | 67211-15170 | SHIM               | 2    |         |     | 0.8MM   | 0.008        | 0.0176      |
| 070    | 67211-15180 | SHIM               | 2    |         |     | 1.2MM   | 0.01         | 0.022       |
| 080    | 66591-14792 | PIN KNOCK          | 1    |         |     |         | 0.003        | 0.0066      |
| 090    | 66591-14783 | PIN STRAIGHT       | 1    |         |     |         | 0.01         | 0.022       |
| 100    | 67810-56680 | BOLT UBS           | 6    |         |     |         | 0.013        | 0.0286      |
| 110    | 08101-06009 | BEARING BALL       | 1    | <=74051 |     |         | 0.22         | 0.484       |
| 110    | 6C140-14990 | BEARING BALL       | 1    | >=74052 | ≠   |         | 0            | 0           |
| 120    | 08101-06010 | BEARING BALL       | 1    | <=74051 |     |         | 0.262        | 0.5764      |
| 120    | 6C140-14980 | BEARING BALL       | 1    | >=74052 | ≠   |         | 0            | 0           |
| 130    | 66591-14980 | SHIM DIFF.SIDE     | 1    |         |     | 0.5MM   | 0.005        | 0.011       |
| 130    | 66591-14990 | SHIM DIFF.SIDE     | 1    |         |     | 0.2MM   | 0.002        | 0.0044      |
| 140    | 66611-15140 | SHIM DIFF.SIDE     | 1    |         |     | 0.5MM   | 0.006        | 0.0132      |
| 140    | 66611-15150 | SHIM DIFF.SIDE     | 1    |         |     | 0.2MM   | 0.002        | 0.0044      |
| 150    | 04611-00750 | CIR CLIP INTERNAL  | 1    |         |     |         | 0.019        | 0.0418      |
| 160    | 6C040-14940 | SHAFT DIFF.GEAR LH | 1    |         |     |         | 0.62         | 1.364       |
| 170    | 6C040-14950 | SHAFT DIFF.GEAR RH | 1    |         |     |         | 0.72         | 1.584       |
| 180    | 08101-06306 | BEARING BALL       | 2    |         |     |         | 0.335        | 0.737       |

## FRONT WHEEL PROPELLER SHAFT






## FRONT WHEEL PROPELLER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C050-14810 | SHAFT 4WD         | 1    |       |     |         | 0.4          | 0.88        |
| 020    | 08151-06204 | BEARING BALL      | 1    |       |     |         | 0.11         | 0.242       |
| 030    | 04612-00200 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 52300-21660 | BEARING           | 1    |       |     |         | 0.07         | 0.154       |
| 050    | 09500-20428 | SEAL OIL          | 1    |       |     |         | 0.012        | 0.0264      |
| 060    | 6C040-14840 | GEAR 4WD          | 1    |       |     | 20T     | 0.23         | 0.506       |
| 070    | 04612-00190 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 6C050-14850 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 04611-00420 | CIR CLIP INTERNAL | 1    |       |     |         | 0.006        | 0.0132      |






## REAR AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66611-17114 | AXLE REAR         | 2    |       |     |         | 4.64         | 10.208      |
| 020    | 08101-06306 | BEARING BALL      | 2    |       |     |         | 0.335        | 0.737       |
| 030    | 04612-00300 | CIR CLIP EXTERNAL | 2    |       |     |         | 0.003        | 0.0066      |
| 040    | 6C040-17130 | GEAR              | 2    |       |     | 57T     | 2.55         | 5.61        |
| 050    | 6C040-17140 | COLLAR            | 2    |       |     |         | 0.26         | 0.572       |
| 060    | 08101-06208 | BEARING BALL      | 2    |       |     |         | 0.355        | 0.781       |
| 070    | 09500-00014 | SEAL OIL          | 2    |       |     |         | 0.06         | 0.132       |




**BRAKE**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-22360 | LEVER CAM LH      | 1    |         |     |         | 0.32         | 0.704       |
| 020    | 6C040-22460 | LEVER CAM RH      | 1    |         |     |         | 0.33         | 0.726       |
| 030    | 04811-00210 | O RING            | 2    |         |     |         | 0.001        | 0.0022      |
| 040    | 67061-14370 | CIR-CLIP          | 2    |         |     |         | 0.002        | 0.0044      |
| 050    | 07715-00805 | BALL              | 6    |         |     |         | 0.016        | 0.0352      |
| 060    | 6C040-22320 | ACTUATOR LH       | 1    | <=72496 |     |         | 0.65         | 1.43        |
| 060    | 6C090-22320 | ACTUATOR LH       | 1    | >=72497 | ↔   |         | 0.63         | 1.386       |
| 070    | 6C040-22420 | ACTUATOR RH       | 1    | <=72496 |     |         | 0.63         | 1.386       |
| 070    | 6C090-22420 | ACTUATOR RH       | 1    | >=72497 | ↔   |         | 0.63         | 1.386       |
| 080    | 6C040-22350 | DISK BRAKE        | 8    | <=72034 |     |         | 0            | 0           |
| 080    | 6C042-22350 | DISK BRAKE        | 8    | >=72035 | ←   |         | 0.175        | 0.385       |
| 080    | 6C090-22350 | DISK BRAKE        | 8    | >=72655 | ↔   |         | 0.18         | 0.396       |
| 090    | 6C040-22340 | PLATE FRICTION    | 6    | <=72654 |     |         | 0.118        | 0.2596      |
| 090    | 6C090-22340 | PLATE FRICTION    | 6    | >=72655 | ↔   |         | 0.12         | 0.264       |
| 090    | 6C140-22340 | PLATE FRICTION    | 6    | >=74052 | ↔   |         | 0.12         | 0.264       |
| 100    | 6C040-22380 | HOLDER BEARING    | 2    |         |     |         | 0.54         | 1.188       |
| 110    | 6C040-22440 | PIN               | 2    |         |     |         | 0.004        | 0.0088      |
| 120    | 6C040-22450 | CIR CLIP INTERNAL | 2    |         |     |         | 0.08         | 0.176       |
| 130    | 70435-51590 | CIR-CLIP          | 2    |         |     |         | 0.002        | 0.0044      |



## PARKING BRAKE LEVER



6E050-018-10




## PARKING BRAKE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-41350 | LEVER            | 1    |       |     |         | 0.104        | 0.2288      |
| 020    | 6C040-41380 | SPRING RETURN    | 1    |       |     |         | 0.008        | 0.0176      |
| 030    | 6C040-41360 | GRIP LEVER       | 1    |       |     |         | 0.012        | 0.0264      |
| 040    | 6C040-41373 | ROD BRAKE        | 1    |       |     |         | 0.22         | 0.484       |
| 050    | 05525-50800 | PIN SNAP         | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 6C040-42250 | PLATE BRAKE LOCK | 1    |       |     |         | 0.07         | 0.154       |
| 070    | 50591-62370 | NUT              | 1    |       |     |         | 0.005        | 0.011       |

## SPEED CHANGE LEVER



6C050-012-10




## SPEED CHANGE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C050-43410 | ASSY LEVER TRUNNION | 1    | <=70782 |     |         | 0            | 0           |
| 010    | 6C050-43414 | ASSY LEVER TRUNNION | 1    | >=70783 | ←   |         | 0.32         | 0.704       |
| 010    | 6C052-43410 | ASSY LEVER TRUNNION | 1    | >=72153 | ←   |         | 0.325        | 0.715       |
| 020    | 6C050-43450 | BUSH                | 1    |         |     |         | 0.005        | 0.011       |
| 030    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 040    | 01125-50840 | BOLT                | 1    |         |     |         | 0.02         | 0.044       |
| 050    | 6C050-43510 | NUT                 | 1    |         |     |         | 0.005        | 0.011       |
| 060    | 6C050-43463 | LEVER NEUTRAL       | 1    | <=70782 |     |         | 0            | 0           |
| 060    | 6C050-43464 | LEVER NEUTRAL       | 1    | >=70783 | ←   |         | 0.065        | 0.143       |
| 070    | 04015-60100 | WASHER PLAIN        | 1    |         |     |         | 0.015        | 0.033       |
| 080    | 04013-60100 | WASHER PLAIN        | 1    |         |     |         | 0.004        | 0.0088      |
| 090    | 04512-60100 | WASHER SPRING       | 1    |         |     |         | 0.002        | 0.0044      |
| 100    | 6C050-43490 | BOLT                | 1    |         |     |         | 0.018        | 0.0396      |
| 110    | 6C050-43470 | SPRING              | 1    |         |     |         | 0.047        | 0.1034      |
| 120    | 6C050-43483 | HOOK SPRING         | 1    |         |     |         | 0.018        | 0.0396      |
| 130    | 02176-50100 | NUT                 | 1    |         |     |         | 0.005        | 0.011       |

SPEED CONTROL PEDAL




6C055-002-22

110 6C050-4335-3



280 44366-4659-0



6C050-802-10



## SPEED CONTROL PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C050-43303 | ASSY PEDAL HST | 1    | ≤71077 |     |         | 0            | 0           |
| 010    | 6C050-43304 | ASSY PEDAL HST | 1    | ≥71078 | ←   |         | 0            | 0           |
| 010    | 6C050-43305 | ASSY PEDAL HST | 1    | ≥71963 | ←   |         | 0            | 0           |
| 010    | 6C050-43306 | ASSY PEDAL HST | 1    | ≥72185 | ←   |         | 1.92         | 4.224       |
| 020    | 08511-01615 | BUSH           | 2    |        |     |         | 0.01         | 0.022       |
| 025    | 67111-44250 | NIPPLE GREASE  | 1    | ≤71962 |     |         | 0.005        | 0.011       |
| 025    | 06613-10675 | NIPPLE GREASE  | 1    | ≥71963 | ←   |         | 0.003        | 0.0066      |
| 026    | 04012-50060 | WASHER PLAIN   | 1    | ≤71962 |     |         | 0.001        | 0.0022      |
| 026    | 04013-60060 | WASHER PLAIN   | 1    | ≥71963 | ←   |         | 0.001        | 0.0022      |
| 030    | 37410-44120 | COVER PEDAL    | 1    |        |     |         | 0.08         | 0.176       |
| 040    | 37410-42760 | COVER PEDAL    | 1    |        |     |         | 0.025        | 0.055       |
| 050    | 05411-00625 | PIN SPRING     | 2    |        |     |         | 0.004        | 0.0088      |
| 060    | 6C050-43340 | ASSY LINK      | 1    |        |     |         | 0.142        | 0.3124      |
| 065    | 05525-61000 | PIN SNAP       | 1    |        |     |         | 0.002        | 0.0044      |
| 067    | 04013-60080 | WASHER PLAIN   | 1    |        |     |         | 0.002        | 0.0044      |
| 070    | 05525-50800 | PIN SNAP       | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 6C050-43332 | ARM            | 1    | ≤70003 |     |         | 0            | 0           |
| 080    | 6C050-43333 | ARM            | 1    | ≥70004 | ←   |         | 0.33         | 0.726       |
| 090    | 05525-61000 | PIN SNAP       | 1    |        |     |         | 0.002        | 0.0044      |
| 100    | 6C050-43320 | ROD HST PEDAL  | 1    | ≤71077 |     |         | 0            | 0           |
| 100    | 6C050-43323 | ROD HST PEDAL  | 1    | ≥71078 | ←   |         | 0.136        | 0.2992      |
| 110    | 6C050-43353 | DAMPER HST     | 1    | ≤72151 |     |         | 1.9          | 4.18        |
| 110    | 6C052-43350 | DAMPER HST     | 1    | ≥72152 | ≠   |         | 0.29         | 0.638       |
| 120    | 6C050-43190 | BOLT           | 1    | ≤72035 |     |         | 0            | 0           |
| 120    | 6C050-43192 | BOLT           | 1    | ≥72036 | ←   |         | 0.02         | 0.044       |
| 130    | 02114-50080 | NUT            | 1    |        |     |         | 0.005        | 0.011       |
| 135    | 04512-60080 | WASHER SPRING  | 1    |        |     |         | 0.002        | 0.0044      |
| 136    | 04012-50080 | WASHER PLAIN   | 1    | ≤72035 |     |         | 0.001        | 0.0022      |
| 136    | 04013-60080 | WASHER PLAIN   | 1    | ≥72036 | ←   |         | 0.002        | 0.0044      |
| 140    | 04012-50080 | WASHER PLAIN   | 1    | ≤72196 |     |         | 0.001        | 0.0022      |
| 140    | 04013-60080 | WASHER PLAIN   | 2    | ≥72197 | ←   |         | 0.002        | 0.0044      |
| 150    | 05511-50215 | PIN SPLIT      | 1    |        |     |         | 0.001        | 0.0022      |
| 160    | 05122-50850 | PIN JOINT      | 1    |        |     |         | 0.02         | 0.044       |
| 170    | 05525-61600 | PIN SNAP       | 1    |        |     |         | 0.002        | 0.0044      |
| 180    | 6C050-43520 | STAY SPRING    | 1    | ≥72036 |     |         | 0            | 0           |
| 180    | 6C050-43522 | STAY SPRING    | 1    | ≥72152 | ←   |         | 0.25         | 0.55        |
| 190    | 6C050-43570 | SPACER         | 2    | ≥72036 |     |         | 0.05         | 0.11        |
| 200    | 01133-51245 | BOLT           | 1    | ≥72036 |     |         | 0.055        | 0.121       |
| 210    | 6C050-43530 | ARM SPRING     | 1    | ≥72036 |     |         | 0            | 0           |
| 210    | 6C050-43533 | ARM SPRING     | 1    | ≥72153 | ←   |         | 0.29         | 0.638       |
| 220    | 01754-50825 | BOLT FLANGE    | 1    | ≥72036 |     |         | 0.01         | 0.022       |
| 220    | 6C050-43590 | BOLT SPRING    | 1    | ≥72152 | ←   |         | 0.018        | 0.0396      |
| 230    | 02114-50080 | NUT            | 1    | ≥72036 |     |         | 0.005        | 0.011       |
| 240    | 04013-60080 | WASHER PLAIN   | 1    | ≥72036 |     |         | 0.002        | 0.0044      |
| 250    | 6C050-43540 | ROD            | 1    | ≥72036 |     |         | 0.05         | 0.11        |
| 260    | 6C050-43560 | PIN            | 1    | ≥72036 |     |         | 0            | 0           |
| 260    | 6C050-43562 | PIN            | 1    | ≥72152 | ←   |         | 0.65         | 1.43        |
| 270    | 6C050-43550 | COLLAR         | 1    | ≥72036 |     |         | 0            | 0           |
| 270    | 6C050-43552 | COLLAR         | 1    | ≥72152 | ←   |         | 0.02         | 0.044       |
| 280    | 44366-46590 | SPRING         | 1    | ≥72036 |     |         | 0.007        | 0.0154      |
| 280    | 44366-46590 | SPRING         | 1    | ≤72151 |     |         | 0.007        | 0.0154      |
| 290    | 6C050-43580 | SPRING         | 1    | ≥72036 |     |         | 0            | 0           |
| 290    | 6C050-43582 | SPRING         | 2    | ≥72152 | ←   |         | 0            | 0           |
| 290    | 6C050-43583 | SPRING         | 2    | ≥72153 | ←   |         | 0.02         | 0.044       |
| 300    | 04512-60080 | WASHER SPRING  | 1    | ≥72036 |     |         | 0.002        | 0.0044      |
| 310    | 02114-50080 | NUT            | 5    | ≥72036 |     |         | 0.005        | 0.011       |




## SPEED CONTROL PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|---------|-----|---------|--------------|-------------|
| 320    | 04013-60100 | WASHER PLAIN  | 2    | >=72036 |     |         | 0.004        | 0.0088      |
| 330    | 04013-60080 | WASHER PLAIN  | 3    | >=72036 |     |         | 0.002        | 0.0044      |
| 340    | 6C050-43620 | STAY DAMPER   | 1    | >=72152 |     |         | 0.07         | 0.154       |
| 350    | 01153-60830 | BOLT          | 1    | >=72152 |     |         | 0.025        | 0.055       |
| 360    | 04512-60080 | WASHER SPRING | 1    | >=72152 |     |         | 0.002        | 0.0044      |
| 370    | 02114-50080 | NUT           | 1    | >=72152 |     |         | 0.005        | 0.011       |




## SPEED SET LEVER



6C050-014-10



## RANGE GEAR SHIFT LEVER






## RANGE GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-42600 | LEVER RANGE SHIFT   | 1    |        |     |         | 0.83         | 1.826       |
| 020    | 08511-01825 | BUSH                | 1    |        |     |         | 0.01         | 0.022       |
| 030    | 6C040-42630 | GRIP                | 1    | ≤72397 |     |         | 0.02         | 0.044       |
| 030    | 6A320-42630 | GRIP LEVER          | 1    | ≥72398 | ↔   |         | 0.019        | 0.0418      |
| 040    | 37410-43570 | PIPE                | 1    |        |     |         | 0.005        | 0.011       |
| 050    | 6C040-42620 | LEVER SHIFT ARM     | 1    | ≤72035 |     |         | 0            | 0           |
| 050    | 6C040-42623 | LEVER SHIFT ARM     | 1    | ≥72036 | ←   |         | 0.174        | 0.3828      |
| 060    | 05411-00832 | PIN SPRING          | 1    |        |     |         | 0.035        | 0.077       |
| 070    | 6C040-42670 | SHAFT FULCRUM       | 1    |        |     |         | 0.25         | 0.55        |
| 080    | 6C040-42680 | PLATE               | 1    |        |     |         | 0.017        | 0.0374      |
| 090    | 01123-60816 | BOLT                | 1    |        |     |         | 0.01         | 0.022       |
| 100    | 04011-50180 | WASHER PLAIN        | 1    |        |     |         | 0.012        | 0.0264      |
| 110    | 04612-00180 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 120    | 6C050-18410 | ROD FORK            | 1    |        |     |         | 0.118        | 0.2596      |
| 130    | 6C040-18420 | FORK RANGE SHIFT    | 1    |        |     |         | 0.079        | 0.1738      |
| 140    | 62061-18260 | SPRING STOPPER      | 1    |        |     |         | 0.002        | 0.0044      |
| 150    | 07715-01605 | BALL                | 1    |        |     |         | 0.003        | 0.0066      |
| 160    | 6C040-18510 | ARM RANGE SHIFT     | 1    |        |     |         | 0.075        | 0.165       |
| 170    | 04811-00160 | O RING              | 2    |        |     |         | 0.001        | 0.0022      |
| 180    | 6C050-42650 | STAY NEUTRAL SWITCH | 1    |        |     |         | 0.152        | 0.3344      |
| 190    | 6C050-42640 | ROD NEUTRAL SWITCH  | 1    | ≤72152 |     |         | 0            | 0           |
| 190    | 6C050-42642 | ROD NEUTRAL SWITCH  | 1    | ≥72153 | ←   |         | 0.113        | 0.2486      |

# FRONT WHEEL DRIVE LEVER






## FRONT WHEEL DRIVE LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-42910 | LEVER 4WD CHANGE   | 1    |        |     |         | 0.66         | 1.452       |
| 020    | 6C040-42630 | GRIP               | 1    | ≤72397 |     |         | 0.02         | 0.044       |
| 020    | 6A320-42630 | GRIP LEVER         | 1    | ≥72398 | ↔   |         | 0.019        | 0.0418      |
| 030    | 37410-43570 | PIPE               | 1    |        |     |         | 0.005        | 0.011       |
| 040    | 05411-00836 | PIN SPRING         | 1    |        |     |         | 0.008        | 0.0176      |
| 050    | 6C040-19210 | ARM 4WD SHIFT      | 1    |        |     |         | 0.19         | 0.418       |
| 060    | 04811-00160 | O RING             | 2    |        |     |         | 0.001        | 0.0022      |
| 070    | 6C040-19222 | BOLT               | 1    |        |     |         | 0.015        | 0.033       |
| 080    | 04717-01000 | WASHER WITH RUBBER | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 62061-18260 | SPRING STOPPER     | 1    |        |     |         | 0.002        | 0.0044      |
| 100    | 07715-01605 | BALL               | 1    |        |     |         | 0.003        | 0.0066      |

## PTO GEAR SHIFT LEVER



160 04011-50100



6C050-804-10






## PTO GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-42700 | LEVER PTO SHIFT     | 1    |        |     |         | 0.7          | 1.54        |
| 020    | 08511-01825 | BUSH                | 1    |        |     |         | 0.01         | 0.022       |
| 030    | 6C040-42730 | GRIP LEVER          | 1    | ≤74014 |     |         | 0            | 0           |
| 030    | 6A320-42780 | GRIP LEVER          | 1    | ≥74015 | ↔   |         | 0.034        | 0.0748      |
| 040    | 6C040-42760 | CUSHION             | 1    |        |     |         | 0.003        | 0.0066      |
| 050    | 6C040-42743 | ROD PTO             | 1    |        |     |         | 0.15         | 0.33        |
| 060    | 05525-61000 | PIN SNAP            | 4    |        |     |         | 0.002        | 0.0044      |
| 070    | 6C040-42720 | LEVER SHIFT ARM     | 1    |        |     |         | 0.1          | 0.22        |
| 080    | 05411-00836 | PIN SPRING          | 1    |        |     |         | 0.008        | 0.0176      |
| 090    | 6C040-42800 | LEVER MID PTO SHIFT | 1    |        |     |         | 0.8          | 1.76        |
| 100    | 08511-01825 | BUSH                | 1    |        |     |         | 0.01         | 0.022       |
| 110    | 6C040-42730 | GRIP LEVER          | 1    | ≤74014 |     |         | 0            | 0           |
| 110    | 6A320-42780 | GRIP LEVER          | 1    | ≥74015 | ↔   |         | 0.034        | 0.0748      |
| 120    | 6C040-42760 | CUSHION             | 1    |        |     |         | 0.003        | 0.0066      |
| 130    | 6C050-42840 | ROD MID PTO         | 1    |        |     |         | 0.23         | 0.506       |
| 140    | 05525-61000 | PIN SNAP            | 2    |        |     |         | 0.002        | 0.0044      |
| 150    | 05511-52520 | PIN SPLIT           | 1    |        |     |         | 0.001        | 0.0022      |
| 160    | 04011-50100 | WASHER PLAIN        | 2    | ≤74051 |     |         | 0.002        | 0.0044      |
| 160    | 04011-50100 | WASHER PLAIN        | 1    | ≥74052 |     |         | 0.002        | 0.0044      |
| 170    | 6C050-18610 | ROD FORK            | 1    |        |     |         | 0.108        | 0.2376      |
| 180    | 6C040-18620 | FORK PTO SHIFT      | 1    |        |     |         | 0.09         | 0.198       |
| 190    | 62061-18260 | SPRING STOPPER      | 1    |        |     |         | 0.002        | 0.0044      |
| 200    | 07715-01605 | BALL                | 1    |        |     |         | 0.003        | 0.0066      |
| 210    | 04613-50120 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 220    | 6C040-18712 | ARM PTO SHIFT       | 1    |        |     |         | 0            | 0           |
| 230    | 04811-00160 | O RING              | 2    |        |     |         | 0.001        | 0.0022      |

## BI-SPEED TURN LEVER




070 6C040-7783-0

070 6C040-7783-4

070 6C040-7783-6

120 6C040-7813-0

130 6C040-7815-0



140 6C040-7814-0



140

6C040-819-10




**BI-SPEED TURN LEVER  
WITH BI-SPEED TURN**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-77810 | ASSY CABLE BI-S.TURN | 1    |        |     |         | 0.4          | 0.88        |
| 020    | 02054-50050 | NUT                  | 2    |        |     |         | 0.002        | 0.0044      |
| 030    | 53581-64150 | BAND CORD            | 3    |        |     |         | 0.002        | 0.0044      |
| 040    | 6C040-77860 | ROD CABLE            | 1    |        |     |         | 0.078        | 0.1716      |
| 050    | 05515-61000 | PIN SNAP             | 1    |        |     |         | 0.003        | 0.0066      |
| 060    | 01123-50835 | BOLT                 | 2    |        |     |         | 0.02         | 0.044       |
| 070    | 6C040-77830 | SUPPORT BI-S.T.LEVER | 1    | ≤72034 |     |         | 0            | 0           |
| 070    | 6C040-77834 | SUPPORT BI-S.T.LEVER | 1    | ≥72035 | ←   |         | 0            | 0           |
| 070    | 6C040-77836 | SUPPORT BI-S.T.LEVER | 1    | ≥72152 | ←   |         | 0.252        | 0.5544      |
| 070    | 6C040-77837 | SUPPORT BI-S.T.LEVER | 1    | ≥73518 | ≠   |         | 0.24         | 0.528       |
| 080    | 01123-51040 | BOLT                 | 2    |        |     |         | 0.03         | 0.066       |
| 090    | 6C040-42630 | GRIP                 | 1    | ≤72397 |     |         | 0.02         | 0.044       |
| 090    | 6A320-42630 | GRIP LEVER           | 1    | ≥72398 | ↔   |         | 0.019        | 0.0418      |
| 100    | 37410-43570 | PIPE                 | 1    |        |     |         | 0.005        | 0.011       |
| 110    | 05515-61200 | PIN SNAP             | 1    |        |     |         | 0.005        | 0.011       |
| 120    | 6C040-78130 | PLATE                | 1    | ≤73517 |     |         | 0.096        | 0.2112      |
| 120    | 6C040-78134 | PLATE                | 1    | ≥73518 | ≠   |         | 0.1          | 0.22        |
| 125    | 05511-50320 | PIN SPLIT            | 1    | ≥73518 |     |         | 0.002        | 0.0044      |
| 130    | 6C040-78150 | SPRING               | 1    | ≤73517 |     |         | 0.008        | 0.0176      |
| 130    | 6C040-78170 | SPRING               | 1    | ≥73518 | ≠   |         | 0.01         | 0.022       |
| 140    | 6C040-78140 | ROD BI-S.T.LEVER     | 1    | ≤73517 |     |         | 0.043        | 0.0946      |
| 140    | 6C040-78142 | ROD BI-S.T.LEVER     | 1    | ≥73518 | ≠   |         | 0.04         | 0.088       |
| 145    | 6C040-78180 | BRACKET              | 1    | ≥73518 |     |         | 0.25         | 0.55        |
| 146    | 01123-51035 | BOLT                 | 1    | ≤73517 |     |         | 0.025        | 0.055       |
| 146    | 01123-51050 | BOLT                 | 1    | ≥73518 | ≠   |         | 0.035        | 0.077       |
| 147    | 01123-51050 | BOLT                 | 1    | ≤73517 |     |         | 0.035        | 0.077       |
| 147    | 01123-51055 | BOLT                 | 1    | ≥73518 | ≠   |         | 0.038        | 0.0836      |
| 148    | 6C040-78190 | SPRING               | 1    | ≥73518 |     |         | 0.01         | 0.022       |
| 150    | 6C040-77820 | STAY CABLE           | 1    |        |     |         | 0.12         | 0.264       |
| 160    | 6C040-77840 | LEVER BI-SPEED TURN  | 1    |        |     |         | 0.57         | 1.254       |
| 170    | 6C040-98400 | KIT B-SPEED TURN     | 1    |        |     | OPTION  | 0.714        | 1.5708      |
| 180    | 6C040-98410 | MANUAL CONSTRUCTION  | 1    |        |     | OPTION  | 0.01         | 0.022       |

## POSITION CONTROL LEVER




050 6C040-3628-0

060 6C040-3625-0

070 04011-50120

080 04612-00120



6C040-815-10




## POSITION CONTROL LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 01123-51035 | BOLT              | 5    |         |     |         | 0.025        | 0.055       |
| 020    | 01123-51045 | BOLT              | 2    |         |     |         | 0.032        | 0.0704      |
| 030    | 6C040-36750 | STOPPER           | 1    |         |     |         | 0.188        | 0.4136      |
| 040    | 6C040-36920 | COLLAR            | 1    | >=72036 |     |         | 0.002        | 0.0044      |
| 050    | 6C040-36280 | LEVER HYD.CONTROL | 1    | <=72035 |     |         | 0.56         | 1.232       |
| 050    | 6C040-36284 | LEVER HYD.CONTROL | 1    | >=72036 | ≠   |         | 0.556        | 1.2232      |
| 060    | 6C040-36250 | BUSH              | 4    | <=72036 |     |         | 0.3          | 0.66        |
| 060    | 6C040-36880 | SPRING PLATE      | 4    | >=72037 | ≠   |         | 0.003        | 0.0066      |
| 070    | 04011-50120 | WASHER PLAIN      | 1    | <=72035 |     |         | 0.005        | 0.011       |
| 070    | 04015-60080 | WASHER PLAIN      | 1    | >=72036 | ≠   |         | 0.01         | 0.022       |
| 080    | 04612-00120 | CIR CLIP EXTERNAL | 1    | <=72036 |     |         | 0.001        | 0.0022      |
| 080    | 02121-50080 | NUT               | 1    | >=72037 | ≠   |         | 0.01         | 0.022       |
| 085    | 02112-50080 | NUT               | 1    | >=72036 |     |         | 0.003        | 0.0066      |
| 090    | 31395-36880 | GRIP LEVER        | 1    |         |     |         | 0.04         | 0.088       |
| 100    | 6C040-42760 | CUSHION           | 1    |         |     |         | 0.003        | 0.0066      |
| 110    | 01555-51035 | STUD              | 2    |         |     |         | 0.029        | 0.0638      |
| 120    | 04512-60100 | WASHER SPRING     | 2    |         |     |         | 0.002        | 0.0044      |
| 130    | 02118-50100 | NUT               | 2    |         |     |         | 0.005        | 0.011       |

## BRAKE PEDAL






**BRAKE PEDAL**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-42320 | PEDAL BRAKE LH      | 1    | <=73390 |     |         | 1.76         | 3.872       |
| 010    | 6C040-42325 | PEDAL BRAKE LH      | 1    | >=73391 | ←   |         | 1.75         | 3.85        |
| 020    | 05122-50840 | PIN JOINT           | 1    |         |     |         | 0.017        | 0.0374      |
| 030    | 04012-50080 | WASHER PLAIN        | 1    |         |     |         | 0.001        | 0.0022      |
| 040    | 05511-50218 | PIN SPLIT           | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 6C040-42330 | PEDAL BRAKE RH      | 1    |         |     |         | 1.77         | 3.894       |
| 060    | 66591-43233 | COLLAR              | 1    |         |     |         | 0.004        | 0.0088      |
| 070    | 04612-00240 | CIR CLIP EXTERNAL   | 1    |         |     |         | 0.002        | 0.0044      |
| 080    | 6C040-42340 | CUSHION             | 2    | <=70395 |     |         | 0            | 0           |
| 080    | 6C040-42342 | CUSHION             | 2    | >=70396 | ←   |         | 0.005        | 0.011       |
| 090    | 66621-43270 | SPRING BRAKE RETURN | 2    |         |     |         | 0.04         | 0.088       |
| 100    | 37410-44120 | COVER PEDAL         | 2    |         |     |         | 0.08         | 0.176       |
| 110    | 6C040-42350 | ROD BRAKE FRONT     | 2    |         |     |         | 0.068        | 0.1496      |
| 120    | 6C040-42360 | ROD BRAKE REAR      | 2    |         |     |         | 0.23         | 0.506       |
| 130    | 6C040-42370 | TURNBUCKLE          | 2    |         |     |         | 0.06         | 0.132       |
| 140    | 02118-50100 | NUT                 | 2    |         |     |         | 0.005        | 0.011       |
| 150    | 52300-34120 | PIN SNAP            | 1    |         |     |         | 0.001        | 0.0022      |
| 160    | 52300-34130 | PIN SNAP            | 3    | <=73621 |     |         | 0.004        | 0.0088      |
| 160    | 6C040-42390 | PIN SNAP            | 3    | >=73622 | ↔   |         | 0.002        | 0.0044      |

## DIFFERENTIAL LOCK PEDAL



6C052-010-20




## DIFFERENTIAL LOCK PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-19120 | ROD FORK             | 1    |        |     |         | 0.17         | 0.374       |
| 020    | 04811-06120 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 030    | 05012-01025 | PIN STRAIGHT         | 1    | ≤72496 |     |         | 0.016        | 0.0352      |
| 030    | 6A100-19130 | PIN                  | 1    | ≥72497 | ↔   |         | 0.017        | 0.0374      |
| 040    | 6C040-19110 | FORK DIFF.LOCK SHIFT | 1    |        |     |         | 0.22         | 0.484       |
| 050    | 6C040-19130 | SPRING               | 1    |        |     |         | 0.014        | 0.0308      |
| 060    | 66611-15130 | CLUTCH DIFF.LOCK     | 1    |        |     |         | 0.2          | 0.44        |
| 070    | 6C050-42870 | PEDAL DIFF.LOCK      | 1    | ≤72034 |     |         | 0            | 0           |
| 070    | 6C050-42872 | PEDAL DIFF.LOCK      | 1    | ≥72035 | ←   |         | 1.2          | 2.64        |
| 080    | 37410-42760 | COVER PEDAL          | 1    |        |     |         | 0.025        | 0.055       |
| 090    | 6C050-42890 | SPRING               | 1    |        |     |         | 0.04         | 0.088       |
| 100    | 6C040-42880 | ROD DIFF.LOCK        | 1    |        |     |         | 0.1          | 0.22        |
| 110    | 05511-50215 | PIN SPLIT            | 1    |        |     |         | 0.001        | 0.0022      |
| 120    | 05525-50800 | PIN SNAP             | 1    |        |     |         | 0.001        | 0.0022      |

FRONT DIFFERENTIAL



190 01156-50855

200 04512-50080



6C040-829-10




## FRONT DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description             | Q'ty | S.No.  | I/C | REMARKS                      | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------------|------|--------|-----|------------------------------|--------------|-------------|
| 010    | 08711-30205 | BEARING<br>TAPER-ROLLER | 2    |        |     |                              | 0.148        | 0.3256      |
| 020    | 37410-58160 | COLLAR                  | 2    |        |     | 3.40MM                       | 0.01         | 0.022       |
| 020    | 37410-58170 | COLLAR                  | 2    |        |     | 3.60MM                       | 0.01         | 0.022       |
| 020    | 37410-58150 | COLLAR                  | 2    |        |     | 3.80MM                       | 0.01         | 0.022       |
| 020    | 6C040-56630 | COLLAR                  | 1    |        |     | 3.90MM                       | 0.009        | 0.0198      |
| 020    | 37410-58120 | COLLAR                  | 2    |        |     | 4.00MM                       | 0.01         | 0.022       |
| 020    | 37410-58130 | COLLAR                  | 2    |        |     | 4.10MM                       | 0.01         | 0.022       |
| 020    | 37410-58140 | COLLAR                  | 2    |        |     | 4.20MM                       | 0.01         | 0.022       |
| 020    | 37410-56680 | COLLAR                  | 2    |        |     | 4.40MM                       | 0.015        | 0.033       |
| 020    | 6C040-56620 | COLLAR                  | 1    |        |     | 4.50MM                       | 0.01         | 0.022       |
| 020    | 37410-56660 | COLLAR                  | 2    |        |     | 4.60MM                       | 0.011        | 0.0242      |
| 030    | 37410-56690 | COLLAR                  | 1    |        |     |                              | 0.04         | 0.088       |
| 040    | 37410-56710 | NUT                     | 1    |        |     | WITHOUT BI-SPEED<br>TURN     | 0.03         | 0.066       |
| 050    | 09500-20408 | SEAL OIL                | 1    |        |     | WITHOUT BI-SPEED<br>TURN     | 0.012        | 0.0264      |
| 060    | 04611-00520 | CIR CLIP INTERNAL       | 1    |        |     |                              | 0.009        | 0.0198      |
| 070    | 6C040-97960 | ASSY GEAR BEVEL         | 1    |        |     | 11-20T W/O BI-SPEED<br>TURN  | 0.96         | 2.112       |
| 080    | 6C040-97980 | ASSY GEAR BEVEL         | 1    |        |     | 11-20T WITH BI-SPEED<br>TURN | 0.05         | 0.11        |
| 090    | 6C040-56820 | CIR CLIP EXTERNAL       | 1    |        |     |                              | 0.003        | 0.0066      |
| 100    | 6C040-56900 | ASSY DIFF. FRONT        | 1    |        |     |                              | 2            | 4.4         |
| 110    | 6C040-56830 | CASE DIFF.FRONT         | 1    |        |     |                              | 0.73         | 1.606       |
| 120    | 6C040-56840 | COVER DIFF.CASE         | 1    |        |     |                              | 0.3          | 0.66        |
| 130    | 6C040-56850 | SHAFT DIFF.PINION       | 1    |        |     |                              | 0.05         | 0.11        |
| 140    | 05411-00425 | PIN SPRING              | 1    |        |     |                              | 0.001        | 0.0022      |
| 150    | 6C040-56860 | GEAR BEVEL              | 2    |        |     | 10T                          | 0.044        | 0.0968      |
| 160    | 6C040-56870 | SHIM                    | 2    |        |     | 1.00MM                       | 0.002        | 0.0044      |
| 160    | 6C040-56880 | SHIM                    | 2    |        |     | 0.80MM                       | 0.001        | 0.0022      |
| 160    | 6C040-56890 | SHIM                    | 2    |        |     | 1.20MM                       | 0.002        | 0.0044      |
| 170    | 6C040-56910 | GEAR BEVEL              | 2    |        |     | 14T                          | 0.107        | 0.2354      |
| 180    | 37410-56930 | SHIM                    | 2    |        |     | 1.00MM                       | 0.005        | 0.011       |
| 180    | 37410-56920 | SHIM                    | 2    |        |     | 0.80MM                       | 0.005        | 0.011       |
| 180    | 37410-56940 | SHIM                    | 2    |        |     | 1.20MM                       | 0.01         | 0.022       |
| 190    | 01156-50855 | BOLT                    | 4    | ≤73928 |     |                              | 0.012        | 0.0264      |
| 190    | 01128-50855 | BOLT                    | 4    | ≥73929 | ←   |                              | 0.023        | 0.0506      |
| 200    | 04512-50080 | WASHER SPRING           | 4    | ≤73928 |     |                              | 0            | 0           |
| 210    | 08101-06010 | BEARING BALL            | 2    |        |     |                              | 0.262        | 0.5764      |
| 220    | 6C040-56950 | COLLAR                  | 1    |        |     |                              | 0.017        | 0.0374      |
| 230    | 66611-15150 | SHIM DIFF.SIDE          | 1    |        |     | 0.20MM                       | 0.002        | 0.0044      |

## BEVEL GEAR CASE




**BEVEL GEAR CASE**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-56210 | CASE BEVEL GEAR   | 2    | <=72212 |     |         | 0            | 0           |
| 010    | 6C040-56213 | CASE BEVEL GEAR   | 2    | >=72213 | ←   |         | 3.3          | 7.26        |
| 020    | 04811-50850 | O RING            | 2    |         |     |         | 0.003        | 0.0066      |
| 030    | 05012-01020 | PIN STRAIGHT      | 2    |         |     |         | 0.02         | 0.044       |
| 040    | 01133-51230 | BOLT              | 8    |         |     |         | 0.04         | 0.088       |
| 050    | 08101-06911 | BEARING BALL      | 2    |         |     |         | 0.2          | 0.44        |
| 060    | 32721-56223 | SEAL OIL          | 2    |         |     |         | 0.069        | 0.1518      |
| 070    | 6C040-56350 | COLLAR THRUST     | 2    |         |     |         | 0.017        | 0.0374      |
| 080    | 04612-00550 | CIR CLIP EXTERNAL | 2    |         |     |         | 0.01         | 0.022       |
| 090    | 6C040-57110 | SHAFT YOKE LH     | 1    |         |     |         | 0.37         | 0.814       |
| 100    | 67950-57110 | SHAFT YOKE LH     | 1    |         |     |         | 0.68         | 1.496       |
| 110    | 37410-57130 | GEAR BEVEL        | 2    |         |     | 11T     | 0.25         | 0.55        |
| 120    | 6C040-57130 | SHIM              | 2    |         |     | 1.00MM  | 0.008        | 0.0176      |
| 120    | 6C040-57140 | SHIM              | 2    |         |     | 0.80MM  | 0.006        | 0.0132      |
| 120    | 6C040-57150 | SHIM              | 2    |         |     | 1.20MM  | 0.009        | 0.0198      |
| 120    | 6C040-57160 | SHIM              | 2    |         |     | 1.40MM  | 0.011        | 0.0242      |
| 130    | 08101-06007 | BEARING BALL      | 2    |         |     |         | 0.16         | 0.352       |
| 140    | 04611-00620 | CIR CLIP INTERNAL | 2    |         |     |         | 0.011        | 0.0242      |
| 150    | 37410-57180 | GEAR BEVEL        | 2    |         |     | 16T     | 0.32         | 0.704       |
| 160    | 67910-14230 | BEARING BALL      | 2    |         |     |         | 0.084        | 0.1848      |
| 170    | 6C040-57210 | SHAFT GEAR        | 2    |         |     | 7T      | 0.5          | 1.1         |
| 180    | 08101-06304 | BEARING BALL      | 2    |         |     |         | 0.146        | 0.3212      |



## FRONT AXLE CASE




6C040-046-11

060 31351-1625-0

070 01173-51030

080 02076-50100



6C040-820-10




**FRONT AXLE CASE  
WITHOUT BI-SPEED TURN**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-56110 | CASE FRONT AXLE      | 1    | <=72603 |     |         | 0            | 0           |
| 010    | 6C040-56113 | CASE FRONT AXLE      | 1    | >=72604 | ←   |         | 6.2          | 13.64       |
| 020    | 6C040-56123 | GAUGE OIL            | 1    |         |     |         | 0.024        | 0.0528      |
| 030    | 6C040-56160 | O RING               | 1    | <=72151 |     |         | 0            | 0           |
| 030    | 04811-00180 | O RING               | 1    | >=72152 | ↔   |         | 0.001        | 0.0022      |
| 040    | 6C040-56132 | HOLDER FRONT AXLE    | 1    | <=71650 |     |         | 0            | 0           |
| 040    | 6C040-56133 | HOLDER FRONT AXLE    | 1    | >=71651 | ↔   |         | 1.18         | 2.596       |
| 050    | 37410-56180 | COLLAR THRUST        | 1    |         |     |         | 0.07         | 0.154       |
| 060    | 31351-16250 | WASHER SEAL          | 1    | <=72981 |     |         | 0.015        | 0.033       |
| 070    | 01173-51030 | BOLT                 | 1    | <=72981 |     |         | 0.023        | 0.0506      |
| 070    | 6C040-56170 | COMP.BOLT FRONT AXLE | 1    | >=72982 | ←   |         | 0.04         | 0.088       |
| 080    | 02076-50100 | NUT                  | 1    | <=72981 |     |         | 0.006        | 0.0132      |
| 090    | 04811-50450 | O RING               | 1    |         |     |         | 0.002        | 0.0044      |
| 100    | 01173-51440 | BOLT                 | 2    |         |     |         | 0.062        | 0.1364      |
| 110    | 04512-60140 | WASHER SPRING        | 2    |         |     |         | 0.006        | 0.0132      |
| 120    | 6C040-56140 | HOLDER FRONT AXLE    | 1    |         |     |         | 1.37         | 3.014       |
| 130    | 6C040-56150 | COLLAR THRUST        | 1    |         |     |         | 0.02         | 0.044       |
| 140    | 04811-50600 | O RING               | 1    |         |     |         | 0.002        | 0.0044      |
| 150    | 01173-51440 | BOLT                 | 2    |         |     |         | 0.062        | 0.1364      |
| 160    | 04512-60140 | WASHER SPRING        | 2    |         |     |         | 0.006        | 0.0132      |

## FRONT AXLE CASE




6C030-003-21

060 31351-1625-0

070 01173-51030

080 02076-50100



6C040-820-10




**FRONT AXLE CASE**  
WITH BI-SPEED TURN


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-77510 | CASE FRONT AXLE      | 1    | ≤72603 |     |         | 0            | 0           |
| 010    | 6C040-77513 | CASE FRONT AXLE      | 1    | ≥72604 | ←   |         | 6.3          | 13.86       |
| 020    | 6C040-56123 | GAUGE OIL            | 1    |        |     |         | 0.024        | 0.0528      |
| 030    | 6C040-56160 | O RING               | 1    | ≤72151 |     |         | 0            | 0           |
| 030    | 04811-00180 | O RING               | 1    | ≥72152 | ↔   |         | 0.001        | 0.0022      |
| 040    | 6C040-56132 | HOLDER FRONT AXLE    | 1    | ≤71650 |     |         | 0            | 0           |
| 040    | 6C040-56133 | HOLDER FRONT AXLE    | 1    | ≥71651 | ←   |         | 1.18         | 2.596       |
| 050    | 37410-56180 | COLLAR THRUST        | 1    |        |     |         | 0.07         | 0.154       |
| 060    | 31351-16250 | WASHER SEAL          | 1    | ≤72981 |     |         | 0.015        | 0.033       |
| 070    | 01173-51030 | BOLT                 | 1    | ≤72981 |     |         | 0.023        | 0.0506      |
| 070    | 6C040-56170 | COMP.BOLT FRONT AXLE | 1    | ≥72982 | ←   |         | 0.04         | 0.088       |
| 080    | 02076-50100 | NUT                  | 1    | ≤72981 |     |         | 0.006        | 0.0132      |
| 090    | 04811-50450 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 100    | 01173-51440 | BOLT                 | 2    |        |     |         | 0.062        | 0.1364      |
| 110    | 04512-60140 | WASHER SPRING        | 2    |        |     |         | 0.006        | 0.0132      |
| 120    | 6C040-77610 | HOLDER FRONT AXLE    | 1    |        |     |         | 2.15         | 4.73        |
| 130    | 6C040-77430 | COLLAR               | 1    |        |     | 2.30MM  | 0.019        | 0.0418      |
| 130    | 6C040-77440 | COLLAR               | 1    |        |     | 2.50MM  | 0.02         | 0.044       |
| 130    | 6C040-77450 | COLLAR               | 1    |        |     | 2.70MM  | 0.023        | 0.0506      |
| 130    | 6C040-77460 | COLLAR               | 1    |        |     | 2.90MM  | 0.025        | 0.055       |
| 130    | 6C040-77470 | COLLAR               | 1    |        |     | 3.10MM  | 0.026        | 0.0572      |
| 130    | 6C040-77480 | COLLAR               | 1    |        |     | 2.10MM  | 0.018        | 0.0396      |
| 130    | 6C040-77490 | COLLAR               | 1    |        |     | 1.90MM  | 0.015        | 0.033       |
| 140    | 04811-50600 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 150    | 01173-51440 | BOLT                 | 2    |        |     |         | 0.062        | 0.1364      |
| 160    | 04512-60140 | WASHER SPRING        | 2    |        |     |         | 0.006        | 0.0132      |
| 170    | 32701-36910 | BREATHING            | 1    |        |     |         | 0.015        | 0.033       |
| 180    | 04717-01000 | WASHER WITH RUBBER   | 1    |        |     |         | 0.001        | 0.0022      |
| 190    | 06331-35010 | PLUG                 | 1    |        |     |         | 0.012        | 0.0264      |

# FRONT AXLE



070 6C040-5730-0



6C030-801-10






**FRONT AXLE**  
WITHOUT BI-SPEED TURN

REV.FEB.28 '01


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 6C040-56310 | CASE GEAR LH       | 1    | ≤70782 |     | SEE NOTE | 0            | 0           |
| 010    | 6C040-56317 | CASE GEAR LH       | 1    | ≥70783 | ←   | SEE NOTE | 8            | 17.6        |
| 010    | 6C040-56370 | CASE GEAR LH       | 1    | ≥71963 | ←   | SEE NOTE | 7.8          | 17.16       |
| 010    | 6C140-56370 | CASE GEAR LH       | 1    | ≥72185 | ←   | SEE NOTE | 0            | 0           |
| 010    | 6C140-56370 | CASE GEAR LH       | 1    | ≥74052 | ←   |          | 0            | 0           |
| 020    | 6C040-56320 | CASE GEAR RH       | 1    | ≤70782 |     |          | 0            | 0           |
| 020    | 6C040-56327 | CASE GEAR RH       | 1    | ≥70783 | ←   |          | 7.9          | 17.38       |
| 020    | 6C040-56360 | CASE GEAR RH       | 1    | ≥71963 | ↔   |          | 7.3          | 16.06       |
| 020    | 6C040-56363 | CASE GEAR RH       | 1    | ≥72185 | ≠   |          | 7.4          | 16.28       |
| 020    | 6C140-56360 | CASE GEAR RH       | 1    | ≥74052 | ←   |          | 0            | 0           |
| 030    | 06331-35010 | PLUG               | 4    | ≤73052 |     |          | 0.012        | 0.0264      |
| 030    | 01774-51010 | BOLT FLANGE        | 4    | ≥73053 | ←   |          | 0.08         | 0.176       |
| 030    | 01774-51010 | BOLT FLANGE        | 2    | ≥74052 |     |          | 0.08         | 0.176       |
| 040    | 04717-01000 | WASHER WITH RUBBER | 4    | ≤74051 |     |          | 0.001        | 0.0022      |
| 040    | 04717-01000 | WASHER WITH RUBBER | 2    | ≥74052 |     |          | 0.001        | 0.0022      |
| 050    | 6C040-56340 | COVER GEAR CASE    | 2    | ≤73737 |     |          | 0            | 0           |
| 050    | 6C040-56345 | COVER GEAR CASE    | 2    | ≥73738 | ←   |          | 0.84         | 1.848       |
| 060    | 01133-51028 | BOLT               | 20   |        |     |          | 0.027        | 0.0594      |
| 070    | 6C040-57300 | ASSY SHAFT F.AXLE  | 2    | ≤72184 |     |          | 0            | 0           |
| 070    | 6A100-57322 | SHAFT FRONT AXLE   | 2    | ≥72185 | ←   |          | 0            | 0           |
| 075    | 6C040-57330 | BOLT               | 12   |        |     |          | 0.035        | 0.077       |
| 080    | 6C040-57310 | GEAR BEVEL         | 2    |        |     | 41T      | 2.79         | 6.138       |
| 090    | 08101-06206 | BEARING BALL       | 2    |        |     |          | 0.196        | 0.4312      |
| 100    | 08101-06305 | BEARING BALL       | 2    |        |     |          | 0.23         | 0.506       |
| 110    | 67156-56820 | COLLAR SET         | 4    |        |     |          | 0.004        | 0.0088      |
| 120    | T0430-57340 | SEAL OIL           | 2    |        |     |          | 0.055        | 0.121       |

# FRONT AXLE



070 6C040-5730-0




150 6C040-7757-0

160 04512-60120

170 02174-50120

180 01574-51225



6C040-821-10




**FRONT AXLE**  
WITH BI-SPEED TURN

REV.FEB.28 '01

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 6C040-56317 | CASE GEAR LH       | 1    | ≤72034 |     | SEE NOTE | 8            | 17.6        |
| 010    | 6C040-56370 | CASE GEAR LH       | 1    | ≥72035 | ←   | SEE NOTE | 7.8          | 17.16       |
| 010    | 6C140-56370 | CASE GEAR LH       | 1    | ≥72213 | ←   | SEE NOTE | 0            | 0           |
| 010    | 6C140-56370 | CASE GEAR LH       | 1    | ≥74052 | ←   |          | 0            | 0           |
| 020    | 6C040-77750 | CASE GEAR RH       | 1    | ≤72034 |     |          | 7            | 15.4        |
| 020    | 6C040-77752 | CASE GEAR RH       | 1    | ≥72035 | ≠   |          | 7            | 15.4        |
| 020    | 6C040-77755 | CASE GEAR RH       | 1    | ≥72213 | ≠   |          | 7            | 15.4        |
| 020    | 6C140-77750 | CASE GEAR RH       | 1    | ≥74052 | ←   |          | 0            | 0           |
| 030    | 06331-35010 | PLUG               | 4    | ≤73052 |     |          | 0.012        | 0.0264      |
| 030    | 01774-51010 | BOLT FLANGE        | 4    | ≥73053 | ←   |          | 0.08         | 0.176       |
| 030    | 01774-51010 | BOLT FLANGE        | 2    | ≥74052 |     |          | 0.08         | 0.176       |
| 040    | 04717-01000 | WASHER WITH RUBBER | 4    | ≤74051 |     |          | 0.001        | 0.0022      |
| 040    | 04717-01000 | WASHER WITH RUBBER | 2    | ≥74052 |     |          | 0.001        | 0.0022      |
| 050    | 6C040-56340 | COVER GEAR CASE    | 2    | ≤73737 |     |          | 0            | 0           |
| 050    | 6C040-56345 | COVER GEAR CASE    | 2    | ≥73738 | ←   |          | 0.84         | 1.848       |
| 060    | 01133-51028 | BOLT               | 20   |        |     |          | 0.027        | 0.0594      |
| 070    | 6C040-57300 | ASSY SHAFT F.AXLE  | 2    | ≤72196 |     |          | 0            | 0           |
| 070    | 6A100-57322 | SHAFT FRONT AXLE   | 2    | ≥72197 | ←   |          | 0            | 0           |
| 075    | 6C040-57330 | BOLT               | 12   |        |     |          | 0.035        | 0.077       |
| 080    | 6C040-57310 | GEAR BEVEL         | 2    |        |     | 41T      | 2.79         | 6.138       |
| 090    | 08101-06206 | BEARING BALL       | 2    |        |     |          | 0.196        | 0.4312      |
| 100    | 08101-06305 | BEARING BALL       | 2    |        |     |          | 0.23         | 0.506       |
| 110    | 67156-56820 | COLLAR SET         | 4    |        |     |          | 0.004        | 0.0088      |
| 120    | T0430-57340 | SEAL OIL           | 2    |        |     |          | 0.055        | 0.121       |
| 130    | 6C040-77740 | LEVER SHIFT        | 1    |        |     |          | 0.87         | 1.914       |
| 140    | 01133-51230 | BOLT               | 2    |        |     |          | 0.04         | 0.088       |
| 150    | 6C040-77570 | SPACER             | 1    | ≤72035 |     |          | 2.49         | 5.478       |
| 150    | 6C040-77570 | SPACER             | 2    | ≥72036 |     |          | 2.49         | 5.478       |
| 150    | 6C040-77570 | SPACER             | 2    | ≤72496 |     |          | 2.49         | 5.478       |
| 160    | 04512-60120 | WASHER SPRING      | 6    | ≤72035 |     |          | 0.005        | 0.011       |
| 160    | 04512-60120 | WASHER SPRING      | 12   | ≥72036 |     |          | 0.005        | 0.011       |
| 160    | 04512-60120 | WASHER SPRING      | 12   | ≤72496 |     |          | 0.005        | 0.011       |
| 170    | 02174-50120 | NUT                | 6    | ≤72035 |     |          | 0.01         | 0.022       |
| 170    | 02174-50120 | NUT                | 12   | ≥72036 |     |          | 0.01         | 0.022       |
| 170    | 02174-50120 | NUT                | 12   | ≤72496 |     |          | 0.01         | 0.022       |
| 180    | 01574-51225 | STUD               | 6    | ≤72035 |     |          | 0.034        | 0.0748      |
| 180    | 01574-51225 | STUD               | 12   | ≥72036 |     |          | 0.034        | 0.0748      |
| 180    | 01574-51225 | STUD               | 12   | ≤72496 |     |          | 0.034        | 0.0748      |



4C030-001-10




**BI-SPEED TURN CLUTCH  
WITH BI-SPEED TURN**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-77680 | COLLAR             | 1    |       |     |         | 0.075        | 0.165       |
| 020    | 66418-58010 | COLLAR THRUST      | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 66418-58020 | RING INNER         | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 6C040-77580 | GEAR BI-SPEED TURN | 1    |       |     | 18T     | 0.129        | 0.2838      |
| 050    | 66418-58040 | DRUM BI-S.T.CLUTCH | 1    |       |     |         | 0.3          | 0.66        |
| 060    | 67061-14380 | COLLAR             | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 66418-58050 | PLATE FRICTION     | 7    |       |     |         | 0.03         | 0.066       |
| 080    | 66418-58060 | DISK CLUTCH        | 7    |       |     |         | 0.03         | 0.066       |
| 090    | 66418-58070 | COUPLING BI-S.TURN | 1    |       |     |         | 0.21         | 0.462       |
| 100    | 6C040-77760 | SHIFTER            | 1    |       |     |         | 0.37         | 0.814       |
| 110    | 66418-58090 | COLLAR             | 1    |       |     |         | 0.045        | 0.099       |
| 120    | 04014-50160 | WASHER PLAIN       | 1    |       |     |         | 0.013        | 0.0286      |
| 130    | 08101-06203 | BEARING BALL       | 1    |       |     |         | 0.063        | 0.1386      |
| 140    | 66418-58110 | NUT                | 1    |       |     |         | 0.02         | 0.044       |

# FRONT DRIVE SHAFT






## FRONT DRIVE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------------------|--------------|-------------|
| 010    | 6C050-57510 | SHAFT DRIVE REAR     | 1    | ≤72035 |     |                       | 1.16         | 2.552       |
| 010    | 6C050-57512 | SHAFT DRIVE REAR     | 1    | ≥72036 | ≠   |                       | 1.17         | 2.574       |
| 020    | 6C040-57500 | ASSY JOINT UNIVERSAL | 1    |        |     |                       | 0.68         | 1.496       |
| 030    | 6C040-57590 | PIN SPRING           | 1    | ≤72496 |     |                       | 0            | 0           |
| 030    | 05411-00640 | PIN SPRING           | 1    | ≥72497 | ↔   |                       | 0.006        | 0.0132      |
| 040    | 70451-57350 | PIN SPRING           | 1    | ≤72496 |     |                       | 0.005        | 0.011       |
| 040    | 32721-57680 | PIN SPRING           | 1    | ≥72497 | ↔   |                       | 0.002        | 0.0044      |
| 050    | 6C040-57540 | ASSY JOINT UNIVERSAL | 1    | ≤72035 |     |                       | 0            | 0           |
| 050    | 6C040-57542 | ASSY JOINT UNIVERSAL | 1    | ≥72036 | ←   |                       | 0.69         | 1.518       |
| 060    | 6C040-57590 | PIN SPRING           | 1    | ≤72496 |     |                       | 0            | 0           |
| 060    | 05411-00640 | PIN SPRING           | 1    | ≥72497 | ↔   |                       | 0.006        | 0.0132      |
| 070    | 6C040-57590 | PIN SPRING           | 1    | ≤72496 |     |                       | 0            | 0           |
| 070    | 05411-00640 | PIN SPRING           | 1    | ≥72497 | ↔   |                       | 0.006        | 0.0132      |
| 080    | 70451-57350 | PIN SPRING           | 1    | ≤72496 |     |                       | 0.005        | 0.011       |
| 080    | 32721-57680 | PIN SPRING           | 1    | ≥72497 | ↔   |                       | 0.002        | 0.0044      |
| 090    | 70451-57350 | PIN SPRING           | 1    | ≤72496 |     |                       | 0.005        | 0.011       |
| 090    | 32721-57680 | PIN SPRING           | 1    | ≥72497 | ↔   |                       | 0.002        | 0.0044      |
| 100    | 6C040-57550 | COVER                | 1    |        |     |                       | 0.045        | 0.099       |
| 110    | 09318-89069 | CLAMP HOSE           | 1    |        |     |                       | 0.04         | 0.088       |
| 120    | 6C040-57610 | COVER FRONT SHAFT    | 1    |        |     |                       | 0.25         | 0.55        |
| 130    | 6C040-57660 | COVER FRONT SHAFT    | 1    | ≤70782 |     | WITHOUT BI-SPEED TURN | 0            | 0           |
| 130    | 6C040-57662 | COVER FRONT SHAFT    | 1    | ≥70783 | ←   | WITHOUT BI-SPEED TURN | 0.25         | 0.55        |
| 130    | 6C040-77670 | COVER FRONT SHAFT    | 1    |        |     | WITH BI-SPEED TURN    | 0.11         | 0.242       |
| 140    | 6C040-57650 | COVER FRONT SHAFT    | 1    |        |     |                       | 0.035        | 0.077       |
| 150    | 09318-89052 | CLAMP HOSE           | 1    |        |     |                       | 0.03         | 0.066       |
| 160    | 09318-89058 | CLAMP HOSE           | 1    |        |     |                       | 0.028        | 0.0616      |
| 170    | 6C040-57620 | SHAFT FRONT DRIVE    | 1    | ≤70782 |     | WITHOUT BI-SPEED TURN | 0            | 0           |
| 170    | 6C040-57622 | SHAFT FRONT DRIVE    | 1    | ≥70783 | ←   | WITHOUT BI-SPEED TURN | 0.73         | 1.606       |
| 170    | 6C040-77660 | SHAFT FRONT DRIVE    | 1    |        |     | WITH BI-SPEED TURN    | 0.4          | 0.88        |
| 180    | 08141-06204 | BEARING BALL         | 1    |        |     |                       | 0.101        | 0.2222      |
| 190    | 04612-00200 | CIR CLIP EXTERNAL    | 1    |        |     |                       | 0.001        | 0.0022      |
| 200    | 6C040-57630 | SEAL OIL             | 1    |        |     |                       | 0.025        | 0.055       |
| 210    | 6C040-57640 | SUPPORT              | 1    |        |     |                       | 0.14         | 0.308       |
| 220    | T0070-14710 | COUPLING             | 1    |        |     |                       | 0.16         | 0.352       |
| 230    | 05411-00430 | PIN SPRING           | 1    |        |     |                       | 0.002        | 0.0044      |
| 240    | 04811-06370 | O RING               | 1    |        |     | WITHOUT BI-SPEED TURN | 0.001        | 0.0022      |
| 240    | 04811-06400 | O RING               | 1    |        |     | WITH BI-SPEED TURN    | 0.001        | 0.0022      |




## BI-SPEED TURN GEAR CASE




020 06331-35010

030 04717-01000



150 01123-50822

160 6C040-7777-0




6C030-800-10



**BI-SPEED TURN GEAR CASE**  
**WITH BI-SPEED TURN**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-77620 | CASE BI-S.TURN GEAR | 1    |        |     |         | 3.3          | 7.26        |
| 020    | 06331-35010 | PLUG                | 2    | ≤72374 |     |         | 0.012        | 0.0264      |
| 020    | 06331-35010 | PLUG                | 1    | ≥72375 |     |         | 0.012        | 0.0264      |
| 020    | 01774-51010 | BOLT FLANGE         | 1    | ≥73053 | ←   |         | 0.08         | 0.176       |
| 030    | 04717-01000 | WASHER WITH RUBBER  | 2    | ≤72374 |     |         | 0.001        | 0.0022      |
| 030    | 04717-01000 | WASHER WITH RUBBER  | 1    | ≥72375 |     |         | 0.001        | 0.0022      |
| 040    | 66418-56660 | PIN STRAIGHT        | 2    |        |     |         | 0.009        | 0.0198      |
| 050    | 01123-50830 | BOLT                | 7    |        |     |         | 0.015        | 0.033       |
| 060    | 6C040-77590 | GEAR-SHAFT          | 1    |        |     | 13-10T  | 0.44         | 0.968       |
| 070    | 08101-06203 | BEARING BALL        | 2    |        |     |         | 0.063        | 0.1386      |
| 080    | 6C040-77643 | GEAR-SHAFT          | 1    |        |     | 21T     | 0.58         | 1.276       |
| 090    | 08101-06006 | BEARING BALL        | 1    |        |     |         | 0.13         | 0.286       |
| 100    | 04611-00550 | CIR CLIP INTERNAL   | 1    |        |     |         | 0.01         | 0.022       |
| 110    | 35340-21760 | COLLAR THRUST       | 1    |        |     |         | 0.01         | 0.022       |
| 120    | 04612-00300 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.003        | 0.0066      |
| 130    | 09500-30458 | SEAL OIL            | 1    |        |     |         | 0.009        | 0.0198      |
| 140    | 05012-00812 | PIN STRAIGHT        | 2    |        |     |         | 0.006        | 0.0132      |
| 150    | 01123-50822 | BOLT                | 5    | ≤71650 |     |         | 0.012        | 0.0264      |
| 150    | 6C040-77770 | BOLT                | 6    | ≥71651 | ↔   |         | 0.013        | 0.0286      |
| 160    | 6C040-77770 | BOLT                | 1    | ≤71650 |     |         | 0.013        | 0.0286      |



010 67950-7611-5

020 66418-9951-0

030 67950-7617-0



6C040-822-10




BI-SPEED TURN CASE  
WITH BI-SPEED TURN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67950-76115 | CASE BI-S.TURN     | 1    | <=72496 |     |         | 2.1          | 4.62        |
| 010    | 6C040-76110 | CASE BI-S.TURN     | 1    | >=72497 | ≠   |         | 2.06         | 4.532       |
| 015    | 15521-96020 | PLUG               | 1    | >=72497 |     |         | 0.003        | 0.0066      |
| 020    | 66418-99510 | COVER              | 1    | <=72496 |     |         | 0.35         | 0.77        |
| 020    | 6C040-76150 | COVER              | 1    | >=72497 | ≠   |         | 0.315        | 0.693       |
| 030    | 67950-76170 | BOLT COATING       | 1    | <=72496 |     |         | 0.01         | 0.022       |
| 040    | 05411-00625 | PIN SPRING         | 1    |         |     |         | 0.004        | 0.0088      |
| 050    | 01123-50818 | BOLT               | 3    | <=72496 |     |         | 0.012        | 0.0264      |
| 050    | 01123-50818 | BOLT               | 4    | >=72497 |     |         | 0.012        | 0.0264      |
| 060    | 67950-76210 | PLATE COVER        | 1    |         |     |         | 0.065        | 0.143       |
| 070    | 01020-50616 | BOLT               | 4    |         |     |         | 0.006        | 0.0132      |
| 080    | 6C040-77650 | FORK SHIFT         | 1    | <=72034 |     |         | 0            | 0           |
| 080    | 6C040-77654 | FORK SHIFT         | 1    | >=72035 | ←   |         | 0.58         | 1.276       |
| 090    | 67950-76524 | ROD SHIFT          | 1    |         |     |         | 0.16         | 0.352       |
| 100    | 67950-76580 | COLLAR SHIFT ROD   | 1    |         |     |         | 0.04         | 0.088       |
| 110    | 67950-76532 | COLLAR PRESSURE    | 1    |         |     |         | 0.047        | 0.1034      |
| 120    | 05411-00625 | PIN SPRING         | 1    |         |     |         | 0.004        | 0.0088      |
| 130    | 67950-76552 | SPRING             | 1    |         |     |         | 0.038        | 0.0836      |
| 140    | 67950-76563 | SPRING             | 1    |         |     |         | 0.062        | 0.1364      |
| 150    | 67950-76730 | COLLAR             | 1    |         |     |         | 0.005        | 0.011       |
| 160    | 67950-76602 | ASSY SHAFT ROLLER  | 1    |         |     |         | 0.11         | 0.242       |
| 170    | 67950-76615 | SHAFT SHIFT ROLLER | 1    |         |     |         | 0.068        | 0.1496      |
| 180    | 67950-76623 | ROLLER SHIFT       | 1    |         |     |         | 0.015        | 0.033       |
| 190    | 08101-06201 | BEARING BALL       | 1    |         |     |         | 0.036        | 0.0792      |
| 200    | 67950-76632 | STOPPER            | 1    |         |     |         | 0.001        | 0.0022      |
| 210    | 04512-60100 | WASHER SPRING      | 1    |         |     |         | 0.002        | 0.0044      |
| 220    | 02118-50100 | NUT                | 1    |         |     |         | 0.005        | 0.011       |
| 230    | 66418-57920 | CAP                | 1    |         |     |         | 0.01         | 0.022       |
| 240    | 6C040-77690 | RETAINER CAP       | 1    |         |     |         | 0.025        | 0.055       |
| 250    | 01123-50818 | BOLT               | 1    |         |     |         | 0.012        | 0.0264      |

## BI-SPEED TURN SHIFT LEVER






**BI-SPEED TURN SHIFT LEVER**  
**WITH BI-SPEED TURN**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-77910 | LEVER SHIFT         | 1    |       |     |         | 0.47         | 1.034       |
| 020    | 66418-57913 | CAM SHIFT           | 1    |       |     |         | 0.135        | 0.297       |
| 030    | 41252-42840 | COLLAR              | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 04811-00180 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 04612-00160 | CIR CLIP EXTERNAL   | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 67950-76710 | FORK CHANGE         | 1    |       |     |         | 0.1          | 0.22        |
| 070    | 66418-58180 | LEVER BI-S.T.CHANGE | 1    |       |     |         | 0.11         | 0.242       |
| 080    | 05411-00522 | PIN SPRING          | 1    |       |     |         | 0.002        | 0.0044      |
| 090    | 04811-06100 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 66021-56210 | END ROD RH          | 1    |       |     |         | 0.055        | 0.121       |
| 110    | 02118-50100 | NUT                 | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 66021-56220 | END ROD LH          | 1    |       |     |         | 0.11         | 0.242       |
| 130    | 55311-31550 | NUT                 | 1    |       |     |         | 0.007        | 0.0154      |
| 140    | 04512-60100 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 150    | 02118-50100 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 160    | 6C040-77730 | ROD BI-S.T.SHIFT    | 1    |       |     |         | 0.1          | 0.22        |
| 170    | 04013-60100 | WASHER PLAIN        | 1    |       |     |         | 0.004        | 0.0088      |



## DRAG LINK




6C042-034-21


**DRAG LINK**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description    | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-57714 | ASSY LINK DRAG | 1    | ≤71499 |     |         | 0            | 0           |
| 010    | 6C040-57715 | ASSY LINK DRAG | 1    | ≥71500 | ←   |         | 2.5          | 5.5         |
| 010    | 6C090-57710 | ASSY LINK DRAG | 1    | ≥72213 | ≠   |         | 2.55         | 5.61        |
| 020    | 67121-56560 | COVER DUST     | 2    |        |     |         | 0.008        | 0.0176      |
| 030    | 67121-56570 | CLIP           | 2    |        |     |         | 0.003        | 0.0066      |
| 040    | 66591-56780 | NUT            | 2    |        |     |         | 0.01         | 0.022       |
| 050    | 05511-50322 | PIN SPLIT      | 2    |        |     |         | 0.002        | 0.0044      |
| 060    | 04512-60100 | WASHER SPRING  | 1    |        |     |         | 0.002        | 0.0044      |



010 6C040-5641-5



010 6C040-5641-7



6C040-807-10




# TIE ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.   | I/C | REMARKS               | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|---------|-----|-----------------------|--------------|-------------|
| 010    | 6C040-56415 | ARM KNUCKLE     | 1    | <=71766 |     | WITHOUT BI-SPEED TURN | 0            | 0           |
| 010    | 6C040-56417 | ARM KNUCKLE     | 1    | >=71767 | ←   | WITHOUT BI-SPEED TURN | 1.35         | 2.97        |
| 010    | 6C040-56418 | ARM KNUCKLE     | 1    | >=72213 | ≠   | WITHOUT BI-SPEED TURN | 1.4          | 3.08        |
| 010    | 6C040-77540 | ARM KNUCKLE     | 1    | <=71499 |     | WITH BI-SPEED TURN    | 0            | 0           |
| 010    | 6C040-56417 | ARM KNUCKLE     | 1    | >=71500 | ←   | WITH BI-SPEED TURN    | 1.35         | 2.97        |
| 010    | 6C040-56418 | ARM KNUCKLE     | 1    | >=72213 | ≠   | WITH BI-SPEED TURN    | 1.4          | 3.08        |
| 020    | 01133-51235 | BOLT            | 2    | <=72034 |     |                       | 0.05         | 0.11        |
| 020    | 01138-61235 | BOLT            | 2    | >=72035 | ←   |                       | 0.02         | 0.044       |
| 030    | 6C040-56420 | ASSY ROD TIE    | 1    |         |     |                       | 1.6          | 3.52        |
| 040    | 67121-56560 | COVER DUST      | 1    |         |     |                       | 0.008        | 0.0176      |
| 050    | 67121-56570 | CLIP            | 1    |         |     |                       | 0.003        | 0.0066      |
| 060    | 67121-56560 | COVER DUST      | 1    |         |     |                       | 0.008        | 0.0176      |
| 070    | 67121-56570 | CLIP            | 1    |         |     |                       | 0.003        | 0.0066      |
| 080    | 6C040-56590 | ROD TIE         | 1    |         |     |                       | 1.2          | 2.64        |
| 090    | 02172-50120 | NUT             | 1    |         |     |                       | 0.01         | 0.022       |
| 100    | 67121-56540 | NUT             | 1    |         |     |                       | 0.007        | 0.0154      |
| 110    | 66591-56780 | NUT             | 2    |         |     |                       | 0.01         | 0.022       |
| 120    | 05511-50322 | PIN SPLIT       | 2    |         |     |                       | 0.002        | 0.0044      |
| 130    | 67950-56530 | ASSY END ROD RH | 1    |         |     |                       | 0.24         | 0.528       |
| 140    | 67950-56520 | ASSY END ROD LH | 1    |         |     |                       | 0.24         | 0.528       |

## STEERING HANDLE




6C042-025-20

090 6C040-4133-0

100 02156-50080

110 04512-60080



6C040-808-10




## STEERING HANDLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-41323 | POST STEERING     | 1    |        |     |         | 1.41         | 3.102       |
| 020    | 6C040-41510 | BUSH              | 1    |        |     |         | 0.035        | 0.077       |
| 030    | 6C040-41390 | COLLAR            | 2    |        |     |         | 0.007        | 0.0154      |
| 040    | 6C040-41523 | COVER BEARING     | 2    |        |     |         | 0.007        | 0.0154      |
| 050    | 08121-06002 | BEARING BALL      | 1    |        |     |         | 0.03         | 0.066       |
| 060    | 04611-00420 | CIR CLIP INTERNAL | 1    |        |     |         | 0.006        | 0.0132      |
| 070    | 6C040-41340 | SHAFT STEERING    | 1    |        |     |         | 0.49         | 1.078       |
| 080    | 04612-00150 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 6C040-41330 | JOINT UNIVERSAL   | 1    | ≤72035 |     |         | 0.29         | 0.638       |
| 090    | 6C042-41330 | JOINT UNIVERSAL   | 1    | ≥72036 | ≠   |         | 0.27         | 0.594       |
| 100    | 02156-50080 | NUT               | 4    | ≤72035 |     |         | 0.004        | 0.0088      |
| 100    | 01123-50820 | BOLT              | 4    | ≥72036 | ≠   |         | 0.011        | 0.0242      |
| 110    | 04512-60080 | WASHER SPRING     | 4    | ≤72035 |     |         | 0.002        | 0.0044      |
| 120    | 6C040-41410 | WHEEL STEERING    | 1    |        |     |         | 1.41         | 3.102       |
| 130    | 02174-50120 | NUT               | 1    |        |     |         | 0.01         | 0.022       |
| 140    | 04512-60120 | WASHER SPRING     | 1    |        |     |         | 0.005        | 0.011       |
| 150    | 6C040-53550 | BOOT STEERING     | 1    | ≤72212 |     |         | 0            | 0           |
| 150    | 6C040-53553 | BOOT STEERING     | 1    | ≥72213 | ←   |         | 0.075        | 0.165       |
| 160    | 6C040-41420 | ASSY PAD          | 1    |        |     |         | 0.041        | 0.0902      |
| 170    | 6C040-41440 | MARK STEERING     | 1    |        |     |         | 0.001        | 0.0022      |






010 6C040-4110-0

010 6C040-4110-3

010 6C040-4110-4

020 6C040-4121-3

020 6C040-4121-5




6C040-309-10



## STEERING CONTROLLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|-------------------------------------|--------------|-------------|
| 010    | 6C040-41100 | ASSY STEERING POWER | 1    | ≤71650 |     | REFER TO L.No.E06-R FOR COMPONENTS. | 0            | 0           |
| 010    | 6C040-41103 | ASSY STEERING POWER | 1    | ≥71651 | ←   | REFER TO L.No.E06-R FOR COMPONENTS. | 0            | 0           |
| 010    | 6C040-41104 | ASSY STEERING POWER | 1    | ≥71963 | ←   | REFER TO L.No.E06-R FOR COMPONENTS. | 2.5          | 5.5         |
| 010    | 6C042-41100 | ASSY STEERING POWER | 1    | ≥72036 | ≠   | REFER TO L.No.E07-R FOR COMPONENTS. | 9.6          | 21.12       |
| 020    | 6C040-41213 | ARM PITMAN          | 1    | ≤71650 |     |                                     | 0            | 0           |
| 020    | 6C040-41215 | ARM PITMAN          | 1    | ≥71651 | ←   |                                     | 0.98         | 2.156       |
| 020    | 6C042-41210 | ARM PITMAN          | 1    | ≥72036 | ≠   |                                     | 0.774        | 1.7028      |
| 020    | 6C042-41213 | ARM PITMAN          | 1    | ≥74052 | ←   |                                     | 0            | 0           |
| 030    | 04512-60220 | WASHER SPRING       | 1    |        |     |                                     | 0.025        | 0.055       |
| 040    | 02176-50220 | NUT                 | 1    |        |     |                                     | 0.058        | 0.1276      |
| 050    | 01133-51230 | BOLT                | 2    |        |     |                                     | 0.04         | 0.088       |
| 060    | 01133-51235 | BOLT                | 2    |        |     |                                     | 0.05         | 0.11        |



030 6C040-9886-0

050 6C040-4191-0


050 6C040-9885-0

090 6C040-4111-0


350 6C040-9883-0

410 6C040-4173-0

420 37410-6613-0



085 6C040-9870-0



6C040-810-10




## STEERING CONTROLLER [COMPONENT PARTS]


S.No.;&lt;=72035;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------------------|--------------|-------------|
| 010    | 6C040-41100 | ASSY STEERING POWER | 1    | <=71650  |     |                     | 0            | 0           |
| 010    | 6C040-41103 | ASSY STEERING POWER | 1    | >=71651  | ←   |                     | 0            | 0           |
| 010    | 6C040-41104 | ASSY STEERING POWER | 1    | >=71963  | ←   |                     | 2.5          | 5.5         |
| 020    | 6C040-41140 | ASSY NUT BALL       | 1    | <=71650  |     |                     | 0            | 0           |
| 020    | 6C040-41143 | ASSY NUT BALL       | 1    | >=71651  | ←   |                     | 1.62         | 3.564       |
| 030    | 6C040-98860 | O RING              | 1    | <=71962  |     |                     | 0.001        | 0.0022      |
| 040    | 6C040-41870 | GASKET              | 1    |          |     |                     | 0.003        | 0.0066      |
| 050    | 6C040-41910 | RING BACK UP        | 1    | <=71650  |     |                     | 0            | 0           |
| 050    | 6C040-98850 | ASSY SEAL           | 1    | >=71651  | ←   |                     | 0.003        | 0.0066      |
| 050    | 6C040-98910 | SEAL                | 1    | >=71963  | ←   |                     | 0.002        | 0.0044      |
| 060    | 6C040-98710 | SCREW LOCK          | 1    |          |     |                     | 0.009        | 0.0198      |
| 070    | 6C040-98730 | CIR CLIP EXTERNAL   | 1    |          |     |                     | 0.001        | 0.0022      |
| 080    | 6C040-41150 | SHAFT SECTOR        | 1    | <=7160   |     |                     | 1.01         | 2.222       |
| 080    | 6C040-41153 | SHAFT SECTOR        | 1    | >=716651 | ≠   |                     | 0.99         | 2.178       |
| 085    | 6C040-98700 | ASSY CASE GEAR      | 1    | <=71650  |     |                     | 3.25         | 7.15        |
| 085    | 6C040-98800 | ASSY CASE GEAR      | 1    | >=71651  | ≠   |                     | 3.32         | 7.304       |
| 090    | 6C040-41110 | CASE GEAR           | 1    | <=71650  |     |                     | 3.32         | 7.304       |
| 090    | 6C040-41113 | CASE GEAR           | 1    | >=71651  | ≠   |                     | 0            | 0           |
| 095    | 6C040-98840 | ASSY VALVE          | 1    |          |     |                     | 1.13         | 2.486       |
| 100    | 6C040-41120 | SLEEVE              | 1    |          |     | ORDER BY REF.No.095 | 0            | 0           |
| 110    | 6C040-41160 | SPOOL               | 1    |          |     | ORDER BY REF.No.095 | 0            | 0           |
| 120    | 6C040-41130 | COVER TOP           | 1    |          |     |                     | 0.28         | 0.616       |
| 130    | 6C040-41170 | COVER END           | 1    |          |     |                     | 0.19         | 0.418       |
| 140    | 6C040-41180 | COVER SIDE          | 1    |          |     |                     | 0.54         | 1.188       |
| 150    | 6C040-41190 | COLLAR THRUST       | 2    |          |     |                     | 0.027        | 0.0594      |
| 160    | 6C040-41610 | COLLAR THRUST       | 2    |          |     |                     | 0.011        | 0.0242      |
| 170    | 6C040-41950 | GASKET              | 1    |          |     |                     | 0.002        | 0.0044      |
| 180    | 6C040-41630 | NUT                 | 1    |          |     |                     | 0.018        | 0.0396      |
| 190    | 6C040-41920 | PISTON              | 4    |          |     |                     | 0.007        | 0.0154      |
| 200    | 6C040-41930 | SPRING PISTON       | 2    |          |     |                     | 0.004        | 0.0088      |
| 210    | 6C040-41640 | ADJUSTER RELIEF     | 1    |          |     |                     | 0.009        | 0.0198      |
| 220    | 6C040-41650 | POPPET              | 1    |          |     |                     | 0.001        | 0.0022      |
| 230    | 6C040-41660 | SPRING RELIEF       | 1    |          |     |                     | 0.005        | 0.011       |
| 240    | 6C040-41670 | ADJUSTER SECTOR     | 1    |          |     |                     | 0.03         | 0.066       |
| 250    | 6C040-98720 | NUT                 | 1    |          |     |                     | 0.01         | 0.022       |
| 260    | 6C040-41680 | BEARING THRUST      | 2    |          |     |                     | 0.005        | 0.011       |
| 270    | 6C040-98740 | CIR-CLIP INTERNAL   | 1    |          |     |                     | 0.002        | 0.0044      |
| 280    | 6C040-98750 | CIR-CLIP INTERNAL   | 1    |          |     |                     | 0.011        | 0.0242      |
| 290    | 6C040-98760 | BOLT                | 4    |          |     |                     | 0.005        | 0.011       |
| 300    | 6C040-41690 | STUD                | 4    |          |     |                     | 0.033        | 0.0726      |
| 310    | 6C040-41940 | NUT                 | 4    |          |     |                     | 0.005        | 0.011       |
| 320    | 6C040-98770 | O RING              | 1    |          |     |                     | 0.001        | 0.0022      |
| 330    | 6C040-98780 | O RING              | 1    |          |     |                     | 0.001        | 0.0022      |
| 340    | 6C040-98790 | O RING              | 1    |          |     |                     | 0.001        | 0.0022      |
| 350    | 6C040-98830 | O RING              | 1    | <=71650  |     |                     | 0.001        | 0.0022      |
| 360    | 6C040-98880 | ST SEAL             | 1    | >=71651  |     |                     | 0.001        | 0.0022      |
| 370    | 6C040-41950 | SEAL                | 1    | >=71651  |     |                     | 0.002        | 0.0044      |
| 380    | 6C040-98810 | O RING              | 1    |          |     |                     | 0.001        | 0.0022      |
| 390    | 6C040-41720 | O RING              | 1    |          |     |                     | 0.002        | 0.0044      |
| 400    | 6C040-98820 | O RING              | 2    |          |     |                     | 0.001        | 0.0022      |
| 410    | 6C040-41730 | RING BACK UP        | 1    | <=71650  |     |                     | 0.001        | 0.0022      |
| 420    | 37410-66130 | SEAL                | 1    | <=71650  |     |                     | 0.003        | 0.0066      |
| 420    | 6C040-98890 | RING BACK UP        | 1    | >=71651  | ≠   |                     | 0.001        | 0.0022      |
| 430    | 6C040-41750 | SEAL OIL            | 1    |          |     |                     | 0.009        | 0.0198      |
| 440    | 6C040-41760 | PLUG                | 3    |          |     |                     | 0.002        | 0.0044      |
| 450    | 6C040-41770 | CAP                 | 2    |          |     |                     | 0.001        | 0.0022      |



110 04811-10560



6C040-823-10




**STEERING CONTROLLER [COMPONENT PARTS]**

S.No.;&gt;=72036;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C042-41100 | ASSY STEERING POWER | 1    |         |     |         | 9.6          | 21.12       |
| 020    | 6C042-41400 | ASSY CASE GEAR      | 1    |         |     |         | 3.66         | 8.052       |
| 030    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 040    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 050    | 6C042-41430 | GASKET              | 1    | <=72397 |     |         | 0.002        | 0.0044      |
| 050    | 6A100-92020 | GASKET U            | 1    | >=72398 | ↔   |         | 0.003        | 0.0066      |
| 060    | 6C042-41450 | SEAL DUST           | 1    | <=72397 |     |         | 0.006        | 0.0132      |
| 060    | 6A100-92040 | SEAL DUST           | 1    | >=72398 | ↔   |         | 0.006        | 0.0132      |
| 070    | 6C042-41440 | BEARING NEEDLE      | 1    | <=72397 |     |         | 0.045        | 0.099       |
| 070    | 6A100-92030 | BEARING BALL        | 1    | >=72398 | ↔   |         | 0.05         | 0.11        |
| 080    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 090    | 6C042-41300 | ASSY NUT BALL       | 1    |         |     |         | 2.18         | 4.796       |
| 100    | 6C042-41810 | CIR CLIP EXTERNAL   | 1    | <=72397 |     |         | 0.001        | 0.0022      |
| 100    | 6A100-92550 | RING SNAP           | 1    | >=72398 | ↔   |         | 0.002        | 0.0044      |
| 110    | 04811-10560 | O RING              | 1    | <=72397 |     |         | 0.002        | 0.0044      |
| 120    | 04811-50450 | O RING              | 1    |         |     |         | 0.002        | 0.0044      |
| 130    | 04811-50650 | O RING              | 1    |         |     |         | 0.002        | 0.0044      |
| 140    | 04810-00060 | O RING              | 2    |         |     |         | 0.001        | 0.0022      |
| 150    | 6C042-41830 | ASSY SEAL BALL NUT  | 1    |         |     |         | 0.005        | 0.011       |
| 160    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 170    | 6A100-92630 | SEAL                | 1    | >=72398 |     |         | 0.002        | 0.0044      |
| 180    | 6C042-41500 | ASSY VALVE          | 1    |         |     |         | 1.96         | 4.312       |
| 190    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 200    | 6C042-41520 | SEAL OIL            | 1    | <=72397 |     |         | 0.005        | 0.011       |
| 200    | 6A100-92220 | SEAL OIL            | 1    | >=72398 | ↔   |         | 0.006        | 0.0132      |
| 210    | 6C042-41530 | BEARING ROLLER      | 1    | <=72397 |     |         | 0.018        | 0.0396      |
| 210    | 6A100-92230 | BEARING ROLLER      | 1    | >=72398 | ↔   |         | 0.018        | 0.0396      |
| 220    | 31351-66360 | POPPET              | 1    |         |     |         | 0.005        | 0.011       |
| 230    | 31351-66370 | SCREW ADJUSTING     | 1    |         |     |         | 0.047        | 0.1034      |
| 240    | 31351-66390 | O RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 250    | 38430-66380 | SPRING              | 1    |         |     |         | 0.015        | 0.033       |
| 260    | 31351-66380 | NUT                 | 1    |         |     |         | 0.022        | 0.0484      |
| 270    | 6C042-41540 | FERRULE             | 2    |         |     |         | 0.004        | 0.0088      |
| 280    | 6C042-41600 | ASSY SHAFT SECTOR   | 1    |         |     |         | 1.02         | 2.244       |
| 290    | 35270-16620 | SCREW ADJUSTING     | 1    |         |     |         | 0.028        | 0.0616      |
| 300    | 35270-16630 | BOLT                | 1    |         |     |         | 0.011        | 0.0242      |
| 310    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 320    | 6C042-41700 | ASSY COVER SIDE     | 1    | <=72397 |     |         | 0            | 0           |
| 320    | 6A100-92350 | ASSY COVER SIDE     | 1    | >=72398 | ↔   |         | 0.54         | 1.188       |
| 330    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 340    | 35270-16420 | BEARING NEEDLE      | 1    |         |     |         | 0.045        | 0.099       |
| 350    | 04810-50500 | O RING              | 1    |         |     |         | 0.005        | 0.011       |
| 360    | 6C042-41850 | BOLT                | 3    |         |     |         | 0.05         | 0.11        |
| 370    | 04512-60100 | WASHER SPRING       | 3    |         |     |         | 0.002        | 0.0044      |
| 380    | 01156-50825 | BOLT                | 4    | <=72397 |     |         | 0.013        | 0.0286      |
| 380    | 6A100-92650 | BOLT                | 4    | >=72398 | ←   |         | 0.011        | 0.0242      |
| 390    | 04512-60080 | WASHER SPRING       | 4    | <=72397 |     |         | 0.002        | 0.0044      |
| 390    | 6A100-92660 | WASHER SPRING       | 4    | >=72398 | ←   |         | 0.002        | 0.0044      |
| 400    | 66363-41250 | NUT                 | 1    |         |     |         | 0.01         | 0.022       |
| 410    | 35270-16690 | GASKET              | 2    |         |     |         | 0.001        | 0.0022      |
| 420    | 35270-16700 | NUT                 | 1    |         |     |         | 0.11         | 0.242       |

HYDRAULIC OIL LINE (SUCTION)






## HYDRAULIC OIL LINE (SUCTION)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|-------------------------------------|--------------|-------------|
| 010    | 6C040-36100 | ASSY VALVE          | 1    |        |     | REFER TO L.No.E10-L FOR COMPONENTS. | 0.95         | 2.09        |
| 020    | 04810-00160 | O RING              | 1    |        |     |                                     | 0.001        | 0.0022      |
| 030    | 01123-50845 | BOLT                | 2    |        |     |                                     | 0.02         | 0.044       |
| 040    | 6C040-39110 | PIPE SUCTION        | 1    | ≤71256 |     |                                     | 0.7          | 1.54        |
| 040    | 6C050-39110 | PIPE SUCTION        | 1    | ≥71257 | ↔   |                                     | 0            | 0           |
| 040    | 6C050-39112 | PIPE SUCTION        | 1    | ≥73391 | ←   |                                     | 0.7          | 1.54        |
| 050    | 66021-36390 | FILTER OIL          | 1    |        |     |                                     | 0.185        | 0.407       |
| 060    | 04811-10300 | O RING              | 2    |        |     |                                     | 0.001        | 0.0022      |
| 070    | 6C040-39150 | HOSE INLET          | 1    |        |     |                                     | 0.12         | 0.264       |
| 080    | 67980-58640 | CLAMP HOSE          | 1    |        |     |                                     | 0.02         | 0.044       |
| 090    | 67955-58630 | CLAMP HOSE          | 1    | ≤73517 |     |                                     | 0.025        | 0.055       |
| 090    | 67955-36230 | CLAMP               | 1    | ≥73518 | ↔   |                                     | 0.023        | 0.0506      |
| 100    | 6C040-39210 | PIPE DELIVERY       | 1    | ≤71256 |     |                                     | 0            | 0           |
| 100    | 6C040-39214 | PIPE DELIVERY       | 1    | ≥71257 | ←   |                                     | 0            | 0           |
| 100    | 6C040-39215 | PIPE DELIVERY       | 1    | ≥71738 | ←   |                                     | 0.6          | 1.32        |
| 100    | 6C040-39216 | PIPE DELIVERY       | 1    | ≥72717 | ←   |                                     | 0.64         | 1.408       |
| 110    | 6C040-36620 | CAP                 | 1    |        |     |                                     | 0.022        | 0.0484      |
| 120    | 37410-36630 | O RING              | 1    |        |     |                                     | 0.001        | 0.0022      |
| 130    | 01123-50830 | BOLT                | 2    |        |     |                                     | 0.015        | 0.033       |
| 140    | 67955-36230 | CLAMP               | 2    |        |     |                                     | 0.023        | 0.0506      |
| 150    | 6C040-39290 | BOLT JOINT          | 1    |        |     |                                     | 0.045        | 0.099       |
| 160    | 04714-00200 | GASKET              | 2    |        |     |                                     | 0.002        | 0.0044      |
| 170    | 67980-36250 | CLAMP               | 1    |        |     |                                     | 0.021        | 0.0462      |
| 180    | 6C090-39260 | BRACKET             | 1    | ≥74015 |     |                                     | 0.06         | 0.132       |
| 190    | 31351-45270 | PIPE RUBBER         | 1    | ≥74015 |     |                                     | 0.005        | 0.011       |
| 200    | 6C090-39240 | CLAMP               | 1    | ≥74015 |     |                                     | 0.021        | 0.0462      |
| 210    | 01025-50616 | BOLT                | 1    | ≥74015 |     |                                     | 0.005        | 0.011       |
| 220    | 6C090-98600 | KIT CLAMP PIPE      | 1    |        |     | OPTION                              | 0.1          | 0.22        |
| 230    | 6C090-98610 | MANUAL CONSTRUCTION | 1    |        |     | OPTION                              | 0.001        | 0.0022      |







## HYDRAULIC OIL LINE (STEERING)




010 6C040-3922-0



010 6C040-3922-2



010 6C042-3922-0



6C040-812-10




## HYDRAULIC OIL LINE (STEERING)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-39220 | PIPE DELIVERY   | 1    | ≤70782 |     |         | 0            | 0           |
| 010    | 6C040-39222 | PIPE DELIVERY   | 1    | ≥70783 | ←   |         | 0.22         | 0.484       |
| 010    | 6C042-39220 | PIPE DELIVERY   | 1    | ≥72036 | ≠   |         | 0            | 0           |
| 010    | 6C042-39222 | PIPE DELIVERY   | 1    | ≥72954 | ←   |         | 0.18         | 0.396       |
| 020    | 6C050-39313 | PIPE            | 1    |        |     |         | 0.17         | 0.374       |
| 030    | 6C050-58740 | HOSE            | 1    |        |     |         | 0.021        | 0.0462      |
| 040    | 6C050-58750 | CLAMP HOSE      | 2    |        |     |         | 0.02         | 0.044       |
| 050    | 6C050-39353 | PIPE            | 1    |        |     |         | 0.5          | 1.1         |
| 060    | 6C050-39410 | CLAMP PIPE      | 1    |        |     |         | 0.013        | 0.0286      |
| 070    | 04013-60100 | WASHER PLAIN    | 1    |        |     |         | 0.004        | 0.0088      |
| 080    | 04811-00100 | O RING          | 2    |        |     |         | 0.001        | 0.0022      |
| 090    | 01123-60816 | BOLT            | 1    |        |     |         | 0.01         | 0.022       |
| 100    | 67980-36250 | CLAMP           | 1    | ≥71257 |     |         | 0.021        | 0.0462      |
| 110    | 6C042-39400 | ASSY JOINT PIPE | 1    | ≥72036 |     |         | 0.035        | 0.077       |
| 120    | 6C042-39430 | JOINT PIPE      | 1    | ≥72036 |     |         | 0.04         | 0.088       |








## HYDRAULIC OIL LINE (T/M)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-39290 | BOLT JOINT     | 1    |         |     |         | 0.045        | 0.099       |
| 020    | 04714-00200 | GASKET         | 2    |         |     |         | 0.002        | 0.0044      |
| 030    | 99999-99999 | BLANK          | 0    |         |     |         | 0            | 0           |
| 040    | 99999-99999 | BLANK          | 0    |         |     |         | 0            | 0           |
| 050    | 6C050-13170 | PIPE HYDRAULIC | 1    | <=70005 |     |         | 0            | 0           |
| 050    | 6C050-13173 | PIPE HYDRAULIC | 1    | >=70006 | ←   |         | 0.25         | 0.55        |
| 060    | 09318-88125 | CLAMP HOSE     | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 6C050-13140 | HOSE HYDRAULIC | 1    |         |     |         | 0.013        | 0.0286      |
| 080    | 09318-88115 | CLAMP HOSE     | 1    |         |     |         | 0.002        | 0.0044      |
| 090    | 6C050-13190 | JOINT          | 1    |         |     |         | 0.006        | 0.0132      |






## HYDRAULIC OIL LINE (HST)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS             | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------------------|--------------|-------------|
| 010    | 6C050-39330 | BRACKET FILTER       | 1    | ≤72203 |     |                     | 0            | 0           |
| 010    | 6C050-39332 | BRACKET FILTER       | 1    | ≥72204 | ←   |                     | 0            | 0           |
| 010    | 6C050-39333 | BRACKET FILTER       | 1    | ≥74052 | ←   |                     | 0.19         | 0.418       |
| 020    | 6C050-39380 | BOLT                 | 1    | ≤71650 |     | ORDER BY REF.No.110 | 0.032        | 0.0704      |
| 020    | 6C050-39382 | BOLT                 | 1    | ≥71651 | ≠   |                     | 0.03         | 0.066       |
| 030    | 04717-01200 | WASHER WITH RUBBER   | 1    |        |     |                     | 0.002        | 0.0044      |
| 040    | 11420-36960 | SPRING               | 1    | ≤71650 |     | ORDER BY REF.No.110 | 0.005        | 0.011       |
| 040    | 16851-36950 | SPRING               | 1    | ≥71651 | ≠   |                     | 0.02         | 0.044       |
| 050    | 07715-01605 | BALL                 | 1    |        |     |                     | 0.003        | 0.0066      |
| 060    | 01125-51030 | BOLT                 | 1    |        |     |                     | 0.03         | 0.066       |
| 070    | 66021-36060 | CARTRIDGE OIL FILTER | 1    |        |     |                     | 0.34         | 0.748       |
| 080    | 6C050-39343 | PIPE                 | 1    |        |     |                     | 0.085        | 0.187       |
| 090    | 04811-00120 | O RING               | 4    |        |     |                     | 0.001        | 0.0022      |
| 100    | 01123-60816 | BOLT                 | 2    |        |     |                     | 0.01         | 0.022       |
| 110    | 6C050-96990 | KIT BOLT-SPRING      | 1    |        |     |                     | 0.034        | 0.0748      |

## HYDRAULIC OIL LINE (OIL COOLER)






## HYDRAULIC OIL LINE (OIL COOLER)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description  | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C050-39323 | PIPE RETURN  | 1    |        |     |         | 0.45         | 0.99        |
| 020    | 6C050-39410 | CLAMP PIPE   | 1    |        |     |         | 0.013        | 0.0286      |
| 030    | 04013-60100 | WASHER PLAIN | 1    |        |     |         | 0.004        | 0.0088      |
| 040    | 04811-00120 | O RING       | 2    |        |     |         | 0.001        | 0.0022      |
| 050    | 01123-60816 | BOLT         | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 67955-36230 | CLAMP        | 1    |        |     |         | 0.023        | 0.0506      |
| 070    | 6C050-58712 | PIPE COOLER  | 1    |        |     |         | 1.7          | 3.74        |
| 080    | 01125-60816 | BOLT         | 2    | ≤74051 |     |         | 0.01         | 0.022       |
| 080    | 01125-50818 | BOLT         | 2    | ≥74052 | ≠   |         | 0.015        | 0.033       |
| 090    | 6C050-58720 | HOSE         | 2    |        |     |         | 0.023        | 0.0506      |
| 100    | 6C050-58750 | CLAMP HOSE   | 4    |        |     |         | 0.02         | 0.044       |


## HYDRAULIC CYLINDER CASE



260 6C040-3652-0



290 6C040-3607-0



6C040-813-10






## HYDRAULIC CYLINDER CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-36030 | ASSY CASE CYLINDER | 1    | <=73517 |     |         | 11           | 24.2        |
| 010    | 6C040-36036 | ASSY CASE CYLINDER | 1    | >=73518 | ≠   |         | 11.2         | 24.64       |
| 020    | 6C040-36480 | BUSH               | 1    |         |     |         | 0.02         | 0.044       |
| 030    | 6C040-36490 | BUSH               | 1    |         |     |         | 0.05         | 0.11        |
| 040    | 37150-36730 | PLUG               | 1    |         |     |         | 0.03         | 0.066       |
| 050    | 37150-36720 | GASKET             | 1    |         |     |         | 0.01         | 0.022       |
| 060    | 32701-36150 | PLUG               | 2    |         |     |         | 0.005        | 0.011       |
| 070    | 31351-37910 | PLUG               | 1    |         |     |         | 0.06         | 0.132       |
| 080    | 31351-37920 | SPRING RELIEF      | 1    |         |     |         | 0.02         | 0.044       |
| 090    | 31351-37930 | SEAT RELIEF VALVE  | 1    |         |     |         | 0.02         | 0.044       |
| 100    | 31351-37940 | POPPET             | 1    |         |     |         | 0.005        | 0.011       |
| 110    | 31351-37950 | SHIM               | 5    |         |     | 0.40MM  | 0.001        | 0.0022      |
| 110    | 31351-37960 | SHIM               | 2    |         |     | 0.20MM  | 0.001        | 0.0022      |
| 110    | 31351-37970 | SHIM               | 2    |         |     | 0.10MM  | 0.001        | 0.0022      |
| 120    | 04013-60050 | WASHER PLAIN       | 2    |         |     |         | 0.001        | 0.0022      |
| 130    | 04811-10160 | O RING             | 1    |         |     |         | 0.001        | 0.0022      |
| 140    | 6C040-36230 | ROD FEED BACK      | 1    |         |     |         | 0.045        | 0.099       |
| 150    | 6C040-36220 | PIN FEED BACK      | 1    |         |     |         | 0.024        | 0.0528      |
| 160    | 02112-50080 | NUT                | 2    |         |     |         | 0.003        | 0.0066      |
| 170    | 05525-61000 | PIN SNAP           | 1    |         |     |         | 0.002        | 0.0044      |
| 180    | 6C040-36470 | SHAFT HYD.ARM      | 1    |         |     |         | 1.66         | 3.652       |
| 190    | 6C040-36450 | ARM HYDRAULIC      | 1    |         |     |         | 0.99         | 2.178       |
| 200    | 6C040-36430 | ROD HYD.PISTON     | 1    |         |     |         | 0.36         | 0.792       |
| 210    | 05411-00640 | PIN SPRING         | 1    |         |     |         | 0.006        | 0.0132      |
| 220    | 6C040-36410 | PISTON HYD.        | 1    |         |     |         | 0.78         | 1.716       |
| 230    | 67111-36720 | RING BACK UP       | 1    |         |     |         | 0.005        | 0.011       |
| 240    | 04811-00600 | O RING             | 1    |         |     |         | 0.006        | 0.0132      |
| 250    | 6C040-36510 | ARM LIFT LH        | 1    |         |     |         | 1.88         | 4.136       |
| 260    | 6C040-36520 | ARM LIFT RH        | 1    | <=72035 |     |         | 0            | 0           |
| 260    | 6C040-36524 | ARM LIFT RH        | 1    | >=72036 | ←   |         | 1.86         | 4.092       |
| 270    | 6C040-36550 | O RING             | 2    |         |     |         | 0.003        | 0.0066      |
| 280    | 04612-00320 | CIR CLIP EXTERNAL  | 2    |         |     |         | 0.004        | 0.0088      |
| 290    | 6C040-36070 | PIPE BREATHER      | 1    | <=73517 |     |         | 0.018        | 0.0396      |
| 290    | 6A100-36410 | BREATHER           | 1    | >=73518 | ≠   |         | 0.006        | 0.0132      |
| 300    | 6C040-36110 | PLUG OIL FILLER    | 1    |         |     |         | 0.02         | 0.044       |
| 310    | 04811-00240 | O RING             | 1    |         |     |         | 0.001        | 0.0022      |




010 6C040-3620-0

070 6C040-3693-0

120 6C040-3697-0

**070**



080 6C040-3688-0


090 6C040-3699-0

100 04015-50080

105 6C040-3692-0

110 67950-5914-0

140 6C040-3696-0



6C040-814-10



## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                             | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-------------------------------------|--------------|-------------|
| 005    | 6C040-93300 | KIT VALVE CONTROL    | 1    |        |     |                                     | 2.4          | 5.28        |
| 010    | 6C040-36200 | ASSY VALVE CONTROL   | 1    | ≤72035 |     | REFER TO L No.E14-R FOR COMPONENTS. | 1.23         | 2.706       |
| 010    | 6C040-36203 | ASSY VALVE CONTROL   | 1    | ≥72036 | ≠   | REFER TO L No.E15-L FOR COMPONENTS. | 0            | 0           |
| 010    | 6C040-36204 | ASSY VALVE CONTROL   | 1    | ≥73090 | ←   | REFER TO L No.E15-L FOR COMPONENTS. | 1.31         | 2.882       |
| 020    | 01123-50822 | BOLT                 | 2    |        |     |                                     | 0.012        | 0.0264      |
| 030    | 04811-00080 | O RING               | 2    | ≤73089 |     |                                     | 0.001        | 0.0022      |
| 030    | 04810-00100 | O RING               | 2    | ≥73090 | ≠   |                                     | 0.001        | 0.0022      |
| 040    | 6C040-36620 | CAP                  | 1    |        |     |                                     | 0.022        | 0.0484      |
| 050    | 37410-36630 | O RING               | 1    |        |     |                                     | 0.001        | 0.0022      |
| 060    | 01754-50820 | BOLT FLANGE          | 2    |        |     |                                     | 0.015        | 0.033       |
| 070    | 6C040-36930 | SHAFT CONTROL LEVER  | 1    | ≤72035 |     |                                     | 0.058        | 0.1276      |
| 070    | 6C040-36932 | SHAFT CONTROL LEVER  | 1    | ≥72036 | ≠   |                                     | 0.03         | 0.066       |
| 080    | 6C040-36880 | SPRING PLATE         | 2    | ≤72035 |     |                                     | 0.003        | 0.0066      |
| 090    | 6C040-36990 | ARM CONTROL LEVER    | 1    | ≤72035 |     |                                     | 0.045        | 0.099       |
| 090    | 6C040-36993 | ARM CONTROL LEVER    | 1    | ≥72036 | ≠   |                                     | 0.05         | 0.11        |
| 100    | 04015-50080 | WASHER PLAIN         | 1    | ≤72035 |     |                                     | 0            | 0           |
| 100    | 04612-00100 | CIR CLIP EXTERNAL    | 1    | ≥72036 | ≠   |                                     | 0.001        | 0.0022      |
| 105    | 6C040-36920 | COLLAR               | 1    | ≤72035 |     |                                     | 0.002        | 0.0044      |
| 110    | 67950-59140 | U-NUT                | 1    | ≤72035 |     |                                     | 0.01         | 0.022       |
| 110    | 04612-00120 | CIR CLIP EXTERNAL    | 1    | ≥72036 | ≠   |                                     | 0.001        | 0.0022      |
| 120    | 6C040-36970 | SHAFT FEED BACK      | 1    | ≤72035 |     |                                     | 0.078        | 0.1716      |
| 120    | 6C040-36972 | SHAFT FEED BACK      | 1    | ≥72036 | ≠   |                                     | 0.06         | 0.132       |
| 130    | 04811-00110 | O RING               | 2    |        |     |                                     | 0.001        | 0.0022      |
| 140    | 6C040-36960 | PLATE                | 1    | ≤72035 |     |                                     | 0.041        | 0.0902      |
| 140    | 6C040-36962 | PLATE                | 1    | ≥72036 | ≠   |                                     | 0.14         | 0.308       |
| 150    | 01123-60816 | BOLT                 | 1    |        |     |                                     | 0.01         | 0.022       |
| 160    | 6C040-36940 | LINK                 | 1    |        |     |                                     | 0.05         | 0.11        |
| 170    | 04613-50060 | CIR CLIP EXTERNAL    | 1    |        |     |                                     | 0.001        | 0.0022      |
| 180    | 6C040-36950 | ARM FEED BACK        | 1    |        |     |                                     | 0.092        | 0.2024      |
| 190    | 6C040-37210 | BODY                 | 1    |        |     |                                     | 0.077        | 0.1694      |
| 200    | 04811-00180 | O RING               | 1    |        |     |                                     | 0.001        | 0.0022      |
| 210    | 04811-06120 | O RING               | 1    |        |     |                                     | 0.001        | 0.0022      |
| 220    | 6C040-37250 | POPPET               | 1    |        |     |                                     | 0.006        | 0.0132      |
| 230    | 6C040-37430 | SPRING               | 1    |        |     |                                     | 0.002        | 0.0044      |
| 240    | 6C040-37220 | SHAFT HYD.ADJUST     | 1    |        |     |                                     | 0.11         | 0.242       |
| 250    | 04810-00080 | O RING               | 2    |        |     |                                     | 0.001        | 0.0022      |
| 260    | 6C040-37420 | COLLAR               | 1    |        |     |                                     | 0.001        | 0.0022      |
| 270    | 04611-00170 | CIR CLIP INTERNAL    | 1    |        |     |                                     | 0.001        | 0.0022      |
| 280    | 6C040-37410 | STOPPER              | 1    |        |     |                                     | 0.002        | 0.0044      |
| 290    | 37410-36643 | GRIP                 | 1    |        |     |                                     | 0.03         | 0.066       |
| 300    | 6C040-95100 | KIT COVER HYD.OUTLET | 1    |        |     | OPTION                              | 0.35         | 0.77        |
| 310    | 01123-50830 | BOLT                 | 2    |        |     | OPTION                              | 0.015        | 0.033       |



## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------|------|-------|-----|---------|--------------|-------------|
| 320    | 04810-00070 | O RING      | 2    |       |     | OPTION  | 0.001        | 0.0022      |




**CONTROL VALVE [COMPONENT PARTS]**

S.No.;&lt;=72035;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-36200 | ASSY VALVE CONTROL | 1    |       |     |         | 1.23         | 2.706       |
| 020    | 6C040-36600 | ASSY BODY-SPOOL    | 1    |       |     |         | 1.02         | 2.244       |
| 030    | 6C040-36650 | LEVER              | 1    |       |     |         | 0.038        | 0.0836      |
| 040    | 6C040-36660 | SPRING RETURN      | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 04613-00090 | CIR CLIP EXTERNAL  | 2    |       |     |         | 0            | 0           |
| 060    | 6C040-36670 | POPPET             | 1    |       |     |         | 0.011        | 0.0242      |
| 070    | 6C040-36680 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04810-00090 | O RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 6C040-36690 | PLUG               | 1    |       |     |         | 0.02         | 0.044       |
| 100    | 48100-38320 | POPPET             | 1    |       |     |         | 0.014        | 0.0308      |
| 110    | 48100-38330 | SPRING             | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 6C040-36710 | PLUG               | 1    |       |     |         | 0.036        | 0.0792      |
| 130    | 6C040-36720 | PLUG               | 1    |       |     |         | 0.038        | 0.0836      |
| 140    | 04810-06100 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 6C040-36730 | POPPET             | 1    |       |     |         | 0.036        | 0.0792      |
| 160    | 67148-36720 | SPRING             | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 04811-00050 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 02112-50080 | NUT                | 2    |       |     |         | 0.003        | 0.0066      |
| 190    | 32701-36150 | PLUG               | 2    |       |     |         | 0.005        | 0.011       |
| 200    | 32420-67380 | PLUG               | 1    |       |     |         | 0.005        | 0.011       |






**CONTROL VALVE [COMPONENT PARTS]**

S.No.;&gt;=72036;

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-36203 | ASSY VALVE CONTROL | 1    | <=73089 |     |         | 0            | 0           |
| 010    | 6C040-36204 | ASSY VALVE CONTROL | 1    | >=73090 | ←   |         | 1.31         | 2.882       |
| 020    | 6C040-36602 | ASSY BODY-SPOOL    | 1    | <=72196 |     |         | 0            | 0           |
| 020    | 6C040-36603 | ASSY BODY-SPOOL    | 1    | >=72197 | ←   |         | 1.1          | 2.42        |
| 020    | 6C040-36604 | ASSY BODY-SPOOL    | 1    | >=73090 | ←   |         | 0.96         | 2.112       |
| 030    | 6C040-36652 | LEVER              | 1    |         |     |         | 0.039        | 0.0858      |
| 040    | 6C040-36660 | SPRING RETURN      | 1    |         |     |         | 0.01         | 0.022       |
| 050    | 6C040-36270 | HOLDER SPRING      | 1    |         |     |         | 0.025        | 0.055       |
| 060    | 04613-50090 | CIR CLIP EXTERNAL  | 2    |         |     |         | 0.001        | 0.0022      |
| 070    | 6C040-36670 | POPPET             | 1    |         |     |         | 0.011        | 0.0242      |
| 080    | 6C040-36680 | SPRING             | 1    |         |     |         | 0.001        | 0.0022      |
| 090    | 04810-00090 | O RING             | 2    |         |     |         | 0.001        | 0.0022      |
| 100    | 6A100-36660 | PLUG               | 1    |         |     |         | 0.015        | 0.033       |
| 110    | 48100-38320 | POPPET             | 1    |         |     |         | 0.014        | 0.0308      |
| 120    | 48100-38330 | SPRING             | 1    |         |     |         | 0.005        | 0.011       |
| 130    | 6A100-36670 | PLUG               | 1    |         |     |         | 0.027        | 0.0594      |
| 140    | 6A100-36680 | PLUG               | 1    |         |     |         | 0.042        | 0.0924      |
| 150    | 04810-06100 | O RING             | 1    |         |     |         | 0.001        | 0.0022      |
| 160    | 6A100-36690 | POPPET             | 1    |         |     |         | 0.035        | 0.077       |
| 170    | 07715-00803 | BALL               | 1    |         |     |         | 0.004        | 0.0088      |
| 180    | 6A100-36710 | SPRING             | 1    |         |     |         | 0.01         | 0.022       |
| 190    | 04811-00050 | O RING             | 1    |         |     |         | 0.001        | 0.0022      |
| 200    | 02052-50080 | NUT                | 2    |         |     |         | 0.004        | 0.0088      |
| 210    | 32701-36150 | PLUG               | 2    |         |     |         | 0.005        | 0.011       |
| 220    | 32420-67380 | PLUG               | 1    |         |     |         | 0.005        | 0.011       |
| 230    | 6A100-36720 | SPRING PLUNGER     | 1    |         |     |         | 0.005        | 0.011       |
| 240    | 6A100-36730 | SPRING             | 1    |         |     |         | 0.02         | 0.044       |
| 250    | 6A100-36740 | PLUG               | 1    |         |     |         | 0.006        | 0.0132      |
| 260    | 04811-00060 | O RING             | 1    |         |     |         | 0.001        | 0.0022      |






# LIFT ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-65200 | ASSY ROD LIFT RH | 1    | <=73433 |     |         | 0            | 0           |
| 010    | 6C040-65202 | ASSY ROD LIFT RH | 1    | >=73434 | ←   |         | 1.32         | 2.904       |
| 020    | 6C040-65230 | ROD LIFT RH      | 1    |         |     |         | 0.36         | 0.792       |
| 030    | 6C040-65240 | ROD LIFT RH      | 1    |         |     |         | 0.5          | 1.1         |
| 040    | 6C040-65250 | ROD LIFT MIDDLE  | 1    | <=73433 |     |         | 0            | 0           |
| 040    | 6C070-65250 | ROD LIFT MIDDLE  | 1    | >=73434 | ←   |         | 0.45         | 0.99        |
| 045    | 06613-10675 | NIPPLE GREASE    | 1    | >=73434 |     |         | 0.003        | 0.0066      |
| 050    | 02172-50180 | NUT              | 1    |         |     |         | 0.021        | 0.0462      |
| 060    | 6C040-65270 | ROD LIFT LH      | 1    |         |     |         | 1.07         | 2.354       |
| 070    | 05122-51650 | PIN JOINT        | 2    | <=72603 |     |         | 0.09         | 0.198       |
| 070    | 05122-51645 | PIN JOINT        | 2    | >=72604 | ↔   |         | 0.075        | 0.165       |
| 080    | 76550-42190 | RING SNAP        | 2    | <=72417 |     |         | 0.004        | 0.0088      |
| 080    | 67156-34340 | RING SNAP        | 2    | >=72418 | ←   |         | 0.01         | 0.022       |
| 090    | 05122-51240 | PIN JOINT        | 2    |         |     |         | 0.039        | 0.0858      |
| 100    | 05511-50425 | PIN SPLIT        | 2    |         |     |         | 0.003        | 0.0066      |

## LOWER LINK






# LOWER LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS             | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------------------|--------------|-------------|
| 005    | 6C040-96980 | SET CASE DIFF.GEAR  | 1    |        |     |                     | 11.34        | 24.948      |
| 010    | 6C040-65600 | COMP.HITCH          | 1    | ≤72035 |     | ORDER BY REF No.005 | 3.24         | 7.128       |
| 010    | 6C040-65604 | COMP.HITCH          | 1    | ≥72036 | ≠   |                     | 3.35         | 7.37        |
| 020    | 01123-51230 | BOLT                | 4    |        |     |                     | 0.04         | 0.088       |
| 030    | 6C040-67110 | DRAWBAR             | 1    |        |     |                     | 4.5          | 9.9         |
| 040    | 6C040-65610 | PIN HITCH           | 1    |        |     |                     | 0.18         | 0.396       |
| 050    | 31150-29730 | PIN SPRING          | 1    |        |     |                     | 0.044        | 0.0968      |
| 060    | 6C040-66010 | PIN LOWER LINK      | 1    |        |     |                     | 1.14         | 2.508       |
| 070    | 66704-65120 | BOLT SET            | 1    | ≤71077 |     |                     | 0.023        | 0.0506      |
| 070    | 6C040-65120 | BOLT                | 1    | ≥71078 | ←   |                     | 0.02         | 0.044       |
| 075    | 02118-50100 | NUT                 | 1    |        |     |                     | 0.005        | 0.011       |
| 077    | 04512-60100 | WASHER SPRING       | 1    |        |     |                     | 0.002        | 0.0044      |
| 080    | 02174-50160 | NUT                 | 2    |        |     |                     | 0.022        | 0.0484      |
| 090    | 04512-60160 | WASHER SPRING       | 2    |        |     |                     | 0.01         | 0.022       |
| 100    | 04015-60160 | WASHER PLAIN        | 2    |        |     |                     | 0.058        | 0.1276      |
| 110    | 6C040-65210 | COMP.LINK LOWER     | 2    |        |     |                     | 5.24         | 11.528      |
| 120    | 34150-37640 | PIN SET             | 4    |        |     |                     | 0.06         | 0.132       |
| 130    | 66204-65350 | SPACER              | 2    |        |     |                     | 0.12         | 0.264       |
| 140    | 6C040-65294 | BRACKET CHECK CHAIN | 1    |        |     |                     | 0            | 0           |
| 150    | 6C040-65323 | BOLT TURNBUCKLE     | 1    |        |     |                     | 0            | 0           |
| 160    | 6C040-65390 | TURNBUCKLE          | 1    |        |     |                     | 0.2          | 0.44        |
| 170    | 05515-61200 | PIN SNAP            | 1    |        |     |                     | 0.005        | 0.011       |

TOP LINK



6C042-042-20




## TOP LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 6C040-65190 | BRACKET TOP LINK LH | 1    |       |     |         | 0.65         | 1.43        |
| 020    | 6C040-65160 | BRACKET TOP LINK RH | 1    |       |     |         | 0.65         | 1.43        |
| 030    | 01123-51230 | BOLT                | 4    |       |     |         | 0.04         | 0.088       |
| 040    | 6C040-65400 | ASSY LINK TOP       | 1    |       |     |         | 2.16         | 4.752       |
| 050    | 03014-50606 | SCREW PAN-HEAD      | 2    |       |     |         | 0.027        | 0.0594      |
| 060    | 04512-60060 | WASHER SPRING       | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 31150-71360 | PIN JOINT           | 2    |       |     |         | 0.166        | 0.3652      |
| 080    | 34150-37640 | PIN SET             | 2    |       |     |         | 0.06         | 0.132       |

FRONT GRILLE








## FRONT GRILLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-54404 | COMP.COVER FRONT   | 1    | <=70005 |     |         | 0            | 0           |
| 010    | 6C040-54405 | COMP.COVER FRONT   | 1    | >=70006 | ←   |         | 0            | 0           |
| 010    | 6C040-54406 | COMP.COVER FRONT   | 1    | >=70783 | ←   |         | 0            | 0           |
| 010    | 6C040-54407 | COMP.COVER FRONT   | 1    | >=71078 | ←   |         | 0            | 0           |
| 010    | 6C040-54500 | COMP.COVER FRONT   | 1    | >=72185 | ↔   |         | 2.4          | 5.28        |
| 020    | 6C040-54533 | COMP.PLATE         | 1    |         |     |         | 0.38         | 0.836       |
| 030    | 6C040-54410 | COVER FRONT        | 1    |         |     |         | 1.34         | 2.948       |
| 040    | 6C040-54420 | COVER FRONT        | 1    | <=72184 |     |         | 0            | 0           |
| 040    | 6C040-54423 | COVER FRONT        | 1    | >=72185 | ←   |         | 0.159        | 0.3498      |
| 050    | 6C040-54430 | NET                | 1    | <=70782 |     |         | 0            | 0           |
| 050    | 6C040-54432 | NET                | 1    | >=70783 | ←   |         | 0            | 0           |
| 050    | 6C040-54433 | NET                | 1    | >=71078 | ←   |         | 0            | 0           |
| 050    | 6C040-54434 | NET                | 1    | >=72185 | ←   |         | 0.25         | 0.55        |
| 060    | 01754-50820 | BOLT FLANGE        | 4    |         |     |         | 0.015        | 0.033       |
| 070    | 02054-50080 | NUT                | 2    |         |     |         | 0.005        | 0.011       |
| 075    | 6C040-54540 | NUT                | 15   |         |     |         | 0.001        | 0.0022      |
| 080    | 6C040-54140 | TRIM               | 1    |         |     |         | 0.073        | 0.1606      |
| 090    | 6C040-54910 | STAY               | 2    | >=71078 |     |         | 0.012        | 0.0264      |
| 100    | 6C040-54920 | STAY               | 2    | >=71078 |     |         | 0.014        | 0.0308      |
| 110    | 76611-53160 | TRIM SHUTTER PLATE | 2    | >=71078 |     |         | 0.02         | 0.044       |
| 120    | 67980-51510 | TRIM               | 2    | >=71078 |     |         | 0.025        | 0.055       |
| 130    | 6C040-54360 | SPRING             | 2    | <=70005 |     |         | 0            | 0           |
| 130    | 6C040-54364 | SPRING             | 2    | >=70006 | ←   |         | 0.004        | 0.0088      |

## HOOD (BONNET)






# HOOD (BONNET)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-54000 | KIT BONNET           | 1    |         |     |         | 7.6          | 16.72       |
| 020    | 6C040-47410 | LABEL FILLER CAUTION | 1    | <=72203 |     |         | 0            | 0           |
| 020    | 6C040-47412 | LABEL FILLER CAUTION | 1    | >=72204 | ←   |         | 0.001        | 0.0022      |
| 030    | 05525-50800 | PIN SNAP             | 1    |         |     |         | 0.001        | 0.0022      |
| 040    | 04013-60080 | WASHER PLAIN         | 1    |         |     |         | 0.002        | 0.0044      |
| 050    | 6C040-54110 | COVER BONNET         | 1    |         |     |         | 0.52         | 1.144       |
| 060    | 01125-60816 | BOLT                 | 3    |         |     |         | 0.01         | 0.022       |
| 070    | 6C040-54260 | HANDLE MASCOT        | 1    |         |     |         | 0.028        | 0.0616      |
| 080    | 6C040-54270 | LEVER HANDLE         | 1    | <=71766 |     |         | 0.09         | 0.198       |
| 080    | 6C040-54273 | LEVER HANDLE         | 1    | >=71767 | ←   |         | 0            | 0           |
| 080    | 6C040-54274 | LEVER HANDLE         | 1    | >=72213 | ←   |         | 0.08         | 0.176       |
| 080    | 6C090-54270 | LEVER HANDLE         | 1    | >=72418 | ↔   |         | 0.09         | 0.198       |
| 090    | 03614-50416 | SCREW TAPPING        | 1    |         |     |         | 0.002        | 0.0044      |
| 095    | 04811-10080 | O RING               | 1    | >=71963 |     |         | 0.001        | 0.0022      |
| 100    | 6C040-54150 | SPRING               | 1    |         |     |         | 0.006        | 0.0132      |
| 110    | 6C040-54163 | SPRING               | 2    |         |     |         | 0.022        | 0.0484      |
| 120    | 41182-61150 | PLUG                 | 2    |         |     |         | 0.003        | 0.0066      |
| 130    | 6C040-54250 | ROD BONNET           | 1    |         |     |         | 0.16         | 0.352       |
| 140    | 6C040-54510 | SPRING               | 1    |         |     |         | 0.002        | 0.0044      |
| 150    | 6C040-54460 | TAPE BONNET          | 1    |         |     |         | 0.06         | 0.132       |
| 160    | 05525-50800 | PIN SNAP             | 1    | >=72418 |     |         | 0.001        | 0.0022      |

## SIDE COVER






## SIDE COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-53510 | COVER PANEL          | 1    | <=72151 |     |         | 0            | 0           |
| 010    | 6C040-53514 | COVER PANEL          | 1    | >=72152 | ←   |         | 3            | 6.6         |
| 020    | 6C040-53520 | COVER FRAME          | 1    | <=72212 |     |         | 0            | 0           |
| 020    | 6C040-53522 | COVER FRAME          | 1    | >=72213 | ←   |         | 0.14         | 0.308       |
| 030    | 37410-61720 | SCREW                | 1    |         |     |         | 0.001        | 0.0022      |
| 040    | 6C040-54210 | PILLAR CENTER        | 1    | <=73320 |     |         | 1.42         | 3.124       |
| 040    | 6C040-54213 | PILLAR CENTER        | 1    | >=73321 | ←   |         | 1.4          | 3.08        |
| 050    | 01133-51022 | BOLT                 | 2    |         |     |         | 0.025        | 0.055       |
| 060    | 6C040-54220 | PILLAR CENTER        | 1    |         |     |         | 2.1          | 4.62        |
| 070    | 01125-60816 | BOLT                 | 2    | <=71766 |     |         | 0.01         | 0.022       |
| 070    | 6C040-54610 | BOLT                 | 2    | >=71767 | ↔   |         | 0.014        | 0.0308      |
| 080    | 6C040-54230 | STAY PILLAR          | 1    |         |     |         | 0.34         | 0.748       |
| 090    | 01023-50616 | BOLT                 | 3    |         |     |         | 0.005        | 0.011       |
| 100    | 6C040-54283 | BRACKET              | 1    |         |     |         | 0.09         | 0.198       |
| 110    | 6C040-54550 | PLATE SHUTTER        | 1    |         |     |         | 1.24         | 2.728       |
| 120    | 6C040-54560 | TRIM                 | 1    |         |     |         | 0.2          | 0.44        |
| 130    | 54721-38340 | GROMMET              | 1    |         |     |         | 0.003        | 0.0066      |
| 140    | 04512-60100 | WASHER SPRING        | 2    |         |     |         | 0.002        | 0.0044      |
| 150    | 02116-50100 | NUT                  | 2    |         |     |         | 0.004        | 0.0088      |
| 160    | 6C040-54010 | KIT COVER SIDE LH(A) | 1    |         |     |         | 2.17         | 4.774       |
| 165    | 6C040-54022 | KIT COVER SIDE LH(B) | 1    |         |     |         | 0            | 0           |
| 170    | TA040-49650 | LABEL START CAUTION  | 1    |         |     | ENGLISH | 0.004        | 0.0088      |
| 175    | TA041-49650 | LABEL START CAUTION  | 1    |         |     | FRENCH  | 0.004        | 0.0088      |
| 180    | 6C040-54333 | COVER                | 1    |         |     |         | 0.24         | 0.528       |
| 190    | 6C040-54390 | NET                  | 1    |         |     |         | 0.01         | 0.022       |
| 200    | 55611-44190 | NUT                  | 7    |         |     |         | 0.004        | 0.0088      |
| 210    | 6C040-54350 | COVER SIDE RH        | 1    | <=72151 |     |         | 1.44         | 3.168       |
| 210    | 6C040-54355 | COVER SIDE RH        | 1    | >=72152 | ←   |         | 1.48         | 3.256       |
| 220    | 6C040-54383 | COVER                | 1    |         |     |         | 0.24         | 0.528       |
| 230    | 6C040-54390 | NET                  | 1    |         |     |         | 0.01         | 0.022       |
| 240    | 55611-44190 | NUT                  | 7    |         |     |         | 0.004        | 0.0088      |
| 250    | 6C040-54360 | SPRING               | 4    | <=70005 |     |         | 0            | 0           |
| 250    | 6C040-54364 | SPRING               | 4    | >=70006 | ←   |         | 0.004        | 0.0088      |





## FENDER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|-----------------------|--------------|-------------|
| 010    | 6C050-52100 | ASSY GUIDE LEVER LH | 1    |        |     |                       | 0.37         | 0.814       |
| 020    | 6C050-47300 | LABEL MID PTO       | 1    |        |     |                       | 0.001        | 0.0022      |
| 030    | 6C040-47320 | LABEL PTO           | 1    | ≤71256 |     |                       | 0            | 0           |
| 030    | 6C040-47323 | LABEL PTO           | 1    | ≥71257 | ←   |                       | 0.001        | 0.0022      |
| 040    | 6C050-47330 | LABEL RANGE SHIFT   | 1    | ≤71256 |     |                       | 0            | 0           |
| 040    | 6C050-47332 | LABEL RANGE SHIFT   | 1    | ≥71257 | ←   |                       | 0.001        | 0.0022      |
| 050    | 6C050-52190 | ASSY GUIDE LEVER RH | 1    | ≤71499 |     |                       | 0            | 0           |
| 050    | 6C050-52192 | ASSY GUIDE LEVER RH | 1    | ≥71500 | ←   |                       | 0.35         | 0.77        |
| 060    | 6C040-47350 | LABEL POSITION      | 1    | ≤71499 |     |                       | 0            | 0           |
| 060    | 6C040-47352 | LABEL POSITION      | 1    | ≥71500 | ←   |                       | 0.001        | 0.0022      |
| 070    | 6C040-47360 | LABEL 4WD           | 1    | ≤71499 |     |                       | 0            | 0           |
| 070    | 6C040-47362 | LABEL 4WD           | 1    | ≥71500 | ←   |                       | 0.001        | 0.0022      |
| 080    | 01025-50612 | BOLT                | 8    |        |     |                       | 0.005        | 0.011       |
| 090    | 6C040-52140 | HOLDER              | 2    |        |     |                       | 0.007        | 0.0154      |
| 100    | 37410-52610 | SCREW KNOB          | 1    |        |     |                       | 0.015        | 0.033       |
| 105    | 31351-18790 | BOLT FLANGE         | 1    |        |     |                       | 0.007        | 0.0154      |
| 110    | 31351-18860 | WASHER              | 2    |        |     |                       | 0.002        | 0.0044      |
| 120    | 6C040-99130 | KIT FENDER LH (A)   | 1    |        |     |                       | 5.36         | 11.792      |
| 125    | 6C040-99100 | KIT FENDER LH (B)   | 1    |        |     |                       | 0            | 0           |
| 130    | 6C040-47420 | LABEL SAFETY        | 1    |        |     | ENGLISH               | 0.001        | 0.0022      |
| 135    | TA041-65700 | LABEL SAFETY        | 1    |        |     | FRENCH                | 0.01         | 0.022       |
| 140    | 6C040-99140 | KIT FENDER RH (A)   | 1    |        |     |                       | 5.36         | 11.792      |
| 145    | 6C040-99160 | KIT FENDER RH (B)   | 1    |        |     |                       | 0            | 0           |
| 150    | TA040-49320 | LABEL ROPS WARNING  | 1    |        |     | ENGLISH               | 0.001        | 0.0022      |
| 155    | TA040-49150 | LABEL ROPS WARNING  | 1    |        |     | FRENCH                | 0.003        | 0.0066      |
| 160    | 32150-29180 | CAP RUBBER          | 2    |        |     |                       | 0.002        | 0.0044      |
| 170    | 01125-60816 | BOLT                | 4    |        |     |                       | 0.01         | 0.022       |
| 180    | 6C040-51380 | CUSHION             | 4    | ≤72417 |     |                       | 0            | 0           |
| 180    | 6A100-51380 | CUSHION             | 4    | ≥72418 | ↔   |                       | 0.003        | 0.0066      |
| 190    | 6C040-51342 | BOLT                | 4    |        |     |                       | 0.017        | 0.0374      |
| 200    | 6C040-52730 | STAY FENDER         | 1    | ≤72203 |     |                       | 0            | 0           |
| 200    | 6C040-52734 | STAY FENDER         | 1    | ≥72204 | ←   |                       | 1.07         | 2.354       |
| 210    | 6C040-52740 | STAY FENDER         | 1    | ≤70395 |     | WITHOUT BI-SPEED TURN | 0            | 0           |
| 210    | 6C040-52743 | STAY FENDER         | 1    | ≥70396 | ←   | WITHOUT BI-SPEED TURN | 0            | 0           |
| 210    | 6C040-52744 | STAY FENDER         | 1    | ≥72035 | ←   | WITHOUT BI-SPEED TURN | 0            | 0           |
| 210    | 6C040-52746 | STAY FENDER         | 1    | ≥72185 | ←   | WITHOUT BI-SPEED TURN | 0.45         | 0.99        |
| 210    | 6C040-77870 | STAY FENDER         | 1    | ≤72034 |     | WITH BI-SPEED TURN    | 0            | 0           |
| 210    | 6C040-77873 | STAY FENDER         | 1    | ≥72035 | ←   | WITH BI-SPEED TURN    | 0.98         | 2.156       |
| 220    | 01125-60816 | BOLT                | 3    | ≤70395 |     |                       | 0.01         | 0.022       |
| 220    | 01125-60816 | BOLT                | 1    | ≥70396 |     |                       | 0.01         | 0.022       |
| 221    | 13824-67580 | CLAMP CORD          | 1    |        |     |                       | 0.006        | 0.0132      |
| 225    | 01125-51020 | BOLT                | 2    | ≥70396 |     |                       | 0.005        | 0.011       |
| 230    | 6C040-99150 | KIT STAY FENDER (A) | 1    |        |     |                       | 1.4          | 3.08        |
| 235    | 6C040-99170 | KIT STAY FENDER (B) | 1    |        |     |                       | 0            | 0           |
| 240    | TA040-49350 | LABEL DRAWBAR       | 1    |        |     | ENGLISH               | 0.002        | 0.0044      |
| 245    | TA041-49350 | LABEL DRAWBAR       | 1    |        |     | FRENCH                | 0.003        | 0.0066      |
| 250    | 01125-60816 | BOLT                | 4    |        |     |                       | 0.01         | 0.022       |





## SEAT SUPPORT






## SEAT SUPPORT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-45910 | ADJUSTER SEAT LH | 1    |        |     |         | 0.73         | 1.606       |
| 020    | 6C040-45920 | ADJUSTER SEAT RH | 1    |        |     |         | 0.91         | 2.002       |
| 030    | 02131-50100 | NUT              | 2    |        |     |         | 0.01         | 0.022       |
| 040    | 01311-10820 | BOLT HEX-SOC-HD  | 2    |        |     |         | 0.012        | 0.0264      |
| 050    | 04512-60080 | WASHER SPRING    | 2    |        |     |         | 0.002        | 0.0044      |
| 060    | 6C040-45950 | STAY SEAT RAIL   | 1    | ≤71077 |     |         | 0.55         | 1.21        |
| 060    | 6C040-45954 | STAY SEAT RAIL   | 1    | ≥71078 | ≠   |         | 0.55         | 1.21        |
| 070    | 01123-60816 | BOLT             | 2    |        |     |         | 0.01         | 0.022       |
| 080    | 6C040-45990 | SPRING SEAT      | 2    |        |     |         | 0.2          | 0.44        |
| 090    | 01127-50830 | BOLT             | 2    |        |     |         | 0.023        | 0.0506      |
| 100    | 66301-52820 | CAP SPRING       | 2    |        |     |         | 0.04         | 0.088       |
| 110    | 6C040-51370 | COVER SEAT UNDER | 1    |        |     |         | 0.38         | 0.836       |
| 120    | 99999-99999 | BLANK            | 0    |        |     |         | 0            | 0           |
| 130    | 01125-60816 | BOLT             | 2    | ≤72184 |     |         | 0.01         | 0.022       |
| 130    | 01125-60820 | BOLT             | 2    | ≥72185 | ↔   |         | 0.015        | 0.033       |
| 140    | 6C040-45960 | STAY SEAT        | 2    | ≤71077 |     |         | 0.15         | 0.33        |
| 140    | 6C040-45962 | STAY SEAT        | 2    | ≥71078 | ≠   |         | 0.26         | 0.572       |
| 150    | 05525-50800 | PIN SNAP         | 2    |        |     |         | 0.001        | 0.0022      |




6C040-073-11



## SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|------------------|--------------|-------------|
| 010    | TA040-48510 | ASSY SEAT         | 1    |         |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 01123-60816 | BOLT              | 4    |         |     |                  | 0.01         | 0.022       |
| 030    | 67401-45922 | STAY              | 1    |         |     |                  | 0.08         | 0.176       |
| 040    | 01123-60816 | BOLT              | 2    |         |     |                  | 0.01         | 0.022       |
| 050    | 66704-54952 | BRACKET SMV       | 1    |         |     |                  | 0.15         | 0.33        |
| 060    | 01053-50616 | BOLT              | 2    |         |     |                  | 0.005        | 0.011       |
| 070    | 04013-60060 | WASHER PLAIN      | 2    |         |     |                  | 0.001        | 0.0022      |
| 080    | 04512-60060 | WASHER SPRING     | 2    |         |     |                  | 0.001        | 0.0022      |
| 090    | 02014-50060 | NUT               | 2    |         |     |                  | 0.003        | 0.0066      |
| 100    | 6C040-52760 | STAY SEAT BELT LH | 1    |         |     |                  | 0.3          | 0.66        |
| 110    | 6C040-52770 | STAY SEAT BELT RH | 1    |         |     |                  | 0.1          | 0.22        |
| 120    | 01125-60816 | BOLT              | 2    |         |     |                  | 0.01         | 0.022       |
| 130    | 6C040-72252 | ASSY BELT SEAT    | 1    |         |     |                  | 0.9          | 1.98        |
| 140    | 01135-61020 | BOLT              | 1    |         |     |                  | 0.015        | 0.033       |
| 150    | 01135-61025 | BOLT              | 1    |         |     |                  | 0.04         | 0.088       |
| 160    | 7L500-89900 | SMV SIGN KIT      | 1    | >=73970 |     |                  | 0            | 0           |
| 170    | 7L500-89910 | SIGN SMV          | 1    | >=73970 |     |                  | 0            | 0           |
| 180    | 7L500-89920 | SOCKET SMV SIGN   | 1    | >=73970 |     |                  | 0            | 0           |
| 190    | 7L500-89930 | SOCKET-MTG SMV    | 1    | >=73970 |     |                  | 0            | 0           |
| 200    | 7L500-89940 | BOLT              | 2    | >=73970 |     |                  | 0            | 0           |
| 210    | 7L500-89950 | NUT               | 2    | >=73970 |     |                  | 0            | 0           |
| 220    | 7L500-89960 | SPADE SMV SIGN    | 1    | >=73970 |     |                  | 0            | 0           |
| 230    | 7L500-89970 | SPADE-MTG SMV     | 1    | >=73970 |     |                  | 0            | 0           |
| 240    | 7L500-89980 | SCREW             | 2    | >=73970 |     |                  | 0            | 0           |
| 250    | 7L500-89990 | NUT               | 2    | >=73970 |     |                  | 0            | 0           |
| 260    | 7L500-89810 | BOLT SQUARE NECK  | 2    | >=73970 |     |                  | 0            | 0           |






## STEP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|---------|-----|---------|--------------|-------------|
| 010    | 6C040-51315 | STEP LH         | 1    | <=72212 |     |         | 0            | 0           |
| 010    | 6C040-51318 | STEP LH         | 1    | >=72213 | ←   |         | 3.4          | 7.48        |
| 010    | 6C040-51319 | STEP LH         | 1    | >=73321 | ≠   |         | 2.22         | 4.884       |
| 020    | 6C040-51323 | STEP RH         | 1    | <=72212 |     |         | 0            | 0           |
| 020    | 6C040-51325 | STEP RH         | 1    | >=72213 | ←   |         | 3.4          | 7.48        |
| 020    | 6C040-51326 | STEP RH         | 1    | >=73321 | ≠   |         | 2.2          | 4.84        |
| 030    | 6C040-51330 | SUPPORT STEP RH | 1    |         |     |         | 0.073        | 0.1606      |
| 040    | 6C040-51380 | CUSHION         | 6    | <=72417 |     |         | 0            | 0           |
| 040    | 6A100-51380 | CUSHION         | 6    | >=72418 | ↔   |         | 0.003        | 0.0066      |
| 040    | 6A100-51380 | CUSHION         | 4    | >=73321 |     |         | 0.003        | 0.0066      |
| 045    | 6A100-51380 | CUSHION         | 4    | >=73321 |     |         | 0.003        | 0.0066      |
| 050    | 6C040-51342 | BOLT            | 4    |         |     |         | 0.017        | 0.0374      |
| 060    | 6C040-51390 | COLLAR          | 2    | <=73320 |     |         | 0.003        | 0.0066      |
| 060    | 6C040-51390 | COLLAR          | 4    | >=73321 |     |         | 0.003        | 0.0066      |
| 070    | 02121-50080 | NUT             | 4    | <=73320 |     |         | 0.01         | 0.022       |
| 070    | 02121-50080 | NUT             | 6    | >=73321 |     |         | 0.01         | 0.022       |
| 080    | 6C040-51350 | CUSHION         | 1    |         |     |         | 0.002        | 0.0044      |
| 090    | 6C040-51360 | MAT STEP        | 1    | <=70782 |     |         | 0            | 0           |
| 090    | 6C040-51364 | MAT STEP        | 1    | >=70783 | ≠   |         | 2.08         | 4.576       |
| 100    | 67955-51340 | STOPPER         | 10   | <=70782 |     |         | 0.001        | 0.0022      |
| 100    | 67955-51340 | STOPPER         | 12   | >=70783 |     |         | 0.001        | 0.0022      |






# ROPS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 6C040-88100 | ASSY ROPS         | 1    |        |     |         | 0            | 0           |
| 020    | 75599-04655 | BOLT              | 4    |        |     |         | 0            | 0           |
| 030    | 75599-33016 | WASHER SPRING     | 4    |        |     |         | 0.08         | 0.176       |
| 040    | 75599-31066 | NUT LOCK          | 4    |        |     |         | 0            | 0           |
| 050    | 75599-04320 | BOLT HEXAGON      | 2    |        |     |         | 0.02         | 0.044       |
| 060    | 75599-33013 | WASHER SPRING     | 2    |        |     |         | 0            | 0           |
| 070    | 6C040-88450 | MANUAL ASSEMBLY   | 1    |        |     |         | 0            | 0           |
| 080    | 01123-51235 | BOLT              | 10   |        |     |         | 0.041        | 0.0902      |
| 090    | 6C040-72210 | COVER ROPS        | 2    |        |     |         | 0.066        | 0.1452      |
| 100    | 6C040-51380 | CUSHION           | 2    | ≤72417 |     |         | 0            | 0           |
| 100    | 6A100-51380 | CUSHION           | 2    | ≥72418 | ↔   |         | 0.003        | 0.0066      |
| 110    | 6C040-51342 | BOLT              | 2    |        |     |         | 0.017        | 0.0374      |
| 120    | 6C040-72100 | KIT COVER PTO (A) | 1    |        |     |         | 1.4          | 3.08        |
| 125    | 6C040-72000 | KIT COVER PTO (B) | 1    |        |     |         | 0            | 0           |
| 130    | TA040-49590 | LABEL PTO WARNING | 1    |        |     | ENGLISH | 0.002        | 0.0044      |
| 135    | TA041-49590 | LABEL PTO WARNING | 1    |        |     | FRENCH  | 0.005        | 0.011       |
| 140    | 04512-60080 | WASHER SPRING     | 2    |        |     |         | 0.002        | 0.0044      |
| 150    | 01153-50820 | BOLT              | 2    |        |     |         | 0.012        | 0.0264      |






**FRONT WHEEL (6-12)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 6C040-50210 | ASSY TIRE FRONT | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 6C040-50220 | ASSY TIRE LH    | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 030    | 6C040-50240 | WHEEL           | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 040    | 66434-57140 | TIRE            | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 050    | 6C040-50250 | LABEL TIRE LH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 060    | 6C040-50230 | ASSY TIRE RH    | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 070    | 6C040-50240 | WHEEL           | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 080    | 66434-57140 | TIRE            | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 090    | 6C040-50260 | LABEL TIRE RH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 100    | 04013-60120 | WASHER PLAIN    | 12   |       |     |                  | 0.01         | 0.022       |
| 110    | 04512-60120 | WASHER SPRING   | 12   |       |     |                  | 0.005        | 0.011       |
| 120    | 02176-50120 | NUT             | 12   |       |     |                  | 0.01         | 0.022       |

FRONT WHEEL (23\*8.50-12)




**FRONT WHEEL (23\*8.50-12)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 6C040-50410 | ASSY TIRE FRONT | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 6C040-50420 | ASSY TIRE       | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 030    | 6C040-50430 | WHEEL           | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 040    | 6C040-50440 | TIRE            | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 050    | 6C040-50450 | LABEL TIRE      | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 060    | 04013-60120 | WASHER PLAIN    | 12   |       |     |                  | 0.01         | 0.022       |
| 070    | 04512-60120 | WASHER SPRING   | 12   |       |     |                  | 0.005        | 0.011       |
| 080    | 02176-50120 | NUT             | 12   |       |     |                  | 0.01         | 0.022       |

FRONT WHEEL (21\*8.00-10)




6C040-052-10

**FRONT WHEEL (21\*8.00-10)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 6C040-50510 | ASSY TIRE FRONT | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 6C040-50520 | ASSY TIRE       | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 030    | 6C040-50530 | WHEEL           | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 040    | 67404-57130 | TIRE            | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 050    | 6C040-50540 | LABEL TIRE      | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 060    | 04013-60120 | WASHER PLAIN    | 12   |       |     |                  | 0.01         | 0.022       |
| 070    | 04512-60120 | WASHER SPRING   | 12   |       |     |                  | 0.005        | 0.011       |
| 080    | 02176-50120 | NUT             | 12   |       |     |                  | 0.01         | 0.022       |




**REAR WHEEL (9.5-16)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 6C040-50860 | ASSY TIRE REAR | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 6C040-50870 | ASSY TIRE LH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 030    | 66436-17640 | WHEEL          | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 040    | 32550-44932 | TIRE           | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 050    | 6C040-50980 | LABEL TIRE LH  | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 060    | 6C040-50880 | ASSY TIRE RH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 070    | 66436-17640 | WHEEL          | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 080    | 32550-44932 | TIRE           | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 090    | 6C040-50990 | LABEL TIRE RH  | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 100    | 6C040-17410 | ASSY HUB WHEEL | 2    |       |     |                  | 2.35         | 5.17        |
| 110    | 66704-17313 | BOLT           | 12   |       |     |                  | 0.049        | 0.1078      |
| 120    | 6C040-17460 | COTTER         | 4    |       |     |                  | 0.17         | 0.374       |
| 130    | 01173-61600 | BOLT           | 2    |       |     |                  | 0.165        | 0.363       |
| 140    | 04512-60160 | WASHER SPRING  | 2    |       |     |                  | 0.01         | 0.022       |
| 150    | 02174-50160 | NUT            | 2    |       |     |                  | 0.022        | 0.0484      |
| 160    | 63733-17270 | PIN WHEEL TUBE | 2    |       |     |                  | 0.05         | 0.11        |
| 170    | 62131-17290 | PIN            | 2    |       |     |                  | 0.004        | 0.0088      |
| 180    | 35340-11390 | NUT            | 12   |       |     |                  | 0.03         | 0.066       |



## REAR WHEEL (33\*12.5-15)




**REAR WHEEL (33\*12.5-15)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 6C040-50110 | ASSY TIRE REAR | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 6C040-50120 | ASSY TIRE      | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 030    | 6C040-50130 | WHEEL          | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 040    | 32550-45710 | TIRE           | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 050    | 6C040-50140 | LABEL TIRE     | 2    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 060    | 6C040-17410 | ASSY HUB WHEEL | 2    |       |     |                  | 2.35         | 5.17        |
| 070    | 66704-17313 | BOLT           | 12   |       |     |                  | 0.049        | 0.1078      |
| 080    | 6C040-17460 | COTTER         | 4    |       |     |                  | 0.17         | 0.374       |
| 090    | 01173-61600 | BOLT           | 2    |       |     |                  | 0.165        | 0.363       |
| 100    | 04512-60160 | WASHER SPRING  | 2    |       |     |                  | 0.01         | 0.022       |
| 110    | 02174-50160 | NUT            | 2    |       |     |                  | 0.022        | 0.0484      |
| 120    | 63733-17270 | PIN WHEEL TUBE | 2    |       |     |                  | 0.05         | 0.11        |
| 130    | 62131-17290 | PIN            | 2    |       |     |                  | 0.004        | 0.0088      |
| 140    | 35340-11390 | NUT            | 12   |       |     |                  | 0.03         | 0.066       |


## REAR WHEEL (31\*15.5-15)



**REAR WHEEL (31\*15.5-15)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS          | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|------------------|--------------|-------------|
| 010    | 66437-17610 | ASSY TIRE REAR | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 020    | 66437-17620 | ASSY TIRE LH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 030    | 35080-11540 | WHEEL          | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 040    | 66437-17630 | TIRE           | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 050    | 66437-17660 | LABEL TIRE LH  | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 060    | 66437-17650 | ASSY TIRE RH   | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 070    | 35080-11540 | WHEEL          | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 080    | 66437-17630 | TIRE           | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 090    | 66437-17670 | LABEL TIRE RH  | 1    |       |     | OBTAINED LOCALLY | 0            | 0           |
| 100    | 6C040-17410 | ASSY HUB WHEEL | 2    |       |     |                  | 2.35         | 5.17        |
| 110    | 66704-17313 | BOLT           | 12   |       |     |                  | 0.049        | 0.1078      |
| 120    | 6C040-17460 | COTTER         | 4    |       |     |                  | 0.17         | 0.374       |
| 130    | 01173-61600 | BOLT           | 2    |       |     |                  | 0.165        | 0.363       |
| 140    | 04512-60160 | WASHER SPRING  | 2    |       |     |                  | 0.01         | 0.022       |
| 150    | 02174-50160 | NUT            | 2    |       |     |                  | 0.022        | 0.0484      |
| 160    | 63733-17270 | PIN WHEEL TUBE | 2    |       |     |                  | 0.05         | 0.11        |
| 170    | 62131-17290 | PIN            | 2    |       |     |                  | 0.004        | 0.0088      |
| 180    | 35340-11390 | NUT            | 12   |       |     |                  | 0.03         | 0.066       |



6E030-004-21



# LABEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|-----------------------|--------------|-------------|
| 010    | 6C040-47210 | MARK MAIN SWITCH     | 1    |         |     |                       | 0.001        | 0.0022      |
| 020    | 6C020-47273 | MARK MODEL LH        | 1    |         |     |                       | 0.032        | 0.0704      |
| 030    | 6C020-47283 | MARK MODEL RH        | 1    |         |     |                       | 0.032        | 0.0704      |
| 040    | 6C040-47520 | MARK PS              | 1    |         |     |                       | 0.002        | 0.0044      |
| 050    | 6C040-47510 | LABEL PARKING        | 1    | <=74051 |     |                       | 0.001        | 0.0022      |
| 050    | 6C040-47512 | LABEL PARKING        | 1    | >=74052 | ←   |                       | 0            | 0           |
| 060    | TA040-49370 | MARK ACCEL.GRIP      | 1    |         |     |                       | 0.001        | 0.0022      |
| 070    | 6C040-47400 | KIT LABEL SAFETY     | 1    |         |     | ENGLISH               | 0.003        | 0.0066      |
| 080    | TA040-49650 | LABEL START CAUTION  | 1    |         |     | ENGLISH               | 0.004        | 0.0088      |
| 080    | TA041-49650 | LABEL START CAUTION  | 1    |         |     | FRENCH                | 0.004        | 0.0088      |
| 090    | 6C040-47420 | LABEL SAFETY         | 1    |         |     | ENGLISH               | 0.001        | 0.0022      |
| 090    | TA041-65700 | LABEL SAFETY         | 1    |         |     | FRENCH                | 0.01         | 0.022       |
| 100    | TA040-49350 | LABEL DRAWBAR        | 1    |         |     | ENGLISH               | 0.002        | 0.0044      |
| 100    | TA041-49350 | LABEL DRAWBAR        | 1    |         |     | FRENCH                | 0.003        | 0.0066      |
| 110    | TA040-49320 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH               | 0.001        | 0.0022      |
| 110    | TA040-49150 | LABEL ROPS WARNING   | 1    |         |     | FRENCH                | 0.003        | 0.0066      |
| 120    | 6C050-47242 | LABEL SPEED SET      | 1    |         |     | ENGLISH               | 0.001        | 0.0022      |
| 120    | 6C021-92140 | LABEL SPEED SET      | 1    | <=73433 |     | FRENCH/GERMAN         | 0            | 0           |
| 120    | 6C021-92142 | LABEL SPEED SET      | 1    | >=73434 | ←   | FRENCH/GERMAN         | 0.001        | 0.0022      |
| 130    | 6C040-47410 | LABEL FILLER CAUTION | 1    | <=72203 |     |                       | 0            | 0           |
| 130    | 6C040-47412 | LABEL FILLER CAUTION | 1    | >=72204 | ←   |                       | 0.001        | 0.0022      |
| 140    | 32751-49580 | LABEL FAN BELT       | 2    |         |     |                       | 0.001        | 0.0022      |
| 150    | TA040-49580 | LABEL MUFFLER        | 1    |         |     |                       | 0.001        | 0.0022      |
| 160    | TA040-49590 | LABEL PTO WARNING    | 1    |         |     | ENGLISH               | 0.002        | 0.0044      |
| 160    | TA041-49590 | LABEL PTO WARNING    | 1    |         |     | FRENCH                | 0.005        | 0.011       |
| 170    | 6C050-47480 | LABEL PEDAL          | 1    |         |     |                       | 0.002        | 0.0044      |
| 180    | 6C050-47300 | LABEL MID PTO        | 1    |         |     |                       | 0.001        | 0.0022      |
| 190    | 6C040-47320 | LABEL PTO            | 1    | <=71256 |     |                       | 0            | 0           |
| 190    | 6C040-47323 | LABEL PTO            | 1    | >=71257 | ←   |                       | 0.001        | 0.0022      |
| 200    | 6C050-47330 | LABEL RANGE SHIFT    | 1    | <=71256 |     |                       | 0            | 0           |
| 200    | 6C050-47332 | LABEL RANGE SHIFT    | 1    | >=71257 | ←   |                       | 0.001        | 0.0022      |
| 210    | 6C040-47350 | LABEL POSITION       | 1    | <=71499 |     |                       | 0            | 0           |
| 210    | 6C040-47352 | LABEL POSITION       | 1    | >=71500 | ←   |                       | 0.001        | 0.0022      |
| 220    | 6C040-47360 | LABEL 4WD            | 1    | <=71499 |     |                       | 0            | 0           |
| 220    | 6C040-47362 | LABEL 4WD            | 1    | >=71500 | ←   |                       | 0.001        | 0.0022      |
| 230    | 6C050-47310 | LABEL HST            | 1    | <=74051 |     |                       | 0.001        | 0.0022      |
| 230    | 6C050-47312 | LABEL HST            | 1    | >=74052 | ←   |                       | 0            | 0           |
| 240    | 6C040-47530 | MARK 4WD             | 1    |         |     | WITHOUT BI-SPEED TURN | 0.001        | 0.0022      |
| 250    | 6C050-47550 | MARK HST             | 2    |         |     |                       | 0.001        | 0.0022      |
| 260    | 6C040-47490 | LABEL FUSE BOX       | 1    |         |     | ENGLISH               | 0.001        | 0.0022      |
| 260    | 6C021-92110 | LABEL FUSE           | 1    |         |     | FRENCH                | 0.001        | 0.0022      |
| 270    | 6C040-55590 | LABEL BATTERY        | 1    |         |     | ENGLISH               | 0.001        | 0.0022      |
| 270    | 6C021-92120 | LABEL BATTERY        | 1    |         |     | FRENCH                | 0.001        | 0.0022      |
| 280    | 67980-82620 | LABEL CAUTION        | 1    |         |     | ENGLISH               | 0.001        | 0.0022      |
| 280    | 6C021-92130 | LABEL AIR CLEANER    | 1    |         |     | FRENCH/GERMAN         | 0.001        | 0.0022      |
| 290    | 6C040-77880 | LABEL BI-SPEED TURN  | 1    |         |     | WITH BI-SPEED TURN    | 0.001        | 0.0022      |
| 300    | 6C040-77890 | LABEL BI-SPEED TURN  | 1    |         |     | WITH BI-SPEED TURN    | 0.001        | 0.0022      |



## ACCESSORIES AND SERVICE PARTS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS        | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|----------------|--------------|-------------|
| 010    | 6C040-63110 | MANUAL INSTRUCTION  | 1    | <=70782 |     | ENGLISH        | 0            | 0           |
| 010    | 6C040-63112 | MANUAL INSTRUCTION  | 1    | >=70783 |     | ENGLISH        | 0.167        | 0.3674      |
| 010    | 6C021-92050 | MANUAL INSTRUCTION  | 1    |         |     | FRENCH         | 0.18         | 0.396       |
| 020    | 6C040-62980 | MANUAL ASSEMBLY     | 1    | <=72397 |     |                | 0.022        | 0.0484      |
| 020    | 6C040-62984 | MANUAL ASSEMBLY     | 1    | >=72398 | ←   |                | 0            | 0           |
| 030    | 15241-86612 | WRENCH FILTER       | 1    |         |     |                | 0.115        | 0.253       |
| 040    | 1G111-65720 | FUSE                | 1    |         |     | 30A [A]        | 0.009        | 0.0198      |
| 040    | 17478-60080 | FUSE                | 1    |         |     | 50A [CA]       | 0.008        | 0.0176      |
| 050    | 67401-62930 | ASSY SPACER CLUTCH  | 1    |         |     | REF.No.060 070 | 0.03         | 0.066       |
| 060    | 67211-62940 | PIECE DISTANCE      | 1    |         |     |                | 0.08         | 0.176       |
| 070    | 67401-62950 | LABEL CLUTCH SPACER | 1    |         |     |                | 0.002        | 0.0044      |
| 080    | 66416-62920 | ASSY BAG SPARE FUSE | 1    |         |     | REF.No.090     | 0.01         | 0.022       |
| 090    | 66416-62930 | FUSE AUTO           | 2    |         |     | 15A            | 0.01         | 0.022       |
| 100    | 15248-63700 | KEY STARTER         | 2    |         |     |                | 0.034        | 0.0748      |
| 110    | 6C040-63120 | MANUAL DAMPER       | 1    |         |     | OPTION         | 0.002        | 0.0044      |